

DAFTAR PUSTAKA

- Almeida, P.F., Lannes, S.C.S., Calarge, F.A., Brito Farias, T.. & Santana, J.C.C., 2012, FTIR Characterization of Gelatin from Chicken Feet, *J. Chem. Chem Eng*, 6, 1029–1032.
- Anggara, E.F., Widodo, T.W. & Lelono, D., 2017, Deteksi Daging Sapi Menggunakan Electronic Nose Berbasis Bidirectional Associative Memory, *IJEIS*, 7, 209–218.
- Argyri, A.A., Mallouchos, A., Panagou, E.Z. & Nychas, G.J.E., 2015, The dynamics of the HS/SPME-GC/MS as a tool to assess the spoilage of minced beef stored under different packaging and temperature conditions, *Int. J. Food Microbiol.*, 193, 51–58.
- Bosse, R., Wirth, M., Annette, K., Becker, T., Weiss, J. & Gibis, M., 2017, Determination of volatile marker compounds in raw ham using headspace-trap gas chromatography, *Food Chem.*, 219, 249–259.
- [BSN], 1995, *SNI 01-3707-1995 : Abon*, Badan Standar Nasional, Indonesia.
- Domínguez, R., Gómez, M., Fonseca, S. & Lorenzo, J.M., 2014, Influence of thermal treatment on formation of volatile compounds, cooking loss and lipid oxidation in foal meat, *LWT - Food Sci. Technol.*, 58, 439–445.
- Domínguez, R., Purriños, L., Pérez-Santaescolástica, C., Pateiro, M., Barba, F.J., Tomasevic, I., Campagnol, P.C.B. & Lorenzo, J.M., 2019, Characterization of Volatile Compounds of Dry-Cured Meat Products Using HS-SPME-GC/MS Technique, *Food Anal. Methods*, 12, 1263–1284.
- Edita, R., Darius, G., Vinauskienė, R., Eisinaite, V., Balčiūnas, G., Dobilienė, J. & Tamkutė, L., 2018, Rapid evaluation of fresh chicken meat quality by electronic nose, *Czech J. Food Sci.*, 36, 420–426.
- Erwanto, Y., Muttaqien, A.T., Sugiyono, Siswindari & Rohman, A., 2016, Use of Fourier Transform Infrared (FTIR) Spectroscopy and Chemometrics for Analysis of Lard Adulteration in “Rambak” Crackers, *Int. J. Food Prop.*, 19, 12, 2718–2725.
- Figaro, 2013, Datasheet Sensor TGS, *Tech. Inf. TGS2620*, 1–12.
- Figaro, 2005, Technical Information on Usage of TGS Sensors for Toxic and Explosive Gas Leak Detectors, *Gen. Inf. TGS Sensors*, 1–12.
- Fine, G., Cavanagh, L., Afonja, A. & Binions, R., 2010, Metal oxide semi-

- conductor gas sensors in environmental monitoring, *Sensors*, 10, 5469–5502.
- Friedman, J., Hastie, T. & Tibshirani, R., 2008, *The Elements of Statistical Learning Data Mining, Interface and Prediction Preface to the Second Edition*, California.
- García, G. & Aparicio, R., 2002, Sensors: From biosensors to the electronic nose, *Grasas y Aceites*, 53, 96–114.
- Gerhardt, N., Schwolow, S., Rohn, S., Pérez-Cacho, P.R., Galán-Soldevilla, H., Arce, L. & Weller, P., 2019, Quality Assessment of Olive Oils Based on Temperature-Ramped HS-GC-IMS and Sensory Evaluation: Comparison of Different Processing Approaches by LDA, kNN, and SVM, *Food Chem.*, 278, 720–728.
- Golnaz, R., Zainalabidin, M., Mad Nasir, S. & Eddie Chiew, F.C., 2010, Non-muslims' Awareness of Halal Principles and Related Food Products in Malaysia, *Int. Food Res. J.*, 17, 667–674.
- Gomez, M., Dominguez, R., Fonseca, S. & Lorenzo, J.M., 2015, Effect of Finishing Diet on Physico-Chemical and Lipolytic Parameters and Volatile Compounds Throughout the Manufacture of Dry-Cured Foal Cecina, *Austin J. Nutr. Food Sci.*, 3, 1–9.
- Górska-horczyczak, E., Guzek, D., Mołęda, Z., Kalinowska, I.W., Brodowska, M. & Wierzbicka, A., 2016, Applications of Electronic Noses in Meat Analysis, *Food Sci. Technol.*, 36, 389–395.
- Grassi, S., Benedetti, S., Opizzio, M., Di Nardo, E. & Buratti, S., 2019, Meat and Fish Freshness Assessment by a Portable and Simplified Electronic Nose System (Mastersense), *Sensors (Switzerland)*, 19, 3225.
- Hardoyono, F., Iswanto, B.H. & Triyana, K., 2016, Comparative Analysis of Feature Extraction Methods in the Clustering of Electronic Nose Response Correlated with GC/MS Analysis, *AIP Conf. Proc.*, 170006, 1755.
- Haris, B.C. & Sinha, R., 2014, Exploring Data-Independent Dimensionality Reduction in Sparse Representation-Based Speaker Identification, *Circuits, Syst. Signal Process.*, 33, 2521–2538.
- Hidayat, S.N., 2015, *Aplikasi Sistem Larik Sensor Gas untuk Identifikasi Profil Aroma Tempe Selama Proses Fermentasi*. Universitas Gadjah Mada.
- Hidayat, Shidiq Nur, Rusman, A., Julian, T., Triyana, K., Veloso, A.C.A. & Peres, A.M., 2019, Electronic Nose Coupled with Linear and Nonlinear Supervised Learning Methods for Rapid Discriminating Quality Grades of Superior Java Cocoa Beans, *Int. J. Intell. Eng. Syst.*, 12, 167–176.

- Hidayat, S.N. & Triyana, K., 2016, Optimized Back-Propagation Combined with Radial Basic Neural Network for Improving Performance of the Electronic Nose : Case study on the Fermentation Process of Tempeh, *AIP Conf. Proc.*, 020002, 1755.
- Hidayat, S.N., Triyana, K., Fauzan, I. & Julian, T., 2019, The Electronic Nose Coupled with Chemometric Tools for Discriminating The Quality of Black Tea Samples in Situ, *Chemosensors*, 7, 1–14.
- Jolliffe, I.T., 2002, *Principal Component Analysis, Second Edition*, Springer, New York.
- Julian, T., 2018a, Metal Oxide Semiconductor Berbasis Hidung Elektronik sebagai Klasifikasi dan Instrumen Prediksi untuk Nikotin Konsentrasi di Juice Elektronik Unflavoured, *IEEE Expert*, 4, 1–5.
- Julian, T., 2018b, Metal Oxide Semiconductor Berbasis Hidung Elektronik sebagai Klasifikasi dan Instrumen Prediksi untuk Nikotin Konsentrasi di Juice Elektronik Unflavoured,
- Julian, T., Hidayat, S.N. & Triyana, K., 2018, Metal Oxide Semiconductor Based Electronic Nose as Classification and Prediction Instrument for Nicotine Concentration in Unflavoured Electronic Juice, *2018 4th Int. Conf. Sci. Technol.*, 1, 1–5.
- Keshavarzi, Z., Barzegari Banadkoki, S., Faizi, M., Zolghadri, Y. & Shirazi, F.H., 2019, Comparison of transmission FTIR and ATR spectra for discrimination between beef and chicken meat and quantification of chicken in beef meat mixture using ATR-FTIR combined with chemometrics, *J. Food Sci. Technol.*, .
- Kiani, S., Minaei, S. & M-G, V., 2016, Application of electronic nose systems for assessing quality of medicinal and aromatic plant products A review, *J. Appl. Res. Med. Aromat. Plants*, 3, 1–9.
- Kim, K.S., Choi, H.H., Moon, C.S. & Mun, C.W., 2011, Comparison of k-Nearest Neighbor, Quadratic Discriminant and Linear Discriminant Analysis in Classification of Electromyogram Signals Based on the Wrist-Motion Directions, *Curr. Appl. Phys.*, 11, 740–745.
- Kombo, K.O., 2019, *Implementation of Pattern Recognition Techniques Combining with Feature Extraction Methods to Discriminate Black Tea According to The Qualities Measured Using Electronic Nose*. Universitas Gadjah Mada.

- Lamyaa, M.A., 2013, Discrimination of pork content in mixtures with raw minced camel and buffalo meat using FTIR spectroscopic technique, *Int. Food Res. J.*, 20, 3, 1389–1394.
- Laref, R., Losson, E., Sava, A. & Siadat, M., 2019, On the Optimization of the Support Vector Machine Regression Hyperparameters Setting for Gas Sensors Array Applications, *Chemom. Intell. Lab. Syst.*, 184, 22–27.
- Laref, R., Losson, E., Sava, A. & Siadat, M., 2018, Support Vector Machine Regression for Calibration Transfer between Electronic Noses Dedicated to Air Pollution Monitoring, *Sensors*, 18, 3716.
- Leroy, F., Geyzen, A., Janssens, M., De Vuyst, L. & Scholliers, P., 2013, Meat Fermentation at the Crossroads of Innovation and Tradition: A Historical Outlook, *Trends Food Sci. Technol.*, 31, 130–137.
- Loutfi, A., Coradeschi, S., Kumar, G., Shankar, P., Bosco, J. & Rayappan, B., 2015, Electronic Noses for Food Quality : A review, *J. Food Eng.*, 144, 103–111.
- Lubis, H.N., Mohd-Naim, N.F., Alizul, N.N. & Ahmed, M.U., 2016, From Market to Food Plate: Current Trusted Technology and Innovations in Halal Food Analysis, *Trends Food Sci. Technol.*, 58, 55–68.
- Mahuya, B.B., Roy, R.B., Tudu, B. & Rajib, B., 2019, Black tea classification employing feature fusion of E-Nose and E-Tongue responses, *J. Food Eng.*, 244, 55–63.
- Majchrzak, T., Wojnowski, W., Dymerski, T. & Jacek, G., 2018, Electronic noses in classification and quality control of edible oils : A review, *Food Chem.*, 246, November 2017, 192–201.
- Men, H., Fu, S., Yang, J., Cheng, M., Shi, Y. & Liu, J., 2018, Comparison of SVM, RF and ELM on an Electronic Nose for the Intelligent Evaluation of Paraffin Samples, *Sensors (Switzerland)*, 18, 1–17.
- Mirzaee-Ghaleh, E., Taheri-Garavand, A., Ayari, F. & Lozano, J., 2019, Identification of Fresh-Chilled and Frozen-Thawed Chicken Meat and Estimation of their Shelf Life Using an E-Nose Machine Coupled Fuzzy KNN, *Food Anal. Methods*, 13, 678–689.
- Montanari, C., Gatto, V., Torriani, S., Barbieri, F., Bargossi, E., Lanciotti, R., Grazia, L., Magnani, R., Tabanelli, G. & Gardini, F., 2018, Effects of the Diameter on Physico-Chemical, Microbiological and Volatile Profile in Dry Fermented Sausages Produced with Two Different Starter Cultures, *Food Biosci.*, 22, 9–18.

- Müller, P., Salminen, K., Nieminen, V., Kontunen, A., Karjalainen, M., Isokoski, P., Rantala, J., Savia, M., Väliäho, J., Kallio, P., Lekkala, J. & Surakka, V., 2019, Scent Classification by k Nearest Neighbors Using Ion-Mobility Spectrometry Measurements, *Expert Syst. Appl.*, 115, 593–606.
- Di Natale, C., Macagnano, A., Davide, F., D’Amico, A., Paolesse, R., Boschi, T., Faccio, M. & Ferri, G., 1997, An Electronic Nose for Food Analysis, *Sensors Actuators, B Chem.*, 44, 521–526.
- Pavlidis, D.E., Mallouchos, A., Ercolini, D., Panagou, E.Z. & Nychas, G.J.E., 2019, A volatilomics approach for off-line discrimination of minced beef and pork meat and their admixture using HS-SPME GC/MS in tandem with multivariate data analysis, *Meat Sci.*, 151, October 2018, 43–53.
- Peñaranda, F., Naranjo, V., Lloyd, G.R., Kastl, L., Kemper, B., Schnekenburger, J., Nallala, J. & Stone, N., 2018, Discrimination of skin cancer cells using Fourier transform infrared spectroscopy, *Comput. Biol. Med.*, 100, April, 50–61.
- Perestam, A.T., Fujisaki, K.K., Nava, O. & Hellberg, R.S., 2017, Comparison of real-time PCR and ELISA-based methods for the detection of beef and pork in processed meat products, *Food Control*, 71, 346–352.
- Qiu, S. & Wang, J., 2017, The prediction of food additives in the fruit juice based on electronic nose with chemometrics, *Food Chem.*, 230, 208–214.
- Rahmania, H., Sudjadi & Rohman, A., 2015, The employment of FTIR spectroscopy in combination with chemometrics for analysis of rat meat in meatball formulation, *Meat Sci.*, 100, 301–305.
- Rahmawati, Sismindari, Raharjo, Sudjadi & Rohman, 2016, Analysis of Pork Contamination in Abon Using Mitochondrial D-Loop22 Primers Using Real Time Polymerase Chain Reaction Method, *Int. Food Res. J.*, 23, 370–374.
- Ramgir, N.S., 2013, Electronic Nose Based on Nanomaterials: Issues, Challenges, and Prospects, *ISRN Nanomater.*, 2013, 1–21.
- Ravindran, S. & Aghila, G., 2019, A Data-Independent Reusable Projection (DIRP) Technique for Dimension Reduction in Big Data Classification Using k-Nearest Neighbor (k-NN), *Natl. Acad. Sci. Lett.*, .
- Rohman, A., Erwanto, Y. & Che, Y.B., 2011, Analysis of pork adulteration in beef meatball using Fourier transform infrared (FTIR) spectroscopy, *MESC*, 88, 91–95.
- Rohman, A., Himawati, A., Triyana, K., Sismindari & Fatimah, S., 2017, Identification of Pork in Beef Meatballs Using Fourier Transform Infrared

- Spectrophotometry and Real-Time Polymerase Chain Reaction, *Int. J. Food Prop.*, 20, 654–661.
- Rosyad, F. & Lelono, D., 2016, Klasifikasi Kemurnian Daging Sapi Berbasis Electronic Nose dengan Metode Principal Component Analysis 1, *IJEIS*, 6, 47–58.
- Sabbeh, S.F., 2018, Machine-Learning Techniques for Customer Retention: A Comparative Study, *Int. J. Adv. Comput. Sci. Appl.*, 9, 273–281.
- Shao, X., Li, H., Wang, N. & Zhang, Q., 2015, Comparison of different classification methods for analyzing electronic nose data to characterize sesame oils and blends, *Sensors (Switzerland)*, 15, 10, 26726–26742.
- Smith, L., 2006, *A tutorial on Principal Components Analysis*, University of Otago, New Zealand.
- Tazi, I., Triyana, K., Siswanta, D., Veloso, A.C.A., Peres, A.M. & Dias, L.G., 2018, Dairy Products Discrimination According to The Milk Type Using an Electrochemical Multisensor Device Coupled with Chemometric Tools, *J. Food Meas. Charact.*, 12, 2385–2393.
- Tharwat, A., 2017, Linear vs . quadratic discriminant analysis classifier : a tutorial, *Int. J. Appl. Pattern Recognition*, 3, 146–180.
- Vandendriessche, T., Nicolai, B.M. & Hertog, M.L.A.T.M., 2013, Optimization of HS SPME Fast GC-MS for High-Throughput Analysis of Strawberry Aroma, *Food Anal. Methods*, 6, 512–520.
- Wang, P. & Liu, Q., 2015, *Bioinspired Smell and Taste*, Springer, Beijing.
- Wang, Q., Li, L., Ding, W., Zhang, D., Wang, J., Reed, K. & Zhang, B., 2019, Adulterant Identification in Mutton by Electronic Nose and Gas Chromatography-Mass Spectrometer, *Food Control*, 98, 431–438.
- Wazir, H., Chay, S.Y., Zarei, M., Hussin, F.S., Mustapha, N.A., Ibadullah, W.Z.W. & Saari, N., 2019, Effects of storage time and temperature on lipid oxidation and protein co-oxidation of low-moisture shredded meat products, *Antioxidants*, 8, 10, 1–17.
- Wiwiek Yuniarti Costa, *Membuat Abon Sapi*, Kupang.
- Xu, L., Cai, C.B., Cui, H.F., Ye, Z.H. & Yu, X.P., 2012, Rapid discrimination of pork in Halal and non-Halal Chinese ham sausages by Fourier transform infrared (FTIR) spectroscopy and chemometrics, *Meat Sci.*, 92, 4, 506–510.

- Yan, J., Guo, X., Duan, S., Jia, P., Wang, L., Peng, C. & Zhang, S., 2015, Electronic Nose Feature Extraction Methods: A Review, *Sensors*, 15, 27804–27831.
- Yang, Y.Q., Yin, H.X., Yuan, H.B., Jiang, Y.W., Dong, C.W. & Deng, Y.L., 2018, Characterization of the volatile components in green tea by IRAE- HS-SPME/GC- MS combined with multivariate analysis, *PLoS One*, 13, 1–19.
- Zhang, L., Santos, J., Cruz, T., Marques, M., Carmo, M., Vieira, Azevedo, L., Wang, Y. & Granato, D., 2019, Multivariate effects of Chinese keemun black tea grades (*Camellia sinensis* var. *sinensis*) on the phenolic composition, antioxidant, antihemolytic and cytotoxic/cytoprotection activities, *Food Res. Int.*, 125, 108516.
- Zhi, R., Zhao, L. & Zhang, D., 2017, A framework for the multi-level fusion of electronic nose and electronic tongue for tea quality assessment, *Sensors*, 17, 1007.