

## DAFTAR PUSTAKA

- Ahmed I, Haque S, Nazir R. 2011. Carious lesions in patients undergoing orthodontic treatment. *J. Pak. Med. Assoc.* 61(12): 1176-9
- Ahn, SJ., Lee, S., Lim, B., Nahm, D., 2006, Quantitative Determination of adhesion Patterns of Cariogenic Streptococci to Various Orthodontic adhesives, *Angle Orthod*, 76 (5) : 869-75
- Akin,M., and Basciftci, F.A., 2012, Can white spot lesions be treated effectively? *Angle Orthod*, 82(5):770-5.
- Batoni G, Pardini M, Giannotti A, Ota F, Giuca MR, Gabriele M, et al. Effect of removable orthodontic appliances on oral colonisation by *mutans* streptococci in children. *Eur J. Oral. Sci.* 2001;109:388–92.
- Bishara, S.E., and Ostby, A.W., 2008, White spot lesions: formation, prevention and treatment. *Seminars in Orthod.J.*, 14(3):174-82.
- Boersma J G , van der Veen M H , Lagerweij M D , Bokhout B , Prahl- Andersen B 2005 Caries prevalence measured with QLF after treatment with fixed orthodontic appliances: influencing factors . *J. Caries Res.* 39 : 41 – 47
- Bollen, AM., 2008, Effects of Malocclusions and Orthodontics on Periodontal Health : Evidence from A Systematic Review, *J. Dent Edu*, p: 912-18
- Brown, M.D., Campbell, P.M., Schneiderman, E.D., Buschang, P.H., 2016, A practice-based evaluation of the prevalence and predisposing etiology of white spot lesions. *Angle.Orthod.* 86(2):181-6.
- Buck, T., Pellegrini, P., Sauerwein, R., Leo, M.C., Covell, D.A.Jr., Maier T., 2011, Elastomeric-Ligated vs Self Ligating Appliances : A Pilot Study Examining Microbial Colonization and White Spot Lesion Formation After 1 Year of Orthodontic Treatment. *Orthodontics : The Art and Practise of Dentofacial Enhancement* ; 12 (2)
- Caldas, SGFR., Ribeiro, A.A., Simplicio, H., Machado, A.W., 2014, Segmented arch Technique? A rational Approach., *Dent. Press. J. Orthod*, Vol 19(2)
- Chang HS., Walsh LJ., Freer TJ., 1999, The effect of orthodontic treatment on salivary flow, pH, buffer capacity, and levels of *mutans* streptococci and lactobacilli. *Aust.Orthod. J.*;15:229–34

- Chapman J.A., Roberts W.E., Eckert GJ., Kula KS., Iez-Cabezase CG., 2010. Risk factors for incidence and severity of white spot lesions during treatment with fixed orthodontic appliances. *Am. J. Orthod. Dentofac. Orthop*;138:188-94.
- Christensen, GJ., 2005, Special Oral Hygiene and Preventive Care for Special Needs, *J. Am Dent. Assoc*, 136: 1141-3
- Clarke, J.K., 1994, On The Bacterial Factor in the Etiology of Dental Caries, *British. J. Exp. Path*, 5 (3) : 141-7
- Cobourne, MT and Dibiasi, AT., 2010, *Handbook Of Orthodontics*, Elsevier, London, p.235-60
- Derks A, Katsaros C, Frencken JE, Van't Hof MA, Kuijpers-Jagtman AM, 2004, Caries-Inhibiting Effect of Preventive Measures During Orthodontic Treatment with Fixed Appliances. *Caries Res.*, 38 : 413-20
- Du, M., Cheng, N., Tai, B., Jiang, H., Li, J., Bian, Z., 2012, Randomized controlled trial on fluoride varnish application for treatment of white spot lesion after fixed orthodontic treatment. *Clin.Oral.Investig*, 16(2):463-8.
- Filho LC, Machado F, Ozawa TO, Cavassan A, Cardoso M., 2012, Bracket/wire play: what to expect from tipping prescription on pre-adjusted appliances. *Dental Press J. Orthod.* p;17(4):85-95.
- Foster, T.D., 1997, *Buku Ajar Ortodontisi (terj.)* ed 3, EGC, Jakarta
- Glans R, Larsson E, Øgaard B. Longitudinal changes in gingival condition in crowded and noncrowded dentitions subjected to fixed orthodontic treatment. *Am. J. Orthod Dentofac. Orthop.* 2003;124:679–82.
- Gorelick , L., Geiger ,A.M., Gwinnett, A.J., 1982 : Incidence of white spot formation after bonding and banding. *Am. J. Orthod* 1982; 8:93-98.
- Graber, T.M., Petrovic, A.G., Rakosi, T., 2004, *Dentofacial Orthopedics with Functional Appliances*, C.V Mosby Co., St.Louis, p:275-6
- Harorli, O.T., Barutcigil, C., Akgul, N., and Bayindir, Y.Z., 2014, Caries detector dyes: Do they stain only the caries?. *J Res Dent*, 2:20-6.

- Herijulianti, Eliza dkk. 2002. Pendidikan Kesehatan Gigi. Jakarta:EGC
- Heymann, G.C., and Grauer, D., 2013. A Contemporary Review of White Spot Lesions in Orthodontics. *J. Esthet. Restor. Dent* 25:85–95.
- Huang, G.J., Roloff-Chiang, B., Mills, B.E., Shalchi. S., Spiekerman, C., Korpak, A.M., Starrett, J.L., Greenlee, G.M., Drangsholt, R.J., Matunas, J.C., 2013, Effectiveness of MI Paste Plus and PreviDent fluoride varnish for treatment of white spot lesions: a randomized controlled trial. *Am.J.Orthod.Dentofac.Orthop.* 143(1):31-41
- Julien KC, Buschang PH, Campbell PM.,2013, Prevalence of White Spot Lesion Formation During Orthodontic Treatment, *Angle Orthod*, 83:641-7
- Kanaya, T., Kaneko, N., Amaike, C., Fukushima, M., Morita, S., Miyazaki, H and Saito, I., 2019, A study on changes in caries risk and microbial flora with the placement of edgewise appliance, *Orthod.Waves*, 66(2) : 27-32.
- Klukowska M, Bader A, Erbe C, Bellamy P, White DJ, Anastasia MK, Wehrbein H. 2011. Plaque levels of patients with fixed orthodontic appliances measured by digital plaque image analysis. *Am. J. Orthod. Dentofac. Orthop.* 1;139:e463-70.
- Lemeshow, S., Hosmer Jr, D.W., Klar, J., and Lwanga, S.K., 1997, Besar Sampel Dalam Penelitian Kesehatan (*terj*), Gadjah Mada University Press, Yogyakarta, p;2
- Lopatiene, K., Borisovaite M., Lapenaite E., 2016. Prevention and Treatment of White Spot Lesions During and After Treatment with Fixed Orthodontic Appliances: a Systematic Literature Review , *J. Oral. Maxillofac. Res* ; 7(2)
- Lucchese. A., dan Gherlone E, 2013. Prevalence of White-Spot Lesions Before and During Orthodontic Treatment with Fixed Appliances, *Eur. J. Orthod*, 35 : 664–668
- Maaitah-Al, E.F., Adeyemi, A.A., Higham, S.M., Pender, N., Harrison, J.E., 2011, Factors affecting demineralization during orthodontic treatment: a post-hoc analysis of RCT recruits. *Am.J.Orthod.Dentofac.Orthop.* 139(2):181-91.
- Mariano, S., Michael, G.N., and Russel, N., 2010, Periodontal Microbiology, dalam Carranza, F.A, (ed.) : *Clinical Periodontology*, 7<sup>th</sup> ed., W.B Saunders. Co., Toronto. p: 345

- Mattousch TJ, Van Der Veen MH, Zentner A., 2007, Caries Lesion After Orthodontic Treatment Followed by Quantitative Light-Induced Fluorescence : a 2-Year follow up., *Eur J Orthod*; 29:294-8
- Maxfield, B.J., Hamdan, A.M., Tufekci, E., Shroff, B., Best, A.M., Lindauer, S.J., 2012, Development of white spot lesions during orthodontic treatment: perceptions of patients, parents, orthodontists and general dentists *.Am.J.Orthod.Dentofac.Orthop.* 141(3):337-44.
- Mayne, R.J., Cochrane, N.J., Cai, F., Woods, M.G., Reynolds, E.C., 2011, In-vitro study of the effect of casein phosphopeptide amorphous calcium fluoride phosphate on iatrogenic damage to enamel during orthodontic adhesive removal. *Am.J.Orthod.Dentofac.Orthop*, 139(6):e543-51.
- McLaughlin, R. P., Bennett, J.C., and Trevisi, H., 2001, *Systemized orthodontic treatment mechanics* . Mosby , London
- Mount G J , Hume W R 2005 Preservation and restoration of tooth structure , 2nd edn . Knowledge Books and Software , Queensland . pp. 61 – 82
- Nascimento, LEAG., Souza, MMG., Azevedo, ARP., Maia, Lc., 2014, Are Self-Ligating brackets related to less formation of Streptococcus mutans colonies? A systematic review. *Dent. Press. J. Orthod*, Jan-Feb; 19(1):60-8
- Parahitiyawa NB, Jin LJ, Leung WK, Yam WC, Samaranayake LP. 2009, Microbiology of odontogenic bacteremia: Beyond endocarditis. *Clin. Microbiol. Rev.* 22:46–64.
- Pratiwi, S.T., 2008, Mikrobiologi Farmasi, Penerbit Erlangga, Jakarta, p: 108-9
- Proffit, WR., Field, W.F., Ackerman, J.L., Bailey, L.J., Tulloch, J.F.C., 2010, Contemporary Orthodontics, 5<sup>th</sup> ed, Mosby Inc., St.Louis, pp : 1-22,364-84
- Rakhshan, H., dan Rakhshan, V., 2015, Pain and Discomfort Perceived During the Initial Stage of Active Fixed Orthodontic Treatment., *Sau.Dent. J*, 27, 81–87
- Ramfjord, S.P., and Ash, M.M., 2009, *Modern Theory and Practise in Periodontology and Periodontics*, Ishiyaku Euroamerica, Inc., St. Louis, p: 62
- Ranganath, L.M., Shet, R.G., and Rajesh, A.G., 2012, Saliva : A Powerfull Diagnostic Tool For Minimal Intervention Dentistry, *J.Contem.Dent.Pract*, 13(2) :240-5

- Ribeiro, G.L.U., Regis, S.Jr., Cunha, T.M.A., Sabatoski, M.A., Filho, O.G., and Tanaka, O.M., 2010, Multiloop edgewise archwire in the treatment of a patient with an anterior open bite and a long face, *Am.J.Orthod.Dentofac.Orthop*,138:89-95
- Richter, DD., Nanda, RS., Sinha, PK., Smith, DW., 2011, Effect of Behavior Modification on Patient Compliance in Orthodontic, *Angle Orthod*; 68(2) p: 123-132
- Robertson, M.A., Kau, C.H., English, J.D., Lee, R.P., Powers, J., Nguyen, J.T., 2011, MI Paste Plus to prevent demineralization in orthodontic patients: a prospective randomized controlled trial. *Am. J. Orthod Dentofac. Orthop*, 140(5):660-8.
- Rosenbloom, RG and , Tinanoff, N, 1991, Salivary Streptococcus mutans Levels in Patients before, during, and after Orthodontic Treatment, *Am. J. Orthod. Dentofac. Orthop*, 100 (5) : 299-303
- Sarver DM., 2005, Principles Of Cosmetic Dentistry In Orthodontics : Part 3. Laser Treatments for Tooth Eruption and Soft Tissue Problems. *Am. J. Orthod Dentofac. Orthop*, 127: 262-264
- Salzmann, J.A., 1996, Practise Of Orthodontics, Vol I,II., J.B.Lippincott Co., Philadelphia
- Shafiei, F, and Memarpour, M., 2012, Antibacterial Activity in Adhesive Dentistry : A Literature Review, *Gen Dent*, 60 (6) : 346-56
- Singh, G.,2007, Textbook Of Orthodontics, Jaypee Brothers Medical Publisher, New Delhi
- Soetarto, A.E.S., Suharni, T. T., S.J. dan Nastiti, 2008. *Mikrobiologi Umum*. Penerbit Universitas Atma Jaya. Yogyakarta.
- Spena,R., 2014, Upper and lower incisor torque and straight wire appliance. *SIDO J*:p:21-32.
- Sudjalim, T.R., Woods, M.G., and Manton, D.J., 2006, Prevention of White Spot Lesions in Orthodontic Practise : A Contemporary Review, *Aus.Dent.J*, 51(4) : 284-9
- Sukontapatipark W, El-Agroudi MA, Selliseth NJ, Thunold K, Selvig KA. 2001, Bacterial colonization associated with fixed orthodontic appliances. A scanning electron microscopy study. *Eur. J. Orthod* ;23(5):475-84.

- Thornberg, M.J., Riolo, C.S., Bayirli, B., Riolo, M.L., Van Tubergen, E.A., and Kulbersh, R., 2009, Periodontal pathogen levels in adolescents before, during, and after fixed orthodontic appliance therapy. *Am. J. Orthod. Dentofac. Orthop.*135:95-8.
- Tufekci E, Dixon JS, Gunsolley JC, Lindauer SJ., 2011, *Angle Orthod*, Vol 81, No 2.
- Van der Veen ,M.H., Mattousch T., Boersma,J.G, 2007, Longitudinal Development of Caries Lesion After Orthodontic Treatment Evaluated By Quantitative Light Induced Fluorescence. *Am.J.Orthod.Dentofac.Orthop*, 131 (2) :223-8
- Williams, J.K., Cook, P.A., Isaacson, adn Thom, A.R., 1995, *Fixed Orthodontic Appliances Principles and Practice*, 1<sup>st</sup> Ed, Wright, London, p.22-56
- Wistreich, G.A., 1997, *Microbiology Laboratory Fundamentals and Applications*, Prentice Hall, New Jersey, p:53-63
- Xubair., Graber., Vanarsdall., and Vig., 2011, *Orthodontics Current Principles and Techniques*. 5th ed.Elsevier. p:19-22,517-34,561-64.
- Yap, J., Walsh, L., Naser-Ud Din, S., Ngo, H. and, Manton, D.,2014, Evaluation of a novel approach in the prevention of white spot lesions around orthodontic brackets. *Aust.Dent.J*, 59(1):70-80.
- Yilmas, H., and Keles, S., 2018, Recent Methods for Diagnosis of Dental Caries in Dentistry, *Meandros.Med.Dent.J*, (19):1-8
- Zachrisson, B.U and Brobakken, B., 1978 Clinical comparison of direct and indirect bonding with different bracket types and adhesives . *Am. J. Orthod. Dentofac. Orthop* 74 : 62 – 78