UNIVERSITAS GADJAH MADA
Identifikasi, Surveilans dan Histopatologi Ektoparasit Subclass Copepoda (Siphonostomatoida) pada Kerapu Cantang (Epinephelus sp.) dan Kerapu Macan (Epinephelus fuscoguttatus) di Perairan Batam, Kepulauan Riau
ENDANG WIJAYANTI, Dr. Ir. Murwantoko, M.Si. dan Indah Istiqomah, S.Pi., M.Sc., Ph.D.
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abalaka, S., F.M. Yakasai, G.B.N. Doguwar & K.H. Makonjuola. 2010. Histopathological changes in the gills and skin of adult *Clarias gariepinus* exposed to ethanolic extract of Parkia biglobosa pods. Basic Appl Pathol. 3: 109-114.

Al-Arif, M.A. 2016. Rancangan Percobaan. Universitas Airlangga. Surabaya.

Alifuddin, M., Y. Hadiroseyani & I. Ohoiulun. 2003. Parasit pada ikan hias air tawar (Ikan Cupang, Gupi, dan Rainbow). Parasites in fresh water ornamental fish (Cupang, Guppy and Rainbow Fish). Jurnal Akuakultur Indonesia. 2: 93-100.

Altschul S.F., W. Gish, W.M. Eugene ,W. Myers & D.J. Lipman. 1990. Basic Local Alignment Search Tool. J Mol Biol. 215: 403-410.

Anonymous, 2004. Ectoparasites of groupers Tobiuo Tsūshin, Gōgai, Tobikkusu, 1: 1–2. Shimane Prefecture Fisheries Experimental Station, Hamada. (In Japanese).

Anshari, H. 2016. Parasitologi ikan biologi, identifikasi dan pengendaliannya. Deepublish. Yogyakarta.

Anstensrud, M. 1990. Moulting and mating in *Lepeophtheirus pectoralis* (Copepoda: Caligidae). Journal of the Marine Biological Association of the United Kingdom. 70 (2): 269–281.

Anonim, 2017. KKP Tegaskan Kinerja Neraca Perdagangan Ikan Kerapu Positif. https://kkp.go.id/djpb/artikel/304.(diakses tanggal 10 Mei 2019).

Aranishi, F., N. Mano & H. Hirose. 1998. Fluorescence localization of epidermal cathepsins L and B in the Japanese eel. Fish Physiol Biochem. 19:205e9.

Arief, Z.R. 2017. Identifikasi kelimpahan fitoplankton pada keramba jaring apung di Balai Perikanan Budidaya Laut Batam. Praktek kerja lapang. Universitas Brawijaya. Malang.

Balai Besar Pengembangan Budidaya Laut Lampung. 2002. Pembenihan Ikan Kerapu. Seri Budidaya Laut No: 13. Direktorat Jenderal Perikanan Budidaya. Lampung.

Benmansour B. & K.B.Hassine. 1998. Preliminary analysis of parasitic copepod species richness among coastal fishes of Tunisia. Ital. J. Zool. 65:341-344.

Borucinska J.D. & G.W. Benz . 1999. Lesions associated with attachment of the parasitic copepod *Phyllothyreus cornutus* (Pandaridae: siphonostomatoida) to interbranchial septa of blue sharks. J Aquat Anim Health 11:290–295.

Brooker A.J., J.E. Bron & A.P. Shinn. 2012. Description of the free-swimming juvenile stages of *Lernaeocera branchialis* (Pennellidae), using traditional light and

UNIVERSITAS GADJAH MADA
Identifikasi, Surveilans dan Histopatologi Ektoparasit Subclass Copepoda (Siphonostomatoida) pada Kerapu Cantang (Epinephelus sp.) dan Kerapu Macan (Epinephelus fuscoguttatus) di Perairan Batam, Kepulauan Riau
ENDANG WIJAYANTI, Dr. Ir. Murwantoko, M.Si. dan Indah Istiqomah, S.Pi., M.Sc., Ph.D.
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

confocal microscopy methods. Aquatic Biology 14: 153–163. https://doi.org/10.3354/ab00388.

Boxshall, G.A. & S.H. Halsey. 2004. An introduction to copepod diversity. The Ray Society Ed. London.

Boxshall G.A .1990. The skeletomusculature of siphonostomatoid copepods, with an analysis of adaptive radiation in structure of the oral cone. Philos Trans R Soc Lond. 328:167−212. https://doi.org/10.1098/rstb.1990.0113.

Boxshall, G. A. 1986. A new genus and two new species of Pennellidae (Copepoda: Siphonostomatoida) and an analysis of evolution within the family. Systematic Parasitology. 8(3): 215–225.

Brooker, A.j., A. P. Shinn & J.E. Bron. 2007. A review of the biology of the parasitic copepod *Lernaeocera branchialis* (L., 1767) (Copepoda: Pennellidae). Advances in Parasitology, Volume 65. Elsevier Ltd.

Brusca, R.C. 1981. A monograph on the isopods cymothoidae (Crustacea) of the Eastern Pacific. Zool J Linn Soc. 73: 117-199.

Bush, A.O., K.D. Lafferty, J.M. Lotz & A.W. Shostak. 1997. Parasitology meets ecology on its own terms: Margolis et al. Revisited. Journal Parasitol 83: 575-583.

Cameron, A. 2011. Pedoman surveilans penyakit hewan tingkat dasar. Uni Afrika, Biro Inter-Afrika untuk Sumber Daya Hewan ISBN 1 00000 000 X.

Costello, M.J. 2000. A Framework for an action on marine biodiversiry in ireland. Prepared for The marine institute.

Costelloe, J., G. Costelloe, O'Donohoe, N. J. Coghlan, M. Oonk & Y. van der Heijden. 1998. Planktonic distribution of sea lice larvae *Lepeophtheirus salmonis*, in Killary Harbour, west coast of Ireland. Journal of the Marine Biological Association of the United Kingdom. 78 (3): 853–874.

Costello. 2006. Ecology of sea lice parasitic on farmed and wild fish. Trends in Parasitology. 22 (10): 475–483.

Costello. 2009. How sea lice from salmon farms may cause wild salmonid declines in Europe and North America and be a threat to fishes elsewhere. Proceedings of the Royal Society B. 276 (1672): 3385–3394.

Chu, K.H.,C.P. Li., & H.Y. Ho. 2000. The first *Internal Transcribed Spacer* (ITS-1) of ribosomal DNA as a molecular marker for phylogenetic and population analyses in crustacean. Springer. Marine Bioteknologi. 3,355-361.

Darmawan T. 2015. Pertumbuhan sektor perikanan indonesia melampaui pertumbuhan ekonomi. https://www.indonesia-investments.com/id/berita/berita-hari-

UNIVERSITAS GADJAH MADA
Identifikasi, Surveilans dan Histopatologi Ektoparasit Subclass Copepoda (Siphonostomatoida) pada Kerapu Cantang (Epinephelus sp.) dan Kerapu Macan (Epinephelus fuscoguttatus) di Perairan Batam, Kepulauan Riau
ENDANG WIJAYANTI, Dr. Ir. Murwantoko, M.Si. dan Indah Istiqomah, S.Pi., M.Sc., Ph.D.
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

ini/pertumbuhan-sektor-perikanan-indonesia-melampaui-pertumbuhan-ekonomi/item6324?.(diakses tanggal 10 Mei 2019.

Dharmayanti, I. 2011. Filogenetika molekuler: metode taksonomi organism berdasarkan sejarah evolusi. Makalah. Balai Besar Penelitian Veteriner.

Eka Yudistira. 2004. Ektoparasit crustacea pada ikan kerapu merah (*Plectropomus sp*) dari Kepulauan Pangkajene, perairan barat Sulawesi Selatan. Skripsi. Institut Pertanian Bogor. Bogor.

Esteban, M.A. 2012. An overview of the immunological defences in fish skin. ISRN Immunol. 1e29.

Falkenberg J.M., J. Emı´lia, S.A. Golzio, A. Pessanha, J. Patrı´cio, A.L. Vendel & A.C.F. Lacerda. 2019. Gill parasites of fish and their relation to host and environmental factors in two estuaries in northeastern Brazil. Aquat Ecol. DOI.org/10.1007/s10452-019-09676-6

Fast, M.D, N. W. Ross & S. C. Johnson. 2005. Prostaglandin E2 modulation of gene expression in an Atlantic salmon (*Salmo salar*) macrophage-like cell line (SHK-1). Developmental & Comparative Immunology. 29 (11): 951–963.

Fernandes, J.M.O & Smith, V.J. 2002. A novel antimicrobial function for a ribosomal peptide from rainbow trout skin. Biochem Biophys Res Commun. 296: 167e71.

Folmer, O, M. Black., W. Hoen., R. Lutz & R. Vrijenhoek. 1994. DNA primers for amplification of mitochondrial cytochrome c oxidase subunit 1 from diverse metozoan invertebrates. Molecular Marine Biology and Biotechnology, 3, 294^299.

Francisco, A.G., A. Cuesta, E. Abell_an, J. Meseguer & M.A. Esteban. 2014. Comparative analysis of the humoral immunity of skin mucus from several marine teleost fish. Fish & Shellfish Immunology. xxx 1e8.

Glenn N. Wagner, Mark, F.C Stewart & Johnson. 2008. Physiology and immunology of *Lepeophtheirus salmonis* infections of salmonids. Trends in Parasitology Vol.24 No 4.

Grabda, J. 1991. Marine Fish Parasitology. Polish Scientific Publisher. Warsawa. 306p.

Gonzalez-Alanis P., G.M. Wright, S.C. Johnson & J.F. Burka. 2001. Frontal filament morphogenesis in the salmon louse *Lepeophtheirus salmonis.* J Parasitol 87:561−574. https://doi.org/10.1645/0022-3395(2001)087[0561:FFMITS]2.0.CO;2.

Guo F.C. & P.T.K. Woo. 2009. Selected parasitosis in cultured and wild fish. Veterinary Parasitology 163 (3): 207-216. doi: 10.1016/j.vetpar.2009.06.016

Handayani & S. Samsundari. 2004. Penyakit Ikan. UMM Press, Malang.

UNIVERSITAS GADJAH MADA
Identifikasi, Surveilans dan Histopatologi Ektoparasit Subclass Copepoda (Siphonostomatoida) pada Kerapu Cantang (Epinephelus sp.) dan Kerapu Macan (Epinephelus fuscoguttatus) di Perairan Batam, Kepulauan Riau
ENDANG WIJAYANTI, Dr. Ir. Murwantoko, M.Si. dan Indah Istiqomah, S.Pi., M.Sc., Ph.D.
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Håstein, T. 1995. Disease problems, use of drugs, resistance problems and preventive measures in fish farming world wide. Sustainable Fish Farming. Edited by: Reinertsen H, Haaland H.183-194.

Håstein, T., B.J. Hill & J.R. Winton. 1999. Succesful aquatic animal disease emergency programmes. Rev sci tech Off int Epiz. 18 (1): 214-227.

Håstein, T., A. Hellstrom, G. Jonsson, N.J. Olesen & E.R. Parnanen. 2001. Surveillance of Fish Diseases in the Nordic Countries. Acta Veterinaria Scandinavica. 42:S43.

Heemstra P.C & J.E. Randall. 1993. FAO Spesies Catalog Vol.16 : Grouper of the world (family serrenidae, subfamily ephinephelus). Rome. Food and Agriculture Organization of The United Nation.

Helen, J. G. & P. J. Whitfield. 1988. The ultrastructure of the spermatozoon of *Lernaeocera branchialis* (Copepoda: Pennellidae).Hydrobiologia 167/168: 607-616. Kluwer Academic Publishers.

Heuch, A. Parsons & K. Boxaspen.1995. Diel vertical migration: a possible host finding mechanism in salmon lice (*Lepeophtheirus salmonis*) copepodid. Canadian Journal of Fisheries and Aquatic Sciences. 52 (4): 681–689. doi:10.1139/f95-069.

Huys, R. & G.A. Boxshall. 1991. Copepod evolution. The Ray Society Ed., London, UK.

Ho, S. 1966. Larval stages of *Cardiodectes* sp. (Caligoida: Lernaeoceriformes), a copepod parasitic on fishes. Bull mar Sci 16:159-199.

Ho, J.S & C.L. Lin. 2004. Sea lice of taiwan copepoda: siphonostomatoida: caligidae. sueichan press, Taiwan.

Ho, J.S., C.L. Lin & S.N. Chen. 2000. Species of *Caligus Müller*, 785 (copepoda: caligidae) parasitic on marine fishes of Taiwan. Syst. Parasitol. 46:159-179.

Hogans, W.E. 2018. Functional morphology and structural variability in *Lernaeenicus* (Copepoda: Pennellidae) parasitic on teleost fishes from the northwest Atlantic Ocean. *Comparative Parasitology* 85, 13–26. doi.org/10.1654/1525-2647-85.1.13.

Hossain, M. K., M.D Hossain & M.H. Rahma. 2007. Histopathology of some diseased fishes. J. Life Earth Science 2(2) : 47-50.

Huys, R. & G.A. Boxshall. 1991. Copepod evolution. The Ray Society Ed. London.

Ingram, G. 1980. Substances involved in the natural resistance of fish to infection. J Fish Biol. 16:23e60.

UNIVERSITAS GADJAH MADA
Identifikasi, Surveilans dan Histopatologi Ektoparasit Subclass Copepoda (Siphonostomatoida) pada Kerapu Cantang (Epinephelus sp.) dan Kerapu Macan (Epinephelus fuscoguttatus) di Perairan Batam, Kepulauan Riau
ENDANG WIJAYANTI, Dr. Ir. Murwantoko, M.Si. dan Indah Istiqomah, S.Pi., M.Sc., Ph.D.
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Ismail, N., S. Ohtsuka, V.B.A. Maran, S.Tasumi, K. Zaleha & H. Yamashita. 2013. Complete life cycle of a pennellid *Peniculus minuticaudae* Shiino, 1956 (Copepoda: Siphonostomatoida) infecting cultured threadsail filefish, *Stephanolepis cirrhifer*. Parasite, 20(1).

Izawa, K. 2019. Redescription of *Lernaeenicus ramosus* kirtisinghe, 1956 (Copepoda, Siphonostomatoida, Pennellidae), with description of its Male and the postnaupliar developmental stages. Crustaceana, 92(1), 119–128.

Jamil, I. 2005. Analisis sekuen daerah its DNA ribosom (rDNA) dan desain primer untuk mendeteksi Phytophthora palmivora Butl pada kakao. Bogor, Institut Pertanian Bogor. Tesis.

Johnson, S.C., J.W. Treasurer, S.Bravo, K. Nagasawa & Z. Kabata. 2004. A review of the impact of parasitic copepods on marine aquaculture. Zool. Stud. 43, 229–243.

Jung, T.S.,C.S. Del Castillo, P.K. Javaregowda, R.S. Dalvi, S.W. Nho & S. Bin Park. 2012. Seasonal variation and comparative analysis of non-specific humoral immune substances in the skin mucus of olive flounder (Paralichthys olivaceus). Dev Comp Immunol. 38:1e7.

Kabata, Z. 1970. Crustacea as enemies of fishes. In Diseases of Fishes (S. F. Snieszko and H. R. Axelrod, eds.), 171 p. Book 1. T.F.H Publications, Jersey City, NJ.

Kabata, Z. 1979. Parasitic Copepoda of British Fishes, 468 p. Ray Society, London.

Kabata, Z. 1984. Diseases caused by metazoans: crustaceans. In: Kinne O (ed) Diseases of marine animals. Biologische Anstalt Helgoland. pp 321–399.

Kabata, Z. 1985. Parasitic and diseases of fish cultured In the tropic. Taylors & Francis, London & Philadelphia: 318 pp.

Kattambally, R. M.TMV1, S. Kappalliz & G. Anilkumar. 2019. Clupeid fish hosts a *Peniculus* sp. (Pennellidae, Siphonostomatoida, Copepoda)—First report on new host and season dependent prevalence. Acta Oceanol. Sin., Vol. 38, No. 12, P. 118–125.

Khong, H.K., M.K. Kuah, A. Jaya-Ram & A.C. Shu-Chien. 2009. Prolactin receptor mRNA is upregulated in discus fish (*Symphysodon aequifasciata*) skin during parental phase. Comp Biochem Physiol B Biochem Mol Biol. 153:18e28.

Kismiyati & G.Mahasri. 2014. Buku ajar parasit dan Ilmu penyakit ikan 1 (ilmu penyakit arthropoda pada ikan). FPK UNAIR. Surabaya. 52 hal.

Kleinertz, S & H.W. Palm. 2015. Parasites of the grouper fish *Epinephelus coioides* (Serranidae) as potential environmental indicators in Indonesian coastal ecosystems. Journal of Helminthology 89, 86–99. Cambridge University Press.

UNIVERSITAS GADJAH MADA
Identifikasi, Surveilans dan Histopatologi Ektoparasit Subclass Copepoda (Siphonostomatoida) pada Kerapu Cantang (Epinephelus sp.) dan Kerapu Macan (Epinephelus fuscoguttatus) di Perairan Batam, Kepulauan Riau
ENDANG WIJAYANTI, Dr. Ir. Murwantoko, M.Si. dan Indah Istiqomah, S.Pi., M.Sc., Ph.D.
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Komarudin,O & J.Slembrouck. 2005. Manajemen kesehatan ikan. Petunjuk Teknis Pembenihan Ikan Patin Indonesia, *Pangasius djambal.* IRD-BRKP.

Kumar S., G. Stecher, M.Li, C.Knyaz & K.Tamura. 2018. MEGA X: Molecular Evolutionary Genetics Analysis across computing platforms. Molecular Biology and Evolution 35:1547-1549.

Kurniasih, F.A.Sudjaji, B. Sumiarto & S.M. Noor. 2002. Penentuan dan analisis secara molekuler dari strain *Schistoma japonicum* (trematoda) di Indonesia. J.Sain Vet.Vol XX No.1.

Lanzing, W.J.R & P.F. O'Connor. 1975. Infestations of luderick (*Girella tricuspidata*) populations with parasitic isopods. Aust J Mar Freshwater Res. 26: 355-361.

Levinton, J.S. 2001. Marine Biology Function. Biodiversity. Ecology 2nd edition. Oxford University Press.

Lovy, J. & S.E. Friend. 2020. Black sea bass are a host in the developmental cycle of *Lernaeenicus radiatus* (Copepoda: Pennellidae): Insights into parasite morphology, gill pathology and genetics. Parasitology. DOI: 10.1017/S0031182019001781.

Meissner, W.A & G.T.H. Deamandopoulos. 1977. Neoplasia. In: Pathology. Anderson, WAD, Kissane JM, editors. St Louis: The C.V. Mosby Co. p. 640-691.

Menzies, R.J., T.E. Bowman & F.G. Alverson. 1955. Studies of the fish parasite *Lironeca convexa* Richardson (Crustacea: Isopoda: Cymothoidae). Wasmann J Biol. 13: 277-295.

Miller, G., R. Beckwith, C. Fellbaum, D. Gross & K. Miller. 1990. WordNet: An on-line lexical database. International journal of lexicography.

Misganaw, K & A. Getu. 2016. Review on major parasitic crustacean in fish. Fish Aquac J. 7:3 . DOI: 10.4172/2150-3508.1000175.

Musyaffak, M., I.W. Abida & F.F.Muhsoni. 2010. Analisa tingkat prevalensi dan drajat infeksi parasit pada ikan kerapu macan (*Ephinephilus fuscoguttatus*) di lokasi budidaya berbeda. Jurnal Kelautan, Volume 3, No.1.

Murwantoko & I.Hardaningsih. 2008. Genetic Variation Study of Gourami (*Osphronemus goramy*) Using 5S rDNA sequence Approach. Aquacultura Indonesiana 9 (3):125-134.

Murwantoko, S.L.C. Negoro, A. Isnansetyo & Zafran. 2018. Life cycle of marine leech from cultured "cantik" hybrid grouper (*Ephinephelus sp*.) and their susceptibility against chemicals. Aquacultura Indonesia. 18(2):72-76.

UNIVERSITAS GADJAH MADA
Identifikasi, Surveilans dan Histopatologi Ektoparasit Subclass Copepoda (Siphonostomatoida) pada Kerapu Cantang (Epinephelus sp.) dan Kerapu Macan (Epinephelus fuscoguttatus) di Perairan Batam, Kepulauan Riau
ENDANG WIJAYANTI, Dr. Ir. Murwantoko, M.Si. dan Indah Istiqomah, S.Pi., M.Sc., Ph.D.
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Muttaqien, A., U.Khaira, Winaruddin, Eliawardani, M. Hambal, & Al Azhar. 2019. Ectoparasites identification of stingrays fish (*Dasyatis* Sp.) at Peunayong fish market, Banda Aceh. Jurnal Medika Veterinaria.

Nagasawa, K. & D. Uyeno. 2014. A checklist of copepods of the family Pennellidae (Siphonostomatoida) from fishes and whales in Japanese waters (1916–2014). Biosphere Sci., 53: 43–71. (In Japanese with English abstract).

Nigam, A.K., U. Kumari, S.Mittal & A.K. Mittal. 2012. Comparative analysis of innate immune parameters of the skin mucous secretions from certain freshwater teleosts, inhabiting different ecological niches. Fish Physiol Biochem. 38: 1245e56.

Nitta, M., T.Hotta & K.Nagasawa. 2017. New record of *Lernaeenicus ramosus* (copepoda: pennellidae) parasitic on *Epinephelus akaara* (perciformes:serranidae) from the Amakusa-nada sea, western Japan. Biogeography 19.80-84.

Noble, E.R. & G.A.Noble. 1973. Parasitology the biology of animal parasites. 3rdEd. Lea and Febiger. Philadelphia. London.

Nontji, A. 1987. Laut Nusantara, Penerbit Djembatan. Jakarta.

Oidtmanna, B., E. Peelera, T. Lyngstad, E. Brunb, B. B. Jensenb & K.D.C. Stärkc. 2013. Risk-based methods for fish and terrestrial animal disease surveillance. Preventive Veterinary Medicine. 112 : 13–26.

Oines, O.& P.A. Heuch. 2005. Identification of sea louse species of the genus caligus using mtDNA. Journal of the Marine Biological Association of the UK. 85, 73-79.

Okamoto, M. 2011. The parasites of fishes and shellfishes caught in the south-western Sea of Japan off Shimane Prefecture. *Rep. Shimane Pref. Fish. Technol. Cent*., 3: 55–68. (In Japanese with English abstract).

Pavoletti, E., M.L. Fioravanti, M. Prearo & C. Ghittino .1999. Osservazioni sulla Caligosi in spigole d'allevamento. Boll. Soc. Ital. Patol. Ittica 11:2-9.

Overtona, K., F. Samsinga, F. Oppedalb, S. Dalvinb & L.H. Stienb. 2018. The use and effects of hydrogen peroxide on salmon lice and post-smolt Atlantic salmon. Aquaculture. 486 246–252.

Piasecki, W. & B.M. MacKinnon. 1993. Changes in structure of the frontal filament in sequential developmental stages of *Caligus elongatus* von Nordmann, 1832 (Crustacea, Siphonostomatoida). Can J Zool 71:889−895.

Pike, A.W., K. MacKenzie & A. Rowand .1993. Ultrastructure of the frontal filament in chalimus larvae of *Caligus elongates* and *Lepeophtheirus salmonis* from

UNIVERSITAS GADJAH MADA
Identifikasi, Surveilans dan Histopatologi Ektoparasit Subclass Copepoda (Siphonostomatoida) pada Kerapu Cantang (Epinephelus sp.) dan Kerapu Macan (Epinephelus fuscoguttatus) di Perairan Batam, Kepulauan Riau
ENDANG WIJAYANTI, Dr. Ir. Murwantoko, M.Si. dan Indah Istiqomah, S.Pi., M.Sc., Ph.D.
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Atlantic salmon, *Salmo salar*. In: Boxshall GA, Defaye D (eds) Pathogens of wild and farmed fish: sea lice. Ellis Horwood. Chichester.

Pike, A.W. & S.L. Wadsworth.1999. Sealice on salmonids : their biology and control. Adv Parasitol. 44:233–337.

Pike, A.W. & S.L. Wadsworth. 2000. Sealice on salmonids: their biology and control. Adv. Parasitol. 44, 233–337.

Pillai, N.K. 1985. Fauna of India : parasitic copepods of marine fish. Department of Aquatic Biology and Fisheries University of Kerala, Trivadrum.

Price, S.A. & L.M. Wilson. 2006. *Patofisiology*. Edisi VI. Volume I. EGC. Philadelphia. 87 p.

Printrakoon, C. & W. Purivirojkul. 2011. Prevalence of Nerocila depressa (Isopoda: *Cymothoidae*) on *Sardinella albella* from a Thai estuary. J Sea Res. 65(2): 322-326.

Rahma, F. W. 2016. Pengaruh pemberian ekstraks *Sargassum* sp. Dengan pelarut methanol pada pakan terhadap jumlah eritrosit dan differensiall eukositikan lele dumbo (*Clarias gariepinus*). Doctoral dissertation. Universitas Airlangga. Surabaya.

Ramayulis, Muhar, & Deswati. 2014. Inventarisasi ektoparasit pada beberapa jenis ikan di Unit Perikanan Rakyat (UPR) Kelurahan Bungus Timur, Kota Padang. Skripsi. Universitas BungHatta. Padang.

Ratnawati, A. & P.U. Kurniasih. 2013. Histopatologis dugaan *Edwardsiella tarda* sebagai penyebab kematian ikan maskoki (*Crassius auratus*): Postulat Koch. *Jurnal Sains Veteriner*. 31 (1): 55-65.

Ravichandran, S., T.T.A. Kumar, P.R. Ross & M. Muthulingam. 2007. Histopathology of the infestation of parasitic isopod Joryma tartoor of the host fish Parastromates niger. Res J Parsit. 2(1): 68-71.

Roberts, R. J. 2005. Fish pathology 3rd edition. W.B. Saunders. China.

Ross, N.W., K.J. Firth, A. Wang, J.F. Burka & S.C. Johnson. 2000. Changes in hydrolytic enzyme activities of naïve Atlantic salmon Salmo salar skin mucus due to infection with the salmon louse Lepeophtheirus salmonis and cortisol implantation. Dis Aquat Organ. 41:43e51.

Roth, M., R. Richards & C. Sommerville. 1993. Current practices in the chemotherapeutic control of sea lice infestations in aquaculture : a review. J. Fish Dis 16.Kabata 1972:1–26.

Rueda, F.M & F.J. Martínez. 2001. A review on the biology and potential aquaculture of *Dentex dentex*. Rev Fish Biol Fish. 11:57e70.

UNIVERSITAS GADJAH MADA
Identifikasi, Surveilans dan Histopatologi Ektoparasit Subclass Copepoda (Siphonostomatoida) pada Kerapu Cantang (Epinephelus sp.) dan Kerapu Macan (Epinephelus fuscoguttatus) di Perairan Batam, Kepulauan Riau
ENDANG WIJAYANTI, Dr. Ir. Murwantoko, M.Si. dan Indah Istiqomah, S.Pi., M.Sc., Ph.D.
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Schram, T.A. 2006. Supplementary descriptions of the developmental stages of *Lepeophtheirus salmonis*(Krøyer, 1837) (Copepoda: Caligidae). In: G.A.Boxshall, D. Defaye (Eds.). Buku Pathogens Of Wild And Farmed Fish: sea lice. Taylor & Francis e-Library. 30-47.

Shatrie, D.N. 2011. Studi perbandingan morfologi dan molekuler lernaeasidae pada ikan arwana irian (*Scleropages jardini*) di Indonesia. Disertasi. Universitas Gajah Mada. Yogyakarta.

Sheikhzadeh, N., K.A. Pashaki, K. Nofouzi, M. Heidarieh & H.T. Nasrabadi. 2012. Effects of dietary Ergosan on cutaneous mucosal immune response in rainbow trout (*Oncorhynchus mykiss*). Fish Shellfish Immunol. 32:407e10.

Shephard, K.L. 1994. Functions for fish mucus. Rev Fish Biol Fis. 4:401e29.

Shiino, S. M. 1964. Results of Amani Expedition 6. Parasitic Copepoda. Rep. Fac. Fish., Pref. Univ. Mie, 5: 243–255.

Sinderman, C.J. 1990. Principal diseases of marine fish and shell fish. Vol 1. Diseases of Marine Fish. Academis Press, London.

Slamet, B., Tridjoko, Agus, T. Setiadharma, N. A. Giri & K. Suwirya . 2008. Inventarisasi dan pengendalian penyakit parasit pada induk ikan laut di bak pemeliharaan. Jurnal Perikanan (J. FISH. Sci) X (2) : 276-281 ISSN: 0853-6384.

Silaban, B. N. 2011. Distribusi cacing pada berbagai organ ikan tongkol (*Auxis rochei*) yang dipasarkan di Kedonganan, Badung. Skripsi. Fakultas Kedokteran Hewan. Universitas Udayana. Denpasar.

Sproston, N. G. 1942. The developmental stages of *Lernaeocera branchialis*. J. Marine Biologi.UK 25, 441–446.

Subramanian, S., S. MacKinnon & N. Ross. 2007. A comparative study on innate immune parameters in the epidermal mucus of various fish species. Comp Biochem Physiol B Biochem Mol Biol. 148:256e63.

Sudaryatma, P.K. & N.N. Eriawati. 2012. Histopatologi insang ikan air Laut yang terinfestasi *Dactylogyrus* sp.. Jurnal Sain Veteriner. ISSN:0126-0421.

Suhana. 2017. Ekonomi perikanan budidaya kerapu (internet). https://suhana.web.id/2017/03/14/.(diakses 17 februari 2020).

Suhermanto, A., S. Andayani & M. Maftuch. 2011. Pemberian total fenol teripang pasir (*Holothuria scabra*) untuk meningkatkan leukosit dan diferensial leukosit ikan mas (*Cyprinus carpio*) yang diinfeksi bakteri *Aeromonas Hydrophila*. Jurnal Kelautan: Indonesian Journal of Marine Science and Technology, 4(2), 150-157.

UNIVERSITAS GADJAH MADA
Identifikasi, Surveilans dan Histopatologi Ektoparasit Subclass Copepoda (Siphonostomatoida) pada Kerapu Cantang (Epinephelus sp.) dan Kerapu Macan (Epinephelus fuscoguttatus) di Perairan Batam, Kepulauan Riau
ENDANG WIJAYANTI, Dr. Ir. Murwantoko, M.Si. dan Indah Istiqomah, S.Pi., M.Sc., Ph.D.
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Sveen, L.R., G. Timmerhaus, A. Krasnov, H. Takle, S. Handeland & E. Ytteborg. 2019. Wound healing in post-smolt Atlantic salmon (*Salmo salar* L.). Scientific Reports. 9:3565. Doi.org/10.1038/s41598-019-39080-x.

Tampubolon, G.H & E. Mulyadi. 1989. Sinopsis kerapu di perairan Indonesia. Semarang.

Tanriku, T.T & F. Percin . 2012. Ectoparasitic sea lice, *Caligus minimus* (Otto 1821, copepoda: caligidae) on brawn wrasse, Labrus merulal., in Izmir bay, Aegean Sea. Ital J Anim Sci 11(2):208–210.

Tobing, L .L. 2000. Inventarisasi parasit metazoa pada ikan gabus laut (*Saurida undosquamis* Richardson, 1948) Ikan Samgeh (*Atrobucca nibe Jordan* dan Thompson 1911) dan Ikan Gelang Mudin (*Upneus taeniopterus* Cuvier, 1829) dari tempat pelelangan ikan pelabuhan ratu, Jawa Barat. Skripsi. Institut Pertanian Bogor. Bogor.

Tort, L., J.C. Balasch & S. Mackenzie. 2003. Fish immune system. A crossroads between innate and adaptive responses. Trends Immunol. 22:277e86.

Utami, D. T., S.B. Prayitno, S. Hastuti & A. Santika. 2013. Gambaran parameter Hematologis pada ikan nila (*Oreochromis niloticus*) yang diberi vaksin DNA *Streptococcus iniae* dengan dosis yang berbeda. Journal of Aquaculture Management And Technology. 7-20.

Vatsos, I., M. Yiagnisis & I. Karakostas. 2006. Ceratomyxa spp. (Myxosporea) infection in cultured shi drum (*Umbrina cirrosa*) and cultured brown meagre (Sciaena umbra) from Greece. Bull Eur Assoc Fish Pathol. 26:93e6.

Weinstein, M.P & K.L.Jr. Heck. 1977. Biology and host-parasite relationships of *Cymothoa excisa* (Isopoda: Cymothoidae) with three species of Snappers (Lutjanidae) on the Caribbean coast of Panama. Fish Bull. 75: 875-877.

Widyastuti, E. 2002. Beberapa catatan mengenai parasit krustasea. Jurnal Oseana. Volume XXVII 29-35.

Williams, E.H & L.W. Bunkley. 1996. Parasites Off shore big game fishes of Puerto Rico and the Western Atlantic. Puerto Rico.Department of Natural Environmental Risourses and University of Puerto Rico, Rio Piedras.

Whitfield, P.J.,M.W. Pilcher, H.J. Grant & J. Riley. 1988. Experimental studies on the development of *Lernaeocera branchialis* (Copepoda, Pennellidae) population processes from egg production to maturation on the flatfish host. Hydrobiologia. 167, 579–586.

Yuniar, A.T., H.W. Palm & T. Walter. 2007. Crustacean fish parasites from Segara Anakan Lagoon, Java, Indonesia. Parasitol Res 100:1193–1204.

Identifikasi, Surveilans dan Histopatologi Ektoparasit Subclass Copepoda (Siphonostomatoida) pada Kerapu Cantang (Epinephelus sp.) dan Kerapu Macan (Epinephelus fuscoguttatus) di Perairan Batam,
Kepulauan Riau
ENDANG WIJAYANTI, Dr. Ir. Murwantoko, M.Si. dan Indah Istiqomah, S.Pi., M.Sc., Ph.D.
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Lampiran 1. Data infestasi *Lernaeenicus* sp. Tahun 2015–2019

Bulan	Tahun				
	2015	2016	2017	2018	2019
Januari	-	4	1	-	-
Februari	3	1	1	1	1
Maret	-	3	4	5	-
April	7	-	-	-	-
Mei	1	-	3	-	1
Juni	-	-	-	-	1
Juli	-	-	-	2	11
Agustus	-	4	1	-	12
September	-	1	-	-	3
Oktober	1	1	-	-	5
November	1	1	1	-	-
Desember	2	-	-	-	2

Sumber data : Laboratorium Penguji BPBL Batam
Keterangan : (-) tidak ditemukan kasus

Lampiran 2. Perhitungan prevalensi dan intensitas tiap KJA

2.1 Sampel BPBL Batam

Keterangan	Kerapu cantang		
	80-100 g	110-300 g	310-500 g
Jumlah ikan sampel	36	50	50
Jumlah ikan yang terinfeksi	8	15	38
Sampel ikan yang diambil	2	3	7
Jumlah *Lernaeenicus* sp. yang ditemukan	Ikan 1 = 1 Ikan 2 = 1	Ikan 1= 1 Ikan 2 = 1 Ikan 3 = 3	Ikan 1 = 1 Ikan 2 = 6 Ikan 3 = 7 Ikan 4 = 4 Ikan 5 = 6 Ikan 6 = 5 Ikan 7 = 3
Intensitas (*Lernaeenicus* sp./ikan)	1	1,6 = 2	4,57 = 5
Prevalensi (%)	22,2 %	30 %	76 %

Keterangan	Kerapu macan	
	100-300 g	310-500 g
Jumlah ikan sampel	36	36
Jumlah ikan yang terinfeksi	18	11
Sampel ikan yang diambil	1	2
Jumlah *Lernaeenicus* sp. yang ditemukan	3	Ikan 1= 6 Ikan 2 = 5
Intensitas(*Lernaeenicus* sp./ikan)	3	5,5 = 6
Prevalensi	50 %	30,5 %

UNIVERSITAS GADJAH MADA
Identifikasi, Surveilans dan Histopatologi Ektoparasit Subclass Copepoda (Siphonostomatoida) pada Kerapu Cantang (Epinephelus sp.) dan Kerapu Macan (Epinephelus fuscoguttatus) di Perairan Batam, Kepulauan Riau
ENDANG WIJAYANTI, Dr. Ir. Murwantoko, M.Si. dan Indah Istiqomah, S.Pi., M.Sc., Ph.D.
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

2.2. Sampel KJA Bapak Agung (Tiawangkang)

Keterangan	Kerapu cantang 100-300 g
Jumlah ikan sampel (ekor)	40
Jumlah ikan yang terinfeksi (ekor)	5
Sampel ikan yang diambil (ekor)	2
Jumlah *Lernaeenicus* sp. yang ditemukan (ekor)	Ikan 1 = 9 Ikan 2 = 12
Intensitas (*Lernaeenicus* sp./ikan)	10
Prevalensi (%)	87

2.3. Sampel KJA Bapak Hamzah (Teluk Air)

Keterangan	Kerapu cantang 310-500 g
Jumlah ikan sampel (ekor)	36
Jumlah ikan yang terinfeksi (ekor)	15
Sampel ikan yang diambil (ekor)	3
Jumlah *Lernaeenicus* sp. yang ditemukan (ekor)	Ikan 1 = 3 Ikan 2 = 2 Ikan 3 = 3
Intensitas (*Lernaeenicus* sp./ikan)	2,6 = 3
Prevalensi (%)	41,6

2.4. Sampel KJA Bapak Suryadi (Teluk Air)

Keterangan	Kerapu cantang 310-500 g
Jumlah ikan sampel (ekor)	36
Jumlah ikan yang terinfeksi (ekor)	29
Sampel ikan yang diambil (ekor)	1
Jumlah *Lernaeenicus* sp. yang ditemukan (ekor)	12

UNIVERSITAS GADJAH MADA
Identifikasi, Surveilans dan Histopatologi Ektoparasit Subclass Copepoda (Siphonostomatoida) pada Kerapu Cantang (Epinephelus sp.) dan Kerapu Macan (Epinephelus fuscoguttatus) di Perairan Batam, Kepulauan Riau
ENDANG WIJAYANTI, Dr. Ir. Murwantoko, M.Si. dan Indah Istiqomah, S.Pi., M.Sc., Ph.D.
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Intensitas (*Lernaeenicus* sp./ikan)	12
Prevalensi (%)	80

2.5. Sampel KJA Bapak Musthofa (Jembatan IV)

Keterangan	Kerapu cantang 100-300 g
Jumlah ikan sampel (ekor)	36
Jumlah ikan yang terinfeksi (ekor)	9
Sampel ikan yang diambil (ekor)	1
Jumlah *Lernaeenicus* sp. yang ditemukan (ekor)	6
Intensitas (*Lernaeenicus* sp./ikan)	6
Prevalensi (%)	25