

DAFTAR PUSTAKA

- Acosta, J. B., del Barco, D. G., Vera, D. C., Savigne, W., Lopez-Saura, P., Guillen Nieto, G., *et al.*, 2008. The pro-inflammatory environment in recalcitrant diabetic foot wounds. *Int. Wound. J.* 5:530–9.
- ADA, 2009. Diagnosis and Classification of Diabetes Mellitus. A position statement of the American Diabetes Association. *Diabetes Care.* 32: 62-7. doi: 10.2337/dc09-S062
- Ahmad, M., Sultana, M., Raina, R., Pankaj, N. K., Verma, P. K., and Prawez, S., 2017. Hypoglycemic, Hypolipidemic, and Wound Healing Potential of Quercetin in Streptozotocin-Induced Diabetic Rats. *Pharmacogn Mag*, 13(3): S633-9.
- Altavilla, D, Saitta, A, Cucinotta, D, Galeano, M, Deodato, B, *et al.*, 2001. Inhibition of Lipid Peroxidation Restores Impaired Vascular Endothelial Growth Factor Expression and Stimulates Wound Healing and Angiogenesis in the Genetically Diabetic Mouse. *Diabetes*; 50:667–74
- Aoki, H., Uda, I., Tagami, K., Furuya, Y., Endo, Y. and Fujimoto, K., 2003. The production of a new tempe-like fermented soybean containing a high level of γ -aminobutyric acid by anaerobic incubation with *Rhizopus*. *Biosci. Biotechnol. Biochem.* 67:1018–23. doi: 10.1271/bbb.67.1018.
- Aoshima, H., and Tenpaku, Y., 1997. Modulation of GABA receptors expressed in *Xenopus* oocytes by 13-L-hydroxylinoleic acid and food additives. *Biosci Biotechnol Biochem.* 61(12), 2051–57.
- Apte R. S., Richter, J., Herndon, J., Ferguson T. A., 2006. Macrophages inhibit neovascularization in a murine model of age-related macular degeneration. *PLoS Med.*; 3(8): e310
- Azzi, L., El-Alfy, M., Martel, C., and Labrie, F., 2005. Gender differences in mouse skin morphology and specific effects of sex steroids and dehydroepiandrosterone. *J. Invest. Dermatol.* 124(1):22-7.
- Barrientos, S., Stojadinovic, O., Golinko, M. S., H. Brem, and Tomic-Canic, M., 2008. Growth factors and cytokines in wound healing. *Wound. Rep. Reg.* 16: 585–601
- Barrientos, S., Brem H., Stojadinovic, O., and Tomic-Canic M., 2014. Clinical application of growth factors and cytokines in wound healing. *Wound. Rep. Reg.* 22(5):569-78.
- Bhat, R., Axtell, R., Mitra, A., Miranda, M., Lock, C., Wet, R., *et al.*, 2010. Inhibitory role for GABA in autoimmune inflammation. *Proc Natl Acad Sci USA*;107(6):2580–85. doi: 10.1073/pnas.0915139107.
- Battagay, E. J., 1995. Angiogenesis: mechanistic insights, neovascular diseases, and therapeutic prospects, *J. Mol. Med. (Berl)*. 73(7):333-46.
- Beeton, C., and Chandy, K.G., 2005. Potassium channels, memory T cells, and multiple sclerosis. *Neuroscientist.* 11(6), 550–62.
- Ben Sahra, I., Laurent, K., Loubat, A., Giorgetti-Peraldi, S., Colosetti, P., *et al.*, 2008. The antidiabetic drug metformin exerts an antitumoral effect in vitro and in vivo through a decrease of cyclin D1 level. *Oncogene* 27:3576-86.

- Booth, B. A., Polak, K. L, and Uitto, J., 1980. Collagen biosynthesis by human skin fibroblasts: I. Optimization of the culture conditions for synthesis of type I and type III procollagens. *Biochim. Biophys. Acta.* 607:145-60. doi: 10.1016/0005-2787(80)90228-2.
- Broughton, Janis, J. E., Attinger, C. E., 2006. The basic science of wound healing *Plast. Reconstr. Surg.*; 117 (7Suppl): 12S - 34S.
- Brownlee, M., 2001. Biochemistry and molecular cell biology of diabetic complications. *Nature.* 414(6865):813-20. doi: 10.1038/414813a
- Byun, J.Y., Choi, H. Y., and Choi, Y. W., 2009. Expression of IL-10, TGF- β 1 and TNF- α in Cultured Keratinocytes (HaCaT Cells) after IPL Treatment or ALA-IPL Photodynamic Treatment. *Ann. Dermatol.*; 21(1): 12–17. doi: 10.5021/ad.2009.21.1.12
- Caliari-Oliveira, C., Yaochite, J. N., and Ramalho, L. N., 2016. Xenogeneic Mesenchymal Stromal Cells Improve Wound Healing and Modulate the Immune Response in an Extensive Burn Model. *Cell Transplant.* 25(2):201-15. doi: 10.3727/096368915X688128.
- Chalimidi, K. R., Kumar, Y., and Kini, U. A., 2015. Efficacy of Collagen Particles in Chronic Nonhealing Ulcers. *J. Clin. Diagn. Res.* 9(6): PC01-3. doi:10.7860/JCDR/2015/11782.6001.
- Chen, W., Ma, T., Shen, X. N., Xia, X. F., Xu, G. D., Bai, X. L., *et al.* 2012. Macrophage-induced tumor angiogenesis is regulated by the TSC2-mTOR pathway. *Cancer Res.* 72(6):1363-72. doi: 10.1158/0008-5472.CAN-11-2684.
- Chen, L. L., Liao, Y. F., Zeng, T. S., Yu, F., Li, H. Q., and Feng, Y., 2010. Effects of metformin plus gliclazide compared with metformin alone on circulating endothelial progenitor cell in type 2 diabetic patients. *Endocrine.*38:266–75. doi: 10.1007/s12020-010-9383-8.
- Choi, H. J., Jang, H. J., Chung, T. W., Jeong, S. I., Cha, J., Choi, J. Y., *et al.*, 2013. “Catalpol suppresses advanced glycation end-products-induced inflammatory responses through inhibition of reactive oxygen species in human monocytic THP-1 cells”. *Fitoterapia.* 86(1):19–28. doi: 10.1016/j.fitote.2013.01.014
- Caskey, R. C., Zgheib, C., Morris, M., Allukian, M., Dorsett-Martin, W., Xu, J., *et al.*, 2014. Dysregulation of collagen production in diabetes following recurrent skin injury: Contribution to the development of a chronic wound. *Wound Rep. Reg.* 22(4):515–20. doi:10.1111/wrr.12199.
- DeClue, Cory and Shornick, L., 2015. The cytokine milieu of diabetic wounds. *Diabetes Manag.* 5. 525-7. 10.2217/dmt.15.44.
- Demidova-Rice, T. N., Hamblin, M. R., and Herman, I. M., 2012. Acute and impaired wound healing: pathophysiology and current methods for drug delivery, part 1: normal and chronic wounds: biology, causes, and approaches to care. *Adv. Skin Wound Care.* 25(7):304-14.
- Dhall, S., Do, D., Garcia, M., Kim, J., Mirebrahim, S., Lyubovitsky, J., Lonardi, S., and Nothnagel, 2014. Generating and reversing chronic wounds in diabetic mice by manipulating wound redox parameters. *J. Diabetes. Res.* 562625. doi: 10.1155/2014/562625.

- Diana, M., Quílez, J., and Rafecas, M., 2014. Gamma-aminobutyric acid as a bioactive compound in foods: a review. *J. Funct. Foods.* 10:407–20
- Dionisio, L., Jose De Rosa, M., Bouzat, C., Esandi, M. del C., 2011. An intrinsic GABAergic system in human lymphocytes. *Neuropharm.*:60(2–3):513–9. doi: 10.1016/j.neuropharm.2010.11.007
- DiPietro, L. A., and Polverini, P. J., 1993. Role of the macrophage in the positive and negative regulation of wound neovascularization. *Behring. Inst. Mitt.* 92:238–47
- Diegelmann, R. F., and Evans, M. C., 2004. Wound healing: An overview of acute, fibrotic and delayed healing. *Front. Biosci.* 9:283–89. doi: 10.1097/01.ASW.0000416006.55218. d 0
- Dru S., Dace, Aslam A. K., Jennifer, K., and Rajendra S. A., 2008. Interleukin-10 Promotes Pathological Angiogenesis by Regulating Macrophage Response to Hypoxia during Development. *PLoS One.*; 3(10): e3381. doi: 10.1371/journal.pone.0003381
- El-Bahy, A. A. Z., Aboulmagd, Y. M., Zaki, M., 2018. Diabetex: A novel approach for diabetic wound healing. *Life Sci.*207:332-9. doi: 10.1016/j.lfs.2018.06.020
- Emami-Riedmaier A., Fisel, P., Nies, A. T., Schaeffeler, E., and Schwab, M., 2013. Metformin and cancer: From the old medicine cabinet to pharmacological pitfalls and prospects. *Trends Pharmacol Sci* 34: 126-35.
- Eming, S. A., Krieg, T., and Davidson, J. M., 2007. Inflammation in wound repair: molecular and cellular mechanisms. *J. Invest. Dermatol.* 127(3):514–25. doi: 10.1038/sj.jid.5700701.
- Eming, S. A., Martin P., M., and Tomic-Canic, M., 2014. Wound repair and regeneration: mechanisms, signaling, and translation. *Sci. Transl. Med.* 6(265):265sr6.
- Egozi, E. I., Ferreira, A. M., Burns, A. L., Gamelli, R. L., and Dipietro, L. A., 2003. Mast cells modulate the inflammatory but not the proliferative response in healing wounds. *Wound Repair Regen* 11(1):46–54
- Fang, R. C., and Mustoe, T. A., 2008. Animal models of wound healing: utility in transgenic mice. *J Biomater. Sci. Polym. Ed.* 19(8):989-1005. doi: 10.1163/156856208784909327
- Feng, X. M., Passoth, V., Eklund-Jonsson, C., Alminger, M. L., and Schnürer, J., 2007. Rhizopus oligosporus and yeast co-cultivation during barley tempeh fermentation – nutritional impact and real-time PCR quantification of fungal growth dynamics. *Food Microbil.* 24(4):393–402.
- Forbes, J. M., and Cooper, M. E., 2013. Mechanisms of diabetic complications. *Physiol. Rev.* 93(1):137-88. doi: 10.1152/physrev.00045.2011.
- Gallagher, K. A., Joshi, A., Carson, W. F., Schaller, M., Allen, R., Mukerjee, S., *et al.*, 2015. Epigenetic Changes in Bone Marrow Progenitor Cells Influence the Inflammatory Phenotype and Alter Wound Healing in Type 2 Diabetes. *Diabetes.* 64(4):1420-30. doi: 10.2337/db14-0872.
- Goova, M. T., Li, J., Kislinger T., Qu, W., Lu, Y., Bucciarelli, L. G., *et al.* 2001. Blockade of receptor for advanced glycation end-products restores effective wound healing in diabetic mice. *Am. J. Pathol.* 159:513–25.

- Guo, S., and DiPietro L. A., 2010, Factors Affecting Wound Healing, *J. Dent. Res.*, 89(3): 219-29. doi: 10.1177/0022034509359125
- Guo, Y., Lin, C, Xu, P., Wu, S., Fu, X., Xia, W., *et al.*, 2016. AGEs Induced Autophagy Impairs Cutaneous Wound Healing via Stimulating Macrophage Polarization to M1 in Diabetes. *Sci. Rep.* 6:36416
- Grazul-Bilska, A. T., Johnson, M. L., Bilski, J.J., Redmer, D.A., Reynolds, L.P., Abdullah, A., *et al.*, 2003. Wound healing: the role of growth factors. *Drugs Today (Barc)*. 39(10):787-800.
- Hachmeister, K. A., and Fung, D. Y. C., 1993. Tempeh – a moldmodified indigenous fermented food made from soybeans and/or cereal grains. *Crit. Rev. Microbiol.* 19:137–88. doi: 10.3109/10408419309113527
- Hall, M. C., Young, D. A., Waters, J. G., Rowan, A. D., Chantry, A., Edwards, D. R., and Clark, I. M., 2003. The comparative role of activator protein 1 and Smad factors in the regulation of Timp-1 and MMP-1 gene expression by transforming growth factor-beta 1, *J. Biol. Chem.* 278: 10304-13. doi: 10.1074/jbc.M212334200.
- Hamad, A., Mani, V., Ramasamy, K., Lim, S. M., and Majeed. A. B. A., 2016. Memory enhancement in rats by soybean and tempeh extracts is associated with improved cholinergic and reduced neuroinflammatory activities (Peningkatan daya ingatan dalam tikus oleh ekstrak soya dan tempeh dikaitkan dengan peningkatan aktiviti kolinergik dan pengurangan aktiviti keradangan). *Sains Malaysiana*, 45(9), 1299-1310.
- Handoyo, T., and Morita, N., 2006. Structural and Functional Properties of Fermented Soybean (Tempeh) by using *Rhizopus oligosporus*, *Int. J. Food Prop.* 9:2, 347-55, DOI: 10.1080/10942910500224746
- Han, B. G., Hao, C. M., Tchekneva, E. E., Wang, Y. Y., Lee, C. A., Ebrahim, B., *et al.*, 2008. Markers of glycemic control in the mouse: comparisons of 6-h- and overnight-fasted blood glucoses to Hb A1c. *Am. J. Physiol. Endocrinol. Metab.* 295(4), E981-6.
- Han, D., Kim, H. Y., Lee, H.J., Shim, I., and Hahm, D. H., 2007. Wound Healing Activity of Gamma-Aminobutyric Acid (GABA) in Rats. *J. Microbiol. Biotechnol.* 17(10):1661-9.
- Han, X., Tao, Y., Deng, Y., Yu, J., Sun, Y., and Jiang, G., 2017. Metformin accelerates wound healing in type 2 diabetic db/db mice. *Mol. Med. Rep.* 16: 8691-98. doi: 10.3892/mmr.2017.7707.
- Hinz, B., 2007. Formation and function of the myofibroblast during tissue repair. *J. Invest. Dermatol.* 127:526–37. doi: 10.1038/sj.jid.5700613.
- Hsu, I., Parkinson, L. G., Shen, Y., Toro, A., Brown, T., Zhao, H., *et al.*, 2014. Serpina3n accelerates tissue repair in a diabetic mouse model of delayed wound healing. *Cell. Death. Dis.* 5(10): e1458. doi:10.1038/cddis.2014.423
- Hwang, J. H., Wu, S. J., Wu, P. L., Shih, Y. Y., and Chan, Y. C., 2018. Neuroprotective effect of tempeh against lipopolysaccharide-induced damage in BV-2 microglial cells. *Nutr. Neurosci.* doi: 10.1080/1028415X.2018.1456040.
- IDF, 2017. IDF Diabetes Atlas, 8th edn. Brussels, Belgium: International Diabetes Federation, 2017.

- Ingle, Pravinkumar, 2018. Current Trends in Pharmacological Treatment of Type II Diabetes Mellitus. *IJPRR*;7(1).
- Inouye, K. A., Bisch, F. C., Elsalanty, M. E., *et al.* 2014. Effect of metformin on periimplant wound healing in a rat model of type 2 diabetes. *Implant Dent.* 23(3):319-27. doi: 10.1097/id.0000000000000069.
- JFRL (2002) (tidak dipublikasikan). Acute toxicity Test (Confidential). (Experimental Report No. 202061563-001). Prepared by Tokyo, Japan: Japan Food Research Laboratories (JFRL) for Pharma Food International Co., Ltd. (PFI).
- Jhamb, S., Vangaveti, V. N., and Malabu, U. H., 2016. Genetic and molecular basis of diabetic foot ulcers: clinical review. *J Tissue Viability*; 25:229–36
- Jin, X., Yao, T., Zhou, Z., Zhu, J., Zhang, S., Hu, W., *et al.*, 2015. Advanced glycation end products enhance macrophages polarization into M1 phenotype through activating RAGE/NF-kappaB pathway. *Biomed Res Int.* 2015; 2015:12. doi: 10.1155/2015/732450.732450
- Kant, V., Gopal, A., Kumar, D., Pathak, N. N., Ram, M., Jangir, B. L., Tandan, S. K., and Kumar, D., 2015. Curcumin-induced angiogenesis hastens wound healing in diabetic rats. *J. Surg. Res.*, 193, 978–88.
- Kawakami Y., Tsurugasaki W., Nakamura S., Osada K., 2005. Comparison of regulative functions between dietary soy isoflavones aglycone and glucoside on lipid metabolism in rats fed cholesterol. *J. Nutr. Biochem.*;16:205-12
- Kemenkes RI. 2016. Menkes: Mari Kita Cegah Diabetes dengan CERDIK. [depkes.go.id](http://www.depkes.go.id). <http://www.depkes.go.id/article/view/16040700002/menkes-mari-kita-cegah-diabetes-dengan-cerdik.html>. Diakses pada 8 Januari 2018.
- Kim, J. H., and Martins-Green, M., 2016. Protocol to Create Chronic Wounds in Diabetic Mice. *Protocol Exchange*. doi:10.1038/protex.2016.043.
- Kirimlioglu, G. Y. and Yazan, Y., 2016. Determination of gamma-aminobutyric acid by HPLC: its application to Polymeric nanoparticles and stability studies. *Inter. J. Dev. Res.* 06,06:8277-82.
- Khanna, S., Biswas, S., Shang, Y., Collard, E., Azad, A., Kauh, C., *et al.*, 2010. Macrophage dysfunction impairs resolution of inflammation in the wounds of diabetic mice. *PLoS One.* 5: e9539. doi: 10.1371/journal.pone.0009539.
- Knighton, D. R., Hunt, T. K., Scheuenstuhl, H., Halliday, B. J., Werb, Z., and Banda, M. J., 1983. Oxygen tension regulates the expression of angiogenesis factor by macrophages, *Science.* 221(4617):1283-85 doi: 10.1126/science.6612342
- Kiritsy, C. P., Lynch, A. B., Lynch, S. E., 1993. Role of growth factors in cutaneous wound healing: A review. *Crit. Rev. Oral. Biol. Med.* 4:729–60.
- Koh, T. J. and DiPietro, L. A., 2011. Inflammation and wound healing: the role of the macrophage. *Expert. Rev. Mol. Med.* 13: e23. doi: 10.1017/S1462399411001943.
- Koh, S. P., Jamaluddin, A., and Alitheen, N. B., Mohd-Ali, N., Mohd. Yusoff, H., and Long, K., 2012. Nutritional values of tempe inoculated with different strains of *Rhizopus*: its γ -aminobutyric acid content and antioxidant property. *J. Trop. Agric. and Fd. Sc.* 40(2): 181-92.

- LaVan, F. B., and Hunt, T. K., 1990. Oxygen and wound healing, *Clin. Plast. Surg.* 17(3):463-72
- Lee, J., Sung-Tae, Y., Jong-Jin, K., Choi, M. S., Kwon, E. Y., Seo, K. I., *et al.*, 2010. Ursolic acid ameliorates thymic atrophy and hyperglycemia in streptozotocin–nicotinamide-induced diabetic mice. *Chem. Biol. Interact.*, 5;188(3):635-42. doi: 10.1016/j.cbi.2010.09.019.
- Li, D. W., Liu, Z. Q., Wei, J., Liu, Y., and Hu, L. S., 2012. Contribution of endothelial progenitor cells to neovascularization (Review). *Int. J. Mol. Med.* 30: 1000-6
- Li, J., Chen, J., and Kirsner, R., 2007. Pathophysiology of acute wound healing. *Clin. Dermatol.* 25:9–18. doi: 10.1016/j.clindermatol.2006.09.007
- Li, J., Zhang, Z., Liu, X., Wang, Y., Mao, F., Mao, J., *et al.*, 2015. Study of GABA in Healthy Volunteers: Pharmacokinetics and Pharmacodynamics. *Front. Pharmacol.* 6:260. doi:10.3389/fphar.2015.00260
- Li, H., Qiu, T., Huang, G., and Cao, Y., 2010. Production of gamma aminobutyric acid by *Lactobacillus brevis* NCL912 using fed-batch fermentation. *Microb. Cell. Fact.* 9:85.
- Liao, Y. F., Chen, L. L., Zeng, T. S., Li, Y. M., Fan, Yu., Hu, L. J., and Ling, Yue., 2010. Number of circulating endothelial progenitor cells as a marker of vascular endothelial function for type 2 diabetes. *Vasc. Med.* 15:279–85. doi: 10.1177/1358863X10367537.
- Livak, K. J., and Schmittgen, T. D., 2001. Analysis of Relative Gene Expression Data Using Real-Time Quantitative PCR and the 2- $[\Delta\Delta]CT$ Method. *Methods*, 25(4):402-8.
- Lodhi, S., and Vadnere, G. P., 2017. Relevance and perspectives of experimental wound models in wound healing. *Asian. J. Pharm. Clin. Res.* 10(7):57-62. doi: 10.22159/ajpcr. 2017. v10i7.18276.
- Loots, M. A., Lamme, E. N., Zeegelaar J., Mekkes J. R., Bos, J. D., Middelkoop, E., 1998. Differences in cellular infiltrate and extracellular matrix of chronic diabetic and venous ulcers versus acute wounds. *J. Invest. Dermatol.*;111: 850–7
- Mast, B. A., and Schultz, G. S., 1996. Interactions of cytokines, growth factors, and proteases in acute and chronic wounds. *Wound. Rep. Reg.* 4:411-20
- Martinez, F. O., Sica A., Mantovani A., and Locati, M., 2008. Macrophage activation and polarization. *Front. Biosci.* 13:453–61
- Mendes, J. J., Leandro, C. I., Bonaparte, D. P., and Pinto, A. L., 2012. A Rat Model of Diabetic Wound Infection for the Evaluation of Topical Antimicrobial Therapies. *Comp. Med.* 62(1):37–48.
- Moreira, C. F., Cassini-Vieira, P., da Silva, M. F., and Barcelos, L. S., 2015. Skin Wound Healing Model - Excisional Wounding and Assessment of Lesion Area. *Bio-protocol.* 5(22): e1661. doi: 10.21769/BioProtoc.1661.
- Moseley R., Stewart, J.E., Stephens P., Waddington, R. J., and Thomas, D. W., 2004. Extracellular matrix metabolites as potential biomarkers of disease activity in wound fluid: lessons learned from other inflammatory diseases? *Br. J. Dermatol.* 150:401–13.

- Naguib, G., Al-Mashat, H., Desta, T., and Graves, D. T., 2004. Diabetes prolongs the inflammatory response to a bacterial stimulus through cytokine dysregulation. *J. Invest. Dermatol.* 123(1):87-92.
- Nakagawa, T., Yokozawa, T., Kim, H. J., and Shibahara, N., 2004. Protective effects of gamma-aminobutyric acid in rats with streptozotocin-induced diabetes. *J. Nutr. Sci. Vitaminol. (Tokyo)*. 51(4):278-82.
- Nakajima, N., Nozaki, N., Ishihara, K., Ishikawa, A., and Tsuji, H., 2005. Analysis of isoflavone content in tempeh, a fermented soybean, and preparation of a new isoflavone-enriched tempeh. *J. Biosci. Bioeng.* 100(6):685-7. doi:10.1263/jbb.100.685.
- Nout, M. J. R. and Kiers, J. L., 2005. Tempe fermentation, innovation and functionality: update into the third millennium. *J. Appl. Microbiol.* 98:789-805. doi:10.1111/j.1365-2672.2004.02471.x.
- Nout, M. J. R. and Rombouts, F. M., 1990. Recent developments in tempe research. *J. Appl. Bacteriol.* 69:609-33. doi: 10.1111/j.1365-2672.1990.tb01555.x.
- Ochoa-Gonzalez F., Cervantes-Villagrana, A. R., Fernandez-Ruiz, J. C., Nava-Ramirez, H. S., Hernandez-Correa, A. C., Enciso-Moreno, J. A., *et al.*, (2016) Metformin Induces Cell Cycle Arrest, Reduced Proliferation, Wound Healing Impairment In Vivo and Is Associated to Clinical Outcomes in Diabetic Foot Ulcer Patients. *PLoS ONE* 11(3): e0150900. doi: 10.1371/journal.pone.0150900.
- Oh, S. H., Moon, Y. J., and Oh, C. H., 2003. γ -Aminobutyric acid (GABA) content of selected uncooked foods. *Prev. Nutr. Food Sci.* 8:75-8.
- Okonkwo, U. A., and DiPietro, L. A., 2017. Diabetes and Wound Angiogenesis. *Int. J. Mol. Sci.* 18(7):1419. doi:10.3390/ijms18071419.
- Olsen, R. W., and DeLorey, T. M., 1999. GABA Synthesis, Uptake and Release. In: Siegel GJ, Agranoff BW, Albers RW, *et al.*, editors. *Basic Neurochemistry: Molecular, Cellular and Medical Aspects*. 6th edition. Philadelphia: Lippincott-Raven.
- Omori, K., Ohira, T., Uchida, Y., Ayilavarapu, S., Batista, EL. Jr., and Yagi, M., 2008. Priming of neutrophil oxidative burst in diabetes requires preassembly of the NADPH oxidase. *J. Leukoc. Biol.* 84(1):292-301. doi: 10.1189/jlb.1207832
- Otomo, E., Araki, G., Mori, A., and Kurihara, M., 1981. Clinical evaluation of GABA in the treatment of cerebrovascular disorders. Multi-center double-blind study in comparison with pyridoxine and placebo. *Arzneimittelforschung*. 31(9):1511-23.
- Park, J. W., Hwang, S. R., and Yoon, I. S., 2017. Advanced Growth Factor Delivery Systems in Wound Management and Skin Regeneration. *Molecules*. 22(8). pii: E1259. doi: 10.3390/molecules22081259
- Pharma Foods International LTD., Kyoto, Japan. (Unpublished data)
- Pradhan, L., and Nabzdyk, C., Andersen, N. D., LoGerfo, F. W., Veves, A., 2009. Inflammation and neuropeptides: the connection in diabetic wound healing. *Expert. Rev. Mol. Med.*, 11: e2. doi:10.1017/S1462399409000945

- Purwana, I., Zheng, J., Li, X., Deurloo, M., Son, D. O., Zhang, Z., 2014. GABA promotes human β -cell proliferation and modulates glucose homeostasis. *Diabetes*. 63(12):4197-205. doi: 10.2337/db14-0153.
- Prud'homme, G. J., Glinka, Y., Udovyk, O., Hasilo, C., Paraskevas, S., Wang, Q., 2014. GABA protects pancreatic beta cells against apoptosis by increasing SIRT1 expression and activity. *Biochem. Biophys. Res. Com.* 452:649–54. doi: 10.1016/j.bbrc.2014.08.135.
- Qing, C., 2017. The molecular biology in wound healing & non-healing wound. *Chin. J. Traumatol.* 20:189–93
- Rafehi, H., El-Osta, A., and Karagiannis, T. C., 2011. Genetic and epigenetic events in diabetic wound healing. *Int. Wound. J.* 8(1):12-21. doi: 10.1111/j.1742-481X.2010.00745.x
- Reinke, J. M., and Sorg, H., 2012. Wound repair and regeneration. *Eur. Surg. Res.* 49:35–43. doi: 10.1159/000339613.
- Reitamo, S., Remitz, A., Tamai, K., and Uitto, J. 1994. Interleukin-10 modulates type I collagen and matrix metalloprotease gene expression in cultured human skin fibroblasts. *J. Clin. Invest.* 94, 2489–92.
- Rittié, L., 2016. Cellular mechanisms of skin repair in humans and other mammals. *J. Cell Commun. Signal.* 10:103–120. doi.org/10.1007/s12079-016-0330-1
- Roubos-van den Hil, P. J., Nout, M. J. R., and Beumer, R. R., van der Meulen, J., and Zwietering, M. H., 2009. Fermented soya bean (tempe) extracts reduce adhesion of enterotoxigenic Escherichia coli to intestinal epithelial cells. *J. Appl. Microbiol.* 106:1013–21.
- Saono, S., Hull, R. R., and Dhamcharee, B., 1986. A Concise Handbook of Indigenous Fermented Foods in The Asia Countries. Jakarta, Indonesia: *The Indonesian Institute of Science*.
- Saraiva, M. and O'Garra, A., 2010. The regulation of IL-10 production by immune cells. *Nature Rev. Immunology.* 2010; 10:170-181. doi: 10.1038/nri2711
- Schaffer, C. J., and Nanney, L. B., 1996. Cell biology of wound healing. *Int. Rev. Cytol.* 169:151–81.
- Seifter, E., Rettura, G., Padawer, J., Stratford, F., Kambosos, D., and Levenson, S. M., 1981. Impaired wound healing in streptozotocin diabetes. Prevention by supplemental vitamin A. *Ann. Surg.* 194(1):42–50.
- Shah, A. J., Biasi, V.de., Taylor, S. G., Roberts, C., Hemmati, P., Munton, R., et al., 1999. Development of a protocol for the automated analysis of amino acids in brain tissue samples and microdialysates. *J. Chromatogr. B: Biomed. Sci. Appl.*, 7351:33-140
- Shah, A. J., Crespi, F., Heidbreder, C. 2002. Amino acid neurotransmitters: separation approaches and diagnostic value. *J. Chromatogr. B.* 781, 51-163.
- Shelp, B. J., Alan, W. B., and Michael, D. M., 1999. Metabolism and functions of gamma-aminobutyric acid. *Trends plant sci.* 4:11.
- Siqueira, M. F., Li, J., Chehab, L., Desta, T., Chino, T., Krothpali, N., et al., 2010. Impaired wound healing in mouse models of diabetes is mediated by TNF-alpha dysregulation and associated with enhanced activation of forkhead box O1 (FOXO1). *Diabetologia.* 53: 378. doi: 10.1007/s00125-009-1529-y.

- Smiell, J. M., Wieman, T.J., Steed, D. L., Perry, B. H., Sampson, A. R., and Schwab, B. H., 1999. Efficacy and safety of becaplermin (recombinant human trombosit-derived growth factor-BB) in patients with nonhealing, lower extremity diabetic ulcers: a combined analysis of four randomized studies. *Wound Repair Regen.*,7(5):335-46.
- Solomon, P. S., and Oliver, R. P., 2001. The nitrogen content of the tomato leaf apoplast increases during infection by *Cladosporium fulvum*. *Planta*. 213: 241-49.
- Soltani, N., Qiu, H., Aleksic, M., Glinka, Y., Zhao, F., Liu, R., *et al.*, 2011. GABA exerts protective and regenerative effects on islet beta cells and reverses diabetes. *Proc. Natl. Acad. Sci. USA*. 108:11692-7. doi: 10.1073/pnas.1102715108.
- Stojadinovic, O., Brem, H., Vouthounis, C., Lee, B., Fallon, J., *et al.*, 2005. The role of β -catenin and c-myc in the inhibition of epithelialization and wound healing. *Am. J. Pathol.* 167:59-69
- Stojadinovic, O., Landon, J. N., Gordon, K. A., Pastar, I., Escandon, J., Vivas, A., *et al.*, 2013. Quality Assessment of Tissue Specimens for Studies of Diabetic Foot Ulcers. *Exp. Dermatol.* 22(3): 216-218. doi:10.1111/exd.12104.
- Stuckey, D. J., Anthony, D. C., Lowe, J. P., *et al.*, 2005. Detection of the inhibitory neurotransmitter GABA in macrophages by magnetic resonance spectroscopy. *J Leukoc Biol.*;78(2):393-400. doi:10.1189/jlb.1203604
- Szkudelski, T., 2012. Streptozotocin-nicotinamide-induced diabetes in the rat. Characteristics of the experimental model. *Exp. Bio. Med.*, 237(5), 481-90. doi: 10.1258/ebm.2012.011372
- Takayama Y., 2012. Molecular Regulation of Skin Wound Healing. In: Lactoferrin and its Role in Wound Healing (ed. Y Takayama), pp. 1-15. *Springer*, The Netherlands.
- Takayama, Y. and Aoki R. 2012. Roles of lactoferrin on skin wound healing. *Biochem. Cell. Biol.*;90(3):497-503. doi: 10.1139/o11-054.
- Tan, B. K., Adya, R., Chen, J., Farhatullah, S., Heutling, D., Mitchell, D., Lehnert, H. and Randeve, H. S., 2009. Metformin decreases angiogenesis via NF-kappaB and Erk1/2/Erk5 pathways by increasing the antiangiogenic thrombospondin-1. *Cardiovasc. Res.* 83:566-74. doi: 10.1093/cvr/cvp131.
- Tarnuzzer, R. W., and Schultz, G. S., 1996. Biochemical analysis of acute and chronic wound environments. *Wound. Rep. Reg.* 4, 321-5.
- Tennenberg, S. D., Finkenauer, R., Dwivedi, A., 1999. Absence of lipopolysaccharide-induced inhibition of neutrophil apoptosis in patients with diabetes. *Arch. Surg.* 134:1229-33
- Tesch, G. H., 2007. Role of macrophages in complications of type 2 diabetes. *Clin. Exp. Pharmacol. Physiol.* (10):1016-19. doi: 10.1111/j.1440-1681.2007.04729.x.
- Tiaka, E. K., Papanas, Manolakis, Maltezos, 2012. The role of hyperbaric oxygen in the treatment of diabetic foot ulcers. *Angiology.* 63(4):302-14. doi: 10.1177/0003319711416804.
- Tian, J., Dang, H. N., Yong, J., Chui, W. S., Dizon, M. P., Yaw, C. K., and Kaufman, D. L., 2011. Oral treatment with γ -aminobutyric acid improves

- glucose tolerance and insulin sensitivity by inhibiting inflammation in high fat diet-fed mice. *PLoS One*. 6(9): e25338.
- Tian, J., Yuxin Lu, Hanwei Zhang, Chau, C. H., Dang, H. N., and Kaufman, D. L., 2004. γ -Aminobutyric Acid Inhibits T Cell Autoimmunity and the Development of Inflammatory Responses in a Mouse Type 1 Diabetes Model. *J. Immunol*. 173 (8) 5298-304; doi:10.4049/jimmunol.173.8.5298
- Tian, J., Yong, J., Dang, H., and Kaufman, D. L., 2011. Oral GABA treatment downregulates inflammatory responses in a mouse model of rheumatoid arthritis. *Autoimmunity*. 44(6):465-70. doi: 10.3109/08916934.2011.571223.
- Tie, L., Chen, L.Y., Chen, D. D., Xie, H. H., Channon, K. M., and Chen, A. F., 2014. GTP cyclohydrolase I prevents diabetic-impaired endothelial progenitor cells and wound healing by suppressing oxidative stress/thrombospondin-1. *Am. J. Physiol. Endocrinol. Metab.*;3 06: E1120–31. doi: 10.1152/ajpendo.00696.2013.
- Tonnesen, M. G., Feng, X., and Clark, R. A., 2000. Angiogenesis in wound healing. *J. Investig. Dermatol. Symp. Proc.* 5(1):40–6. doi:10.1046/j.1087-0024.2000.00014.x
- Truesdell, D. D., Nancy, R. G., and Acosta, P. B., 1987. Vitamin B12 activity in miso and tempeh. *J. Food. Sci.* 52(2):493–4. doi: 10.1111/j.1365-2621.1987.tb06650.x
- Utama, Z., Okazaki, Y., Tomotake, H., and Kato, N., 2013. Tempe consumption modulates fecal secondary bile acids, mucins, immunoglobulin A, enzyme activities, and cecal microflora and organic acids in rats. *Plant. Foods. Hum. Nutr.* 68(2):177–83. doi: 10.1007/s11130-013-0357-x.
- Untereiner, A., Shaaban, A., Alpana, B., Himaben, G., Farzaneh, P., *et al.*, 2019. GABA promotes b-cell proliferation, but does not overcome impaired glucose homeostasis associated with diet-induced obesity. *FASEB J.*33, 000–000. doi: 10.1096/fj.201801397R.
- Waddington, R.J., Moseley R., and Embery, G., 2000. Reactive oxygen species: a potential role in the pathogenesis of periodontal diseases. *Oral. Dis.* 6: 138–51
- Wallace, W., Secor, J., and Schrader, L., 1984. Rapid accumulation of γ -aminobutyric acid and alanine in soybean leaves in response to an abrupt transfer to lower temperature, darkness, or mechanical manipulation. *Plant. Physiol.* 75:170–5.
- Wang, M. J., Qing, C., Liao, Z. J., Lin, W. D., Ge, K., Xie, T., *et al.*, 2006. The biological characteristics of dermal fibroblast of the diabetic rats with deep-partial thickness scald. *Zhonghua Shao Shang Za Zhi.* 22(1):42-5
- Wang, F., Liu, B., Yu, Z., Wang, T., Song, Y., Zhuang, R., *et al.*, 2018. Effects of CD100 promote wound healing in diabetic mice. *J. Mol. Histol.* 49(3):277-87. doi.org/10.1007/s10735-018-9767-2.
- Watanabe, N., Endo, Y., Fujimoto, K., and Aoki, H., 2006. Tempeh-like Fermented Soybean (GABA-tempeh) Has an Effective Influence on Lipid Metabolism in Rats. *J. Oleo. Sci.*, 55(8):391-6.
- Werner S, Grose R., 2003. Regulation of wound healing by growth factors and cytokines. *Physiol. Rev.* 8 3:835–70. doi: 10.1152/physrev.2003.83.3.835

- Wetzler, C., Kampfer, H., Stallmeyer, B., Pfeilschifter, J., and Frank S., 2000. Large and sustained induction of chemokines during impaired wound healing in the genetically diabetic mouse: prolonged persistence of neutrophils and macrophages during the late phase of repair. *J. Invest. Dermatol.* 115:245-53. doi: 10.1046/j.1523-1747.2000.00029.x
- Wong, V. W., Sorkin, M., Glotzbach, J. P., Longaker, M. T., and Gurtner, G. C., 2011. Surgical Approaches to Create Murine Models of Human Wound Healing. *J. Biomed. Biotechnol.* 8: 2011. doi: 10.1155/2011/969618.
- Wu, K., and Huan Y., 2008. Streptozotocin-induced diabetic models in mice and rats. *Curr. Protoc. Pharmacol.* 40: 5.47.1–14. doi: 10.1002/0471141755.
- Wu, W. K., Llewellyn, O. P., Bates, D. O., Nicholson, L. B., Dick, A. D. 2010. IL-10 regulation of macrophage VEGF production is dependent on macrophage polarisation and hypoxia. *Immunol.*;215(9-10):796-803. doi: 10.1016/j.imbio.2010.05.025
- Xie, H. H., Zhou, S., Chen, D. D., Channon, K. M., Su, D. F., and Chen, A. F., 2010. GTP cyclohydrolase I/BH4 pathway protects EPCs via suppressing oxidative stress and thrombospondin-1 in salt-sensitive hypertension. *Hypertension.*56:1137–44.
- Xue, M., and Jackson, C. J., 2015. Extracellular matrix reorganization during wound healing and its impact on abnormal scarring. *Adv. Wound. Care. (New Rochelle).* 4(3): 119–36. doi:10.1089/wound.2013.0485.
- Yamamoto, T., Eckes, B., Krieg, T., 2001. Effect of Interleukin-10 on the gene expression of type I collagen, fibronectin, and decorin in human skin fibroblasts: Differential regulation by transforming growth factor- β and monocyte chemoattractant protein- 1. *Biochem. Biophys. Res. Com.*;281:200-5. DOI: 10.1006/bbrc.2001.4321
- Yang, S. Y., Lu, Z. X., Lu, F. X., Bie, X. M., Sun, L. J., and Zeng, X. X., 2006. A simple method for rapid screening of bacteria with glutamate decarboxylase activities. *J. Rapid. Methods Autom. Microbiol.*14:291-8.
- Yuan, Y., Das, S. K., and Li, M., 2018. Vitamin D ameliorates impaired wound healing in streptozotocin-induced diabetic mice by suppressing NF- κ B-mediated inflammatory genes. *Biosci. Rep.* 38:1-10. doi: 10.1042/BSR20171294.
- Yusof, H. M., Ali, N. M., Yeap, S. K., Ho, W. Y., Beh, B. K., Koh, S. P., *et al.*, 2013. Hepatoprotective effect of fermented soybean (nutrient enriched soybean tempeh) against alcohol-induced liver damage in mice. *Evid. Based. Complement. Alternat. Med.* 274274. doi: 10.1155/2013/274274
- Zhao, R., Liang, H., Clarke, E., Jackson, C., and Xue, M., 2016. Inflammation in Chronic Wounds. *Int. J. Mol. Sci.* 17(12):2085. doi:10.3390/ijms17122085