

## REFERENCES

- Aldarwish, M. M. and Ahmad, H. F. (2017), Predicting depression levels using social media posts, *2017 IEEE 13th international Symposium on Autonomous decentral- ized system (ISADS)*, IEEE, pp. 277–280.
- Aswathy, K., Rafeeqe, P., and Murali, R. (2019), Deep Learning Approach for the Detection of Depression in Twitter, *International Conference on Systems, Energy Environment (ICSEE) 2019*.
- Aue, A. and Gamon, M. (2005), Customizing sentiment classifiers to new domains: A case study, *Proceedings of recent advances in natural language processing (RANLP)*, vol. vol. 1, 3.1, pp. 2–1.
- Barbier, G. and Liu, H. (2011), Data mining in social media, *Social network data analytics*, Springer, pp. 327–352.
- Bowles, M., 2015, *Machine learning in Python: essential techniques for predictive analysis*, John Wiley & Sons.
- Chesney, E., Goodwin, G. M., and Fazel, S. (2014), Risks of all-cause and suicide mortality in mental disorders: a meta-review, *World psychiatry* vol. 13.2, pp. 153– 160.
- Chianese, A. and Piccialli, F. (2016), A service oriented framework for analysing social network activities, *Procedia Computer Science* vol. 98, pp. 509–514.
- Cho, K., Van Merriënboer, B., Gulcehre, C., Bahdanau, D., Bougares, F., Schwenk, H., and Bengio, Y. (2014), Learning phrase representations using RNN encoder- decoder for statistical machine translation, *arXiv preprint arXiv:1406.1078*.



De Choudhury, M., Gamon, M., Counts, S., and Horvitz, E. (2013a), Predicting de- pression via social media, *Seventh international AAAI conference on weblogs and social media*.

De Choudhury, M., Counts, S., and Horvitz, E. (2013b), Social media as a measure- ment tool of depression in populations, *Proceedings of the 5th Annual ACM Web Science Conference*, ACM, pp. 47–56.

Gaikar, M., Chavan, J., and Shedge, R. (2019), Depression Detection and Prevention System by Analysing Tweets, *Available at SSRN 3358809*.

Goodfellow, I., Bengio, Y., and Courville, A., 2016, *Deep learning*, MIT press. Graves, A. (2012), Supervised sequence labelling, *Supervised sequence labelling with recurrent neural networks*, Springer, pp. 5–13.

Hochreiter, S. (1998), The vanishing gradient problem during learning recurrent neu- ral nets and problem solutions, *International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems* vol. 6.02, pp. 107–116.

Kaplan, A. M. and Haenlein, M. (2010), Users of the world, unite! The challenges and opportunities of Social Media, *Business horizons* vol. 53.1, pp. 59–68.

Katikalapudi, R., Chellappan, S., Montgomery, F., Wunsch, D., and Lutzen, K. (2012), Associating internet usage with depressive behavior among college students, *IEEE Technology and Society Magazine* vol. 31.4, pp. 73–80.

Krystal, A. D. (2012), Psychiatric disorders and sleep, *Neurologic clinics* vol. 30.4, pp. 1389–1413.

Kumar, A., Sharma, A., and Arora, A. (2019), Anxious Depression Prediction in Real- time Social Data, *Available at SSRN 3383359*.

Kumar, P. (2018), *An Introduction to N-grams: What Are They and Why Do We Need Them?*, <https://blog.xrds.acm.org/2017/10/introduction-n-grams-need/>, [Online; accessed 14-November-2018].



LeCun, Y., Bottou, L., Bengio, Y., Haffner, P., et al. (1998), Gradient-based learning applied to document recognition, *Proceedings of the IEEE* vol. 86.11, pp. 2278–2324.

Leis, A., Ronzano, F., Mayer, M. A., Furlong, L. I., and Sanz, F. (2019), Detecting Signs of Depression in Tweets in Spanish: Behavioral and Linguistic Analysis, *Journal of Medical Internet Research* vol. 21.6, e14199.

Ma, Z. (2017), How the media cover mental illnesses: a review, *Health Education* vol. 117.1, pp. 90–109.

McCaughey, D., Baumgardner, C., Gaudes, A., LaRochelle, D., Wu, K. J., and Raichura, T. (2014), Best practices in social media: Utilizing a value matrix to assess social media's impact on health care, *Social science computer review* vol. 32.5, pp. 575–589.

Mikolov, T., Chen, K., Corrado, G., and Dean, J. (2013), Efficient estimation of word representations in vector space, *arXiv preprint arXiv:1301.3781*.

Orabi, A. H., Buddhitha, P., Orabi, M. H., and Inkpen, D. (2018), Deep learning for depression detection of twitter users, *Proceedings of the Fifth Workshop on Computational Linguistics and Clinical Psychology: From Keyboard to Clinic*, pp. 88–97.

Park, M., Cha, C., and Cha, M. (2012), Depressive moods of users portrayed in Twitter, *Proceedings of the ACM SIGKDD Workshop on healthcare informatics (HI-KDD)*, vol. vol. 2012, pp. 1–8.

Paykel, E., Tylee, A., Wright, A., Priest, R., et al. (1997), The Defeat Depression Campaign: psychiatry in the public arena, *The American journal of psychiatry* vol. 154.6, p. 59.

Pennebaker, J. W. (2011), The secret life of pronouns, *New Scientist* 211.2828, pp. 42–45.



Pennington, J., Socher, R., and Manning, C. (2014), GloVe: Global vectors for word representation, *Proceedings of the 2014 conference on empirical methods in natural language processing (EMNLP)*, pp. 1532–1543.

Sheftall, A. H., Asti, L., Horowitz, L. M., Felts, A., Fontanella, C. A., Campo, J. V., and Bridge, J. A. (2016), Suicide in elementary school-aged children and early adolescents, *Pediatrics* vol. 138.4, e20160436.

Singh, D. and Wang, A. (2018), Detecting Depression Through Tweets, *Stanford University CA 9430*, pp. 1–9.

Socher, R., Perelygin, A., Wu, J., Chuang, J., Manning, C. D., Ng, A., and Potts, C. (2013), Recursive deep models for semantic compositionality over a sentiment treebank, *Proceedings of the 2013 conference on empirical methods in natural language processing*, pp. 1631–1642.

Varathan, K. D. and Talib, N. (2014), Suicide detection system based on Twitter, *2014 Science and Information Conference*, IEEE, pp. 785–788.

Williams, R. J. and Zipser, D. (1995), Gradient-based learning algorithms for recurrent, *Backpropagation: Theory, architectures, and applications* vol. 433.

Witten, D. (2011), Classification and clustering of sequencing data using a Poisson model, *The Annals of Applied Statistics* vol. 5.4, pp. 2493–2518.

Kulcu, S. dan Dogdu, E., (2016). A scalable approach for sentiment analysis of turkish tweets and linking tweets to news, *2016 IEEE Tenth International Conference on Semantic Computing (ICSC)*, IEEE, pp. 471–476

Yang, Pei-Jo. (2018). Detect depression in tweets using Keras. <https://github.com/peijoy/DetectDepressionInTwitterPosts>