

DAFTAR PUSTAKA

- Acda, M.N., 2016, *Sustainable Use of Waste Chicken Feather for Durable and Low-Cost Building Materials for Tropical Climates*, Nova Science Publisher, New York.
- Adiati, U., Puastuti, W., dan Mathius, I.W., 2004, Peluang Pemanfaatan Tepung Bulu Ayam Sebagai Bahan Pakan Ternak Ruminansia, *Wartazoa*, 14(1), 39 - 44.
- Al-Salem, S. M., Lettieri, P., Baeyens, J., 2009, Recycling and recovery routes of plastic solid waste (PSW): A review, *Waste Management*, 29(10), 2625–2643.
- Ambarsari, I., 2014, Studi Desorpsi Urea pada Humin Sintesis, *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Anonim, 2019, *Statistik Indonesia 2019*, Badan Pusat Statistik, Jakarta.
- Arvianto, R.I., 2019, Preparasi Humus Sintetik Kaya Nitrogen dan Sulfur dari Limbah Rumah Pematangan Ayam, *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Bakmutov, V.G., Kanzanskii, A.Y., Matasova, G.G., Glavatskii, D.V., 2017, Rock magnetism and magnetostratigraphy of the loess-sol series of Ukraine (Roksolany, Boyanychi, and Korshev sections), *Phys. Solid Earth*, 53, 864-884.
- Beesley, R.M., Ingold, C.K., Thorpe, J.F., 1915, CXIX-The formation and stability of spiro-compounds.Part 1.Spiro Compounds from cyclohexane, *J. Chem. Soc.*,107,1080-1106.
- Beychok, M.R., 1987, A data base of dioxin and furan emissions from municipal refuse incinerators, *Atmos. Environ*, 21, 1, 29–36.
- Cahyadi, Yuliani, N., and Srikandi, 2013, Penetapan Ambang Batas Kadar Fe Total dalam Pupuk, *J. Sains Natural*, 3, 135–143.
- Chen, Y., Chen, Y., Hsu, W., Chang, Y., Sheu, H., Lee, J., Lin, S., 2018, Using the high-temperature phase transition of iron sulfide minerals as an indicator of fault slip temperature, *Scientific Reports*, 7950(9), 1-6.
- DeJong, T.J., Klinkhamer, P.G.L., 1983, A simulation model for the effects of burning on the phosphorus and nitrogen cycle of a heathland ecosystem, *Ecol. Model*, 19(4), 263-284.
- Du, M., Xu, M., Sun, J., and Gao, L., 2013, Synthesis of α -Fe₂O₃ Nanoparticles from Fe(OH)₃ Sol and Their Composite with Reduced Graphene Oxide for Lithium Ion Batteries, *J. Mater. Chem. A*, 1, 7154-7158.

- Font, R., Galvez, A., Molto, J., Fullana, A. and Aracil, I., 2010, Formation of Polychlorinated Compounds in the Combustion of PVC with Iron Nanoparticles, *Chemosphere*, 78, 152–159.
- Funke, A. and Ziegler, F., 2010, Hydrothermal Carbonization of Biomass: A Summary and Discussion of Chemical Mechanism for Process Engineering, *Biofuels, Bioprod. and Bioref.*, 4, 160–177.
- Graebing, P., Frank, M., and Chib J.S., 2002, Effects of Fertilizer and Soil Components on Pesticide Photolysis, *J. Agri. Food Chem.*, 50, 7332-7339.
- Greenwood, N.N., Earnshaw, A., 1997, *Chemistry of the Elements*, (2nd ed.), Butterworth-Heinemann, Oxford.
- Hayes, M.H.B. and Swift, R.S., 1978, *The Chemistry of Soils Organic Colloids in the Chemistry of Soil Constituents*, John Wiley & Sons Ltd., Chicester.
- Hayes, M.H.B., 2010, *Evolution of Modern Concepts of The Compositions of Humic Substances*, 15th International Humic Substances Society (IHSS), 27 June-2 July 2010, Puerto de la Cruz.
- Hayes, M.H.B., Graham, C.L., 2000, *Procedures for the Isolation and Fractionation of Humic Substances*, International Humic Substances Society (IHSS) conference, 24-28 July 2000, Toulouse, France.
- Hayes, T.M., Hayes, M.H.B., Skjemstad, J.O., and Swift, R.S., 2008, Studies of Compositional Relationship Between Organic Matter in a Grassland in Soil and Iys Drainage Water, *Eur. J. Soil. Sci.*, 59, 503-616.
- Huc, I., Lehn, J. M., 1997, VirtualCombinatorial Libraries:Dynamic Generation of Molecular and Supramolecular Diversity by Self-Assembly, *Proc. Natl. Acad. Sci. USA.*, 94(6), 2106 – 2110.
- Hoorweg, D., Bhada-Tata, P., 2012. *What a Waste: A Global Review of Solid Waste Management. Urban development series*, World Bank, Washington.
- Kobayashi, N., Okada, N., Hirakawa, A., Sato, T., Kobayashi, J., Hatano, S., Mori, S, 2009, Characteristics of Solid Residues Obtained from Hot-Compressed-Water Treatment of Woody Biomass, *Ind. Eng. Chem. Res.*, 48(1), 373–379.
- Kuncaka, A., 2013, Slonetic (SROP) Fertilizer sebagai Model Humus Sintetik untuk Mengantarkan Terwujudnya Industri Pertanian Raksasa Nasional yang Berkelanjutan, Pidato Dies Natalis Universitas Gadjah Mada ke-58 Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Gadjah Mada, 19 Desember 2013, Yogyakarta.
- Kuncaka, A., 2014, *Metode Memproduksi Pupuk Organik Paramagnetik Pelepas Lambat (Slow Release Organic Paramagnetic/Pupuk SROP)*, Direktorat Jenderal Hak Kekayaan Intelektual, Kementerian Hukum dan Hak Asasi Manusia Republik Indonesia, No. Pendaftaran Paten P00201401530.

- Lal, R., 1991, Soil Structure and Sustainability, *J. Sustan. Agr*, 1, 67-92.
- Latifa, A.S.R.B., 2019, Preparation of Synthetic Humic Rich in Iron from Chicken Feather and Blood, *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta
- Lehmann, J., Kern, D.C., Glaser, B., and Woods, W.I., 2003, *Amazonian Dark Earths: Origin, Properties, Management*, Kluwer Ac. Publ., Dordrecht.
- Liljestrale, A., 2007, Hydrothermal Carbonization of Biowaste – A Step Towards Efficient Carbon Sequestration and Sustainable Energy Production, *Thesis*, Uppsala Universitet, Swedia.
- Lou, Y., Cai, H., Liu, X., Tu, S., Pei, K., Zhao, Y., Cao, G., Li, S., Qin, K., Cai, B., 2014, Element analysis and characteristic identification of non-fumigated and sulfur fumigated *Fritillaria thunbergii* Miq. using microwave digestion-inductively coupled plasma atomic emission spectrometry combined with Fourier transform infrared spectrometry, *Pharmacogn Mag*, 10, 30-36.
- Lynam, J. G., Coronella, C. J., Yan, W., Reza, M. T., & Vasquez, V. R., 2011, Acetic acid and lithium chloride effects on hydrothermal carbonization of lignocellulosic biomass, *Bioresour. Technol*, 102(10), 6192–6199.
- McKay, G., 2002, Dioxin Characterisation, Formation and Minimisation during Municipal Solid Waste Incineration: Review, *Chem. Eng. J.*, 86, 343–368.
- Morrissey, J., Guerinot, M.L., 2009, Iron uptake and transport in plants: The good, the bad, and the ionome, *Chem. Rev.*, 109(10), 4553-4567.
- Mullins, C. and Tite, M.S., 1973, Magnetic Viscosity, Quadrature Susceptibility and Frequency Dependence of Susceptibility in Single-Domain Assemblies of Magnetite and Maghemite, *J. Geophys. Res.*, 78, 804–809.
- Muslem, 2017, Karbonisasi Polivinil Klorida dan Preparasi Komposit arang-Fe₃O₄ sebagai adsorben Co(II) dengan metode hidrotermal dan hidrotermal-pirolisis, *Tesis*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Muslem, Kuncaka, A., Himah, T.N., Roto, R., 2019, Preparation of Char-Fe₃O₄ Composites from Polyvinyl Chloride with Hydrothermal and Hydrothermal-Pyrolysis Carbonization Methods as Co(II) Adsorbents, *Indones. J. Chem.*, 2019, 19 (4), 835 – 840.
- Nagai, Y., Smith Jr., R.L., Inomata, H. and Arai, K., 2007, Direct Observation of Polyvinylchloride Degradation in Water at Temperatures Up to 500 °C and at Pressures Up to 700 Mpa, *J. Appl. Polym. Sci.*, 106, 1075–1086.
- Nurdiawati, A., Nakhshiniev, B., Zaini. I.N., Saidov, N., Takahashi, F., dan Yoshikawa, K., 2017, Characterization of Potential Liquid Fertilizers Obtained by Hydrothermal Treatment of Chicken Feathers, *Environ. Prog. Sustainable Energy*, 375 - 382.

- Poerschmann, J., Trommler, U., Gorecki, T., Kopinke, F.-D., 2009, Formation of chlorinated biphenyls, diphenyl ethers and benzofuranes as a result of Fenton-driven oxidation of 2-chlorophenol, *Chemosphere* 75, 772–780.
- Poerschmann, J., Weiner, B., Woszidlo, S., Koehler, R. and Kopinke, F.D., 2015, Hydrothermal Carbonization of Poly(Vinyl Chloride), *Chemosphere*, 119, 682-689.
- Ponnamperuma, F.N., Bradfield, R., Pech, M., 1955, Physiological disease of rice attributable to Fe toxicity, *Nature*, 265.
- Rahman, S., 2004, Thermoplastics at Work: A Comprehensive Review of Municipal PVC Piping Products, *Underground Technology*, 56-61.
- Ristic, M., Stajdohar, J., Mitar, I., Music, S., 2018, Monitoring of the Forced Hydrolysis of FeCl₃ Solutions in the Presence of Sodium Dodecyl Sulphate, *Croate. Chem. Acta*, 91(3), 403-410.
- Schmidt, W.F., 2002. Microcrystalline keratin: from Feather to Composite Products, In F.T., Wallenberger, N.E., Weston R., Ford, R.P. and Wool, K. Chawla (Eds), *Proc. Material Research Symposium*, December 2-6, 2002, Boston, Massachusetts, U1.5.1-U1.5.5.
- Soane, B.D., 1990, The role of organic matter in soil compactibility: A review of some practical aspects, *Soil Till. Res*, 16, 179-201.
- Song, G., Novonty, E.H., Simpson, A.J., Clapp, C.E., dan Hayes, M.H.B., 2008, Sequential Exhaustive Extraction of a Mollisol Soil, and Characterization of Humic Components, including Humin, by Solid and Solution State NMR, *Eur. J. Soil*, 59, 505-516.
- Spitzer, R.Y., Mau, V., and Gross, A., 2018, Using Hydrothermal Carbonization for Sustainable Treatment and Reuse of Human Excreta, *J. Clean.Prod.*, 205, 955-963.
- Stevenson F.J., 1994, *Humus Chemistry: Genesis, Composition, Reactions. 2nd ed*, John Wiley & Sons Ltd., New York.
- Stoker, H.S., 2012, *General, Organic, and Biological Chemistry*, Cengage Learning, Boston.
- Thomas, J. D., Mathers, A. C., 1907, Manure and Iron Effects on Sorghum Growth on Iron-Deficient Soil, *Agron. J.*, 71(5), 792-794.
- Yan, W., Acharjee, T.C., Coronella, C.J., Vásquez, V.R., 2009, Thermal pretreatment of lignocellulosic biomass, *Environ. Prog. Sustain. Energy*, 28, 435–440.
- Yang, F., Antonietti, M., 2020, Artificial Humic Acids: Sustainable Materials against Climate Change, *Adv. Sci.*, 7, 1 – 7.