



## DAFTAR PUSTAKA

- Abd-Elnaby, H., Abo-Elala, G., Abdel-Raouf, U., Abd-Elwahab, A., & Hamed, M. (2016). Antibacterial and anticancer activity of marine *Streptomyces parvus*: optimization and application. *Biotechnol. Biotechnol. Equip.*, 30 : 180–191.
- Abdella, G., Mirutse, G., Gobena, A., & Adane, W. (2013). In vitro antimycobacterial activity of selected medicinal plants against *Mycobacterium tuberculosis* and *Mycobacterium bovis* strains. *BMC Complement. Altern. Med.*, 13 : 1–6.
- Adnani, N., Vazquez-Rivera, E., Adibhatla, S.N., Ellis, G.A., Braun, D.R., Bugni, T.S., *et al.* (2015). Investigation of interspecies interactions within marine micromonosporaceae using an improved co-culture approach. *Mar. Drugs.*, 13: 6082–6098.
- Affolabi, D., Sanoussi, N.D., Odoun, M., Martin, A., Koukpedji, L., Palomino, J.C., *et al.* (2013). Rapid low-cost identification of *Mycobacterium tuberculosis* complex using p-nitro-benzoic acid (PNB) as inhibitor and the resazurin microplate assay (REMA): a preliminary study. *Afr. J. Microbiol. Res.*, 7 : 3135–3138
- Ahsan, T., Chen, J., Wu, Y., Irfan, M., & Shafi, J. (2017). Screening, identification, optimization of fermentation conditions, and extraction of secondary metabolites for the biocontrol of *Rhizoctonia Solani* AG-3. *Biotechnol. Biotechnol. Equip.*, 31 : 91–98.
- Al-Ghazali, L.H., & Omran, R. (2017). Optimization of medium composition for antibacterial metabolite production from *Streptomyces sp.* *Asian J. Pharm. Clin. Res.*, 10 : 381–385.
- Altameme, H., Hameed, I.H., & Kareem, M. (2015). Analysis of alkaloid phytochemical compounds in the ethanolic extract of *Datura stramonium* and evaluation of antimicrobial activity. *African J. Biotechnol.*, 14 : 1668–1674.
- Altschul, S.F., Madden, T.L., Schaffer, A.A., Zhang, J., Zhang, Z., Miller, W., *et al.* (1997). Gapped BLAST and PSI-BLAST: a new generation of protein database search programs. *Nucleic Acid Res.*, 25 : 3389–3402.
- Anahtar, M.N., Bowman, B.A., & Kwon, D.S. (2016). Efficient nucleic acid extraction and 16s rRNA gene *sequencing* for bacterial community characterization. *J. Vis. Exp.*, 110 : 1–11.
- Ashforth, E.J., Fu, C., Liu, X., Dai, H., Song, F., Guo, H., *et al.* (2010). Bioprospecting for antituberculosis leads from microbial metabolites. *Nat. Prod. Rep.*, 27 : 1709–1719.
- Axenov-Gribanov, D.V., Voytsekhovskaya, I.V., Tokovenko, B.T., Protasov, E.S.,



Gamaiunov, S.V., Rebets, Y.V., *et al.* (2016). Actinobacteria isolated from an underground lake and moonmilk speleothem from the biggest conglomeratic karstic cave in Siberia as sources of novel biologically active compounds. *PLoS ONE.*, 11 : 1–12.

Ayuso-Sacido, A., & Genilloud, O. (2005). New PCR primers for the screening of NRPS and PKS-I systems in *Actinomycetes*: detection and distribution of these biosynthetic gene sequences in major taxonomic groups. *Microb. Ecol.*, 49 : 10–24.

Azkiyah, S. Z. (2013). Isolasi senyawa aktif antioksidan dari fraksi antioksidan dari fraksi n-Heksana tumbuhan paku *Nephrolepis falcata (Cav.) C. Chr.* Skripsi. Jakarta: UIN Syarif Hidayatullah.

Bajpai, V.K., Majumder, R., & Park, J.G. (2016). Isolation and purification of plant secondary metabolites using column-chromatographic technique. *Bangladesh J. Pharmacol.*, 11 : 844–848.

Baltz, R.H. (2007). Antimicrobials from *Actinomycetes*: Back to the future. *Microbe*, 2 : 125–131.

Baltz, R.H. (2010). Genomics and the ancient origins of the daptomycin biosynthetic gene cluster. *J. Antibiot.*, 63 : 506–511.

Barka, E.A., Vatsa, P., Sanchez, L., Nathalie Gaveau-Vaillant, C.J., Klenk, H.P., Clément, C., *et al.* (2016). Taxonomy, physiology, and natural products of actinobacteria. *Microbiol. Mol. Biol. Rev.*, 80 : 1–43.

Baskaran, R. Mohan, P.M., Sivakumar, K., & Kumar, A. (2016). Antimicrobial activity and phylogenetic analysis of *Streptomyces parvulus* DOSMB-D105 isolated from the mangrove sediments of Andaman Islands. *Acta Microbiol. Immunol. Hung.*, 63 : 27–46.

Bekker, V., Dodd, A., Brady, D., & Rumbold, K.. (2014). Tools for metabolic engineering in *Streptomyces*. *Bioeng. Bugs.*, 5 : 293–299.

Bérdy, J. (2012). Thoughts and facts about antibiotics: Where we are now and where we are heading. *J. Antibiot.*, 65 : 385–395.

Bertrand, S., Schumpp, O., Bohni, N., Monod, M., Gindro, K., & Wolfender, J.L. (2013). De novo production of metabolites by fungal co-culture of *trichophyton rubrum* and *bionectria ochroleuca*. *J. Nat. Prod.*, 76 : 1157–1165.

Bertrand, S. Bohni, N., Schnee, S., Schumpp, O., Gindro, K., & Wolfender, J.L. (2014). Metabolite induction via microorganism co-culture: A potential way to enhance chemical diversity for drug discovery. *Biotechnol. Adv.*, 32 : 1180–1204.

Bethesda. (2017). Dactinomycin. In *Livertox: Clinical and Research Information on Drug Induced Liver Injury [Internet]*., pp. 1–7. Tersedia di



<https://www.ncbi.nlm.nih.gov/books/>, diakses pada tanggal 5 Juni 2020

Bibb, M.J. (2005). Regulation of secondary metabolism in *Streptomyces*. *Cur. Opin. Microbiol.*, 8 : 208–215.

Bode, H.B., Bethe, B., Höfs, R., & Zeeck, A. (2002). Big effects from small changes: Possible ways to explore nature's chemical diversity. *ChemBioChem*, 3 : 619–627.

Box, S.J., Cole, M., & Yeoman, G.H. (1973). Prasinons A and B: Potent insecticides from *Streptomyces prasinus*. *Appl. Microbiol.*, 26 : 699–704.

Braña, A.F., Rodríguez, M., Pahari, P., Rohr, J., García, LA., & Blanco, G. (2014). Activation and silencing of secondary metabolites in *Streptomyces albus* and *Streptomyces lividans* after transformation with cosmids containing the thienamycin gene cluster from *Streptomyces cattleya*. *Arc. Microbiol.*, 196 : 345–355.

Breitling, R., Cenicerros, A., Jankevics, A., & Takano, E. (2013) Metabolomics for secondary metabolite research. *Metabolites*, 3 : 1076–1083.

Bucar, F., Wube, A., & Schmid, M. (2013). Natural product isolation-how to get from biological material to pure compounds. *Nat. Prod. Rep.*, 30 : 525–545.

Bunalema, L., Kirimuhuzya, C., Tabuti, J.R.S., Waako, P., Magadula, J.J., Otieno, N., Orodho, J.A., *et al.* (2012). The efficacy of the crude root bark extracts of *Erythrina abyssinica* on rifampicin resistant *Mycobacterium tuberculosis*. *Afr. Health Sci.*, 11 : 587–593.

Bwanga, F., Joloba, M.L., Haile, M., & Hoffner, S. (2010). Evaluation of seven tests for the rapid detection of multidrug-resistant tuberculosis in Uganda. *Int. J. Tuberc. Lung. Dis.*, 14 : 890–895

Cai, W., Wang, X., Elshahawi, S.I., Ponomareva, L.V., Liu, X., McErlean, M.R., Cui, Z., *et al.* (2016). Antibacterial and cytotoxic actinomycins Y1-Y9 and Zp From *Streptomyces sp.* Strain Go-GS12. *J. Nat. Prod.*, 79 : 1–21.

CDC. (2018). Tuberculosis. CDC, tersedia di <https://www.cdc.gov/tb/topic/basics/default.htm>, diakses pada tanggal 1 Agustus 2020.

Chandrakar, S., & Gupta, A.K. (2019). Actinomycin-producing endophytic *Streptomyces parvulus* associated with root of aloe vera and optimization of conditions for antibiotic production. *Probiotics Antimicrob. Proteins*, 11 : 1055–1069.

Charousová, I., Medo, J., Hleba, L., Císarová, M., & Javoreková, S. (2019). Antimicrobial activity of *Actinomycetes* and characterization of actinomycin-producing strain KRG-1 isolated from Karoo, South Africa. *Brazilian J. Pharm.*



*Sci.*, 55 : 1–11.

Chen, C., Song, F., Wang, Q., Abdel-Mageed, W.M., Guo, H., Fu, C., *et al.* (2012). A marine-derived *Streptomyces sp.* MS449 produces high yield of actinomycin X2 and actinomycin D with potent anti-tuberculosis activity. *Appl. Microbiol. Biotechnol.*, 95 : 919–927.

Chen, C., Wang, J., Guo, H., Hou, W., Yang, N., Ren, B., *et al.* (2013) Three antimycobacterial metabolites identified from a marine-derived *Streptomyces sp.* MS100061. *Appl. Microbiol. Biotechnol.*, 97 : 3885–3892.

Ciulli, A., Scott, D.E., Ando, M., Reyes, F., Saldanha, S.A., Tuck, K.L., *et al.* (2008). Inhibition of *Mycobacterium tuberculosis* panthothenate synthetase by analogues of the reaction intermediate. *Chembiochem.*, 9(16): 2606-2611

CLSI. (2018). Performance standards for susceptibility testing of *Mycobacteria*, *Nocardia spp.*, and other aerobic *Actinomycetes*, 1<sup>st</sup> edition CLSI supplement M62. Wayne, PA: Clinical and Laboratory Standards Institute

Conradie, F., Diacon, A.H., Ngubane, N., Howell, P., Everitt, D., Crook, A.M., *et al.* (2020). Treatment of highly drug-resistant pulmonary tuberculosis. *N. Engl. J. Med.*, 382 : 893-902

Cos, P., Vlietinck, A.J., Berghe, D., Vanden, & Maes, L. (2006). Anti-infective potential of natural products: How to develop a stronger in vitro “proof-of-concept”. *J. Ethnopharmacol.*, 106 : 290–302.

Cox, E. & Laessig, K. (2014). FDA approval of bedaquiline - the benefit-risk balance for drug-resistant tuberculosis. *N. Engl. J. Med.*, 371: 689-691

Cumsille, A., Undabarrena, A., González, V., Claverías, F., Rojas, C., & Cámara, B. (2017). Biodiversity of actinobacteria from the South Pacific and the assessment of *Streptomyces* chemical diversity with metabolic profiling. *Mar. Drugs.*, 15 : 1–21.

Desai, S.S., & Phatak, A.A. (2010). Study of growth pattern of *Actinomycetes* species in various nutrient medium. *Int. J. Pharm. Pharm. Sci.*, 2 : 42–45.

Dias, D.A., Jones, O.A.H., Beale, D.J., Boughton, B.A., Benheim, D., Kouremenos, K.A., *et al.* (2016). Current and future perspectives on the structural identification of small molecules in biological systems. *Metabolites*, 6 : 1–29.

Djinni, I., Defant, A., Kecha, M., & Mancini, I. (2013). Metabolite profile of marine-derived endophytic *Streptomyces sundarbansensis* WR1L1S8 by liquid chromatography-mass spectrometry and evaluation of culture conditions on antibacterial activity and mycelial growth. *J. Appl. Microbiol.*, 116 : 39–50.

Doroghazi, J.R., & Metcalf, W.W. (2013). Comparative genomics of *Actinomycetes*



with a focus on natural product biosynthetic genes. *BMC Genomics*, 14.

Drobniewski, F., Rüscher-Gerdes, S., & Hoffner, S. (2007). Antimicrobial susceptibility testing of *Mycobacterium tuberculosis* (EUCAST document E.DEF 8.1) - Report of the subcommittee on antimicrobial susceptibility testing of *Mycobacterium tuberculosis* of the European Committee for Antimicrobial Susceptibility Te. *Clin. Microbiol. Infect.*, 13 : 1144–1156.

Elyashberg, M., & Williams, A.J. (2015) *Computer-Based Structure Elucidation from Spectral Data, Lecture Notes in Chemistry*. Berlin: Springer-verlag.

Engelhardt, K., Degnes, K.F., Kemmler, M., Bredholt, H., Fjaervik, E., Klinkenberg, G., *et al.* (2010). Production of a new thiopeptide antibiotic, TP-1161, by a marine *Nocardiopsis* species. *Appl. Environ. Microb.*, 76 : 4969–4976.

Escher, S.K.S., de Sousa Júnior, J.J.V., Dias, A.L., de Amorim E.L.C., & Araújo, J.M. (2016). Influence of glucose and stirring in the fermentation process in order to produce anti-candida metabolites produced by *Streptomyces sp.* *Brazilian J. Pharm. Sci.*, 52 : 265–272.

Euanorasetr, J., Nilvongse, A., Tantimavanich, S., Nihira, T., Igarashi, Y., & Panbangred W. (2010). Identification and characterization of soil-isolated *Streptomyces* SJE177 producing actinomycin *Southeast Asian J. Trop. Med. Public Health*, 41 : 1177–1187.

Evangelopoulos, D., & McHugh, T.D. (2015). Improving the tuberculosis drug development pipeline. *Chem. Biol. Drug Des.*, 86 : 951–960.

Felsenstein, J. (1985). Confidence Limits on Phylogenies: an Approach Using the Bootstrap. *Evolution*, 39 : 783–791.

Fleming, I., & Williams, D. (2019). Spectroscopic methods in organic chemistry. 7th ed., Cham: Springer Nature Switzerland AG.

Forner, D., Berrué, F., Correa, H., Duncan, K., & Kerr RG. (2013). Chemical dereplication of marine *Actinomycetes* by liquid chromatography – high resolution mass spectrometry profiling and statistical analysis. *Anal. Chim. Acta.*, 805 : 70–79.

Franzblau, S.G., Degroote, M.A., Cho, S.H., Andries, K., Nuermberger, E., Orme, I.M., *et al.* (2012). Comprehensive analysis of methods used for the evaluation of compounds against *Mycobacterium tuberculosis*. *Tuberculosis*, 92 : 453–488.

Fuloria, N.K., & Fuloria, S. (2013). Structural elucidation of small organic molecules by 1D, 2D and multi dimensional-solution NMR spectroscopy. *J. Anal. Bioanal. Tech.*, 11 : 1–8.

Gallo, M., & Katz, E. (1972). Regulation of secondary metabolite biosynthesis:



catabolite repression of phenoxazinone synthase and actinomycin formation by glucose. *J. Bacteriol.*, 109 : 659–667.

Gaudêncio, S.P., & Pereira, F. (2015). Dereplication: Racing to speed up the natural products discovery process. *Nat. Prod. Rep.*, 32 : 779–810.

Giampaglia, C.M.S., Martins, M.C., Chimara, E., Oliveira, R.S., Vieira, G.B.D.O., Marsico, A.G., *et al.* (2007). Differentiation of *Mycobacterium tuberculosis* from other mycobacteria with p -nitrobenzoic acid using MGIT960. *Int. J. Tuberc. Lung Dis.*, 11: 803–807.

Ginting, M.K. (2012) Validasi metode LC-MS/MS untuk penentuan senyawa asam trans, trans-mukonat, asam hippurat, asam-2-metil hippurat, asam-3-metil hippurat, asam-4-metil hippurat dalam urin sebagai biomarker paparan benzena, toluena, dan xilena. Skripsi. Jakarta: Universitas Indonesia.

Gohain, A., Gogoi, A., Debnath, R., Yadav, A., Singh, B.P., Gupta, V.K., *et al.* (2015). Antimicrobial biosynthetic potential and genetic diversity of endophytic *Actinomycetes* associated with medicinal plants. *FEMS Microbiol. Lett.*, 362: 1–10.

Gontang, E.A., Gaudêncio, S.P., Fenical, W., & Jensen, P.R. (2010). Sequence-based analysis of secondary-metabolite biosynthesis in marine actinobacteria. *Appl. Environ. Microbiol.*, 76 : 2487–2499.

Gonzalez-Pimentel, J.L., Jurado, V., Laiz, L., & Saiz-Jimenez, C. (2019). Draft genome sequence of a granaticin-producing strain of *Streptomyces parvus* isolated from a roman tomb in the necropolis of Carmona, Spain. *Microbiol. Res, Announc.*, 8 : 4–5.

Graça, A.P., Viana, F., Bondoso, J., Correia, M.I., Gomes, L., Humanes, M., *et al.* (2015). The antimicrobial activity of heterotrophic bacteria isolated from the marine sponge *Erylus deficiens* (Astrophorida, Geodiidae). *Front. Microbiol.*, 6 : 1–14.

Grange, J.M., Yates, M.D., & de Kantor, I.N. (1996). World Health Organization: Guidelines for speciation within the *Mycobacterium tuberculosis* complex, second ed. WHO: Geneva

Graziani, V., Scognamiglio, M., Belli, V., Esposito, A., D'Abrosca, B., Chambery, A., *et al.* (2018). Metabolomic approach for a rapid identification of natural products with cytotoxic activity against human colorectal cancer cells. *Sci. Rep.*, 8 : 1–11.

Green, K.D., & Garneau-Tsodikova, S. (2013). Resistance in tuberculosis: What do we know and where can we go? *Front. Microbiol.*, 4 : 1–7.

Hall, B. G. (2013). Building phylogenetic trees from molecular data with MEGA. *Mol. Biol. Evol.*, 30 : 1229–1235.



Hamada, M., Shibata, C., Nurkanto, A., Ratnakomala, S., Lisdiyanti, P., Tamura, T., *et al.* (2015). *Serinibacter tropicus* sp. nov., an actinobacterium isolated from the rhizosphere of a mangrove, and emended description of the genus *Serinibacter*. *Int. J. Sys. Evol. Microbiol.*, 65 : 1151–1154.

Hamza, A.A. Ali, H.A., Clark, B.R., Murphy, C.D., & Elsheikh, A. (2013). Isolation and characterisation of actinomycin D producing *Streptomyces spp.* from Sudanese soil. *African J. Biotechnol.*, 12 : 2624–2632.

Heidari, B. & Mohammadipannah, F. (2018). Isolation and identification of two alkaloid structures with radical scavenging activity from *Actinokineospora sp.* UTMC 968, a new promising source of alkaloid compounds. *Mol. Biol. Rep.*, 45 : 2325–2332.

Hill, C.R., Cole, M., Errington, J., Malik, G., Boddy, A.V., & Veal, G.J. (2014). Characterisation of the clinical pharmacokinetics of actinomycin D and the influence of ABCB1 pharmacogenetic variation on actinomycin D disposition in children with cancer. *Clin. Pharm.*, 53 : 741–751.

Hoshino<sup>a</sup>, S., Zhang, L., Awakawa, T., Wakimoto, T., Onaka, H., & Abe, I. (2014). Arcyriaflavin E, a new cytotoxic indolocarbazole alkaloid isolated by combined-culture of mycolic acid-containing bacteria and *Streptomyces cinnamoneus* NBRC 13823. *J. Antibiot.*, 68 : 342–344.

Hoshino<sup>b</sup>, S., Wakimoto, T. Wakimoto T, Onaka, H., & Abe, I. (2015). Chojalactones A-C, cytotoxic butanolides isolated from *streptomyces sp.* cultivated with mycolic acid containing bacterium. *Org. Lett.*, 17 : 1501–1504.

Hoshino, S., Okada, M., Wakimoto, T., Zhang, H., Hayashi, F., Onaka, H., *et al.* (2015). Niizalactams A-C, multicyclic macrolactams isolated from combined culture of *Streptomyces* with mycolic acid-containing bacterium. *J. Nat. Prod.*, 78 : 3011–3017.

Hu, D., Chen, Y., Sun, C., Jin, T., Fan, G., Liao, Q., *et al.* (2018). Genome guided investigation of antibiotics producing actinomycetales strain isolated from a Macau mangrove ecosystem. *Sci. Rep.*, 8 : 1–12.

Hubert, J., Nuzillard, J., & Renault, J. (2015). Dereplication strategies in natural product research: How many tools and methodologies behind the same concept? *Phytochem. Rev.* 11 : 1 -41

Hug, J.J., Bader, C.D., Remskar, M., Cirnski, K., & Muller, R. Concepts and methods to access novel antibiotics from *Actinomycetes*. *Antibiot.*, 7 : 1 -47

Hurwitz, J., Furth, J.J., Malamy, M., & Alexander, M. (1962). The role of deoxyribonucleic acid in ribonucleic acid synthesis III the inhibition of the enzymatic synthesis of ribonucleic acid and deoxyribonucleic acid by actinomycin



D and proflavin. *PNAS.*, 48: 1222-1230

Isnaeni, I., Kusumawati, I., Suwito, M.F., Darmawati, A., & Mertaniasih, N.M. (2016). Antimicrobial activity of *Streptomyces spp.* isolated from vegetable plantation soil. *J. Biol. Res.*, 21 : 69–74.

Isnaeni, I., Warsito, M.F., Nasution, N.E., Merthaniasih, N.M., Poernomo, A.T., Fairuz, D., *et al.* (2017). Antibacterial activity of butanol extract from cell free fermentation broth of *Streptomyces spp.* isolated from vegetable plantation soil. *Res. J. Pharm. Biol. Chem. Sci.*, 8 : 1921–1927.

Istianto, Y., Koesoemowidodo, R.S.A., Saputra, H., Watanabe, Y., Pranamuda, H., & Marwoto, B. (2012). Application of phenol pretreatment for the isolation of rare *Actinomycetes* from Indonesian soil. *Microbiol. Indones.*, 6 : 42–47.

Ito, T., Odake, T., Katoh, H., Yamaguchi, Y., Aoki, M. (2011). High-throughput profiling of microbial extracts. *J. Nat. Prod.*, 74 : 983–988.

Jacob, J., Rajendran, R.U., Priya, S.H., Purushothaman, J., Saraswathy Amma, D.K.B.N., (2017). Enhanced antibacterial metabolite production through the application of statistical methodologies by a *Streptomyces nogalater* NIIST A30 isolated from Western Ghats forest soil. *PLoS ONE*, 12 : 1–21.

Jagielski, T., Bakula, Z., Brzostek, A., Minias, A., Law Stachowiak, R., Kalita, J., *et al.* (2018). Characterization of mutations conferring resistance to rifampin in mycobacterium tuberculosis clinical strains. *Antimicrob. Agents Chemother.*, 62 : 1–16.

Janin, Y. L. (2007). Antituberculosis drugs: Ten years of research. *Bioorganic Med. Chem.*, 15 : 2479–2513.

Javadi, A., Shamaei, M., Ziazi, L.M., Pourabdollah, M., Dorudinia, A., Seyedmehdi, S.M., *et al.* (2014). Qualification study of two genomic DNA extraction methods in different clinical samples. *Tanaffos*, 13 : 41–47.

Kang, H.K., Seo, C.H., & Park, Y. (2015). Marine peptides and their anti-infective activities. *Mar. Drugs*, 13 : 618–654.

Katz, E., & Goss, W.A. (1958). Influence of amino acids on actinomycin biosynthesis. *Nature*, 182 : 1668–1669.

Keller, U., Lang, M., Crnovcic, I., Pfennig, F., & Schauwecker, F. (2010) ‘The actinomycin biosynthetic gene cluster of *Streptomyces chrysomallus*: A genetic hall of mirrors for synthesis of a molecule with mirror symmetry. *J. Bacteriol.*, 192 : 2583–2595.

Kemenkes. (2012). Petunjuk Teknis Pemeriksaan Biakan, Identifikasi, dan Uji Kepekaan Mycobacterium tuberculosis pada Media Padat. Jakarta: Kementerian



## Kesehatan RI.

Kemenkes. (2014). Pedoman Nasional Pengendalian Tuberkulosis. Edited by T. N. Dinihari and V. Siagian. Jakarta: Kementerian Kesehatan RI.

Khanna, M., Solanki, R., & Lal, R. (2011). Selective isolation of rare *Actinomycetes* producing novel antimicrobial compounds. *Int. J. Adv. Biotech. Res.*, 2 : 357–375.

Khieu, T., Liu, M., Nimaichand, S., Quach, N., Chu-Ky, S., Phi, Q., *et al.* (2015). Characterization and evaluation of antimicrobial and cytotoxic effects of *Streptomyces sp.* HUST012 isolated from medicinal plant *Dracaena conchinchinensis* Lour. *Front. Microbiol.*, 6: 1-9

Kiranmayi, M.U., Sudhakar, P., Sreenivasulu, K., Vijayalakshmi, M. (2011). Optimization of culturing conditions for improved production of bioactive metabolites by *Pseudonocardia sp.* VUK-10. *Mycobiology*, 39 : 174–181.

Knight, V., Sanglier, J.J., DiTullio, D., Braccili, S., Bonner, P., Waters, J., *et al.* (2003). Diversifying microbial natural products for drug discovery. *Appl. Microbiol. Biotechnol.*, 62 : 446–458.

Kottege, J. (2007). *Evaluation of the active DIMETHENAMID – P in the product FRONTIER – P HERBICIDE*. Canberra : Australian Pesticides and Veterinary Medicines Authority.

Koul, A., Arnoult, E., Lounis, N., Guillemont, J., & Andries, K. (2011). *Nature.*, 469 : 483–490.

Kresge, N., Simoni, R.D., & Hill, R.L. (2004). Selman Waksman: the Father of Antibiotics. *J. Biol. Chem.*, 279 : e7–e7.

Kumar, S., Stecher, G., & Tamura, K. (2016). MEGA7: Molecular Evolutionary Genetics Analysis version 7.0 for bigger datasets. *Mol. Biol. Evol.*, 33 : 1870–1874.

Kurnijasanti, R. (2013). Potensi *Streptomyces sp.* isolat tanah rumah kompos Bratang Surabaya sebagai anti tuberkulosis secara in vitro menggunakan metode turbidimetri. In *Prosiding Musyawarah Nasional Ke II Asosiasi Farmakologi dan Farmasi Veteriner Indonesia*. Surabaya: Indonesia Veterinary Pharmacy and Pharmacology Association (IVPPA), pp. 24–28.

Kwan, E.E. & Huang, S.G. (2008). Structural elucidation with NMR spectroscopy: Practical strategies for organic chemists. *European J. Org. Chem.*, 16 : 2671–2688.

Lackner, H., Bahner, I., Shigematsu, N., Pannell, L.K., & Mauger, A.B. (2000) Structures of five components of the actinomycin Z complex from *Streptomyces fradiae*, two of which contain 4-chlorothreonine. *J. Nat. Prod.*, 63 : 352–356.

Lacobino, A., Fattorini, L., & Giannoni, F. (2020). Drug-resistant tuberculosis:



where we stand. *Appl. Sci.*, 10: 1-17

Lade, B.D., Patil, A.S., Paikrao, H.M., Kale, A.S., & Hire, K.K. (2014). A comprehensive working, principles and applications of thin layer chromatography. *Res. J. Pharm. Biol. Chem. Sci.*, 5 : 486–503.

Lahlou, M. (2013). The success of natural products in drug discovery. *Pharmacol. Pharm.*, 04 : 17–31.

Lau, S.S., Dias, R.P., Martin-culet, K.R., Race, N.A., Schammel, M.H., Reber, K.P., *et al.* (2018). 1,3,5-Trimethoxybenzene (TMB) as a new quencher for preserving redox-labile disinfection byproducts and for quantifying free chlorine and free bromine. *Environ. Sci. Water Res. Technol.*, 4 : 926–941.

Lee, H., & Suh, J.W. (2016). Anti-tuberculosis lead molecules from natural products targeting Mycobacterium tuberculosis ClpC1. *J. Ind. Microbiol. Biotechnol.*, 43 : 205–212.

Lee, J.H., Kim, Y.G, Lee, K., Kim, C.J., Park, D.J, Ju, Y., *et al.* (2016). Streptomyces-derived actinomycin D inhibits biofilm formation by *Staphylococcus aureus* and its hemolytic activity. *Biofouling*, 32 : 45–56.

Lisdiyanti, P., Ratnakomala, S., Ridwan, R., Widyastuti, Y., Otaguro, M., & Katsuhiko, A. (2011). Ecological study of rare-Actinomycetes in soils and leaf-litters. *Ann. Bogor.*, 15 : 31–36.

Liu, M. Jia, Y., Xie, Y., Zhang, C., Ma, J, Sun, C., & Ju, J. (2019). Identification of the actinomycin D biosynthetic pathway from marine-derived *Streptomyces costaricanus* SCSIO ZS0073. *Mar. Drugs*, 17 : 1–13.

Liu, X., Ashforth, E., Ren, B., Song, F., Dai, H., Liu, M., *et al.* (2010). Bioprospecting microbial natural product libraries from the marine environment for drug discovery. *J. Antibiot.*, 63 : 415–422.

Maharani, T., Sukandar, D., & Hermanto, S. (2016). Karakterisasi senyawa hasil isolasi dari ekstrak etil asetat daun namnam (*Cynometra Cauliflora L.*) yang memiliki aktivitas antibakteri. *J. Kim. V.*, 2 : 55–62.

Mahyarudin, Rusmana, I., & Lestari, Y. (2015). Metagenomic of Actinomycetes based on 16S rRNA and nifH genes in soil and roots of four Indonesian rice cultivars using PCR-DGGE. *HAYATI J. Biosci.*, 22 : 113–121.

Mammo, F., & Endale, M. (2015). Recent trends in rapid dereplication of natural product extracts: an update. *J. Coast. Life Med.*, 3 : 178–182.

Mangamuri, U.K., Poda, S, Naragani, K., & Muvva, V. (2012). Influence of cultural conditions for improved production of bioactive metabolites by *Streptomyces cheonanensis* VUK-A isolated from coringa mangrove ecosystem. *Curr. Trends*



*Biotechnol Pharm.*, 6 : 99–111.

Manivasagan, P., Venkatesan, J., Sivakumar, K., & Kim, S.K. (2013). Marine actinobacterial metabolites: Current status and future perspectives. *Microbiol. Res.*, 168 : 311–332.

Marmann, A. Aly A.H, Lin, W., Wang, B., & Proksch, P. (2014). Co-cultivation - A powerful emerging tool for enhancing the chemical diversity of microorganisms. *Mar. Drugs*, 12 : 1043–1065.

Martin, A., & Palomino, J.C. (2012). Drug susceptibility testing for Mycobacterium tuberculosis-Colorimetric Redox Indicator ( CRI ). *Procedure Manual*.

Matlock, B. (2015). Assessment of Nucleic Acid Purity. *Technical Bulletin NanoDrop Spectrophotometers*. Wilmington: Thermo Fisher Scientific, pp. 1–2.

McGuire, A.M., Weiner, B., Park, S.T., Wapinski, I., Raman, S., Dolganov, G., *et al.* (2012). Comparative analysis of mycobacterium and related *Actinomycetes* yields insight into the evolution of *Mycobacterium tuberculosis* pathogenesis. *BMC Genomics*, 13 : 1–27.

Miao, V., Coëffet-LeGal, M.F., Brian, P., Brost, R., Penn, J., Whiting, A., *et al.* (2005). Daptomycin biosynthesis in *Streptomyces roseosporus*: Cloning and analysis of the gene cluster and revision of peptide stereochemistry. *Microbiology*, 151 : 1507–1523.

Monciardini, P., Iorio, M., Maffioli, S., Sosio, M., & Donadio, S. (2014). Discovering new bioactive molecules from microbial sources. *Microb. Biotechnol.*, 7 : 209–220.

Morbidoni, H.R. Vilchèze, C., Kremer, L., Bittman, R., Sacchettini, J.C, & Jacobs, WR (2006). Dual inhibition of mycobacterial fatty acid biosynthesis and degradation by 2-alkynoic acids. *Chem. Biol.*, 13 : 297–307.

Munawaroh, A.L., Hidayati, D.Y.N., & Utami, Y.W. (2015). Comparative study of coco blood malachite green culture media with lowenstein jensen (LJ) for apid diagnostic, specific, and sensitive on sputum of tuberculosis suspect patient. *Maj. Kesehatan FKUB*, 2 : 79–91.

Munro, M.H.G., Blunt, J.W., Dumdei, E.J., Hickford, S.J.H., Lill, R.E., Li, S., *et al.* (1999). The discovery and development of marine compounds with pharmaceutical potential. *J. Biotechnol.*, 70 : 15-25

Narayana, K.J.P., & Vijayalakshmi, M. (2008). Optimization of antimicrobial metabolites production by *Streptomyces albidoflavus*. *Res. J. Pharm.*, 2 : 4–7.

Nuñez, A., Sapozhnikova, Y., & Lehotay, S. J. (2018). Characterization of MS/MS product ions for the differentiation of structurally isomeric pesticides by high-



resolution mass spectrometry. *Toxics*, 6 : 1–12.

Nurlaila, E. & Tukiran (2017). Analysis of spektrofotometri UV-VIS and FT-IR from isolation of compounds chloroform extract of plant salam bark (*Syzygium polyanthum*). *UNESA J. Chem.*, 6 : 4–7.

Olano, C. (2011). Hutchinson's legacy: Keeping on polyketide biosynthesis. *J. Antibiot.*, 64 : 51–57.

Olano, C., García, I., González, A., Rodríguez, M., Rozas, D., Rubio, J., Sánchez-Hidalgo, M., *et al.* (2014). Activation and identification of five clusters for secondary metabolites in *Streptomyces albus* J1074. *Microb. Biotechnol.*, 7 : 242–256.

Omura, S., Iwai, Y., Takahashi, Y., Sadakane, N., Nakagawa, A., Oiwa, H., *et al.* (1979). Herbimycin, a new antibiotic produced by a strain of streptomyces. *J. Antibiot.*, 32 : 255–261.

Ōmura, S., & Crump, A. (2004). The life and times of ivermectin - A success story. *Nat. Rev. Microbiol.*, 2 : 984–989.

Onaka, H., Mori, Y., Igarashi, Y., & Furumai, T. (2011). Mycolic acid-containing bacteria induce natural-product biosynthesis in *Streptomyces* species. *Appl. Environ. Microbiol.*, 77 : 400–406.

Ovation Pharmaceuticals. (2008). Cosmegen<sup>®</sup> Dactinomycin for Injection. USA

Palomino, J.C., Martin, A., & Portaels, F. (2007). Rapid drug resistance detection in *Mycobacterium tuberculosis*: a review of colourimetric methods. *Clin. Microbiol. Infect.*, 13: 754–762

Pauli, G.F., Chen, S.N., Friesen, J.B., McAlpine, J.B., & Jaki, B.U., *et al.* (2012). Analysis and purification of bioactive natural products: The AnaPurNa study. *J. Nat. Prod.*, 75 : 1243–1255.

Pavlopoulos, G.A., Soldatos, T.G., Barbosa-Silva, A., & Schneider, R. (2010). A reference guide for tree analysis and visualization. *BioData Min.*, 3 : 1–16.

Pettit, R. K. (2011). Small-molecule elicitation of microbial secondary metabolites. *Microb. Biotechnol.*, 4 : 471–478.

Praveen, V. *et al.* (2008). Production of actinomycin-D by the mutant of a new isolate of *Streptomyces sindenensis*. *Braz. J. Microbiol.*, 39 : 689–692.

Praveen, V., & Tripathi, C.K.M. (2009). Studies on the production of actinomycin-D by *Streptomyces griseoruber* - A novel source. *Lett. Appl. Microbiol.*, 49 : 450–455.



- Primanita, M., Tri Wahyudi, A., & Lestari, Y. (2015). 16S rRNA-based metagenomic analysis of endophytic *Actinomyces* diversity from *Tinospora crispa* L. Miers. *Microbiol. Indones*, 9 : 25–34.
- Rahman, M. A., Islam, M. Z., & Islam, M.A.U. (2011). Antibacterial activities of actinomycete isolates collected from soils of Rajshahi, Bangladesh. *Biotechnol. Res.Int.* 2011 : 1–6.
- Rahman, M.M., Ahmad, S.H., Mohamed, M.T.M., & Ab Rahman, M.Z. (2014) Antimicrobial compounds from leaf extracts of *Jatropha curcas*, *Psidium guajava*, and *Andrographis paniculata*. *Sci. World J.*, 2014.
- Rakhmawatie, M.D., Wibawa, T., Lisdiyanti, P., Pratiwi, W.R., Mustofa.. (2019). Evaluation of crystal violet decolorization assay and resazurin microplate assay for antimycobacterial screening. *Heliyon*, 5 : e02263.
- Ramos, D.F., Leitão, G.G., Costa, F.D.N., Abreu, L., Villarreal, J.V., Leitão, S.G., et al. (2008). Investigation of the antimycobacterial activity of 36 plant extracts from the brazilian Atlantic Forest. *Braz. J. Pharm. Sci.*, 44: 669–674.
- Rante, H. Wahyono, Murti, Y.B., Alam, G. (2010). Purifikasi dan karakterisasi senyawa anti- bakteri dari *Actinomyces* asosiasi spons terhadap bakteri patogen resisten. *Maj. Farma. Indones.*, 21 : 158–165.
- Rao, M. Wei, W., Ge, M., Chen, D., & Sheng, X. (2013). A new antibacterial lipopeptide found by UPLC-MS from an actinomycete *Streptomyces* sp. HCCB10043. *Nat. Prod. Res.*, 27 :190–2195.
- Ratnakomala, S., Lisdiyanti, P., Prayitno, N.R., Triana, E., Lestari, Y., Hastuti, R.D., et al. (2016). Diversity of *Actinomyces* from Eka Karya Botanical Garden, Bali. *Biotropia*, 23 : 42–51.
- Reina, J.C., Perez-Victoria, I., Martin, J., & Llamas I. (2019). A quorum-sensing inhibitor strain of *Vibrio alginolyticus* blocks Qs-controlled phenotypes in *Chromobacterium violaceum* and *Pseudomonas aeruginosa*. *Mar. Drugs*, 17 : 1–18.
- Rhee, K.H. (2002). Isolation and characterization of *Streptomyces* sp. KH-614 producing anti-VRE (vancomycin-resistant enterococci) antibiotics. *J. Gen. Appl. Microbiol.*, 48 : 321–327.
- Rodriguez, G. Ma., & Neyrolles, O. (2014). Metallobiology of Tuberculosis. *Microbiol Spectr.*, 2 : 1--17.
- Romano, S., Jackson, S.A., Patry, S., & Dobson, A.D.W. (2018). Extending the “one strain many compounds” (OSMAC) principle to marine microorganisms. *Mar. Drugs*, 16 : 1–29..



Romero-Rodríguez, A. Maldonado-Carmona, N., Ruiz-Villafán, B., Koirala, N., Rocha, D., & Sánchez, S. (2018). Interplay between carbon, nitrogen and phosphate utilization in the control of secondary metabolite production in *Streptomyces*?, *Antonie van Leeuwenhoek, Int. J. Gen. Mol. Microbiol.*, 111 : 761–781.

Rosica, P. (2015). Eksplorasi gen polyketide synthase dan identifikasi molekuler bakteri endofit akar *Ageratum conyzoides* L. Skripsi. Jakarta : Universitas Pendidikan Indonesia.

Ruiz, B. Chávez, A., Forero, A., García-Huante, Y., Romero, A., Snchez, M. *et al.* (2010). Production of microbial secondary metabolites: Regulation by the carbon source *Crit. Rev. Microbiol.*, 36 : 146–167.

Saitou, N., & Nei, M. (1987). The neighbor-joining method: a new method for reconstructing phylogenetic trees. *Mol. Biol. Evol.*, 4 : 406–425.

Sánchez, J.G.B., & Kouznetsov, V.V. (2010). Antimycobacterial susceptibility testing methods for natural products research. *Braz. J. Microbiol.*, 41 : 270–277.

Schena, E., Nedialkova, L., Borroni, E., Battaglia, S., Cabibbe, A.M., Niemann, S., *et al.* (2016). Delamanid susceptibility testing of *Mycobacterium tuberculosis* using the resazurin microtitre assay and the BACTEC™ MGIT™ 960 system. *J. Antimicrob. Chemother.*, 71 : 1532–1539.

Schmitzer, P.R., Graupner P.R., Chapin, E.L., Fields, S.C., Gilbert, J.R., Gray, J.A., *et al.* (2000). Ribofuranosyl triazolone: A natural product herbicide with activity on adenylosuccinate synthetase following phosphorylation. *J. Nat. Prod.*, 63 : 777–781.

Schoenian, I., Spiteller., M., Ghaste, M., Wirth., R., Herz. H., & Spiteller, D. (2011). Chemical basis of the synergism and antagonism in microbial communities in the nests of leaf-cutting ants. *Proceedings of the National Academy of Sciences of the United States of America*, 108 : 1955–1960.

Schrey, S.D. Erkenbrack, E., Früh, E., Fengler, S., Hommel, K., Horlacher, N., *et al.* (2012). Production of fungal and bacterial growth modulating secondary metabolites is widespread among mycorrhiza-associated streptomyces. *BMC Microbiol.*, 12 : 1–14.

Sengupta, S., Pramanik, A., Ghosh, A., & Bhattacharyya, M. (2015). Antimicrobial activities of *Actinomycetes* isolated from unexplored regions of Sundarbans mangrove ecosystem. *BMC Microbiol.*, 15 : 1–16.

Sharma, M. & Manhas, R.K. (2019). Purification and characterization of actinomycins from *Streptomyces* strain M7 active against methicillin resistant *Staphylococcus aureus* and vancomycin resistant *Enterococcus*. *BMC Microbiol.*, 19 : 1–14.



Shepherd, M.D., Kharel, M.K., Bosserman, M.A., & Rohr, J. (2010). Laboratory maintenance of streptomyces species. *Curr. Prot. Microbiol.*, 18 : 1–10.

Shetty, P.R., Buddana, S.K., Tatipamula, V.B., Naga, Y.V.V., & Ahmad, J. (2014) Production of polypeptide antibiotic from *Streptomyces parvulus* and its antibacterial activity. *Braz. J. Microbiol.*, 45 : 303–312.

Singh, R., Dwivedi, S.P., Gaharwar, U.S., Meena, R., Rajamani, P., & Prasad, T. (2020). Recent updates on drug resistance in *Mycobacterium tuberculosis*. *J. Appl. Microbiol.*, 128 : 1547-1567

Singh, V., & Tripathi, C. K. (2013). Isolation and characterization of actinomycin V and D from a new Isolate of *Streptomyces sp.* In *International Conference and Exhibition on Pharmacognosy, Phytochemistry, and Natural Products*. Hyderabad, p. 261.

Sivakumar, C., & Jeganathan, K. (2018). Phytochemical profiling of cat whisker's (*Orthosiphon stamineus*) tea leaves extract. *J. Pharmacog. Phytochem.*, 7 : 1396–1402.

Son, S.Y., Lee, S., Singh, D., Lee, N.R., Lee, D.Y., & Lee, C.H. (2018). Comprehensive secondary metabolite profiling toward delineating the solid and submerged-state fermentation of *Aspergillus oryzae* KCCM 12698. *Front. Microbiol.*, 9 : 1–12.

Sousa, M.D.F.V.D.Q., Lopes, C.E., & Pereira, N. (2001). A chemically defined medium for production of actinomycin D by *Streptomyces parvulus*. *Brazilian. Arch. Biol. Technol.*, 44 : 227–231.

Sousa, M.F.V.Q., Lopes, C.E. and Pereira, N. (2002). Development of a bioprocess for the production of actinomycin-D. *Brazilian J. Chem. Eng.*, 19 : 277–285.

Srinivasan, R. Karaoz, U, Volegova, M, MacKichan, J, Kato-Maeda, M, Miller, S. *et al.* (2015). Use of 16S rRNA gene for identification of a broad range of clinically relevant bacterial pathogens. *PLoS ONE*, 10 : 1–22.

Srinu, M., Kumar, M.M.K., & Shankar, G.G. (2013). Actinomycin D from marine sediment associated *Streptomyces Capillispiralis* MTCC10471. *Asian J. Pharm. Res. Health Care*, 5 : 16–23.

Starkey, L.S. (2020). <sup>1</sup>H-NMR chemical shift. Pomona: California State Polytechnic University. Tersedia di <https://www.cpp.edu/~lsstarkey/courses/NMR/NMRshifts1H-general.pdf> diakses pada tanggal 7 Agustus 2020.

Subramani, R., & Aalbersberg, W. (2012). Marine *Actinomycetes*: An ongoing source of novel bioactive metabolites. *Microbiol. Res.*, 167 : 571–580.



Sulistiyani, T. R., & Widhyastuti, N. (2011). Isolasi, seleksi, dan identifikasi molekuler aktinomisetes penghasil antibiotik. *Widyariset*, 14 : 541–548.

Sulistiyani, M., & Huda, N. (2017). Optimasi pengukuran spektrum vibrasi sampel protein menggunakan spektrofotometer fourier tranform infrared (FT-IR). *Indonesian J. Chem. Sci.*, 6 : 173–180.

Sulistiyani, N. (2013). Keragaman isolat *Actinomycetes* berdasarkan analisis RFLP terhadap gen NRPS. *J. Ilm. Kefarmasian*, 3 : 81–94.

Sung, A.A. (2016). Upregulation of Antibiotic Activity of a *Streptomyces* sp. Via Co-Cultures with Challenge Pathogens. Theses. University of Connecticut.

Talukdar, M., Bordoloi, M., Dutta, P.P., Saikia, S., Kolita, B., Talukdar, S. *et al.* (2016). ‘Structure elucidation and biological activity of antibacterial compound from *Micromonospora auratinigra*, a soil *Actinomycetes*. *J. Appl. Microbiol.*, 121 : 973–987.

Tamura, K., & Nei, M. (1993). Estimation of the number of nucleotide substitutions in the control region of mitochondrial DNA in humans and chimpanzees. *Mol. Biol. Evol.*, 10.

Tatsuno, S., Arakawa, K. & Kinashi, H. (2007). Analysis of modular-iterative mixed biosynthesis of lankacidin by heterologous expression and gene fusion. *J. Antibiot.*, 60 : 700–708.

Tormo, J. R. García, J.B., DeAntonio, M., Feliz, J., Mira, A., Díez, M.T., *et al.* (2003). A method for the selection of production media for actinomycete strains based on their metabolite HPLC profiles. *J. Ind. Microbiol. Biotechnol.*, 30 : 582–588.

Trezzi, J., Jäger, C., Galozzi, .S, Barkovits, K. Marcus, K., & Mollenhauer, B. (2017). Metabolic profiling of body fluids and multivariate data analysis. *MethodsX*, 4 : 95–103.

Ueda, K., & Beppu, T. (2017). Antibiotics in microbial coculture. *J. Antibiot.*, 70 : 361–365.

Usha, R. Ananthaselvi, P., Venil, C.K., & Palaniswamy, M.. (2010). Antimicrobial and antiangiogenesis activity of *Streptomyces parvulus* KUAP106 from mangrove soil. *Eur. J. Biol. Sci.*, 2 : 77–83.

Viegelmann, C., Margassery, L.M., Kennedy, J., Zhang, T., O’Brien, C., O’Gara, F. *et al.* (2014). Metabolomic profiling and genomic study of a marine sponge-associated *Streptomyces* sp. *Mar. Drugs*, 12 : 3323–3351.

Waldron, C. Matsushima, P., Rosteck, P.R., Broughton, M.C., Turner, J., Madduri, K., *et al.* (2001). Cloning and analysis of the spinosad biosynthetic gene cluster of



*Saccharopolyspora spinosa*. *Chem. Biol.*, 8 : 487–499.

Wang, X., Huang, L, Kang, Z., Buchenauer, H., Gao, X. (2010). Optimization of the fermentation process of actinomycete strain Hhs.015(T). *J. Biomed. Biotechnol.* 2010 : 1–10.

Wardani, I.G.A.A.K., Andayani, D.G.S., Sukandar, U., Sukandar, E.Y., Adnyana IK. (2013). Study on antimicrobial activity of *Nocardia sp.* strain TP1 isolated from Tangkuban Perahu Soil, West Java, Indonesia. *Inter. J. Pharm. Pharm. Sci.*, 5 : 713–716.

Weber, T., & Kim, H. U. (2016). The secondary metabolite bioinformatics portal: Computational tools to facilitate synthetic biology of secondary metabolite production. *Synt Syst Biotechnol.*, 1 : 69–79.

Wei, Z., Xu, C., Wang, J., Lu, F., Bie, X., & Lu, Z. (2017). Identification and characterization of *Streptomyces flavogriseus* NJ-4 as a novel producer of actinomycin D and holomycin. *PeerJ.*, 7.

Wiener, P. (1996). Experimental studies on the ecological role of antibiotic production in bacteria. *Evol. Ecol.*, 10 : 405–421.

Williams, D.H. & Fleming, I. (2008). Spectroscopic methods in organic chemistry 6<sup>th</sup> Edition. United Kingdom: McGraw-Hill International

Wolfender, J.L., Nuzillard, J.M., Van Der Hooft, J.J.J., Renault, J.H., & Bertrand, S. (2019). Accelerating metabolite identification in natural product research: toward an ideal combination of liquid chromatography-high-resolution tandem mass spectrometry and NMR profiling, in silico databases, and chemometrics. *Anal. Chem.*, 91 : 704–742.

WHO<sup>a</sup>. (2019). Global tuberculosis report. Geneva: WHO Press.

WHO<sup>b</sup>. (2019). Rapid communication: key changes to the treatment of drug-resistant tuberculosis. Geneva: WHO

WHO<sup>a</sup>. (2020). Tuberculosis. Tersedia di [https://www.who.int/health-topics/tuberculosis#tab=tab\\_1](https://www.who.int/health-topics/tuberculosis#tab=tab_1), diakses pada tanggal 1 Agustus 2020

WHO<sup>b</sup>. (2020). WHO consolidated guidelines on tuberculosis. Module 4: Treatment- drug-resistant tuberculosis treatment. Geneva: WHO

Yang, Y., Gao, P., Liu, Y., Ji, X., Gan, M., & Guan, Y. (2011). A discovery of novel *Mycobacterium tuberculosis* pantothenate synthetase inhibitors based on the molecular mechanism of actinomycin D inhibition. *Bioorganic Med. Chem. Lett.*, 21 : 3943–3946.

Yang, Z., & Rannala, B. (2012). Molecular phylogenetics: Principles and practice',



*Nat Rev. Gen.*, 13 : 303–314.

Yoon, V. & Nodwell, J.R. (2014). Activating secondary metabolism with stress and chemicals. *J. Ind. Microbiol Biotechnol.*, 41 : 415–424.

Zhang, Ye X., Chai, W., Lian, X.Y., & Zhang, Z.X. (2016). New metabolites and bioactive actinomycins from marine-derived *Streptomyces sp.* ZZ338. *Mar. Drugs*, 14 : 1–9.

Zhang, Z., Schwartz, S., Wagner, L., & Miller, W. (2000). A greedy algorithm for aligning DNA sequences. *J. Comput. Biol.*, 7 : 203–214.

Zhao, W.Y., Zhu, T.J., Fan, G.T., Liu, H.B., Fung, Y.C., Gu, Q.Q., *et al.* (2010). Three new dioxopiperazine metabolites from a marine-derived fungus *Aspergillus fumigatus* Fres. *Nat. Prod. Res.*, 24 : 953–957.

Zhu, C.H., Lu, F.P., He, Y.N., Han, Z.L., & Du, L.X. (2007). Regulation of avilamycin biosynthesis in *Streptomyces viridochromogenes*: Effects of glucose, ammonium ion, and inorganic phosphate. *Appl. Microbiol. Biotechnol.*, 73 : 1031–1038.

Zhu, H., Sandiford, S.K., & Van Wezel, G.P. (2014). Triggers and cues that activate antibiotic production by *Actinomycetes*. *J. Ind. Microbiol. Biotechnol.*, 41 : 371–386.

Ziemert, N., & Jensen, P.R. (2012). Phylogenetic approaches to natural product structure prediction *Physiol. Behav.*, 176 : 139–148.

Zuck, K.M., Shipley, S., & Newman, D.J. (2011). Induced production of N-formyl alkaloids from *Aspergillus fumigatus* by co-culture with *Streptomyces peucetius*. *J. Nat. Prod.*, 74 : 1653–1657.