

## DAFTAR PUSTAKA

- Abdelgaied, A., Brockett, C.L., Liu, F., Jennings, L.M., Fisher, J., Jin, Z., 2012, Quantification of the effect of crossshear and applied nominal contact pressure on the wear of moderately cross-linked polyethylene, *Proc IMechE Part H: J Engineering in Medicine* **227**(1), 18-26.
- Abu Amer, Y., Darwech, I., Clohisy, J.C., 2007, Aseptic loosening of total joint replacements: mechanisms underlying osteolysis and potential therapies, *Arthritis Res Ther.*
- Ackerman, I.N., Bohensky, M.A., Zomer, E., Tacey, M., Gorelik, A., Brand, C.A., de Steiger, R., 2019, The projected burden of primary total knee and hip replacement for osteoarthritis in Australia to the year 2030, *BMC musculoskeletal disorders* **20**(1), 90.
- Alhassan, S., Goswami, T., 2008, Wear rate model for UHMWPE in total joint applications, *Wear* **265**(1-2), 8-13.
- Ali, M., Mao, K., 2014, Contact mechanics and wear simulations of hip resurfacing devices using computational methods, *Acta of Bioengineering and Biomechanics* **16**(2).
- Amanatullah, D.F., Sucher, M.G., Bonadurer III, G.F., Pereira, G.C., Taunton, M.J., 2016, Metal in Total Hip Arthroplasty: Wear Particles, Biology, and Diagnosis, *Orthopedics* **39**(6), 371-379.
- American Academy of Orthopaedic Surgeons (AAOS), 2018, *Projected volume of primary and revision total joint replacement in the U.S. 2030 to 2060*, [https://aaos-annualmeeting-presskit.org/2018/research-news/sloan\\_tjr/](https://aaos-annualmeeting-presskit.org/2018/research-news/sloan_tjr/), (online accessed October 25<sup>th</sup>, 2019).
- Analysis of Systems (ANSYS), 2019, About ANSYS, <https://www.ansys.com/about-ansys>, (online accessed December 5<sup>th</sup>, 2019).
- Anderson, A.E., Ellis, B.J., Maas, S.A., Peters, C.L., Weiss, J.A., 2008, Validation of Finite Element Predictions of Cartilage Contact Pressure in the Human Hip Joint, *ASME. J Biomech Eng.* **130**(5), 051008-051008-10.
- Archard, J.F., 1957, Elastic Deformation and the Laws of Friction, Proceedings of the Royal Society of London. Series A, *Mathematical and Physical Sciences* **243**(1233), 190-205.
- Avanzini, A., 2008, Mechanical characterization and finite element modelling of cyclic stress-strain behaviour of ultra high molecular weight polyethylene, *Materials & Design* **29**(2), 330-343.
- Baena, J.-C., Peng, Z., 2017, Mechanical and tribological performance of UHMWPE influenced by temperature change, *Polymer Testing* **62**.

- Bakshi, S.R., Tercero, J.E., Agarwal, A., 2007, Synthesis and characterization of multiwalled carbon nanotube reinforced ultra high molecular weight polyethylene composite by electrostatic spraying technique, *Composites Part A: Applied Science and Manufacturing* **38**, 2495.
- Barber, J.R., Ciavarella, M., 2000, Contact mechanics, *International Journal of Solids and Structures* **37**, 29-43.
- Barbour, P.S.M., Barton, D.C., Fisher, J., 1995, The influence of contact stress on the wear of UHMWPE for total replacement hip prostheses, *Wear* **181**.
- Bartenev, G.M., Lavrentev, V.V., 1981, *Friction and Wear of Polymers*, Elsevier.
- Barthel, E., 2008, Adhesive elastic contacts: JKR and more, *Journal of Physics D: Applied Physics* **41**(16), 163001.
- Baykal, D., Siskey, R., Haider, H., Saikko, V., Ahlroos, T., Kurtz, S., 2014, Advances in tribological testing of artificial joint biomaterials using multidirectional pin-on-disk testers, *Journal of the Mechanical Behavior of Biomedical Materials* **31**, 117-134.
- Bayliss, L.E., Culliford, D., Monk, A.P., Glyn-Jones, S., Prieto-Alhambra, D., Judge, A., Cooper, C., Carr, A.J., Arden, N.K., Beard, D.J., Price, A.J., 2017, The effect of patient age at intervention on risk of implant revision after total replacement of the hip or knee: a population-based cohort study, *The Lancet* **389**(10077), 1424-1430.
- Bennett, D., Humphreys, L., O'Brien, S., Kelly, C., Orr, J.F., Beverland, D.E., 2008, Wear paths produced by individual hip replacement patients-A large-scale, long-term follow-up study, *Journal of Biomechanics* **41**(11), 2474-2482.
- Benzley, S.E., Perry, E., Merkley, K., Clark, B., Sjaardema, G., 1995, A comparison of all hexagonal and all tetrahedral finite element meshes for elastic and elasto-plastic analysis, *Proceedings of the 4th International Meshing Roundtable*, 179-191.
- Bergstrom, J.S., 2015, *Mechanics of solid polymers: theory and computational modeling*, Elsevier, Ltd.
- Bern, M., Plassmann, P., 1996, *Mesh generation*, in Sack, J.R., Urrutia, J. (ed.), *Handbook of Computational Geometry*, Elsevier, Ltd., 293.
- Besong, A.A., Tipper, J.L., Mathews, B.J., Ingham, E., Stone, M.H., Fisher, J., 1999, The influence of lubricant on the morphology of ultra-high molecular weight polyethylene wear debris generated in laboratory tests, *Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine* **213**, 155-158.
- Bevill, S.L., Bevill, G.R., Penmetza, J.R., Petrella, A.J., Rullkoetter, P.J., 2005, Finite element simulation of early creep and wear in total hip arthroplasty, *Journal of Biomechanics* **38**(12), 2365-2374.

- Bigsby, R.J.A., Hardaker, C.S., Fisher, J., 1997, Wear of ultra-high molecular weight polyethylene acetabular cups in a physiological hip joint simulator in the anatomical position using bovine serum as a lubricant, *Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine* **211**(3), 265-269.
- Bitar, D., Parvizi, J., 2015, Biological response to prosthetic debris, *World journal of orthopedics* **6**, 172-189.
- Bitter, T., Khan, I., Marriott, T., Lovelady, E., Verdonshot, N., Janssen, D., 2018, Finite element wear prediction using adaptive meshing at the modular taper interface of hip implants, *Journal of the Mechanical Behavior of Biomedical Materials* **77**, 616-623.
- Boieri, P., Gastaldi, F., Kinderlehrer, D., 1987, Existence, uniqueness, and regularity results for the two-body contact problem, *Applied Mathematics and Optimization* **15**, 251-277.
- Bowden, F.P., Tabor, D., 2001, *The friction and lubrication of solids*, Oxford University Press.
- Bozic, K.J., Lau, E.C., Ong, K.L., Vail, T.P., Rubash, H.E., Berry, D.J., 2012, Comparative Effectiveness of Metal-On-Metal and Metal-On-Polyethylene Bearings in Medicare Total Hip Arthroplasty Patients, *The Journal of Arthroplasty* **27**(8), Suppl. 1.
- Bragdon, C.R., O'Connor, D.O., Lowenstein, J.D., Jasty, M., Biggs, S.A., Harris, W.H., 2001, A new pin-on-disk wear testing method for simulating wear of polyethylene on cobalt-chrome alloy in total hip arthroplasty, *The Journal of Arthroplasty* **16**, 658-665.
- Budinski, K.G., Budinski, M.K., Kohler, M.S., 2003, A galling-resistant substitute for silicon nickel, *Wear* **255**, 489-497.
- Burger, N., de Vaal, P., Meyer, J., 2007, Failure analysis on retrieved ultra high molecular weight polyethylene (UHMWPE) acetabular cups, *Engineering Failure Analysis* **14**, 1329-1345.
- Cai, Z.-B., Shen, M.-X., Qu, S., Zhu, M.H., 2013, Friction and wear behaviour of UHMWPE against titanium alloy ball and alumina femoral head due to torsional fretting, *International Journal of Surface Science and Engineering* **7**, 81-95.
- Caicedo, M.S., Solver, E., Coleman, L., Hallab, N.J., 2014, Metal sensitivities among TJA patients with post-operative pain: indications for multi-metal LTT testing, *J Long Term Eff Med Implants* **24**(1), 37-44.
- Calonius, O., Saikko, V., 2003, Analysis of relative motion between femoral head and acetabular cup and advances in computational of the wear factor for the prosthetic hip joint, *Acta Polytechnica* **43**(4), 43-54.

- Carter, D.R., Vasu, R., Harris, W.H., 1982, Stress distributions in the acetabular region--II. Effects of cement thickness and metal backing of the total hip acetabular component, *Journal of Biomechanics* **15**(3), 165-170.
- Catledge, S.A., Thomas, V., Vohra, Y.K., 2013, *Nanostructured diamond coatings for orthopaedic applications*, Woodhead Publ Ser Biomater., 105-150.
- Cheng, G., Shan, X., 2012, Dynamics analysis of a parallel hip joint simulator with four degree of freedoms, *Nonlinear Dynamics* **70**, 2475-2486.
- Cheng, H.-C., Lee, S.-Y., Chen, C.-C., Shyng, Y.-C., Ou, K.-L., 2006, Titanium nanostructural surface processing for improved biocompatibility, *Applied Physics Letters* **89**(173902), 173902-1-173902-3.
- Cheng, J., Yang, X., Dong, L., Yuan, Z., Wang, W., Wu, S., Chen, S., Zheng, G., Zhang, W., Zhang, D., Wang, H., 2017, Effective nondestructive evaluations on UHMWPE/Recycled-PA6 blends using FTIR imaging and dynamic mechanical analysis, *Polymer Testing* **59**.
- Cifuentes, A., Kalbag, A., 1992, A performance study of tetrahedral and hexahedral elements in 3-D finite element structural analysis, *Finite Elements in Analysis and Design* **12**, 313-318.
- Cilingir, A.C., 2010, Finite element analysis of the contact mechanics of ceramic-on-ceramic hip resurfacing prostheses, *Journal of Bionic Engineering* **7**(3), 244-253.
- Clark, G.C.F., Williams, D.F., 1982, The effects of proteins on metallic corrosion, *J. Biomed. Mater. Res.* **16**, 125-134.
- Clarke, I.C., 1981, Wear of Artificial Joint Materials IV, *Engineering in Medicine* **10**(4), 189-198.
- Clarke, I.C., McKellop, H.A., McGuire, P., Okuda, R., Sarmiento, A., 1983, *Titanium Alloys in Surgical Implants: ASTM STP 796* in Luckey, H.A., Kubli, F. (ed.), ASTM special technical publication, ASTM International.
- Committee on Mathematical Foundations of Verification Validation & Quantification, Uncertainty Quantification, National Academy of Sciences, 2012, *Assessing the Reliability of Complex Models: Mathematical and Statistical Foundations of Verification, Validation, and Uncertainty Quantification*, The-National-Academic-Press, Washington.
- Cooper, J.R., Dowson, D., Fisher, J., 1993, Macroscopic and microscopic wear mechanisms in ultra-high molecular weight polyethylene, *Wear* **162-164**, 378-384.
- Costa, I., 2019, Oxidation in Prosthetic UHMWPE, in Fu, J., Jin, Z.-M., Wang, J.-W. (ed.), *UHMWPE Biomaterials for Joint Implants: Structures, Properties and Clinical Performance*, Springer Singapore, 69-70.

- Culliford, D., Maskell, J., Judge, A., Cooper, C., Prieto-Alhambra, D., Arden, N., 2015, Future projections of total hip and knee arthroplasty in the UK: results from the UK Clinical Practice Research Datalink, *Osteoarthritis and Cartilage* **23**, 594-600.
- D'Amelia, R., Gentile, S., Nirode, W., Huang, L., 2016, Quantitative Analysis of Copolymers and Blends of Polyvinyl Acetate (PVAc) Using Fourier Transform Infrared Spectroscopy (FTIR) and Elemental Analysis (EA), *World Journal of Chemical Education* **4**(2), 25-31.
- Daniel, J., Kamali, A., 2009, Corrosion and Its Contribution to Metal Release, in McMinn, D.J.W. (ed.), *Modern Hip Resurfacing*, Springer-Verlag, London.
- Daniel, J., Ziaee, H., 2009, Metal Ions, in McMinn, D.J.W. (ed.), *Modern Hip Resurfacing*, Springer-Verlag London Ltd.
- Dassault Systèmes, 2011, *Abaqus Theory Manual*.
- Dassault Systèmes, 2011, *Abaqus User Manual*.
- Dassault Systèmes, 2013, *Abaqus/CAE 6.13 User's Guide*.
- Davim, J.P., 2011, *Tribology for Engineers: A Practical Guide*, Woodhead.
- Del Pozo, J.L., Patel, R., 2009, Clinical practice. Infection associated with prosthetic joints, *New England Journal Med*.
- Department of Orthopaedic Surgery, UC Davis, 2011, *Total Hip Replacement: A Patient's Guide*, UC Davis Health System, [http://www.ucdmc.ucdavis.edu/orthopaedics/pdfs/newhip\\_brochure.pdf](http://www.ucdmc.ucdavis.edu/orthopaedics/pdfs/newhip_brochure.pdf), (online accessed May 20<sup>th</sup>, 2015).
- Dong, H., Shi, W., Bell, T., 1999, Potential of improving tribological performance of UHMWPE by engineering the Ti6Al4V counterfaces, *Wear* **225-229**, Part 1, 146-153.
- Dressler, M.R., dkk., 2011, Predicting wear of UHMWPE: decreasing wear rate following a change in direction, *Wear* **271**(11-12), 2879-2883.
- Dumbleton, J.H., 1981, *Tribology of Natural and Artificial Joints*, Elsevier Scientific Publishing Company, 215.
- Eddoumy, F., 2012, *Impact of texturing on sliding wear behaviour of UHMWPE*, Thesis, Université de Strasbourg.
- Eliasz, N., 2012, *Degradation of Implant Materials*, Springer, New York.
- Eliasz, N., 2019, *Corrosion of Metallic Biomaterials: A Review*, *Materials* **12**(407).
- Espallargas, N., Torres, C., Munoz, A., 2015, A metal ion release study of CoCrMo exposed to corrosion and tribocorrosion conditions in simulated body fluids, *Wear* **332-333**, 669-678.
- Fischer-Cripps, A.C., 2007, *Introduction to Contact Mechanics*, 2<sup>nd</sup> Ed., Springer, New York.
- Flores, P., Lankarani, H.M., 2016, *Contact Force Models for Multibody Dynamics*, Springer.

- Gao, X., Hao, F., Huang, Z., Fang, D., 2014, Mechanics of adhesive contact at the nanoscale: The effect of surface stress, *International Journal of Solids and Structures* **51**(3), 566-574.
- Gabriel, M.C., de M. Carvalho, B., Pinheiro, L.A., Capocchi, J.D.T., Kubaski, E.T., Cintho, O.M., 2010, Structural modifications of ultra-high molecular weight polyethylene (UHMWPE) processed in attritor type mill, *Seventh International Latin American Conference on Powder Technology*.
- Ghasemi, H., Thoppey, N., Huang X., Loomis, J., Li, X., Tong, J., Wang, J., Chen, G., 2014, High Thermal Conductivity Ultra-High Molecular Weight Polyethylene (UHMWPE) Films, *14<sup>th</sup> IEEE ITherm Conference*.
- Ge, S., Kang, X., Zhao, Y., 2011, One-year biodegradation study of UHMWPE as artificial joint materials: Variation of chemical structure and effect on friction and wear behavior, *Wear* **271**(9-10), 2354-2363.
- George, P.L., 1996, Automatic Mesh Generation and Finite Element Computation, Elsevier Science B.V.
- Geetha, M., Singh, A.K., Asokamani, R., Gogia, A.K., 2009, Ti based biomaterials, the ultimate choice for orthopaedic implants - A review, *Progress in Materials Science* **54**(3), 397-425.
- Gilbert, J.L., Mali, S.A., 2012, Medical Implant Corrosion: Electrochemistry at Metallic Biomaterial Surfaces, in Eliaz, N., *Degradation of Implant Materials*, Springer, New York.
- Gomes, C.C., Moreira, L.M., Santos, V.J.S.V., Ramos, A.S., Lyon, J.P., Soares, C.P., Santos, F.V., 2011, Assessment of the genetic risks of a metallic alloy used in medical implants Genetics and Molecular Biology, *Sociedade Brasileira de Genética* **34**, 116-121.
- González-Mora, V.A., Hoffmann, M., Stroosnijder, R., Gil, F.J., 2009, Wear tests in a hip joint simulator of different CoCrMo counterfaces on UHMWPE, *Materials Science and Engineering: C* **29**(1), 153-158.
- Goodman, S.B., Fornasier, V, 2006, Histopathology of Periprosthetic Tissues, in Shanbhag, A., Rubash, H.E., Jacobs, J.J. (ed.), *Joint Replacement and Bone Resorption Pathology, Biomaterials, and Clinical Practice*, Taylor & Francis Group, LLC., 105.
- Goreham-Voss, C.M., Hyde, P.J., Hall, R.M., Fisher, J., Brown, T.D., 2010, Cross-shear implementation in sliding-distance-coupled finite element analysis of wear in metal-on-polyethylene total joint arthroplasty: Intervertebral total disc replacement as an illustrative application, *Journal of Biomechanics* **4**, 1674-1681.
- Green, G., Khan, M., Haddad, F.S., 2014, Why do total hip replacements fail?, *Orthopaedics and Trauma* **29**(2), pp 79-85.

- Guezmil, M., Bensalah, W., Mezlini, S., 2016, Tribological behavior of UHMWPE against TiAl6V4 and CoCr28Mo alloys under dry and lubricated conditions, *Journal of Mechanical Behavior of Biomedical Materials* **63**, 375-385.
- Hailer, N.P., Weiss, R.J., Stark, A., Karrholm, J., 2012, The risk of revision due to dislocation after total hip arthroplasty depends on surgical approach, femoral head size, sex, and primary diagnosis: An analysis of 78,098 operations in the Swedish Hip Arthroplasty Register, *Acta Orthop.* **83**.
- Hallab, N., Merritt, K., Jacobs, J.J., 2001, Metal sensitivity in patients with orthopaedic implants, *The Journal of bone and joint surgery American* **83** A, 428-436.
- Hallab, 2004, Lymphocyte transformation testing for quantifying metal-implant-related hypersensitivity responses, *Dermatitis* **15**(2), 82-90.
- Hallab, N., 2017, Diagnosis of Metal Hypersensitivity in Orthopedics, *Operative Techniques in Orthopaedics* **27**, 168-177.
- Hamill, J.K., Knutzen, M., Derrick, T.R., 2015, *Biomechanical basis of human movement*, Lippincott Williams & Wilkins.
- Hill, M.R., Catledge, S.A., Konovalov, V., Clem, W.C., Chowdhury, S.A., Etheridge, B.S., Stanishevsky, A., Lemons, J.E., Vohra, Y.K., Eberhardt, A.W., 2007, Preliminary tribological evaluation of nanostructured diamond coatings against ultra-high molecular weight polyethylene, *Journal of Biomedical Material Research* **85B**, 140-148.
- Hua, Z., Zhang, H., Fan, Y., Jin, Z., 2014, Development of a BiotriboPOD testing methodology for the wear evaluation of orthopaedic biomaterials, *RSC Advances* **4**(38), 19987-19991.
- Hua, Z., Dou, P., Jia, H., Tang, F., Wang, X., Xiong, X., Gao, L., Huang, X., Jin, Z., 2019, Wear Test Apparatus for Friction and Wear Evaluation Hip Prostheses, *Frontiers in Mechanical Engineering* **5**(12), 1-5.
- Hutchings, I., Shipway, P., 2017, *Tribology: Friction and Wear of Engineering Materials*, 2<sup>nd</sup> ed., Butterworth-Heinemann.
- Israelachvili, J.N., 2011, *Intermolecular and Surface Forces*, 3<sup>rd</sup> ed., Academic Press.
- Jalali-Vahid, D., Jagatia, M., Jin, Z.M., Dowson, D., 2001, Prediction of lubricating film thickness in UHMWPE hip joint replacements, *Journal of Biomechanics* **24**(2), 261-266.
- Jamari, Budiwan, I., Ismail, R., Sugiyanto, Tauviqirrahman, M., Saputra, E., 2012, Pengembangan prototipe sambungan tulang panggul produk Indonesia *Prosiding Insinas*.
- Jia, J., Paik, J.K., 2018, *Engineering Dynamics and Vibrations*, CRC Press.

- Jin, Z.M., Heng, S.M., Ng, H.W., Auger, D.D., 1999, An axisymmetric contact model of ultra high molecular weight polyethylene cups against metallic femoral heads for artificial hip joint replacements, *Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine* **213**, 317-327.
- Johnson, K.L., 1987, *Contact mechanics*, Cambridge University Press.
- Joshi, V.A., 2006, *Titanium alloys: An atlas of structures and fracture features*, Taylor & Francis
- Jourdan, F., Samida, A., 2009, An implicit numerical method for wear modeling applied to a hip joint prosthesis problem, *Comput. Methods Appl. Mech. Eng.* **198**, 2209-2217.
- Kabo, J.M., Gebhard, J.M., Loren, G., Amstutz, H.C., 1993, In vivo wear of polyethylene acetabular components, *Journal of Bone Joint Surgery, Bone and Joint Journal* **75-B**, 254-258.
- Kang, L., Galvin, A.L., Brown, T.D., Jin, Z., Fisher, J., 2008, Wear simulation of ultra-high molecular weight polyethylene hip implants by incorporating the effects of cross-shear and contact pressure, *Proceedings of the Institution of Mechanical Engineers, Part H (Journal of Engineering in Medicine)* **222**(7), 1049-1064.
- Kang, L., Galvin, A.L., Brown, T.D., Jin, Z., Fisher, J., 2008, Quantification of the effect of cross-shear on the wear of conventional and highly cross-linked UHMWPE, *Journal of Biomechanics* **41**(2), 340-346.
- Kang, L., Galvin, A.L., Fisher, J., Jin, Z., 2009, Enhanced computational prediction of polyethylene wear in hip joints by incorporating cross-shear and contact pressure in addition to load and sliding distance: Effect of head diameter, *Journal of Biomechanics* **42**(7), 912-918.
- Kang, L., Galvin, A.L., Jin, Z., Fisher, J., 2006, A simple fully integrated contact-coupled wear prediction for ultra-high molecular weight polyethylene hip implants, *Proceedings of the Institution of Mechanical Engineers, Part H (Journal of Engineering in Medicine)* **220**(1), 33-46.
- Kang, K.T., Son, J., Kim, H.J., Baek, C., Kwon, O.R., Koh, Y.G., 2017, Wear predictions for UHMWPE material with various surface properties used on the femoral component in total knee arthroplasty: a computational simulation study, *Journal of Materials Science: Materials in Medicine* **28**, 105.
- Katti, K.S., 2004, Biomaterials in total joint replacement, *Colloids and Surfaces B: Biointerfaces* **39**, 133-142.
- Kaufman, D.M., 2009, *Coupled Principles for Computational Frictional Contact Mechanics*, The State University of New Jersey.

- Khosravipour, I., 2015, *Contact stress analysis of Surface guided knee implant using finite element modeling*, Department of Mechanical Engineering, University of Manitoba.
- Kim, D.W., Lee, K.Y., Jun, Y., Lee, S.J., Park, C.K., 2011, Friction and wear characteristics of UHMWPE against Co-Cr alloy under the wide range of contact pressures in lumbar total disc replacement, *International Journal of Precision Engineering and Manufacturing* **12**(6), 1111-1118.
- Kim, J.W., Lee, J.S., 2017, Effect of Heat Drawing Process on Mechanical Properties of Dry-Jet Wet Spun Fiber of Linear Low Density Polyethylene/Carbon Nanotube Composites, *International Journal of Polymer Science* **2017**.
- Kim, H.A., Koh, S.H., Lee, B., Kim, I.J., Seo, Y.I., Song, Y.W., Hunter, D.J., Zhang, Y., 2008, Low rate of total hip replacement as reflected by a low prevalence of hip osteoarthritis in South Korea, *Osteoarthritis and cartilage* **16**, 1572-1575.
- Kim, N.H., 2015, *Introduction to Nonlinear Finite Element Analysis*, Springer, New York.
- Konyukhov, A., Schweizerhof, K., 2013, *Computational Contact Mechanics: Geometrically Exact Theory for Arbitrary Shaped Bodies*, Springer-Verlag, Berlin.
- Konvičková, S., Daniel, M., 2008, Can Mathematical Models be Used to Predict Hip Joint Peak Contact Stress in the Clinical Studies? *4th Kuala Lumpur International Conference on Biomedical Engineering 2008*, 734-737.
- Krenn, V., Perino, G., 2017, *Histological Diagnosis of Implant-Associated Pathologies*, Springer-Verlag, Berlin.
- Kruger, K.M., 2014, *Computational and experimental biomechanics of total hip wear increase due to femoral head damage*, University of Iowa.
- Kumar, A., Abul K., Aster, J.C., 2015, *Robbins & Cotran Pathologic Basis of Disease*, 9th ed., Elsevier Inc., 650.
- Kunilets, I., 2015, Biomaterials and their applications in medicine, in Amato, S.F., Ezzell, R.M. (ed.), *Regulatory Affairs for Biomaterials and Medical Devices*, Woodhead Publishing, Cambridge, 1.
- Kurtz, S.M., 2016, *UHMWPE Biomaterials Handbook, Third Edition: Ultra High Molecular Weight Polyethylene in Total Joint Replacement and Medical Devices*, William Andrew, Elsevier Inc.
- Kustandi, T., Choo, J., Low, H.Y., Sinha, S., 2009, Texturing of UHMWPE surface via NIL for low friction and wear properties, *Journal of Physics D: Applied Physics* **43** (015301).
- Lee, K., 1999, *Principles of CAD/CAM/CAE systems*, Addison Wesley Longman.

- Leslie, L.J., Williams, S., Isaac, G., Ingham, E., Fisher, J., 2009, High Cup Angle and Microseparation Increase the Wear of Hip Surface Replacements, *Clinical Orthopaedics and Related Research* **467**, 2259-2265.
- Liu, F., Fisher, J., Jin, Z., 2012, Computational modelling of polyethylene wear and creep in total hip joint replacements: Effect of the bearing clearance and diameter, *Proceeding of the Institution of Mechanical Engineer, Part J: Journal of Engineering Tribology* **226**, 552-563.
- Liu, F., Fisher, J., Jin, Z., 2013, Effect of motion inputs on the wear prediction of artificial hip joints, *Tribology International* **63**, 105-114.
- Liu, F., Galvin, A., Jin, Z., Fisher, J., 2011, A new formulation for the prediction of polyethylene wear in artificial hip joints, *Proc. IMechE* **225**: Part H(1), 16-24.
- Liu, F., Jin, Z.M., Grigoris, P., Hirt, F., Rieker, C., 2003, Contact mechanics of metal-on-metal hip implants employing a metallic cup with a UHMWPE backing, *Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine* **217**(3), 207-213.
- Liu, F., Leslie, I., Williams, S., Fisher, J., Jin, Z., 2008, Development of computational wear simulation of metal-on-metal hip resurfacing replacements, *Journal of Biomechanics* **41**(3), 686-694.
- Liu, T., Liu, G., Xie, Q., Wang, Q.J., 2014, An EFG-FE coupling method on Micro/Nano scale adhesive contact problems, in Yao, Z, Yuan, M.W., *Computational Mechanics*, Tsinghua University Press, 132.
- Liu, W., Hong, C., Wang, H., Zhang, M., Guo, M., 2016, Enhanced photovoltaic performance of fully flexible dye-sensitized solar cells based on the Nb<sub>2</sub>O<sub>5</sub> coated hierarchical TiO<sub>2</sub> nanowire-nanosheet arrays, *Applied Surface Science* **364**.
- Liu, W., Zhang, H., Wang, H., Zhang, M., Guo, M., 2017, Titanium mesh supported TiO<sub>2</sub> nanowire arrays/upconversion luminescence Er<sup>3+</sup>-Yb<sup>3+</sup> codoped TiO<sub>2</sub> nanoparticles novel composites for flexible dye-sensitized solar cells, *Applied Surface Science* **422**.
- Liu, Y., 2008, ANSYS and LS-DYNA used for structural analysis, *International Journal of Computer Aided Engineering and Technology* **1**(1), 32.
- Lo, D.S.H., 2015, *Finite element mesh generation*, CRC Press.
- Lozano-Sánchez, L.M., Bagudanch, I., Sustaita, A.O., Iturbe-Ek, J., Elizalde, L.E., Garcia-Romeu, M.L., Elías-Zúñiga, 2018, A. Single-Point Incremental Forming of Two Biocompatible Polymers: An Insight into Their Thermal and Structural Properties, *Polymers* **10**, 1-22.
- Lysaght, M., Webster, T.J. (Eds.), 2011, *Biomaterials for artificial organs*, Woodhead Publishing Limited.

- MacNeal, R.H., 1974, Some organizational aspects of NASTRAN, *Nuclear Engineering and Design* **29**(2), 254-265.
- Mäkelä, K.T., Matilainen, M., Pulkkinen, P., Fenstad, A.M., Havelin, L.I., Engesaeter, L., Furnes, O., Overgaard, S., Pedersen, A.B., Kärrholm, J., Malchau, H., Garellick, G., Ranstam, J., Eskelinen, A., 2014, Countrywise results of total hip replacement. An analysis of 438,733 hips based on the Nordic Arthroplasty Register Association database, *Acta orthopaedica* **85**, 107-116.
- Mak, M.M., Jin, Z.M., 2002, Analysis of contact mechanics in ceramic-on-ceramic hip joint replacements, *Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine* **216**(4), 231-236.
- Malchau, H., Herberts P., Soderman P., Oden, 2014, *A Prognosis of total hip replacement*, <http://www.mcminncentre.co.uk/pdf/updatevalidation-results-from-swedish-hip-arthroplasty-registry.pdf>.
- Malinov, S., Sha, W., Guo, Z., Tang, C.C., Long, A.E., 2002, Synchrotron X-ray diffraction study of the phase transformations in titanium alloys, *Materials Characterization* **488**(4), 288.
- Man, K.W., 1994, *Contact mechanics using boundary elements*, Computational Mechanics Publications, Southampton.
- Martinelli, N., Baretta, S., Pagano, J., Bianchi, A., Villa, T., Casaroli, G., Galbusera, F., 2017, Contact stresses, pressure and area in a fixed-bearing total ankle replacement: a finite element analysis, *BMC musculoskeletal disorders, BioMed Central* **18**, 493-493.
- Martins, J.A.C., Oden, J.T., 1987, Existence and uniqueness results for dynamic contact problems with nonlinear normal and friction interface laws, *Nonlinear Analysis: Theory, Methods & Applications* **11**(3), 407-428.
- Maxian, T.A., 1997, *Development and application of a finite element formulation for estimating sliding wear in total hip arthroplasty*, Ph.D. Thesis, The University of Iowa.
- Maxian, T.A., Brown, T.D., Pedersen, D.R., Callaghan, J.J., 1996, A sliding-distance-coupled finite element formulation for polyethylene wear in total hip arthroplasty, *Biomechanic* **29**, 687-692
- McMinn, D.J.W., 2009, *Modern Hip Resurfacing*, Springer-Verlag, London.
- Medistra, 2019, *Bedah Tulang*, <https://www.medistra.com/>, (online accessed October 27<sup>th</sup>, 2019).
- Merx, H., Dreinhöfer, K., Schröder, P., Stürmer, T., Puhl, W., Günther, K.-P., Brenner, H., 2003, International variation in hip replacement rates, *Annals of the rheumatic diseases* **62**, 222-226.
- Micheli, P.D., Mocellin, K., 2008, Explicit F.E. formulation with modified linear tetrahedral elements applied to high speed forming processes, *11th ESAFORM Conference on Material Forming*, Lyon, **1**(1), 1411-1414.

- MidasFEA, 1989, *Mesh Generation*, MIDAS Information Technology Co., Ltd., [http://manual.midasuser.com/EN\\_Common/FEA/320/FEA/01\\_Getting\\_Started/02\\_Concept/Mesh\\_Generation.htm](http://manual.midasuser.com/EN_Common/FEA/320/FEA/01_Getting_Started/02_Concept/Mesh_Generation.htm), (online accessed Jun 14<sup>th</sup>, 2020).
- Monif, M.M., 2012, Finite element study on the predicted equivalent stresses in the artificial hip joint, *Journal of Biomedical Science and Engineering* **5**, 43-51.
- MSC Software, 2011, *MSC Nastran 2012 Demonstration Problems Manual*.
- Myant, C., Cann, P., 2014, On the matter of synovial fluid lubrication: Implications for Metal-on-Metal hip tribology, *Journal of the Mechanical Behavior of Biomedical Materials* **34**, 338-348.
- National Agency for Finite Element Methods and Standards (NAFEMS), 2018, *Analysis Origins - ABAQUS*, <https://www.nafems.org/blog/posts/analysis-origins-abaqus/>, (online accessed December 5<sup>th</sup>, 2019).
- National Institute for Health and Care Excellence (NICE), 2014, *Total hip replacement and resurfacing arthroplasty for endstage arthritis of the hip (review of technology appraisal guidance 2 and 44)*, NICE technology appraisal guidance 304, <http://guidance.nice.org.uk/ta304>.
- Necas, D., Vrbka, M., Krupka, I., Hartl, M., 2018, The Effect of Kinematic Conditions and Synovial Fluid Composition on the Frictional Behaviour of Materials for Artificial Joints, *Materials* **11**(767), 1-12.
- Nemes, S., Gordon, M., Rogmark, C., Rolfson, O., 2014, Projections of total hip replacement in Sweden from 2013 to 2030, *Acta orthopaedica* **85**, 238-243.
- Niinomi, M., Nakai, M., Hieda, J., 2012, Development of new metallic alloys for biomedical applications, *Acta Biomaterialia* **8**, 3888-3903.
- Nine, M.J., Choudhury, D., Hee, A.C., Mootanah, R., Osman, N., 2014, Wear Debris Characterization and Corresponding Biological Response: Artificial Hip and Knee Joints, *Materials* **7**(2), 980-1016.
- Oberkampf, W.L., Barone, M.F., 2006, Measures of agreement between computation and experiment: Validation metrics, *Journal of Computational Physics* **217**(1), 5-36.
- OECD, 2017, *Hip and knee replacement, in Health at a Glance 2017: OECD Indicators*, OECD Publishing, Paris.
- Oliveira, C.A., Candelária, I.S., Oliveira, P.B., Figueiredo, A., Caseiro-Alves, F., 2015, Metallosis: A diagnosis not only in patients with metal-on-metal prostheses, *European journal of radiology open* **2**, 3-6.
- Oparaugo, P.C., Clarke, I.C., Malchau, H., Herberts, P., 2001, Correlation of wear debris-induced osteolysis and revision with volumetric wear-rates of polyethylene: a survey of 8 reports in the literature, *Acta Orthop Scand.* **72**(1), 22-28.
- Oshida, Y., 2007, *Bioscience and Bioengineering of Titanium Materials*, Elsevier.

- Özkaya, N., Goldsheyder, D., Nordin, M., 2017, *Fundamentals of Biomechanics: Equilibrium, Motion, and Deformation*, 4<sup>th</sup> ed., Springer.
- Paggi, M., Hills, D., 2020, *Modeling and Simulation of Tribological Problems in Technology*, Springer International Publishing.
- Pakhaliuk, V., Poliakov, A., Kalinin, M., Pashkov, Y., Gadkov, P., 2016, Modifying and Expanding the Simulation of Wear in the Spherical Joint With a Polymeric Component of the Total Hip Prosthesis, *Facta Universitatis, Series: Mechanical Engineering* **14**(3), 301-312.
- Pang, W., Ni, Z., Chen, G., Huang, G., Huang, H., Zhao, Y., 2015, Mechanical and thermal properties of graphene oxide/ultrahigh molecular weight polyethylene nanocomposites, *RSC Advances* **5**, 63063-63072.
- Parvizi, J., Gehrke T., Chen A.F., 2013, Proceedings of the international consensus on periprosthetic joint infection, *Bone Joint Journal* **95B**, 1450-1452.
- Patten, E.W., 2012, *A Multidirectional Tribo-System: Wear of UHMWPE under Sliding, Rolling, and Rotation*, Thesis, University of California, Berkeley.
- Patten, E.W., Van Citters, D., Ries, M.D., Pruitt, L.A., 2013, Wear of UHMWPE from sliding, rolling, and rotation in a multidirectional tribo-system, *Wear* **304**, 60-66.
- Paul, J.P., 1966, Forces Transmitted by Joints in the Human Body, *Proceedings of the Institution of Mechanical Engineers* **181**, 8-15.
- Persson, B.N.J., 2006, Contact mechanics for randomly rough surfaces, *Surface Science Reports* **61**, 201-227.
- Pietrabissa, R., Raimondi, M., Martino, E.D., 1998, Wear of polyethylene cups in total hip arthroplasty: a parametric mathematical model, *Med. Eng. Phys.* **20**, 199-210.
- Pilz, V., Hanstein, T., Skripitz, R., 2018, Projections of primary hip arthroplasty in Germany until 2040, *Acta orthopaedica* **89**, 308-313.
- Plank, G.R., Estok, D.M., Muratoglu, O.K., O'Connor, D.O., Burroughs, B.R., Harris, W.H., 2005, Contact stress assessment of conventional and highly crosslinked ultra high molecular weight polyethylene acetabular liners with finite element analysis and pressure sensitive film, *J. Biomedical Materials Research Part B: Applied Biomaterials* **80B**, 1-10.
- Poceski, A., 1989, A variational approach in the finite element method, *Computers & Structures* **33**(2), 395-402.
- Pohrelyuk, I., Sheykin, S., Dub, S., Mamalis, A., Rostotskii, I., Tkachuk, O., Lavrys, S., 2016, Increasing of functionality of c.p. titanium/UHMWPE tribo-pairs by thermodiffusion nitriding of titanium component, *Biotribology* **7**, 38-45.
- Popov, V.L., 2010, *Contact Mechanics and Friction: Physical Principles and Applications*, Springer-Verlag Berlin Heidelberg.

- Popov, V.L., Heß, M., Willert, E., 2019, *Handbook of Contact Mechanics: Exact Solutions of Axisymmetric Contact Problems*, Springer Berlin Heidelberg.
- Puccio, F.D., Mattei, L., 2015, A novel approach to the estimation and application of the wear coefficient of metal-on-metal hip implants, *Tribology International* **83**, 69-76.
- Raimondi, M., 1999, *The biomechanical reliability of artificial hip joints*, Thesis, Politecnico di Milano, Italy.
- Ratner, B.D., Hoffman, A.S., Schoen, F.J., Lemons, J.E., 1996, *Biomaterials science: an introduction to materials in medicine*, Academic Press.
- Rapperport, D.J., Carter, D.R., Schurman, D.J., 1985, Contact finite element stress analysis of the hip joint, *Journal of Orthopaedic Research* **3**, 435-446.
- Rapperport, D.J., Carter, D.R., Schurman, D.J., 1987, Contact finite element stress analysis of porous ingrowth acetabular cup implantation, ingrowth, and loosening, *Journal of Orthopaedic Research* **5**, 548-561.
- Reifenberger, R., 2016, *Fundamentals of Atomic Force Microscopy: Part I: Foundations*, World Scientific Publishing.
- Rocha, M., Mansur, A., Mansur, H., 2009, Characterization and Accelerated Ageing of UHMWPE Used in Orthopedic Prosthesis by Peroxide, *Materials* **2**, 562-576.
- Roman, L.C.C., 2016, *Magnesium-based biodegradable materials: from surface functionalization to cellular evaluation*, Thesis, Universidade De Lisboa.
- Rose, J., Gamble, J.G., 2006, *Human Walking*, Lippincott Williams & Wilkins, Philadelphia.
- Rad, E.M., 2015, *Volumetric Wear Assessment and Characterization of Striated Pattern of Retrieved UHMWPE Tibial Inserts*, Thesis, Graduate College of the University of Illinois at Chicago.
- Röstlund, T., Albrektsson, B., Albrektsson, T., McKellop, H., 1989, Wear of ion-implanted pure titanium against UHMWPE, *Biomaterials* **10**, 176-180.
- Saad, A.P.M., Syahrom, A., Harun, M.N., Kadir, M.R.A., 2016, *Wear Prediction on Total Ankle Replacement: Effect of Design Parameters*, Springer.
- Saikko, V., 1998, A multidirectional motion pin-on-disk wear test method for prosthetic joint materials, *J. Biomed Mater Res* **41**, 58-64.
- Saikko, V., 2005, A hip wear simulator with 100 test stations, *Proceedings of the Institution of Mechanical Engineers. Part H: Journal of Engineering in Medicine* **219**, 309-318.
- Saikko, V., 2006, Effect of contact pressure on wear and friction of ultra-high molecular weight polyethylene in multidirectional sliding, *Proceedings of the Institution of Mechanical Engineers Part H: Journal of Engineering in Medicine* **220**, 723-731.

- Saikko, V., 2015, High frequency circular translation pin-on-disk method for accelerated wear testing of ultrahigh molecular weight polyethylene as a bearing material in total hip arthroplasty, *Journal of Biomechanics* **48**(2), 401-404.
- Saikko, V., Ahlroos, T., 1999, Type of motion and lubricant in wear simulation of polyethylene acetabular cup, *Proceedings of the Institution of Mechanical Engineers Part H Journal of Engineering in Medicine* **213**, 301-310.
- Saikko, V., Ahlroos, T., 2000, Wear simulation of UHMWPE for total hip replacement with a multidirectional motion pin-on-disk device: Effects of counterface material, contact area, and lubricant, *Journal of Biomedical Materials Research* **49**, 147-154.
- Samelko, L., Caicedo, M. S., Lim, S.-J., Della-Valle, C., Jacobs, J., Hallab, N. J., 2013, Cobalt-Alloy Implant Debris Induce HIF-1 $\alpha$  Hypoxia Associated Responses: A Mechanism for Metal-Specific Orthopedic Implant Failure PLOS ONE, *Public Library of Science* **8**, 1-7.
- Saputra, E., Anwar, I.B., Ismail, R., Jamari, J., van der Heide, E., 2017, Study of Unipolar and Bipolar Hip Prostheses Using Finite Element Simulation: Contact Stress Analysis, *Key Engineering Materials* **739**(96-102).
- Savarino, L., Baldini, N., Ciapetti, G., Pellacani, A., Giunti, A., 2009, Is wear debris responsible for failure in alumina-on-alumina implants?, *Acta Orthopaedica* **80**, 162-167.
- Sazonov, I., Hassan, O., Morgan, K., Weatherill, N.P., 2008, Comparison of Two Explicit Time Domain Unstructured Mesh Algorithms for Computational Electromagnetics, in Glowinski, R., Neittaanmäki, P., *Discontinuous Galerkin Methods Partial Differential Equations: Modeling and Numerical Simulation*, Springer Science + Business Media B.V., 95.
- Schroder, D.T., Kelly, N.H., Wright, T.M., Parks, M.L., 2011, Retrieved highly crosslinked UHMWPE acetabular liners have similar wear damage as conventional UHMWPE, *Clinical Orthopedic Relat. Res.* **469**.
- Shaik, S.A., Bose, K., Cherukuri, H.P., 2012, A study of durability of hip implants, *Materials & Design* **42**, 230-237.
- Shaik, A.B., Sarkar, D., 2020, Dynamic Analysis and Life Estimation of the Artificial Hip Joint Prosthesis, in Rao, R.V., Taler, J., *Advanced Engineering Optimization Through Intelligent Techniques*, Springer Nature, Singapore, 274.
- Shanbhag, A, Rubash, H.E., Jacobs, J.J., 2006, *Joint Replacement and Bone Resorption Pathology, Biomaterials and Clinical Practice*, Taylor & Francis.

- Shen, G., Zhang, J.-F., Fang, F.-Z., 2019, In vitro evaluation of artificial joints: a comprehensive review, *Advances in Manufacturing* **7**, 1-14.
- Shen, Z., Crotti, T., Mchugh, K., Matsuzaki, K., Gravallesse, E., Bierbaum, B., Goldring, S., 2006, The role played by cell-substrate interactions in the pathogenesis of osteoclast-mediated peri-implant osteolysis, *Arthritis research & therapy* **8**, 1-10.
- Singh, G., Bajargan, G., Datta, R., 2014, Deformation and strength of Ti-6Al-4V alloyed with B at cryogenic temperatures, *Materials Science and Engineering: A* **611**(45), 6.
- Singh, J.A., Yu, S., Chen, L., Cleveland, J. D., 2019, Rates of Total Joint Replacement in the United States: Future Projections to 2020–2040 Using the National Inpatient Sample, *The Journal of Rheumatology* **46**.
- Sinha, S.K., 2006, *Scratching of Materials and Application*, Academic Press.
- Sinha, S.K., Briscoe, B.J., 2009, *Polymer Tribology*, Imperial College Press.
- Strickland, M.A., Dressler, M.R., Taylor, M., 2012, Predicting implant UHMWPE wear in-silico: A robust, adaptable computational–numerical framework for future theoretical models, *Wear* **274-275**, 100-108.
- Stachowiak, G.W., 2005, *Wear - materials, mechanisms and practice*, John Wiley & Sons, Ltd., Chichester.
- Suhendra, N., Stachowiak, G.W., 2007, Computational model of asperity contact for the prediction of UHMWPE mechanical and wear behaviour in total hip joint replacements, *Tribology Letters* **25**(1), 9-22.
- Surat, 2018, What is the difference Between a Phagocyte, Macrophage, Neutrophil and Eosinophil?, <https://www.news-medical.net/life-sciences/What-is-the-difference-Between-a-Phagocyte-Macrophage-Neutrophil-and-Eosinophil.aspx>, (online accessed October 17<sup>th</sup>, 2019).
- Tadepalli, S.C., Erdemir, A., Cavanagh, P.R., 2010, A Comparison of the Performance of Hexahedral and Tetrahedral Elements in Finite Element Models of the Foot, *ASME 2010 Summer Bioengineering Conference*.
- Tadepalli, S.C.; Erdemir, A., Cavanagh, P.R., 2011, Comparison of hexahedral and tetrahedral elements in finite element analysis of the foot and footwear, *Journal of Biomechanics* **44**, 2337-2343.
- Tasumi, M., Krimm, S., 1967, Crystal vibration of polyethylene, *The Journal of Chemical Physics* **44**(3), 755-766.
- The National Academic Press, 2012, *Assessing the Reliability of Complex Models: Mathematical and Statistical Foundations of Verification, Validation and Uncertainty Quantification*, National Academy of Sciences.
- Thomas, P., Weik, T., Roider, G., Summer, B., Thomsen, M., 2016, Influence of Surface Coating on Metal Ion Release: Evaluation in Patients With Metal Allergy, *Orthopedics* **39**(3), S24-S30.

- Tocks, G.A., 2018, The Challenge of Durability in Hip Replacement, *The Journal of Lancaster General Hospital* **13**(3).
- Trešče, R., 2012, *Infected Total Joint Arthroplasty: The Algorithmic Approach*, Springer, London, 13.
- Trommer, R.M., Maru, M.M., Filho, W.L.O., Nykanen, V.P.S., Gouvea, C.P., Archanjo, B.S., Ferreira, E.H.M., Silva, R.F., Achete, C.A., 2015, Multi-Scale Evaluation of Wear in UHMWPE-Metal Hip Implants Tested in a hip Joint Simulator, *Biotribology* **4**, 1-11.
- Tu, J., Yeoh, G-H., Liu, C., 2019, *Computational Fluid Dynamics: A Practical Approach*, Elsevier Ltd., 140.
- Tudor, A., Laurian, T., Popescu, V.M., 2013, The effect of clearance and wear on the contact pressure of metal on polyethylene hip prostheses, *Tribology International* **63**, 158-168.
- Turell, M.E., Friedlaender, G.E., Wang, A., Thornhill, T.S., Bellare, A., 2005, The effect of counterface roughness on the wear of UHMWPE for rectangular wear paths, *Wear* **259**(7-12), 984-991.
- Turell, M.E., Wang, A., Bellare, A., 2003, Quantification of the effect of cross-path motion on the wear rate of ultra-high molecular weight polyethylene, *Wear* **255**(7-12), 1034-1039.
- Uddin, M.S., Zhang, L.C., 2013, Predicting the wear of hard-on-hard hip joint prostheses, *Wear* **301**(1-2), 192-200.
- Udofia, I.J., Yew, A., Jin, Z.M., 2004, Contact mechanics analysis of metal-on-metal hip resurfacing prostheses, *Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine* **218**(5), 293-305.
- Urkaç, S.E.S., 2006, *Characterization of Ultra High Molecular Weight Polyethylene (UHMWPE) modified by metal-gas hybrid ion implantation technique*, Thesis, Izmir Institute of Technology.
- Utke, I., Moshkalev, S., Russell, P., 2012, *Nanofabrication Using Focused Ion and Electron Beams: Principles and Applications*, Oxford University Press.
- Vasu, R., Carter, D.R., Harris, W.H., 1982, Stress distributions in the acetabular region--I. Before and after total joint replacement, *Journal of Biomechanics* **15**(3), 155-164.
- Vaughan, C.L., Davis, B.L., O'Connor, J.C., 1999, *Dynamics of human gait*, 2<sup>nd</sup> ed., Kiboho Publishers, Cape Town.
- VisualFEA, 2000, *Automatic triangulation*, Intuition Software, Inc., <http://www.visualfea.com/manual-normal/html/4-1-1.htm>, (online accessed June 14<sup>th</sup>, 2020).

- von Schewelov, T., Sanzén, L., 2010, Catastrophic failure due to aggressive metallosis 4 years after hip resurfacing in a woman in her forties—a case report, *Acta Orthopaedica* **81**, 402-404.
- Waghmare, A.K., Sahoo, P., 2015, Adhesive friction at the contact between rough surfaces using n-point asperity model, *Engineering Science and Technology, an International Journal* **18**(3), 463-474.
- Wang, A., 2001, A unified theory of wear for ultra-high molecular weight polyethylene in multi-directional sliding, *Wear* **248**(1-2), 38-47.
- Wang, A., Essner, A., Polineni, V.K., Stark, C., Dumbleton, J.H., 1998, Lubrication and wear of ultra-high molecular weight polyethylene in total joint replacements, *Tribology International* **31**(1-3), 17-33.
- Wang, A., Essner, A., Klein, R., 2001, Effect of contact stress on friction and wear of ultra-high molecular weight polyethylene in total hip replacement, *Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine* **215**, 133-139.
- Wang, A., Lee, R., Herrera, L., Kurdoba, L., 2013, Modeling and verification of ultra-high molecular weight polyethylene wear in multi-directional sliding, *Wear* **301**, 162-167.
- Wang, A., Sun, D.C., Stark, C., Dumbleton, J.H., 1995, Wear mechanisms of UHMWPE in total joint replacements, *Wear* **181-183**, 241-249.
- Wang, A., Sun, D.C., Yau, S.-S., Edwards, B., Sokol, M., Essner, A., Polineni, V.K., Stark, C., Dumbleton, J.H., 1997, Orientation softening in the deformation and wear of ultra-high molecular weight polyethylene, *Wear* **203**, 230-241.
- Wang, E., Nelson, T., Rauch, R., 2004, Back to Elements - Tetrahedra vs. Hexahedra, *2004 International ANSYS Conference to Highlight Best Practices From Industry Leaders*.
- Wang, J., Li, Q., Yang, C., Zhou, C., 2018, Repeated loading model for elastic-plastic contact of geomaterial, *Advances in Mechanical Engineering* **10**(7), 1-15.
- Wang, Q., Liu, J., Ge, S., 2009, Study on Biotribological Behavior of the Combined Joint of CoCrMo and UHMWPE/BHA Composite in a Hip Joint Simulator, *Journal of Bionic Engineering* **6**(4), 378-386.
- Wang, Q.J., Chung, Y.W., 2013, *Encyclopedia of Tribology*, Springer Science Business Media, New York, 472.
- Wang, S., Liu, Y., Zhang, C., Liao, Z., Liu, W., 2014, The improvement of wettability, biotribological behavior and corrosion resistance of titanium alloy pretreated by thermal oxidation, *Tribology International* **79**, 174-182.

- Watters, T.S., Cardona, D.M., Menon, K.S., Vinson, E.N., Bolognesi, M.P., Dodd, L.G., 2010, Aseptic Lymphocyte-Dominated Vasculitis-Associated Lesion: A Clinicopathologic Review of an Underrecognized Cause of Prosthetic Failure, *American Journal of Clinical Pathology* **134**, 886-893.
- Weisse, B., Loher, U., Rieger, W., Weber, W., 1999, FEM simulations of prosthesis hip joint implants, *Transactions on Engineering Sciences* **24**, 321-333.
- Wolfarth, D., Filiaggi, M., Ducheyne, P., 1990, Parametric analysis of interfacial stress concentrations in porous coated implants, *Journal of Applied Biomaterials* **1**(1), 3-12.
- Woodford, C., Phillips, C., 2011, *Numerical Methods with Worked Examples: Matlab Edition*, Springer Science & Business Media, 58.
- Wriggers, P., 2006, *Computational Contact Mechanics*, 2<sup>nd</sup> Ed., Springer-Verlag.
- Wroblewski, B., Siney, P.D., Fleming, P.A., 2016, *Charnley Low-Frictional Torque Arthroplasty of the Hip: Practice and Results*, Springer.
- Wu, J.S.-S., Hung, J.-P., Shu, C.-S., Chen, J.-H., 2003, The computer simulation of wear behavior appearing in total hip prosthesis, *Computer Methods and Programs in Biomedicine* **70**(1), 81-91.
- Xing, Z., Wang, M., Liu, W., Hu, J., Wu, G., 2013, Crystal structure and mechanical properties of UHMWPE-g-PMA fiber prepared by radiation grafting, *Radiation Physics and Chemistry* **86**, 84-89.
- Xiong, D., Gao, Z., Jin, Z., 2007, Friction and wear properties of UHMWPE against ion implanted titanium alloy, *Surface and Coatings Technology* **201**, 6847-6850.
- Xiong, D., Yang, Y., Deng, Y., 2013, Bio-tribological properties of UHMWPE against surface modified titanium alloy, *Surface and Coatings Technology* **228**, Supplement 1, S442-S445.
- Xu, Y., Li, X., Xiao, M., Xiong, X., 2018, Growth of hierarchical TiO<sub>2</sub> flower-like microspheres/oriented nanosheet arrays on a titanium mesh for flexible dye-sensitized solar cells, *The Royal Society of Chemistry* **20**(40), 5.
- Yakusheva, D.E., Oshchepkova, T.E., Yakushev, R.M., Strel'nikov, V.N., 2010, Chemical Structure of Fibers of Ultra-High-Molecular-Weight Polyethylene upon Ion-Beam Treatment and Post-Irradiation Grafting of Acrylic Monomers, *Russian Journal of Applied Chemistry* **83**(8), 1403-1407.
- Yamaguchi, Y., 1990, *Tribology of Plastic Materials: Their Characteristics and Applications to Sliding Components*, Elsevier Science.
- Yamamoto, K., Imakiire, A., Masaoka, T., Shishido, T., Mizoue, T., Clarke, I.C., Shoji, H., Kawanabe, K. dan Tamura, J., 2003, Wear mode and wear mechanism of retrieved acetabular cups, *International Orthopaedics* **27**, 286-290.

- Yang, K., Ma, H., Cao, S., Li, X., Li, A., Cao, Z., 2020, Analysis of friction interfaces with sinusoidal microchannels and the hybrid lubrication mechanisms of a tribo-film, *Applied Surface Science* **525**, 10.
- Yang, K., Ren, Y., 2010, Nickel-free austenitic stainless steels for medical applications, *Science and Technology of Advanced Materials* **11**(014105).
- Yastrebov, V.A., 2013, *Numerical Methods in Contact Mechanics*, Wiley-ISTE.
- Yew, A., Jagatia, M., Ensaff, H., Jin, Z.M., 2003, Analysis of contact mechanics in McKee-Farrar metal-on-metal hip implants, *Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine* **217**(5), 333-340.
- Zeidler, E. 1988, Variational Inequalities and the Signorini Problem for Nonlinear Material, in Zeidler, E., *Nonlinear Functional Analysis and its Applications IV: Applications to Mathematical Physics*, Springer, New York.
- Zhang, Y.L., Zhang, X.G., Matsoukas, G., 2015, Numerical study of surface texturing for improving tribological properties of ultra-high molecular weight polyethylene, *Biosurface and Biotribology* **1**(4), 270-277.
- Zhao, Y., Wang, M., Tang, Z., Wu, G., 2011, Radiation effects of UHMW-PE fibre on gel fraction and mechanical properties, *Radiation Physics and Chemistry* **80**, 274-277.
- Zhong, Z.-H., 1993, *Finite Element Procedures for Contact-Impact Problems*, Oxford University Press.
- Zhu, B.-Q., Zhai, W.-j., 2011, Wear analysis of UHMWPE acetabular cup in standard gait, *Proceedings of 2011 International Conference on Electronic & Mechanical Engineering and Information Technology*, 1995-1998.