

## DAFTAR PUSTAKA

- Andrienko, Denis., 2018, Introduction to Liquid Crystals., *Journal of Molecular Liquids* 267, 520-541.
- Alaasar, M., Tschierske, C., 2019, Nematic phases driven by hydrogen-bonding in liquid crystalline nonsymmetric dimers, *Liq. Cryst.* 46, 124–130.
- Aharoni, S. A., 1941, Patterns of Growth of Uterine Leiomyomas During Pregnancy. A Prospective Longitudinal Study, *Macromolecules* 21.
- Arakawa, Y., Kang, S., Watanabe, J., Konishi, G. I., 2014, Synthesis, phase-transition behaviors, and birefringence properties of fluorinated diphenyldiacetylene derivatives, *Chem. Lett.* 43, 1858–1860.
- Arakawa, Y., Sasaki, Y., Igawa, K., Tsuji, H., 2017, Hydrogen bonding liquid crystalline benzoic acids with alkylthio groups: phase transition behavior and insights into the cybotactic nematic phase, *New J. Chem.* 41, 6514–6522.
- Azaroff, L. V., 1980, X-ray scattering by cybotactic nematic mesophases, *Proc. Natl. Acad. Sci. USA*, Vol. 77, No. 3, pp. 1252-1254.
- Bennett G.M., B. Jones., 1939, Mesomorphism and polymorphism of some p-alkoxybenzoic and p-alkoxycinnamic acids, *J. Chem. Soc*, 420–425.
- Brienne, M.J., Galard, J., Lehn, J.M., Stibor, I., 1989, Macroscopic expression of molecular recognition. Supramolecular liquid crystalline phases induced by association of complementary heterocyclic components, *J. Chem. Soc. Chem. Commun.* 1868–1870.
- Blumtein, A., Patel, L., 1978, Molecular arrangement in mesophases of some p-alkoxybenzoic acids, *Mol. Cryst. Liq. Cryst.* 48 151–164.
- Bradfield, A. E., Jones, B. J., 1929, Two apparent cases of liquid crystal formation, *Chem. SOC.* 929,2660
- Bunning, J. D., Lydon, J. E., Eaborn, C., Jackson, P. H., Goodby, J. W., Gray, G. W., 1982, The Frank constants of some nematic liquid crystals, *J. Chem. SOC. Faraday Tram.* 1, 713.
- Chistaykov, I. G. dan Chaikowsky, W.M., 1969, Liquid Crystal 2, *Mol. Cryst. And Liquid Cryst.* Page 269.
- Cambridge Polymer Group (CPG), 2004, The Theory of Brifrefringence, CPGAN #014
- Debye, P., 1929, *Polar Molecules*, Dover Publications, New York.

- Demus, D., Goodby, J., Gray, G.W., Spiess H.W., Vill V., 1998, *Handbook of Liquid Crystals*, John Willey, New Jersey.
- Fouzai, M., Hamdi, R., Ghrab, S., Soltani, T., Ionescu, A., Othman, T., 2018, Properties of binary mixtures derived from hydrogen bonded liquid crystals, *J. Mol. Liq.* 249, 1279–1286.
- Fouzai, M., Guesmi, A., Ben Hamadi, N., Soltani, T., 2019, Fluoro-substitution in hydrogen bonding liquid crystal benzoic acid: dielectric, electro-optic and optical properties and inducing polar nematic phase, *Liq. Cryst.* 47 : 5, 777-784.
- Fowles, Grant R., 1989, *Introduction to Modern Optics 2nd Edition*, Courier Corporation, New York.
- Francescangeli, O., Vita, Francesco., Samulski, E.T., 2014, The cybotactic nematic phase of bent-core mesogens: state of the art and future developments, *Soft Matter*, 10, 7685
- Francescangeli, O., Stanic, V., Torgova, S. I., Strigazzi, A., Scaramuzza, N., Ferrero, C., Dolbnya, I. P., Weiss, T. M., Berardi, R., Muccioli, L., Orlandi, S., Zannoni, C., 2009, *Adv. Funct. Mater.*, 19, 2592.
- Fukumasa, M., Kato, T., Uryu, T., Frechet, J. M., 1993, A Decrease in apparent viscosity in electric fields found in chiral smectic liquid crystal, *J. Chem. Lett.*, 65.
- Goodby J.W., 1984, Liquid crystal phases exhibited by some monosaccharides, *Mol. Cryst. Liq. Cryst.* 110, 205–219.
- Gray, G. W., Ed., 1987, *Thermotropic Liquid Crystals*, Wiley: Chichester.
- Griffiths, David J., 1942, *Introduction to Electrodynamics 4th edition*, Pearson Education, London.
- Haller, I., 1975, Thermodynamic and static properties of liquid crystals, *Progress in Solid State Chemistry*, Vol. 10, page 103-118.
- Horn, R.G., 1978, Refractive indices and order parameters of two liquid crystals. *Journal de Physique* , 39 (1), pp.105-109.
- Jakli, A., 2013, Liquid crystals of the twenty-first century-nematic phase of bent-core molecules, *Liq. Cryst. Rev.*, 1, 65.
- Kim, D.K., Hwang, M., Lagerwall, J.P.F., 2013, Liquid Crystal Functionalization of Electrospun Polymer Fiber, *Journal of Polymer Science*. Vol 51, Issue 11.
- Kato, T., Frechet, J.M.J., Wilson, P.G., 1993, Hydrogen-Bonded Liquid Crystals Novel Mesogens Incorporating Nonmesogenic Bipyridyl Compounds

through Complexation between H-Bond Donor and Acceptor Moieties, *Journal Chem. Mater*, 1094-1100.

Kumar U., Fréchet, J.M.J., Kato, T., Ujiie, S., Timura, K., 1992, Induction of ferroelectricity in polymeric systems through hydrogen bonding, *Angew. Chem. Int. Ed. Engl.* 31, 1531–1533.

Kumar, J., Prasad, V., 2018, Ferroelectric nematic and ferroelectric smectic mesophases in an achiral bent-core azo compound, *J. Phys. Chem. B* 122, 2998–3007.

Kato, T., Fréchet, J. M. J., 1988, A new Approach to mesophase stabilization through hydrogen bonding molecular interaction with polymer side chain, *J. Am. Chem. Soc.* 110, 8533.

Kihara, N., Makabe, K. and Endo, T., 1996, Polycondensation of o-hydroxy carboxylic acid derived from L -phenylalanine and ethylene carbonate. *J. Polym. Sci. A Polym. Chem.*, 34: 1819-1822.

Kremer, F., and Schonhals, A., 2003, *Broadband Dielectric Spectroscopy*, Springer-Verlag, Berlin.

Lehn, Brienne, M. J., Gabard, J., Lehn, J. M., Stibor, I., 1989, The formation of the mesogen from different components through triplet hydrogen bonds. *J. Chem. Soc. Chem. Commun.*, 1868

Lee, K., Suh, S.W., Lee, S.D., 1994, Fast Linear electro optical Switching properties of polymer dispersed ferroelectric liquid crystal, *Appl physics letter* 64, 718-720.

Mani, Santosh A., Sameer U. Hadkar, P. J. Jessy, Suman Lal, Patrick Keller, Samriti Khosla, Nitin Sood, Pradip Sarawade, 2016, Study of the optical, thermal, and mechanical properties of nematic liquid crystal elastomers, *Journal of Information Display*, 17:4, 169-176.

Matsunaga, Y., Terada, 1986, The preparation and properties of low molar mass liquid crystals possessing lateral alkyl chains, *M. Mol. Cryst. Liq. Cryst*, 141, 321.

Missaoui, T., Amor, I. B., Soltani, T., Ouada, H. B., Jeanneau E., Chevalier Y., 2019, Dielectric and electro-optic properties of cybotactic nematic phase in hydrogen-bonded liquid crystals.

Peleg, M., dan Corradini, M. G., 2012, The Arrhenius Equation Revisited, *Critical Reviews in Food Science and Nutrition*, 52 : 9, 830-851.

Pongali Sathya Prabu, N., Madhu Mohan, M.L.N., 2013, Characterization of a new smectic ordering in supramolecular hydrogen bonded liquid crystals by X-ray, optical and dielectric studies, *J. Mol. Liq.* 182, 79–90.

- Sackmann, H., Diele, S., Brand, P., 1969, Cyclization and depolymerization of poly -  $\alpha$  - cyanstyrene, *Acta Cryst.*, A25, S37.
- Si, G., Zhao, Y., Leong, E., Liu, Y. J., 2014, Liquid crystal enabled active plasmonics: a review, *Materials* 7, 1296–1317.
- Swathi, P., Kumar, P.A., Pisipati, V., 2001, Crystal G phase induced through intermolecular hydrogen bonding IV: a study of crystallization kinetics, *Liq. Cryst.* 28, 1163–1169.
- Vita, F., Sparnacci, K., Panzarasa, G., 2014, Evidence of Cybotactic Order in the Nematic Phase of a Main-Chain Liquid Crystal Polymer with Bent-Core Repeat Unit, *ACS Macro Letters*, 3, 91–95.
- Vries, A.D., 1985, X-Ray Diffraction Studies Of The Structure Of The Skewew Cybotactic Nematic Phase: A Review Of The Literature, *Journal of Molecular Liquids*, 31, 193-202.
- Vuks, M.F., 1966, *Optical Spectroscopy*, Berlin, 20, 64.