

## DAFTAR PUSTAKA

- Abdel-aziz, R. and Ahmed, M.A., 2020, A novel UV and visible light driven photocatalyst AgIO<sub>4</sub>/ZnO nanoparticles with highly enhanced photocatalytic performance for removal of rhodamine B and indigo carmine dyes, *J. Photochem. Photobiol. A Chem.*, 389, 112245.
- Afzal, M. Z., Sun, X., Liu, J., Song, C., Wang, S., and Javed, A., 2018, Enhancement of ciprofloxacin sorption on chitosan/biochar hydrogel beads, *Sci. Total Environ.*, 639, 560–569.
- Auta, M. and Hameed, B.H., 2013, Chitosan activated carbon composite for batch and fixed-bed adsorption of cationic and anionic dyes, *Colloids Surfaces B Biointerfaces*, 105, 199–206.
- Sutirman, A. Z., Marsin, M., Juhanni, K., Karim, A., Abu, A., Aini, W., and Ibrahim, W., 2019, Enhanced removal of Orange G from aqueous solutions by modified chitosan beads: Performance and mechanism, *Int. J. Biol. Macromol.*, 133, 1260–1267.
- Benkaddour, S., Slimani, R., Hiyane, H., Ouahabi, I. El, Hachoumi, I., Antri, S. El, and Lazar, S., 2018, Removal of reactive yellow 145 by adsorption onto treated watermelon seeds: Kinetic and isotherm studies, *Sustain. Chem. Pharm.*, 10, 16–21.
- Blachnio, M., Budnyak, T.M., Derylo-marczewska, A., Marczewski, A.W., and Tertykh, V.A., 2018, Chitosan – Silica Hybrid Composites for Removal of Sulfonated Azo Dyes from Aqueous Solutions, *Langmuir*, 34, 2258–2273.
- Chatterjee, S., Lee, M.W., and Woo, S.H., 2010, Adsorption of congo red by chitosan hydrogel beads impregnated with carbon nanotubes, *Bioresour. Technol.*, 101, 1800–1806.
- Chiou, M. S. and Chuang, G. S., 2006, Competitive adsorption of dye Metanil Yellow and RB 15 in acid solutions on chemically crosslinked chitosan beads, *Chemospher*, 62, 731–740.
- Crini, G., 2006, Non-conventional low cost adsorbents for dye removal : A Review, *Biores. Tech.*, 97, 1061–1085.
- Covington, T., 2009, *Tanning Chemistry : The Science of Leather*, RSC Publishing, Cambridge.
- Dias, N.C., Bassin, J.P., Sant, G.L., Jr, A., and Dezotti, M., 2019, Ozonation of the dye Reactive Red 239 and biodegradation of ozonation products in a moving-bed biofilm reactor : Revealing reaction products and degradation pathways, *Int. Biodeterior. Biodegrad.*, 144, 104742.
- Gao, Y., Yue, Q., Xu, S., and Gao, B., 2015, Activated carbons with well-developed mesoporosity prepared by activation with different alkali salts, *Mater. Lett.*, 146, 34–36.

- Ghughe, S.P. and Saroha, A.K., 2018, Catalytic ozonation of dye industry effluent using mesoporous bimetallic Ru-Cu/SBA-15 catalyst, *Process Saf. Environ. Prot.*, 118, 125–132.
- Hashemian, S., Sadeghi, B., Mozafari, F., Salehifar, H., and Salari, K., 2013, Adsorption of Disperse of Yellow 42 onto Bentonite and Organo-Modified Bentonite by Tetra Butyl Ammonium Iodide (B-TBAI), *Pol. J. Environ. Stud.*, 22(5), 1365-1370.
- Ho, Y. S. and McKay, G., 1998, Sorption of dyes from aqueous solution by peat, *Chem. Eng. J.*, 70, 115-124.
- Iriarte-velasco, U., Chimeno-alanís, N., Gonz, M.P., and Jon, I.A., 2011, Relationship between Thermodynamic Data and Adsorption/Desorption Performance of Acid and Basic Dyes onto Activated Carbons, *J. Chem. Eng. Data*, 56, 2100–2109.
- Joseph, J., Radhakrishnan, R.C., Johnson, J.K., Joy, S.P., and Thomas, J., 2020, Ion-exchange mediated removal of cationic dye-stuffs from water using ammonium phosphomolybdate, *Mater. Chem. Phys.*, 242, 122488.
- Khanday, W.A., Asif, M., and Hameed, B.H., 2017, Cross-linked beads of activated oil palm ash zeolite / chitosan composite as a bio-adsorbent for the removal of methylene blue and acid blue 29 dyes, *Int. J. Biol. Macromol.*, 95, 895–902.
- Li, Y., Gao, H., Wang, C., Zhang, X., and Zhou, H., 2018, One-step fabrication of chitosan-Fe ( OH ) 3 beads for efficient adsorption of anionic dyes, *Int. J. Biol. Macromol.*, 117, 30–41.
- Lipatova, I. M., Makarova, I. L., and Yusova, A. A., 2018, Adsorption removal of anionic dyes from aqueous solution by chitosan nanoparticles deposited on the fibrous carrier, *Chemosphere*, 1155-1162.
- Long, Q., Zhang, Z., Qi, G., Wang, Z., Chen, Y., and Liu, Z., 2020, Fabrication of Chitosan Nanofiltration Membranes by the Film Casting Strategy for Effective Removal of Dyes/Salts in Textile Wastewater, *ACS Sustain. Chem. Eng.*, 8, 2512–2522.
- Mais, L., Vacca, A., Mascia, M., Usai, E.M., Tronci, S., and Palmas, S., 2020, Experimental study on the optimisation of azo-dyes removal by photo-electrochemical oxidation with TiO 2 nanotubes, *Chemosphere*, 248, 125938.
- Metin, A. U., Ciftci, H., and Alver, E., 2013, Efficient Removal of Acidic Dye Using Low-Cost Biocomposite Beads, *Ind. Eng. Chem. Res.*, 10569-10581.
- Mokhtar, A., Abdelkrim, S., Djelad, A., Sardi, A., Boukoussa, B., Sassi, M., and Bengueddach, A., 2020, Adsorption behaviour of cationic and anionic dyes on magadiite-chitosan composite beads, *Carbohydrate Pol.*, 229, 115399.
- Nasrullah, A., Bhat, A.H., Naeem, A., and Hasnain, M., 2018, High surface area mesoporous activated carbon-alginate beads for efficient removal of methylene blue, *Int. J. Biol. Macromol.*, 107, 1792–1799.

- Nesic, A. R., Velickovic, S. J., and Antonovic, D. G., 2013, Modification of chitosan by zeolite A and adsorption of Bezactive Orange 16 from aqueous solution, *Composites: Part B*, 53, 145–151.
- Santos, R., Gabriel, R., Gonçalves, L., Regina, V., Constantino, L., Valentim, C., Damasceno, P., Tronto, J., and Garcia, F., 2017, Adsorption of Acid Yellow 42 dye on calcined layered double hydroxide : Effect of time, concentration, pH and temperature, *Applied Clay Science*, 140, 132–139.
- Senol, Z. M., Gursoy, N., Simsek, S., Ozer, A., and Karakus, N., 2020, Removal of food dyes from aqueous solution by chitosan-vermiculite beads, *Int. J. Biol. Macromol.*, 148, 635–646.
- Pathania, D., Sharma, S., and Singh, P., 2017, Removal of methylene blue by adsorption onto activated carbon developed from Ficus carica bast, *Arab. J. Chem.*, 10, S1445–S1451.
- Rosales, E., Pazos, M., and Sanromán, M.A., 2011, Comparative efficiencies of the decolourisation of leather dyes by enzymatic and electrochemical treatments, *DES*, 278, 312–317.
- Shen, L., Jin, Z., Xu, W., Jiang, X., Shen, Y., Wang, Y., and Lu, Y., 2019, Enhanced Treatment of Anionic and Cationic Dyes in Wastewater through Live Bacteria Encapsulation Using Graphene Hydrogel, *Ind. Eng. Chem. Res.*, 58, 7817–7824.
- Tyagi, U., 2020, Adsorption of dyes using activated carbon derived from pyrolysis of vetiveria zizanioides in a fixed bed reactor, *Groundw. Sustain. Dev.*, 10, 100303.
- Zaki, U. A., Yao, L., Wang, J., Dianchen, D., Islam, F., Lian, Q., and Zappi, M.E., 2019, Neodymium embedded ordered mesoporous carbon (OMC) for enhanced adsorption of sunset yellow : Characterizations, adsorption study and adsorption mechanism, *Chem. Eng. J.*, 359, 814–826.
- Wang, J. and Guo, X., 2020, Adsorption kinetic models : Physical meanings , applications , and solving methods, *J. Hazard. Mater.*, 390, 122156.
- Yu, S., Cui, J., Jiang, H., Zhong, C., and Meng, J., 2019, Facile fabrication of functional chitosan microspheres and study on their effective cationic/anionic dyes removal from aqueous solution, *Int. J. Biol. Macromol.*, 134, 830–837.
- Zhai, L., Bai, Z., Zhu, Y., Wang, B., and Luo, W., 2018, Fabrication of chitosan microspheres for efficient adsorption of methyl orange, *Chinese J. Chem. Eng.*, 26, 657–666.