

DAFTAR PUSTAKA

- Aisyah, S., Yulianti, E., dan Fasya, A.G., 2010, Penurunan Angka Peroksida dan Asam Lemak Bebas (FFA) pada Proses Bleaching Minyak Goreng Bekas oleh Karbon Aktif Polong Buah Kelor (*Moringa Oliefera*. Lamk) dengan Aktivasi NaCl, *Alchemy*, 2(1), 92-103.
- Aliramaji, S., Zamanian, A., and Sohrabijan, Z., 2015, Characterization and Synthesis of Magnetite Nanoparticles by Innovative Sonochemical Method, *Procedia Material Science*, 11, 265-269.
- Anonim, 2006, *Minyak nilam (SNI 06-2385-2006)*, Badan Standarisasi Nasional, 1–15.
- Armando, R., 2009, *Memproduksi 15 Minyak Atsiri Berkualitas*, Penebar Swadaya, Jakarta.
- Bulan, R., 2000. Isolasi, Identifikasi dan Sintesis Turunan Patchouli Alkohol dari Minyak Nilam, *Tesis*, Jurusan Kimia FMIPA UGM, Yogyakarta.
- Bunrathep, S., Lockwood, G.B., Songsak, T., dan Ruangrunsi, N., 2006, Chemical Constituents from Leaves and Cell Cultures of Pogostemon Cablin and Use of Precursor Feeding to Improve Patchouli Alcohol Level, *Sci. Asia*, 32, 293– 296.
- Sopyan, I., 2002, *Analisis Kimia Kuantitatif* (diterjemahkan dari Day R.A., and Underwood, A.L., 1958, *Quantitative analysis*, 6th Ed.) , Erlangga, Jakarta.
- Foletto, E.L., Volzone, C., and Porto, L.M., 2006, Clarification of Cottonseed Oil: How Structural Properties of Treated Bentonites by Acid Affect Bleaching Efficiency, *Latin American Applied Research*, 36, 37-40.
- Gnanprakash, G., John, P., Jayakumar, T., and Baldev, R., 2007, Effect of Digestion Time and Alkali Addition Rate on Physical Properties of Magnetite Nanoparticles, *J. Phys. Chem. B.*, 111(28), 7978-7986.
- Guenther, I., 1949, *Essential Oils*, Volume H, Van Nostrand Reinhold Company, New York.
- Harti, R., Allawar, dan Fitri, N., 2014, Karakterisasi dan Modifikasi Karbon Aktif Tempurung Kelapa Sawit dengan Asam Nitrat untuk Menjerap Logam Besi dan Tembaga dalam Minyak Nilam, *Indo. J. Chem. Res.*, 2(1), 62-72.
- Harunsyah, 2011, Peningkatan Mutu Minyak Nilam Rakyat, *J. Teknologi Politek. Negeri Lhokseumawe*, 11, 1–7.

- Jain, A., Balasubramanian, R., and Srinivasan, M.P., 2015, Production of High Surface Area Mesoporous Activated Carbons from Waste Biomass Using Hydrogen Peroxide-Mediated Hydrothermal Treatment for Adsorption Applications, *Chem. Eng. J.*, 273, 622-629.
- Jianzhong, X. C., Lingzhi, C., Xiaojie, F., and Lingzhi, 2014, Preparation and Characterization of Activated Carbon from Reedy Grass Leaves by Chemical Activation with H₃PO₄, *Appl. Surf. Sci.*, 320, 674-680.
- Juang, R.S., Yei, C.Y., Liao, C.S., Lin, K.S., Lu, H.C., Wang, S.F., and Sun, A.C., 2018, Synthesis of Magnetite Fe₃O₄/Activated Carbon Nanocomposite with High Surface Area as Recoverable Adsorbents, *J. Taiwan Inst. Chem. E.*, 90, 51-60.
- Kahani, S., Hamadani, M., and Vandadi, O., 2007, Deposition of Magnetic Nanoparticles in Activated Carbons and Preparation of Magnetic Activated Characterization and Application: A Review Article, *Int. J. ChemTech. Res.*, 1(4), 859-864.
- Li, Y., Zhang, X., Yang, R., Li, G., and Hu, C., 2015, The role of H₃PO₄ in the Preparation of Activated Carbon from NaOH-Treated Rice Husk Residue, *RSC ADV.*, 5, 32626-32636.
- Mahmuda, D., Sakinah, N., dan Suharyadi, E., 2014, Adsorpsi Logam Tembaga (Cu), Mangan (Mn) dan Nikel (Ni) dalam Artificial Limbah Cair dengan Menggunakan Nanopartikel Magnetit (Fe₃O₄), *Indones. J. App. Phys.*, 4(2), 126-133.
- Maity, D., and Agrawal, D.C., 2007, Synthesis of Iron Oxide Nanoparticles Under Oxidizing Environment and Their Stabilization in Aqueous and Non-Aqueous Media, *J. Magn. Mag. Mater.*, 308, 46-55.
- Maylani, A.S., Sulistyarningsih, T., dan Kusumastuti, E., 2016, Preparasi Nanopartikel Fe₃O₄ (magnetit) serta Aplikasinya sebagai Adsorben Ion Logam Kadmium, *Indones. J.Chem.*, 5(2), 11447-11453.
- McDougall, G.J., 1991, The Physical Nature and Manufacture of Activated Carbon, *J. S. Afr. Inst. Min. Metall.*, 91(4), 109120.
- Nurjanah, S., Zain, S., Rosalinda, S., dan Fajri, I., 2016, Kajian Pengaruh Dua Metode Pemurnian Terhadap Kejernihan dan Kadar Patchouli Alcohol Minyak Nilam (Patchouli Oil) Asal Sumedang, *J. Teknotan*, 10, 24-29.
- Oliveira, L.C.A., Rios, R.V.R.A., Fabris, J.D., Garg, V., Sapag, K., and Lago, R.M., 2002, Activated Carbon/Iron Oxide Magnetic Composites for The Adsorption of Contaminants in Water, *Carbon*, 40, 2177-2183.

- Pehlivan, E., 2017, Production and Characterization of Activated Carbon from Pomegranate Pulp by Phosphoric Acid, *J. Turkish Chem. Soc. Sect. Chem.*, 5(1), 1-8.
- Pocut, N.A., 2007, Aplikasi Proses Pengkelatan untuk Peningkatan Mutu Minyak Nilam, *JRKL.*, 6(2), 63-66.
- Prahas, D., Kartika, Y., Indraswati, N., and Ismadji, S., 2008, Activated Carbon from Jackfruit Peel Waste by H₃PO₄ Chemical Activation: Pre Structure and Surface Chemistry Characterization, *J. Chem. Eng.*, 140, 32-42.
- Ramya, H.G., Palanimuthu, V., dan Rachna, S., 2013, an Introduction to Patchouli (*Pogostemon Cablin* Benth.) - a Medicinal and Aromatic Plant: it's Importance to Mankind, *Agric. Eng. Int. CIGR J.*, 15, 243-250.
- Rosi, A., 2019, Kinerja Komposit Karbon Aktif-Magnetit (KA-Fe₃O₄) Sebagai Adsorben Ion Cr (VI), *Skripsi*, Jurusan Kimia FMIPA IPB, Bogor.
- Rukmana, R., 2004, *Nilam Prospek Agribisnis dan Teknik Budidaya*, Kanisius, Yogyakarta.
- Sariadi, 2012, Pemurnian Minyak Nilam dengan Proses Adsorpsi Menggunakan Bentonit, *JT PNL.*, 12(2), 100-104.
- Sawyer, C.N. dan Mc Carty, P.L., 1987, *Chemistry of Engineering*, 3th Ed., Mc Graw Hill, Kogakusha Ltd., Tokyo.
- Septiana, A. A., Frans, A. H., dan Andr, C. K., 2013, Potensi Jeruk Nipis (*Citrus Aurantifolia*) sebagai Bahan Pengkhalat dalam Proses Pemurnian Minyak Nilam (*Patchouli Oil*) dengan Metode Kompleksimetri, *JRTI.*, 2(2), 257-261.
- Sobirin. M., Yulianto, A., dan Aji, M.P., 2016, Efek Penambahan Karbon Aktif pada Magnetit dari Pasir Besi Sebagai Adsorpsi Ion Kalsium dalam Air, *UPJ*, 5(2), 42-50.
- Susanti, B.A., 2000, Pengaruh pH dalam Sintesis Magnetit dengan Menggunakan Kalium Nitrat sebagai Elektrolit Pendukung, *Skripsi*, Jurusan Kimia FMIPA UGM, Yogyakarta.
- Suyanta, Kartini, I., dan Arryanto, Y., 1999. Kajian Pengaruh pH dalam Pembuatan Sol Gel Magnetit sebagai Adsorben Logam, *Laporan Penelitian M.A.K.*, 5250 Anggaran Rutin Universitas Gadjah Mada, Yogyakarta.

- Syafruddin, 2000, Evaluasi Kesesuaian Lahan untuk Memproduksi Daun Tanaman Nilam (*Pogostemon Cablin Benth.*), *Tesis*, Universitas Gadjah Mada, Yogyakarta.
- Titirici, M.M., Thomas, A., Yu, S.H., Muller, J.O., and Antonietti, M., 2007, A Direct Synthesis of Mesoporous Carbons with Bicontinuous Pore Morphology from Crude Plant Material by Hydrothermal Carbonization, *Chem. Mater.*, 19(17), 4205-4212.
- Treybal, R.E., 1980, *Mass Transfer Operations*, 3th ed., McGraw-Hill Book Company, New York.
- Unsoy, G., Gunduz, U., Oprea, O., Ficai, D., Sonmez, M., Radulescu, M., Alexie, M., and Ficai, M., 2015, Magnetite; from Synthesis to Applications, *Curr. Top. Med Chem.*, 15, 1622-1640.
- Usman, M., Byrne, J.M., Chaudhary, A., Orsetti, S., Hanna, K., Ruby, C., Kappler, A., and Haderlein, S.B., 2018, Magnetite and Green Rust: Synthesis, Properties, and Environment Applications of Mixed-Valent Iron Minerals, *Chem. Rev.*, 118, 3251-3304.
- Wati, N.F.N., 2014, Peningkatan Kualitas Minyak Nilam Melalui Adsorpsi Menggunakan Adsorben γ -alumina dengan Sistem Flow, *Indo. J. Chem. Res.*, 2(1), 80-92.
- Yakout, S.M., and El-deen, G.S., 2016, Characterization of Activated Carbon Prepared by Phosporic Acid Activation of Olive Stones, *Arabian J. Chem.*, 9, 1155-1162.