

DAFTAR PUSTAKA

- Abutair, A. S., Naser, I. A. & Hamed, A. T., 2016. Soluble Fibers from Psyllium Improve Glycemic Response and Body Weight Among Diabetes Type 2 Patients (Randomized Control Trial). *Nutrition Journal*, 15(86), pp. 1-7.
- Adachi, K. et al., 2019. Gut microbiota disorders cause type 2 diabetes mellitus and homeostatic disturbances in gut related metabolism in Japanese subjects. *Journal of Clinical Biochemistry*, 64(3), pp. 231-238.
- Afaghi, A., Ziaee, A. & Afaghi, M., 2012. Effect of low-glycemic load diet on changes in cardiovascular risk factors in poorly controlled diabetic patients. *Indian Journal of Endocrinology and Metabolism*, 16(6), pp. 991-995.
- Ajala, O., English, P. & Pinkney, J., 2013. Systematic review and meta-analysis of different dietary approaches to the management of type 2 diabetes. *American Journal of Clinical Nutrition*, Volume 97, pp. 505-516.
- Alberti, K., Zimmet, P. & Shaw, J., 2007. International Diabetes Federation: a Consensus on Type 2 Diabetes Prevention. *Diabetic Medicine*, Volume 24, pp. 451-463.
- Al-Dhubiab, B. E., 2012. Pharmaceutical Applications and Phytochemical Profile of *Cinnamomum burmannii*. *Pharmacognosy Reviews*, 6(12), pp. 125-131.
- Al-Goblan, A. S., Al-Alfi, M. A. & Khan, M. Z., 2014. Mechanism Linking Diabetes Mellitus and Obesity. *Diabetes, Metabolic Syndrome and Obesity*, Volume 7, pp. 587-591.
- Allen, R. W. et al., 2013. Cinnamon Use in Type 2 Diabetes: An Updated Systematic Review and Meta-Analysis. *Annals of Family Medicine*, 11(5), pp. 452-459.
- Alusinsing, G., Bodhi, W. & Sudewi, S., 2014. Uji Efektivitas Kulit Batang Kayu Manis (*Cinnamomum burmannii*) terhadap Penurunan kadar Gula Darah Tikus Putih Jantan Galur Wistar (*Rattus norvegicus*) yang Diinduksi Sukrosa. *Pharmakon*, 3(3), pp. 273-278.
- American Association of Cereal Chemists, 2001. The Definition of Dietary Fiber. *AACC Report*, 46(3), pp. 112-126.
- American Diabetes Association, 2010. Diagnosis and Classification of Diabetes Mellitus. *Diabetes Care*, 33(Supplement 1), pp. 562-569.
- Andrade, E. F. et al., 2016. Exercise and Beta-Glucan Consumption (*Saccharomyces cerevisiae*) Improve the Metabolic Profile and Reduce the

- Atherogenic Index in Type 2 Diabetic Rats (HFD/STZ). *Nutrients*, 8(792), pp. 1-11.
- Arai, S. et al., 2002. Recent Trends in Functional Food Science and the Industry in Japan. *Bioscience, Biotechnology, and Biochemistry*, 66(10), pp. 2017-2029.
- Arif, A. B., Budiyanto, A. & Hoerudin, 2013. Nilai Indeks Glikemik Produk Pangan dan Faktor-faktor yang Mempengaruhinya. *Jurnal Litbang Pertanian*, 32(3), pp. 91-99.
- Arnold-Worner, N., Holle, R., Rathmann, W. & Mielck, A., 2008. The Importance of Specialist Treatment, Treatment Satisfaction and Diabetes Education for the Compliance of Subjects with Type 2 Diabetes – Results from a Population-based Survey. *Experimental and Clinical Endocrinology & Diabetes*, 116(2), pp. 123-128.
- Arroyo, M. et al., 2004. Comparison of Predicted Body Fat Percentage From Anthropometric Methods and From Impedance in University Students. *British Journal of Nutrition*, 92(5), pp. 827-832.
- Ashwar, B. A., Shah, A., Wani, I. A. & Masoodi, F. A., 2016. Preparation, health benefits and applications of resistant starch—a review. *Starch*, Volume 68, pp. 287-301.
- Aune, D., Norat, T. & Romundstad, P., 2013. Whole grain and refined grain consumption and the risk of type 2 diabetes: a systematic review and dose-response meta-analysis of cohort studies. *European Journal of Epidemiology*, Volume 28, pp. 845-858.
- Aziz, A., Kenney, L., Goulet, B. & Abdel-Aal, E. S., 2009. Dietary starch type affects body weight and glycemic control in freely fed but not energy-restricted obese rats. *Journal of Nutrition*, Volume 139, pp. 1881-1889.
- Badan Pengawas Obat dan Makanan Republik Indonesia, 2016. *Peraturan Kepala Badan Pengawas Obat dan Makanan Republik Indonesia No 13 Tahun 2016 tentang Pengawas Klaim pada Label dan Iklan Pangan Olahan*. s.l.:s.n.
- Bandara, T., Uluwaduge, I. & Jansz, E., 2011. Bioactivity of Cinnamon with Special Emphasis on Diabetes Mellitus: A Review. *International Journal of Food Sciences and Nutrition*, 63(3), pp. 380-386.
- Baptiste-Roberts, K. et al., 2007. Family History of Diabetes, Awareness of Risk Factors, and Health Behaviors Among African Americans. *American Journal of Public Health*, 97(5), pp. 907-912.

- Barba, C. et al., 2004. Appropriate Body-mass Index for Asian Populations and Its Implications for Policy and Intervention Strategies. *The Lancet Public Health*, Volume 363, pp. 157-163.
- Bardini, G., Rotella, C. M. & Giannini, S., 2012. Dyslipidemia and Diabetes: Reciprocal Impact of Impaired Lipid Metabolism and Beta-Cell Dysfunction on Micro- and Macrovascular Complications. *The Review of Diabetic Studies*, 9(2-3), pp. 82-93.
- Barzilai, N. et al., 1999. Surgical Removal of Visceral Fat Reverses Hepatic Insulin Resistance. *Diabetes*, Volume 48, pp. 94-98.
- Bays, H., 2014. Central Obesity as a Clinical Marker of Atherosclerosis; Increased Visceral Adiposity as a Surrogate Marker for Global fat Dysfunction. *Current Opinion in Endocrinology, Diabetes, and Obesity*, 21(5), pp. 345-351.
- Birketvedt, G. S., Shimshi, M., Thom, E. & Florholmen, J., 2005. Experiences with Three Different Fiber Supplements in Weight Reduction. *Medical Science Monitor*, 11(1), pp. 15-18.
- Blaak, E., 2001. Gender differences in fat metabolism. *Current Opinion in Clinical Nutrition and Metabolic Care*, Volume 4, pp. 499-502.
- Ble-Castillo, J. L. et al., 2010. Effects of Native Banana Starch Supplementation on Body Weight and Insulin Sensitivity in Obese Type 2 Diabetics. *International Journal of Environmental Research and Public Health*, Volume 7, pp. 1953-1962.
- Bodinham, C. L. et al., 2014. Efficacy of increased resistant starch consumption in human type 2 diabetes. *Endocrine Connections*, Volume 3, pp. 75-84.
- Bo, M. S. et al., 2018. Understanding the Relationship between Atherogenic Index of Plasma and Cardiovascular Disease Risk Factors among Staff of an University in Malaysia. *Journal of Nutrition and Metabolism*, pp. 1-6.
- Booth, G. L., Kapral, M. K., Fung, K. & Tu, J. V., 2006. Relation between age and cardiovascular disease in men and women with diabetes compared with non-diabetic people: a population-based retrospective cohort study. *Lancet*, Volume 368, pp. 29-36.
- Bouche, C. et al., 2000. Regulation of Lipid Metabolism and Fat Mass Distribution by Chronic Low Glycemic Index Diet in Non Diabetic Subjects. *Diabetes*, Volume 49.
- Bower, J. K., 2010. *Prediction of Incident Type 2 Diabetes: Modifiable and Non-Modifiable Risk Factors Among High-Risk Populations and Diverse*

Racial/Ethnic Groups. [Disseration]. Minneapolis: University of Minnesota.

- Brand-Miller, J. C., 2003. Glycemic Load and Chronic Disease. *Nutrition Reviews*, 61(5), pp. 49-55.
- Brand-Miller, J. C., Holt, S. H., Pawlak, D. B. & McMillan, J., 2002. Glycemic Index and Obesity. *American Journal of Clinical Nutrition*, 76(Supplement), pp. 281S-285S.
- Briggs, M. A., Petersen, K. S. & Kris-Etherton, P. M., 2017. Saturated Fatty Acids and Cardiovascular Disease: Replacements for Saturated Fat to Reduce Cardiovascular Risk. *Healthcare*, 5(29), pp. 1-29.
- Bueno, N. B., de Melo, I. S. V., de Oliveira, S. L. & Ataide, T. d. R., 2013. Systematic Review with Meta-analysis Very-low-carbohydrate ketogenic diet v. low-fat diet for long-term weight loss: a meta-analysis of randomised controlled trials. *British Journal of Nutrition*, Volume 110, pp. 1178-1187.
- Caminhotto, R. d. O. et al., 2015. Atkins diet program rapidly decreases atherogenic index of plasma in trained adapted overweight men. *The Archives of Endocrinology and Metabolism*, 59(6), pp. 568-571.
- Canfora, E. E., Jocken, J. W. & Blaak, E. E., 2015. Short-chain fatty acids in control of body weight and insulin sensitivity. *Nature Reviews Endocrinology*, Volume 11, pp. 577-591.
- Canfora, E. E., Jocken, J. W. & Blaak, E. E., 2015. Short-chain Fatty Acids in Control of Body Weight and Insulin Sensitivity. *Nature Review Endocrinology*, pp. 1-15.
- Chandalia, M. et al., 2000. Beneficial Effects of High Dietary Fiber Intake in Patients with Type 2 Diabetes Mellitus. *The New England Journal of Medicine*, Volume 342, pp. 1392-1398.
- Chen, H. et al., 2003. Konjac Supplement Alleviated Hypercholesterolemia and Hyperglycemia in Type 2 Diabetic Subjects—A Randomized Double-Blind Trial. *Journal of American College of Nutrition*, Volume 22, pp. 36-42.
- Chen, P., Sun, J. & Ford, P., 2014. Differentiation of the Four Major Species of Cinnamons (*C. burmannii*, *C. verum*, *C. cassia*, and *C. loureiroi*) Using a Flow Injection Mass Spectrometric (FIMS) Fingerprinting Method. *Journal of Agriculture and Food Chemistry*, 62(12), pp. 2516-2521.
- Chen, Y. et al., 2018. Butyrate from pectin fermentation inhibits intestinal cholesterol absorption and attenuates atherosclerosis in apolipoprotein E-deficient mice. *Journal of Nutrition Biochemistry*, Volume 56, pp. 175-182.

- Choi, K. & Kim, Y.-B., 2010. Molecular Mechanism of Insulin Resistance in Obesity and Type 2 Diabetes. *The Korean Journal of Internal Medicine*, 25(2), pp. 119-129.
- Cho, S.-H. et al., 2005. Effects of Cassia tora Fiber Supplement on Serum Lipids in Korean Diabetic Patients. *Journal of Medicinal Food*, 8(3), pp. 311-318.
- Cibickova, L. et al., 2014. Correlation of Lipid Parameters and Markers of Insulin Resistance: Does Smoking Make a Difference?. *Physiological Research*, 63(Suppl. 3), pp. 387-393.
- Cnop, M., 2008. Fatty acids and glucolipotoxicity in the pathogenesis of Type 2 diabetes. *Biochemical Society Transactions*, 36(3), pp. 348-352.
- Couturier, K. et al., 2010. Cinnamon Improves Insulin Sensitivity and Alters The Body Composition in An Animal Model of The Metabolic Syndrome. *Archives of Biochemistry and Biophysics*, Volume 501, pp. 158-161.
- De Lorenzo, A. et al., 2013. Adiposity rather than BMI determines metabolic risk. *International Journal of Cardiology*, Volume 166, pp. 111-117.
- DeFronzo, R. A., 2004. Pathogenesis of Type 2 Diabetes Mellitus. *Medical Clinics of North America*, Volume 88, pp. 787-835.
- Denova-Gutierrez, E. et al., 2010. Dietary Glycemic Index, Dietary Glycemic Load, Blood Lipids, and Coronary Heart Disease. *Journal of Nutrition and Metabolism*, pp. 1-8.
- Devaraj, R. D., Reddy, C. K. & Xu, B., 2018. Health-promoting effects of konjac glucomannan and its practical applications: A critical review. *International Journal of Biological Macromolecules*, Volume 126, pp. 273-281.
- Djaafar, T. F., Sarjiman & Pustika, A. B., 2010. Pengembangan Budi Daya Tanaman Garut dan Teknologi Pengolahannya untuk Mendukung Ketahanan Pangan. *Jurnal Litbang Pertanian*, 29(1), pp. 25-33.
- Dobiasova, M., 2006. AIP--atherogenic Index of Plasma as a Significant Predictor of Cardiovascular Risk: From Research to Practice. *Vnitri lekarstvi*, 52(1), pp. 64-71.
- Dobiasova, M. & Frohlich, J., 2001. The plasma parameter log (TG/HDL-C) as an atherogenic index: correlation with lipoprotein particle size and esterification rate in apoB-lipoprotein-depleted plasma (FERHDL). *Clinical Biochemistry*, Volume 34, pp. 583-588.
- Dobiasova, M. et al., 2011. Cholesterol esterification and atherogenic index of plasma correlate with lipoprotein size and findings on coronary angiography. *Journal of Lipid Research*, Volume 52, pp. 566-571.

- Duguo, J. et al., 2007. From Type 2 Diabetes to Antioxidant Activity: A Systematic Review of the Safety and Efficacy of Common and Cassia Cinnamon Bark.. *Canadian Journal Physiologi Pharmacology*, 85(9), pp. 837-847.
- Emilda, 2018. Efek Senyawa Bioaktif Kayu Manis *Cinnamomum burmannii* NEES EX.BL.) Terhadap Diabetes Melitus: Kajian Pustaka. *Jurnal Fitofarmaka Indonesia*, 5(1), pp. 246-252.
- Enriori, P. J., Evans, A. E., Sinnayah, P. & Cowley, M. A., 2006. Leptin Resistance and Obesity. *Obesity*, 14(Supplement), pp. 254-258.
- Ershow, A. G., 2009. Environmental Influences on Development of Type 2 Diabetes and Obesity: Challenges in Personalizing Prevention and Management. *Journal of Diabetes Science and Technology*, 3(4), pp. 727-734.
- Ervina, M., Esar, S. & Nawu, Y., 2016. Comparison of In Vitro Antioxidant Activity of Infusion, Extract and Fractions of Indonesian Cinnamon (*Cinnamomum burmannii*) Bark. *International Food Research journal*, 23(3), pp. 1346-1350.
- Evalia, N. A., 2015. Strategi Pengembangan Agroindustri Gula Semut Aren. *Jurnal Manajemen & Agribisnis*, 12(1), pp. 57-67.
- Fahrizal, N. & Kartiwan, 2017. Optimasi Produksi Gula Cetak dan Gula Semut Lontar Terintegrasi dengan Metode Linear Programming. *Seminar Nasional Hasil Penelitian (SNHP)-VII Lembaga Penelitian dan Pengabdian kepada Masyarakat*, pp. 505-510.
- Faridah, A., Widjanarko, S. B., Sutrisno, A. & Susilo, B., 2012. Optimasi Produksi Tepung Porang dari Chips Porang Secara Mekanis dengan Metode Permukaan Respons. *Jurnal Teknik Industri*, 13(2), pp. 158-166.
- Faridah, D. N., Fardiaz, D., Andarwulan, N. & Sunarti, T. C., 2014. Karakteristik Sifat Fisikokimia Pati Garut (*Maranta arundinaceae*). *Agri-tech*, 34(1), pp. 14-21.
- Ford, E. S., Mokdad, A. H. & Giles, W. H., 2003. Trends in Waist Circumference among U.S. Adults. *Obesity Research*, 11(10), pp. 1223-1231.
- Foschia, M., Peressini, D., Sensidoni, A. & Stephen, C., 2013. The effects of dietary fibre addition on the quality of common cereal products. *Journal of Cereal Science*.
- Foster-Powell, K. & Brand-Miller, J. C., 1995. International Tables of Glycemic Index. *American Journal of Clinical Nutrition*, Volume 62, pp. 817-893.

- Franco, B. M. et al., 2014. Soluble and insoluble dietary fibre intake and risk factors for metabolic syndrome and cardiovascular disease in middle-aged adults: the AWHs cohort. *Nutrition Hospitalaria*, 30(6), pp. 1279-1288.
- Gabriely, I. et al., 2002. Removal of Visceral Fat Prevents Insulin Resistance and Glucose Intolerance of Aging: An Adipokine-Mediated Process?. *Diabetes*, Volume 51, pp. 2951-2958.
- Galisteo, M., Duarte, J. & Zarzuelo, A., 2008. Effects of dietary fibers on disturbances clustered in the metabolic syndrome. *Journal of Nutrition Biochemistry*, Volume 19, pp. 71-84.
- Gama, D. B., 2019. *Perbandingan Uji Sifat Kimia, Indeks Glikemik (IG), dan Beban Glikemik (BG) antara Kukis Garut (*Maranta arundinaceae*) yang Mengandung Glukomanan Porang (*Amorphophalus oncophyllus*) dengan Penambahan Gula Aren dan Gula Tebu*. Yogyakarta: Universitas Gadjah Mada.
- Genta, S. et al., 2009. Yacon Syrup: Beneficial Effects on Obesity and Insulin Resistance in Humans. *Clinical Nutrition*, Volume 28, pp. 182-187.
- Giacco, R. et al., 2014. A whole-grain cereal-based diet lowers postprandial plasma insulin and triglyceride levels in individuals with metabolic syndrome. *Nutrition, Metabolism, & Cardiovascular Disease*, pp. 1-8.
- Global Agricultural Information Network, 2014. *Japan's Health Food Market: Background, Trends, and Recommendations*, Tokyo: USDA Foreign Agricultural Service.
- Goff, L. M., Cowland, D. E., Hooper, L. & Frost, G. S., 2013. Low glycaemic index diets and blood lipids: A systematic review and meta-analysis of randomised controlled trials. *Nutrition, Metabolism & Cardiovascular Disease*, Volume 23, pp. 1-10.
- Goossens, G. H., 2008. The Role of Adipose Tissue Dysfunction in The Pathogenesis of Obesity-Related Insulin Resistance. *Physiology & Behavior*, Volume 94, pp. 206-218.
- Gray, J., 2006. *Dietary Fibre: Definition, Analysis, Physiology & Health*. Brussels: ILSI Europe.
- Gurruci, S., Hartriyanti, Y., Hautvast, J. & Deurenberg, P., 1998. Relationship between body fat and body mass index: differences between Indonesians and Dutch Caucasians. *European Journal of Clinical Nutrition*, Volume 52, pp. 779-783.

- Hall, K. D. et al., 2012. Energy balance and its components: implications for body weight regulation. *American Journal of Clinical Nutrition*, Volume 95, pp. 989-994.
- Hamedani, A., Akhavan, T., Samra, R. A. & Anderson, G. H., 2009. Reduced Energy Intake at Breakfast is Not Compensated for At Lunch If a High-Insoluble-fiber Cereal Replaces a Low-fiber Cereal. *American Journal of Clinical Nutrition*, Volume 89, pp. 1343-1349.
- Harmayani, E., Kumalasari, I. D. & Marsono, Y., 2011. Effect of Arrowroot (*Maranta arundinacea* L.) Diet on the Selected Bacterial Population and Chemical Properties of Caecal Digesta of Sprague Dawley Rats. *International Research Journal of Microbiology*, 2(8), pp. 278-284.
- Hasan, V., Astuti, S. & Susilawati, 2011. Indeks Glikemik Oyek dan Tiwul dari Umbi Garut (*Marantha arundinaceae* L.), Suweg (*Amorphallus campanullatus* BI) dan Singkong (*Manihot utilissima*). *Jurnal Teknologi Industri dan Hasil Pertanian*, 16(1), pp. 34-50.
- Hermans, M. P., Ahn, S. A. & Rousseau, M. F., 2012. The atherogenic dyslipidemia ratio [$\log(\text{TG})/\text{HDL-C}$] is associated with residual vascular risk, beta-cell function loss and microangiopathy in type 2 diabetes females. *Lipids in Health and Disease*, 11(132), pp. 1-8.
- Higgins, J. et al., 2011. Resistant starch and exercise independently attenuate weight regain on a high fat diet in a rat model of obesity. *Nutrition & Metabolism*, 8(49), pp. 1-15.
- Hlebowicz, J., Darwiche, G., Bjorgell, O. & Almer, L.-O., 2007. Effect of Cinnamon on Postprandial Blood Glucose, Gastric Emptying, and Satiety in Healthy Subjects. *American Journal of Clinical Nutrition*, Volume 85, pp. 1552-1556.
- Hu, F. B., 2011. Globalization of Diabetes: The Role of Diet, Lifestyle, and Genes. *Diabetes Care*, Volume 34, pp. 1249-1257.
- Hu, J., Lin, S., Zheng, B. & Cheung, P. C., 2017. Short-chain Fatty Acids in Control of Energy Metabolism. *Critical Reviews in Food Science and Nutrition*, 58(8), pp. 1243-1249.
- Immerstrand, T. et al., 2010. Effects of oat bran, processed to different molecular weights of β -glucan, on plasma lipids and caecal formation of SCFA in mice. *British Journal of Nutrition*, Volume 104, pp. 364-373.
- International Diabetes Federation, 2006. *The IDF Consensus Worldwide Definition of The Metabolic Syndrome*. Brussels: IDF.

- International Diabetes Federation, 2017. *IDF Diabetes Atlas Seventh Edition*.
[Online]
Available at: <https://www.idf.org/e-library/epidemiology-research/diabetes-atlas.html>
[Accessed 25 April 2019].
- International Obesity Task Force, 2000. *The Asia-Pacific Perspective: Redefining Obesity and Its Treatment*. Western Pacific Region: s.n.
- Isken, F. et al., 2010. Effects of long-term soluble vs. insoluble dietary fiber intake on high-fat diet-induced obesity in C57BL/6J mice. *Journal of Nutritional Biochemistry*, Volume 21, pp. 278-284.
- Jenkins, D. J. et al., 2000. Viscous and nonviscous fibres, nonabsorbable and low glycaemic index carbohydrates, blood lipids and coronary heart disease. *Current Opinion in Lipidology*, Volume 11, pp. 49-56.
- Jenkins, D. J. et al., 2002. Effect of Wheat Bran on Glycemic Control and Risk Factors for Cardiovascular Disease in Type 2 Diabetes. *Diabetes Care*, Volume 25, pp. 1522-1528.
- Johnson, R. J. et al., 2009. Hypothesis: Could Excessive Fructose Intake and Uric Acid Cause Type 2 Diabetes?. *Endocrine Reviews*, 30(1), pp. 96-116.
- Jung, C.-H. & Choi, K. M., 2017. Impact of High-Carbohydrate Diet on Metabolic Parameters in Patients with Type 2 Diabetes. *Nutrients*, 9(322), pp. 1-21.
- Kahn, S. E., Hull, R. L. & Utzschneider, K. M., 2006. Mechanism Linking Obesity to Insulin Resistance and Type 2 Diabetes. *Nature*, Volume 444, pp. 840-846.
- Kardum, N. et al., 2014. Effects of Glucomannan-Enriched, Aronia Juice-Based Supplement on Cellular Antioxidant Enzymes and Membrane Lipid Status in Subjects with Abdominal Obesity. *The Scientific World Journal*, pp. 1-7.
- Kasuga, M., 2006. Insulin Resistance and Pancreatic β Cell Failure. *The Journal of Clinical Investigation*, 116(7), pp. 1756-1760.
- Katsuki, A. et al., 2003. Increased Visceral Fat and Serum Levels of Triglyceride Are Associated With Insulin Resistance in Japanese Metabolically Obese, Normal Weight Subjects With Normal Glucose Tolerance. *Diabetes Care*, Volume 26, pp. 2341-2344.
- Keenan, M. J. et al., 2006. Effects of Resistant Starch, A Non-digestible Fermentable Fiber, on Reducing Body Fat. *Obesity*, 14(9), pp. 1523-1534.

- Keithley, J. K. et al., 2013. Safety and Efficacy of Glucomannan for Weight Loss in Overweight and Moderately Obese Adults. *Journal of Obesity*, Volume 2013, pp. 1-8.
- Keithley, J. & Swanson, B., 2005. Glucomannan and Obesity: A Critical Review. *Alternative Therapies*, 11(6), pp. 30-34.
- Kelishadi, R., Mansourian, M. & Heidari-Beni, M., 2014. Association of fructose consumption and components of metabolic syndrome in human studies: A systematic review and meta-analysis. *Nutrition*, Volume 30, pp. 503-510.
- Kementerian Kesehatan Republik Indonesia, 2018. *Hasil Utama Riskesdas 2018*. [Online] Available at: http://www.depkes.go.id/resources/download/info-terkini/materi_rakorpop_2018/Hasil%20Riskesdas%202018.pdf?opwvc=1 [Accessed 25 April 2019].
- Khanam, M. et al., 2014. Comparison of Atherogenic Index of Plasma (AIP) Between Postmenopausal Women with Central Obesity and Postmenopausal Nonobese Women. *Chattagram Maa-O-Shishu Hospital Medical College Journal*, 13(2), pp. 47-50.
- Kharroubi, I., Rasschaert, J., Eizirik, D. L. & Cnop, M., 2003. Expression of adiponectin receptors in pancreatic β cells. *Biochemical and Biophysical Research Communications*, 312(4), pp. 1118-1122.
- Kiani, R., 2018. Chapter 18 - Dyslipidemia. In: *Practical Cardiology*. s.l.:Elsevier, pp. 303-309.
- King, D. E. et al., 2007. Effect of a High-Fiber Diet vs a Fiber-Supplemented Diet on C-Reactive Protein Level. *Archives of Internal Medicine*, Volume 167, pp. 502-506.
- Kleemann, R. et al., 2007. Atherosclerosis and liver inflammation induced by increased dietary cholesterol intake: a combined transcriptomics and metabolomics analysis. *Genome Biology*, 8(R200).
- Klok, M. D., Jakobsdottir, S. & Drent, M. L., 2007. The role of leptin and ghrelin in the regulation of food intake and body weight in humans: a review. *Obesity*, Volume 8, pp. 21-34.
- Kolovou, G. D., Anagnostopoulou, K. K. & Cokkinos, D. V., 2005. Pathophysiology of dyslipidaemia in the metabolic syndrome. *Postgraduate Medical Journal*, Volume 81, pp. 358-366.
- Kondoy, S., Wullur, A. & Bodhi, W., 2013. Potensi Ekstrak Etanol dan daun Kayu Manis (*Cinnamomum burmanii*) terhadap Penurunan Kadar Glukosa Darah

dari Tikus Putih jantan (*Rattus norvegicus*) yang Diinduksi Sukrosa. *Pharmacol*, 2(3), pp. 96-99.

Kotani, K., Tsuzaki, K., Sakane, N. & Taniguchi, N., 2012. The Correlation Between Small Dense LDL and Reactive Oxygen Metabolites in a Physical Activity Intervention in Hyperlipidemic Subjects. *Journal of Clinical Medicine Research*, 4(3), pp. 161-166.

Kravitz, L. & Heyward, V. H., 2002. *Getting a Grip on Body Composition*. [Online] Available at: <https://www.unm.edu/> [Accessed 12 May 2019].

Kurniati, H., 2015. Karakteristik Pengeringan Chips Porang (*Amorphophallus oncophyllus*) Menggunakan Cabinet Dryer dengan Variasi Suhu dan Ketebalan Irisan. In: *Thesis*. Yogyakarta: Universitas Gadjah Mada.

Kurniawan, H., Bintoro, N. & WK, J. N., 2018. Pendugaan Umur Simpan Gula Semut dalam Kemasan dengan Pendekatan Arrhenius. *Jurnal Ilmiah Rekayasa Pertanian dan Biosistem*, 6(1), pp. 93-99.

Kurniawan, I., 2010. Diabetes Mellitus Tipe 2 pada Usia Lanjut. *Majalah Kedokteran Indonesia*, 60(12), pp. 576-584.

Kusimaningtyas, I. D., Fajariyah, S. & Utami, E. T., 2014. Pengaruh Seduhan Kayu Manis (*Cinnamomum burmanii*) terhadap Struktur Pankreas Mencit (*Mus musculus*) Strain Balb-C Diabetik. *Jurnal Ilmu Dasar*, 15(2), pp. 69-73.

Lambert, J. E. & Parks, E. J., 2012. Postprandial metabolism of meal triglyceride in humans. *Biochimica et Biophysica Acta*, Volume 1821, pp. 721-726.

Larsen, N. et al., 2010. Gut Microbiota in Human Adults with Type 2 Diabetes Differs from Non-Diabetic Adults. *PLoS ONE*, 5(2).

Lemaitre, R. N. et al., 2015. Plasma phospholipid very-long-chain saturated fatty acids and incident diabetes in older adults: the Cardiovascular Health Study. *American Journal of Clinical Nutrition*, Volume 101, pp. 1047-1054.

Lestari, L. A. et al., 2020. Glycemic index and glycemic load of arrowroot (*Marantha arundinaceae*) cookies with the addition of cinnamon (*Cinnamomum verum*) and porang (*Amorphophallus oncophyllus*) glucomannan. *Food Research*, 4(3), pp. 866-872.

Lestari, L. A., Huriyati, E. & Marsono, Y., 2017. The development of low glycemic index cookie bars from foxtail millet (*Setaria italica*), arrowroot (*Marantha arundinacea*) flour, and kidney beans (*Phaseolus vulgaris*). *Journal of Food Science and Technology*, 54(6), pp. 1406-1413.

- Lin, H. V. et al., 2012. Butyrate and Propionate Protect against Diet-Induced Obesity and Regulate Gut Hormones via Free Fatty Acid Receptor 3-Independent Mechanisms. *PLoS One*, 7(4), pp. 1-9.
- Li, Z. et al., 2018. Atherogenic Index in Type 2 Diabetes and Its Relationship with Chronic Microvascular Complications. *International Journal of Endocrinology*, pp. 1-9.
- Ludwig, D. et al., 1999. High Glycemic Index Food, Over-eating, and Obesity. *Pediatrics*, Volume 103, pp. E261-E266.
- Ludwig, D. S., 2002. The Glycemic Index: Physiological Mechanism Relating to Obesity, Diabetes, and Cardiovascular Disease. *JAMA*, 287(18), pp. 2412-2424.
- Lu, T. et al., 2012. Cinnamon extract improves fasting blood glucose and glycosylated hemoglobin level in Chinese patients with type 2 diabetes. *Nutrition Research*, Volume 32, pp. 408-412.
- Manjunath, C. N., Rawal, J. R., Irani, P. M. & Madhu, K., 2013. Atherogenic dyslipidemia. *Indian Journal of Endocrinology and Metabolism*, 17(6), pp. 969-976.
- Maranhao, R. & Freitas, F. R., 2014. Chapter One - HDL Metabolism and Atheroprotection: Predictive Value of Lipid Transfers. In: *Advances in Clinical Chemistry*. s.l.:Elsevier, pp. 1-41.
- Marinangeli, C. P. & Jones, P. J., 2010. Plant sterols, marine-derived omega-3 fatty acids and other functional ingredients: a new frontier for treating hyperlipidemia. *Nutrition & Metabolism*, 7(76), pp. 1-7.
- Market Research Report, 2017. *Diabetic Food Market Analysis By Application (Confectionery, Ice Creams And Jellies, Dietary Beverages, Baked Products, And Dairy Products), By Regions (North America, Asia Pacific, Europe, Central & South America, MEA), And Segment Forecasts, 2018 – 2025*. [Online]
Available at: <https://www.grandviewresearch.com/industry-analysis/diabetic-food-market>
[Accessed 25 April 2019].
- Marsono, Y., 2002. Indeks Glisemik Umbi-Umbian. *Agritech*, 22(1), pp. 13-16.
- Marsono, Y., 2008. Prospek Pengembangan Makanan Fungsional. *Jurnal Teknologi Pangan dan Gizi*, 7(1), pp. 19-27.
- Maryanto, S. & Marsono, Y., 2019. The Atherogenic Index of Plasma Treated with Red Guava (*Psidium guajava* L.). *IOP Conference Series: Earth and Environmental Science*, Volume 276, pp. 1-5.

- Matsuda, M. & Shimomura, I., 2013. Increased Oxidative Stress in Obesity: Implications for Metabolic Syndrome, Diabetes, Hypertension, Dislipidemia, Atherosclerosis, and Cancer. *Obesity Research & Clinical Practice*, pp. 1-12.
- Mcintosh, M. & Miller, C., 2001. A Diet Containing Food Rich in Soluble and Insoluble Fiber Improves Glycemic Control and Reduces Hyperlipidemia among Patients with Type 2 Diabetes Mellitus. *Nutrition Reviews*, 59(2), pp. 52-55.
- Medagama, A. B., 2015. The Glycemic Outcomes of Cinnamon, A Review of The Experimental Evidence and Clinical Trials. *Nutrition Journal*, 14(108), pp. 1-12.
- Mensink, R. P., 2016. *Effects of saturated fatty acids on serum lipids and lipoprotein: a systematic review and regression analysis*. Geneva: World Health Organization.
- Mesalic, L., Tupkovic, E., Kendic, S. & Balic, D., 2008. Correlation between hormonal an lipid status in women in menopause. *Bosnian Journal of Basic Medical Sciences*, 8(2), pp. 188-192.
- Millan, J. et al., 2009. Lipoprotein ratios: Physiological significance and clinical usefulness in cardiovascular prevention. *Vascular Health and Risk Management*, Volume 5, pp. 757-765.
- Millaty, M., 2018. Potensi Pengembangan Industri Gula Semut di Desa Trenten Kecamatan Candimulyo Kabupaten Magelang. *Berkala Ilmiah Agribisnis Adridevina*, 7(1), pp. 21-61.
- Mirrahimi, A. et al., 2014. The Role of Glycemic Index and Glycemic Load In Cardiovascular Disease And Its Risk Factors: A Review of The Recent Literature. *Current Atherosclerosis Reports*, 16(381), pp. 1-10.
- Murray, R. K. et al., 2009. *Harper's Illustrated Biochemistry*. 28th ed. s.l.:The McGraw-Hill Companies.
- Nimmanapalli, H. D., Kasi, A. D., Devapatla, P. K. & Nuttakki, V., 2016. Lipid ratios, atherogenic coefficient and atherogenic index of plasma as parameters in assessing cardiovascular risk in type 2 diabetes mellitus. *International Journal of Research in Medical Sciences*, 4(7), pp. 2863-2869.
- Nugent, A. P., 2005. Health properties of resistant starch. *Nutrition Bulletin*, Volume 30, pp. 27-54.
- Nwagha, U. I. et al., 2010. Atherogenic index of plasma as useful predictor of cardiovascular risk among postmenopausal women in Enugu, Nigeria. *African Health Sciences*, 10(3), pp. 248-252.

- Oftedal, B., Bru, E. & Karlsen, B., 2011. Motivation for diet and exercise management among adults with type 2 diabetes. *Scandinavian Journal of Caring Sciences*, Volume 25, pp. 735-744.
- Olokoba, A. B., Obateru, O. A. & Olokoba, L. B., 2012. Type 2 Diabetes Mellitus: A Review of Current Trends. *Oman Medical Journal*, 27(4), pp. 269-273.
- Ono, M. & Ono, A., 2015. Impacts of the FoSHU (Food for Specified Health Uses) System on Food Evaluations in Japan. *Journal of Consumer Marketing*, 32(7), pp. 542-550.
- Ooi, E. M., Watts, G. F., Ng, T. W. & Barret, P. H. R., 2015. Effect of Dietary Fatty Acids on Human Lipoprotein Metabolism: A Comprehensive Update. *Nutrients*, Volume 7, pp. 4416-4425.
- Palaniappan, L. et al., 2011. Asian Americans Have Greater Prevalence of Metabolic Syndrome Despite Lower Body Mass Index. *International Journal of Obesity*, Volume 35, pp. 393-400.
- Palem, S. P. & Abraham, P., 2018. Atherogenic Index of Plasma an Indicator for Predicting Cardiovascular Risk in Addition to Endothelial Dysfunction in Type 2 Diabetic Subjects. *Journal of Clinical and Diagnostic Research*, 12(6), pp. 21-24.
- Peel, E., Parry, O., Douglas, M. & Lawton, J., 2005. Taking the Biscuit? A Discursive Approach to Managing Diet in Type 2 Diabetes. *Journal of Health Psychology*, 10(6), pp. 779-791.
- Pekerti, A. C., Nila, K. F. & Inggita, K., 2019. Jus Jambu Merah dan Jeruk Siam Menurunkan Trigliserida pada Wanita Dislipidemia. *Indonesian Journal of Human Nutrition*, 6(1), pp. 1-9.
- Pereira, M. et al., 2002. Effect of whole grains on insulin sensitivity in overweight hyperinsulinemic adults. *American Journal of Clinical Nutrition*, Volume 75, pp. 848-855.
- PERKI, 2017. *Panduan Tata Laksana Dislipidemia*. s.l.:Perhimpunan Dokter Spesialis Kardiovaskular Indonesia.
- Perkumpulan Endokrinologi Indonesia, 2015. *Konsensus Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia 2015*. Jakarta: PB Perkeni.
- Phillips, C. M. et al., 2013. Obesity and Body Fat Classification in the Metabolic Syndrome: Impact on Cardiometabolic Risk Metabotype. *Obesity*, Volume 21, pp. 154-161.

- Piemonte, L., 2019. *Type 2 Diabetes*. [Online]
Available at: <https://idf.org/52-about-diabetes.html>
[Accessed 25 April 2019].
- Pontoh, J., 2013. Penentuan Kandungan Sukrosa pda Gula Aren dengan Metode Enzimatik. *Chemistry Progress*, 6(1), pp. 26-33.
- Prameswari, Atika Anif, 2020. Pengaruh Konsumsi *Cookies* Garut dengan Glukomanan Porang sebagai Makanan Selingan terhadap Kadar Gula Darah Puasa Penyandang Diabetes Mellitus Tipe 2. *Tesis*, Universitas Gadjah Mada.
- Putri, N. H. K. & Isfandiari, M. A., 2013. Hubungan Empat Pilar Pengendalian DM Tipe 2 dengan rerata Kadar Gula Darah. *Jurnal Berkala Epidemiologi*, 1(2), pp. 234-243.
- Queenan, K. M. et al., 2007. Concentrated oat β -glucan, a fermentable fiber, lowers serum cholesterol in hypercholesterolemic adults in a randomized controlled trial. *Nutrition Journal*, 6(6).
- Ramulu, P. & Rao, P. U., 2003. Total, Insoluble and Soluble Dietary Fiber Contents of Indian Fruits. *Journal of Food Composition and Analysis*, Volume 16, pp. 677-685.
- Rimbawan & Siagian, A., 2004. *Indeks Glikemik Pangan, Cara Mudah Memilih Pangan yang Menyehatkan*. Jakarta: Penebar Swadaya .
- Robertson, M. et al., 2003. Prior short-term consumption of resistant starch enhances postprandial insulin sensitivity in healthy subjects. *Diabetologia*, Volume 46, pp. 659-665.
- Robertson, M. D. et al., 2005. Insulin-sensitizing Effects of Dietary Resistant Starch and Effects on Skeletal Muscle and Adipose Tissue Metabolism. *American Journal of Clinical Nutrition*, 82(3), pp. 559-567.
- Rukmana, R., 2000. *Garut: Budidaya Pasca Panen*. Yogyakarta: Kanisius.
- Rush, E., Freitas, I. & Plank, L. D., 2009. Body Size, Body Composition and fat Distribution: Comparative Analysis of European, Maori, Pacific Island and Asian Indian Adults. *British Journal of Nutrition*, Volume 102, pp. 632-641.
- Sacks, F. M. & Katan, M., 2002. Randomized clinical trials on the effects of dietary fat and carbohydrate on plasma lipoproteins and cardiovascular disease. *The American Journal of Medicine*, 113(9B), pp. 13-24.
- Salvin, J., 2005. Dietary Fiber and Body Weight. *Nutrition*, 21(411).
- Samra, R. A. & Anderson, G. H., 2007. Insoluble Cereal Fiber Reduces Appetite and Short-term Food Intake and Glycemic Response to Food Consumed 75

Min Later by Healthy Men. *American Journal of Clinical Nutrition*, Volume 86, pp. 972-979.

Samuelsen, A. B. C., Schrezenmeir, J. & Knutsen, S. H., 2014. Effects of orally administered yeast-derived beta-glucans: A review. *Molecular Nutrition and Food Research*, Volume 58, pp. 183-193.

Saputro, P. S. & Estiasih, T., 2015. Pengaruh Polisakarida Larut Air (PLA) dan Serat Pangan Umbi-umbian terhadap Glukosa Darah: Kajian Pustaka. *Jurnal Pangan dan Agroindustri*, 3(2), pp. 756-762.

Sarwono, J., 2006. *Metode Penelitian Kuantitatif dan Kualitatif*. Yogyakarta: Graha Ilmu.

Schultes, B. et al., 2003. Modulation of Hunger by Plasma Glucose and Metformin. *The Journal of Clinical Endocrinology & Metabolism*, 88(3), pp. 1133-1141.

Seidell, J. et al., 1988. Abdominal Fat Depots Measured with Computed Tomography: Effects of Degree of Obesity, Sex, and Age. *European Journal of Clinical Nutrition*, Volume 42, pp. 805-15.

Senghor, A. & William, E., 2013. Non-HDL-C and AIP Compared to hs-CRP in Hypertriglyceridemic Diabetics - A Better Cardiovascular Risk Marker?. *Asian Journal of Pharmaceutical and Clinical Research*, 6(4), pp. 128-130.

Shah, B. R. et al., 2015. Health Benefits of Konjac Glucomannan with Special Focus on Diabetes. *Bioactive Carbohydrates and Dietary Fibers*, Volume 5, pp. 179-187.

Shen, S. et al., 2016. Effect of aerobic exercise on the atherogenic index of plasma in middle-aged Chinese men with various body weights. *International Journal of Cardiology*.

Shimizu, T., 2003. Health Claims on Functional Foods: The Japanese Regulations and an International Comparison. *Nutrition Research Reviews*, Volume 16, pp. 241-252.

Shin, S., Byun, J., Park, K. & Moon, T., 2004. Effect of Partial Acid and Heat Moisture Treatment of Formation of Resistant Tuber Starch. *Journal Cereal Chemistry*, 81(2), pp. 194-198.

Sigal, R. J. et al., 2006. Physical Activity/Exercise and Type 2 Diabetes: A Consensus Statement from the American Diabetes Association. *Diabetes Care*, 29(6), pp. 1433-1437.

Silalahi, J., 2006. *Makanan Fungsional*. Yogyakarta: Kanisius.

- Slabber, M. et al., 1994. Effects of Low-Insulin-Response, Energy Restricted Diet on Weight Loss and Plasma Insulin Concentrations in Hyperinsulinemic Obese Females. *American Journal of Clinical Nutrition*, Volume 60, pp. 48-53.
- Snijder, M., van Dam, R., Visser, M. & Seidell, J., 2006. What Aspects of Body Fat Are Particularly Hazardous and How Do We Measure Them?. *International Journal of Epidemiology*, Volume 35, pp. 83-92.
- Soliman, G. A., 2019. Dietary Fiber, Atherosclerosis, an Cardiovascular Disease. *Nutrients*, Volume 11, pp. 2-11.
- Sood, N., Baker, W. L. & Coleman, C. I., 2008. Effect of Glucomannan on Plasma Lipid and Glucose Concentrations, Body Weight, and Blood Pressure: Systematic Review and Meta-analysis. *American Journal of Clinical Nutrition*, 88(4), pp. 1167-1175.
- Spieth, L. et al., 2000. A Low Glycemic Index Diet in The Treatment of Pediatric Obesity. *Archives of Pediatric and Adolescent Medicine* , 154(9), pp. 947-951.
- Srikaeo, K. & Thongta, R., 2014. Effects of sugarcane, palm sugar, coconut sugar and sorbitol on starch digestibility and physicochemical properties of wheat based foods. *International Food Research Journal*, 22(3), pp. 923-929.
- Steyn, N. et al., 2004. Diet, Nutrition and The Prevention of Type 2 Diabetes. *Public Health Nutrition*, 7(1A), pp. 147-165.
- Sugden, M. & Holness, M., 2011. Pathophysiology of diabetic dyslipidemia: implications for atherogenesis and treatment. *Clinical Lipidology*, 6(4), pp. 401-411.
- Sugiyono, Pratiwi, R. & Faridah, D. N., 2009. Modifikasi Pati Garut (*Marantha arundinaceae*) dengan Perlakuan Siklus Pemanasan Suhu Tinggi-Pendinginan (Autoclaving-cooling Cycling) untuk Menghasilkan Pati Resisten Tipe III. *Jurnal Teknologi dan Industri Pangan*, 20(1), pp. 17-25.
- Suh, S. et al., 2011. Smaller Mean LDL Particle Size and Higher Proportion of Small Dense LDL in Korean Type 2 Diabetic Patients. *Diabetes and Metabolism Journal* , Volume 35, pp. 536-542.
- Sunarti, 2017. *Serat Pangan dalam Penanganan Sindrom Metabolik*. Yogyakarta: Gadjah Mada University Press.
- Sunarti, Rini, S. L. S., Sinorita, H. & Ariani, D., 2018. Effect of Fiber Rich Snacks on C-Reactive Protein and Atherogenic Index in Type 2 Diabetes Patients. *Romanian Journal of Diabetes and Metabolic Diseases*, 25(3), pp. 271-276.

- Surampudi, P., Enkhmaa, B., Anuurad, E. & Berglund, L., 2016. Lipid Lowering with Soluble Dietary Fiber. *Current Atherosclerosis Reports*, 18(75), pp. 1-13.
- Tala, Z. Z., 2009. *Manfaat Serat bagi Kesehatan*. Medan: Universitas Sumatera Utara.
- Tanita Corporation of America, 2000. *Understanding Your Measurements*. [Online]
Available at: <https://tanita.eu/help-guides/understanding-measurements>
[Accessed 19 June 2019].
- Tan, M. H., Johns, D. & Glazer, N. B., 2004. Pioglitazone Reduces Atherogenic Index of Plasma in Patients with Type 2 Diabetes. *Clinical Chemistry*, 50(7), pp. 1184-1188.
- Taskinen, M.-R. & Boren, J., 2015. New insights into the pathophysiology of dyslipidemia in type 2 diabetes. *Atherosclerosis*, Volume 239, pp. 483-495.
- Thathola, A., Srivastava, S. & Singh, G., 2011. Effect of foxtail millet (*setaria italica*) supplementation on serum glucose, serum lipids and glycosylated hemoglobin in type 2 diabetics. *Diabetologia Croatica*, 40(1), pp. 23-28.
- Thongtang, N. et al., 2017. Metabolism and proteomics of large and small dense LDL in combined hyperlipidemia: effects of rosuvastatin. *Journal of Lipid Research*, Volume 58, pp. 1315-1324.
- Thorens, B., 2015. GLUT2, Glucose Sensing, and Glucose Homeostasis. *Diabetologia*, Volume 58, pp. 221-232.
- Tiwari, U. & Cummins, E., 2011. Meta-analysis of the effect of b-glucan intake on blood cholesterol and glucose levels. *Nutrition*, Volume 27, pp. 1008-1016.
- Tjokroprawiro, A., 2012. *Garis Besar Pola Makan dan Pola Hidup sebagai Pendukung Terapi Diabetes Mellitus*. Surabaya: Universitas Airlangga.
- Trinidad, P. T., Mallillin, A. C., Sagum, R. S. & Encabo, R. R., 2012. Glycemic Index of Commonly Consumed Carbohydrate Foods in The Philippines. *Journal of Functional Foods*, Volume 2, pp. 271-274.
- Vafa, M. et al., 2012. Effects of Cinnamon Consumption on Glycemic Status, Lipid Profile and Body Composition in Type 2 Diabetic Patients. *International Journal of Preventive Medicine*, 3(8), pp. 531-536.
- Van Der Ploeg, G. E., Withers, R. T. & Laforgia, J., 2003. Percent Body Fat via DEXA: Comparison with Four Compartment Model. *Journal of Applied Physiology*, Volume 94, pp. 499-506.

- Vasudev, S. et al., 2004. Validation of Body Fat Measurement by Skinfolts and Two Bioelectric Impedance Methods with DEXA — The Chennai Urban Rural Epidemiology Study [CURES-3]. *JAPI*, Volume 52, pp. 877-881.
- Vazquez, G., Duval, S., Jacobs, D. R. & Silventoinen, K., 2007. Comparison of Body Mass Index, Waist Circumference, and Waist/Hip Ratio in Predicting Incident Diabetes: A Meta-Analysis. *Epidemiologic Reviews*, Volume 29, pp. 115-128.
- Velazquez-Lopez, L. et al., 2016. Fiber in Diet Is Associated with Improvement of Glycated Hemoglobin and Lipid Profile in Mexican Patients with Type 2 Diabetes. *Journal of Diabetes Research*, pp. 1-9.
- Venables, M. C. & Jeukendrup, A. E., 2009. Physical Inactivity and Obesity: Links with Insulin Resistance and Type 2 Diabetes Mellitus. *Diabetes Metabolism Research and Reviews*, 25(Suppl 1), pp. 18-23.
- Venojarvi, M. et al., 2013. 12 Weeks' aerobic and resistance training without dietary intervention did not influence oxidative stress but aerobic training decreased atherogenic index in middle-aged men with impaired glucose regulation. *Food and Chemical Toxicology*, Volume 61, pp. 127-135.
- Vitale, M. et al., 2016. Influence of dietary fat and carbohydrates proportions on plasma lipids, glucose control and low-grade inflammation in patients with type 2 diabetes—The TOSCA.IT Study. *European Journal of Nutrition*, Volume 55, pp. 1645-1651.
- Vuksan, V. et al., 2000. Beneficial effects of viscous dietary fiber from Konjac-mannan in subjects with the insulin resistance syndrome: results of a controlled metabolic trial. *Diabetes Care*, Volume 23, pp. 9-14.
- Wang, J. et al., 1994. Asians have lower BMI (BMI) but Higher Percent Body Fat than do Whites: Comparisons of anthropometric measurements. *American Journal of Clinical Nutrition*, Volume 60, pp. 23-28.
- Wardhani, D. H., Aryanti, N., Murvianto, F. & Yogananda, K. D., 2016. Peningkatan Kualitas Glukomanan dari Anmorphophallus oncophyllus Secara Enzimatis dengan alpha-amilase. *Inovasi Teknik Kimia*, 1(1), pp. 71-77.
- Weickert, M. O. et al., 2006. Cereal Fiber Improves Whole-Body Insulin Sensitivity in Overweight and Obese Women. *Diabetes Care*, Volume 29, pp. 775-780.
- Weickert, M. O. & Pfeiffer, A. F., 2018. Impact of Dietary Fiber Consumption on Insulin Resistance and the Prevention of Type 2 Diabetes. *The Journal of Nutrition*, Volume 148, pp. 7-12.

- Weiss, E. et al., 2015. Calorie Restriction and Matched Weight Loss From Exercise: Independent and Additive Effects on Glucoregulation and the Incretin System in Overweight Women and Men. *Diabetes Care*, Volume 38, pp. 1253-1262.
- Wigoeno, Y. A., Azriatiingsih, R. & Roosdiana, A., 2013. Analisis Kadar Glukomanan pada Umbi Porang (*Amorphiphallus muelleri* Blume) Menggunakan Refluks Kondensor. *Jurnal Biotropika*, 1(5), pp. 231-235.
- World Health Organization, 2008. *Waist Circumference and Waist-Hip Ratio: Report of a WHO Expert Consultation*. Geneva: WHO.
- Wulan, S., Westerterp, K. & Plasqui, G., 2010. Ethnic differences in body composition and the associated metabolic profile: A comparative study between Asians and Caucasians. *Maturitas*, Volume 65, pp. 315-319.
- Yanai, H. et al., 2015. Anti-atherosclerotic effects of konjac. *Functional Foods in Health and Disease*, 5(4), pp. 136-144.
- Yanai, H. et al., 2015. Effects of Dietary Fat Intake on HDL Metabolism. *Journal of Clinical Medicine Research*, 7(3), pp. 145-149.
- Yanai, H. & Tada, N., 2018. Effects of Glycemic Index and Intake of Dietary Fiber on Serum HDL-Cholesterol Levels. *Journal of Endocrinology and Metabolism*, 8(4), pp. 57-61.
- Ylonen, K. et al., 2003. Associations of dietary fiber with glucose metabolism in nondiabetic relatives of subjects with type 2 diabetes: the Botnia Dietary Study. *Diabetes Care*, Volume 26, pp. 1979-1985.
- Zeng, H., Lazarova, D. L. & Bordonaro, M., 2014. Mechanism Linking Dietary Fiber, Gut Microbiota, and Colon Cancer Prevention. *World Journal of Gastrointestinal Oncology*, 6(2), pp. 41-51.
- Zhang, A. et al., 2018. A Study on the Factors Influencing Triglyceride Levels among Adults in Northeast China. *Scientific Reports*, 8(6388).
- Zhang, J. et al., 2012. Randomized controlled trial of oatmeal consumption versus noodle consumption on blood lipids of urban Chinese adults with hypercholesterolemia. *Nutrition Journal*, 11(54).
- Zhou, C. et al., 2018. Visceral, general, abdominal adiposity and atherogenic index of plasma in relatively lean hemodialysis patients. *BMC Nephrology*, 19(206), pp. 1-7.
- Zhou, Q. et al., 2015. Beneficial Effect of Higher Dietary Fiber Intake on Plasma HDL-C and TC/HDL-C Ratio among Chinese Rural-to-Urban Migrant

Workers. *International Journal of Environmental Research and Public Health*, 12(5), pp. 4726-4738.

Zhu, X.-W., Deng, F.-Y. & Lei, S.-F., 2015. Meta-analysis of Atherogenic Index of Plasma and other lipid parameters in relation to risk of type 2 diabetes mellitus. *Primary Care Diabetes*, Volume 9, pp. 60-67.

Zhu, X. et al., 2018. Atherogenic index of plasma is a novel and better biomarker associated with obesity: a population-based cross-sectional study in China. *Lipids in Health and Disease*, 17(37), pp. 1-6.

Ziegenfuss, T. N. et al., 2006. Effects of a Water-Soluble Cinnamon Extract on Body Composition and Features of the Metabolic Syndrome in Pre-Diabetic Men and Women. *Journal of The International Society of Sports Nutrition*, 3(2), pp. 45-53.