



REFERENCES

- Absolu, B., Li, T. and Ogihara, M., 2010, *Analysis of Chord Progression Data*, s.l.: Researchgate.
- Acevedo, S., 2017, *A Functional Analysis of Chord Progressions in Popular Music*. Arlington, s.n.
- Agarwala, N., Inoue, Y. and Sly, A., 2017, *Music Composition using Recurrent Neural Networks*, San Fransisco: s.n.
- Agres, K. and Herremans, D., 2018, *The Structure of Chord Progressions Influences Listeners' Enjoyment and Adsorptive States in EDM*. Sydney, Researchgate.
- Allan, M. and Williams, C., 2005, *Harmonising chorales by probabilistic inference* s.l., s.n.
- An Y. Z., 2018, BandNet: A Neural Network-based, Multi-Instrument Beatles-Style MIDI Music Composition Machine, Ithaca: ArXiv.
- Anon., 1941, On Popular Music. In: *Studies in Philosophy and Social Science*. New York City: *Institute of Social Research*, pp. 7-48.
- Boulanger-Lewandowski, N., 2012, *Modeling Temporal Dependencies in High-Dimensional Sequences: Application to Polyphonic Music Generation and Transcription*, Montreal: s.n.
- Chen, C.-C. J. and Miikkulainen, R., 2001, *Creating Melodies with Evolving Recurrent Neural Networks*. Washington D.C., IEEE.
- Chen, Z., Qi, J., and Zhou, Y., 2015, *Machine Learning in Automatic Music Chords Generation*, s.l.: semanticscholar.
- Chu, H., Urtasun, R., Fidler, S., 2016, *SONG FROM PI: A MUSICALLY PLAUSIBLE NETWORK FOR POP MUSIC GENERATION*, Toronto: s.n.
- Cunha, U. and Ramalho, G., 1999. An intelligent hybrid model for Chord Prediction. In: *Organised Sound*. s.l.:s.n., pp. 115-119.
- Dormehl, L., 2019, Digital Trends. [Online] Available at: <https://www.digitaltrends.com/cool-tech/auxuman-ai-album/>
- Eck, D., and Schmidhuber, J., 2002, *A First Look at Music Composition using LSTM Recurrent Neural Networks*, Manno: Istituto Dalle Molle di studi sull'intelligenza arti- ciale.
- Elowsson, A. and Friberg, A., 2012, *Algorithmic Composition of Popular Music*. Thessakmiki, s.n.
- Fox, R. and Khan, A., 2013. *Artificial Intelligence Approaches to Music Composition*, Kentucky: s.n.



- Gers, F., Schraudolph, N., Schmidhuber, J., 2002, Learning Precise Timing with LSTM Recurrent Neural Networks. *Journal of Machine Learning Research*, Volume 3, pp. 115-143.
- Goodfellow, I., Bengio, Y., Courville, A., 2015, *Deep Learning*. Massachusetts: MIT Press.
- Graves, A., and Schmidhuber, J., 2005, *Frame-wise phoneme classification with bidirectional LSTM Networks*. s.l., s.n.
- Hadjeres, G., Sakellariou, J. and Pachet, F., 2016, *Style Imitation and Chord Invention in Polyphonic Music with Exponential Families*, Paris: s.n.
- Heckroth, J., 1998. *Tutorial on MIDI and Music Synthesis*. La Habra, The MIDI Manufacturers Association.
- Hertzberg, F., 2018, Music Theory Pros and Cons. [Online] Available at: <https://fredrikhertzberg.com/theory/music-theory-pros-cons/>
- Hochreiter, S. and Schmidhuber, J., 1997, *Long Short Term Memory*, s.l.: s.n.
- Huang, A. and Wu, R., 2016, *Deep Learning for Music*, Stanford: s.n.
- Johnson, D., n.d. Composing Music with Recurrent Neural Networks. [Online] Available at: <http://www.hexahedria.com/2015/08/03/composing-music-with-recurrent-neural-networks/>
[Accessed September 2019].
- Johnston, L., 2016, *Using LSTM Recurrent Neural Networks for Music Generation*, s.l.: s.n.
- Kotecha, N. and Young, P., 2018, *Generating Music using LSTM Network*, s.l.: arXiv.
- Lewis, J., 1988, *RNN from Symbolic Data for Automated Music Composition*, s.l.: s.n.
- Liang, Z., Shuguang, H., Zhaoxiang, S. and Ronggui., H., 2011, CAPTCHA Recognition Method Based on RNN of LSTM. Shenyang, IEEE, pp. 40-47.
- Lim, H., Rhyu, S. and Lee, K., 2017, *Chord Generation for Symbolic Melody using BLSTM Networks*. s.l., arXiv.
- Matzkin, J., 1998., A MIDI Musical Offering. *PC Magazine. of Popular Music: USA 1960-2010*, s.l.: The Royal Society Publishing.
- McComb, T., 2000. What is monophony, polyphony, homophony, monody etc.?. [Online] Available at: <http://www.medieval.org/emfaq/misc/homophony.html>
[Accessed October 2019].
- Mezzadri, F., 2007, *How to generate random matrices from the classical compact groups*. s.l., arXiv.
- McPherson, K. J., 2018, Difference of Pop and Jazz. [Online].



- Mozer, M., 1994, *Neural Network Music Composition by Prediction*, s.l.: s.n.
- Nattiez, J.-J., 1990, *Music and Discourse: Toward a Semiology of Music (Musicologie générale et sémiologie)*. Princeton: Princeton University Press.
- Oliviera, H. d. and Oliviera, R. d., 2017, *Understanding MIDI: A Painless Tutorial on Midi Format*, s.l.: ResearchGate.
- Pachet, F. and Papadopoulos, A., 2016, *Sampling variations of Sequences for Structured Music Generation*. Hangzhou, s.n.
- Pryzblyek, S., 2018, What is Music? - Definition, Terminology & Characteristics.
- Ringer, A. and Crossley-Holland, P., 2015, Musical Composition. [Online] Available at: <https://www.britannica.com/art/musical-composition>
- Sabathe, R., Coutinho, E. and Schuller, B., 2017. *Deep Recurrent Music Writer: Memory Enhanced variational autoencoder-based Musical Score Composition and an Objective Measure*. s.l., IEEE.
- Sarnatskyi, V., Tkachenko, M., Ovcharenko, V. and Stirenko, S., 2017, *Music Transcription by Deep Learning with Data and "Artificial Semantic" Augmentation*, Kyev: Researchgate.
- Saxe, A.M., McClelland, J.L. and Ganguli, S. 2014, Exact solutions to the nonlinear dynamics of learning in deep linear neural networks. *arXiv:1312.6120 [cond-mat, q-bio, stat]*. [online] Available at: <https://arxiv.org/abs/1312.6120>.
- Saygin, A. P., Cicekli, I. & Akman, V., 2000, *Turing Test: 50 Years Later*, s.l.: s.n.
- Shukla, S. & Banka, H., 2017. An Automatic Chord Progression Generator based on Reinforcement Learning. Bangalore, IEEE, pp. 4-11.
- Skuli, S., 2017. How to Generate Music using an LSTM Neural Network in Keras. [Online] Available at: <https://towardsdatascience.com/how-to-generate-music>



[using-a-lstm-neural-network-in-keras-68786834d4c5](#) [Accessed October 2019]

- Souza, V. A. A. and Avila, S. E. F., 2018, *Deep Neural Networks for Generating Music*, Campinas: s.n.
- Srivastava, N., 2014. *Dropout: A simple way to prevent Neural Networks from Overfitting*. s.l., s.n.
- Stanley, B., 2013. *Yeah Yeah Yeah: The Story of Modern Pop*. London: Faber & Faber.
- Sturm, B., Santos, J. F. and Korshunova, I., 2015, *Folk Music Style Modelling by Recurrent Neural Networks with Long Short Term Memory Units*. Chicago, IEEE.
- Suk, H.-I., Ii, R., Zhang, W. and Wang, L., 2014, *Deep Learning Based Imaging Data Completion for Improved Brain Disease Diagnosis*. s.l., Researchgate.
- Todd, 1998. *MLP from Symbolic Data for Automated Music Composition*, s.l.: s.n.
- Weel, J., 2016. *RoboMozart: Generating music using LSTM networks trained per-tick on a MIDI collection with short music segments as input*, Amsterdam: s.n.
- Williams, R. J. and Zipser, D. 1995, Gradient-based learning algorithms for recurrent, *Backpropagation: Theory, architectures, and applications* vol. 433.
- Xiao, Y., Xiong, S. and Duan, P., 2016, *Music Generation System Based on LSTM*. Manila, s.n.
- Zhu, Y., Chu, W., Young, S. and Chen, X., 2017, *BANDNET: A NEURAL NETWORK-BASED, MULTI-INSTRUMENT BEATLES-STYLE MIDI MUSIC COMPOSITION MACHINE*, Los Angeles: s.n.