

**DAFTAR PUSTAKA**

- Abdiniyazova, GJ., Khojimatov, OK., and Valeriy, VP. 2016. Honey in traditional cuisine of uzbekistan and analysis of melliferousflora of karakalpakstan. *J. of Ethnic Foods* 3: 222-227. <https://doi.org/10.1016/j.jef.2016.07.002>
- Abcam. 2019. Counting cells using a haemocytometer. <https://www.abcam.com/protocols/counting-cells-using-a-haemocytometer> diakses pada tanggal 5 juli 2019
- Ahmed, M., Shafiq, MI., Khaleeq, A., Huma, R., Qadir, MA., Khalid, A., Ali, A., and Samad, A. 2016. Physiochemical, biochemical, minerals contentan alysis, and antioxidant potential of national and international honeys in Pakistan. *J. of chemistry*. <https://doi.org/10.1155/2016/8072305>
- Aina, F., Amin, F., Sabri, S., Mohammad, SM., Ismail, M., Chan, KW., Ismail, N., Norhaizan, ME., and Zawawi, N . 2018. Therapeutic properties of stingless beehoneyin comparison with european bee honey. *Advances in Pharmacological Sciences* Volume 2018. <https://doi.org/10.1155/2018/6179596>
- Al Aboody, MS and Mickymaray, S. 2020. Anti-Fungal Efficacy and Mechanisms of Flavonoids. *Antibiotics* 9: 45. doi:10.3390/antibiotics9020045
- Al-Farsi, M., Al-Amri, A., Al-Hadhrami, A., and Al-Belushi, S. 2018. Color, flavonoid, phenolic and antioxidant of omani honey. *Heliyon* 4. doi: 10.1016/j.heliyon.2018.e00874
- Al-Ishaq, R.K., Abotaleb, M., Kubatka, P., Kajo, K., and Büsselberg, D. 2019. Flavonoids and Their Anti-Diabetic Effects: Cellular Mechanisms and Effects to Improve Blood Sugar Levels. *Biomolecules* 9: 430. doi:10.3390/biom9090430
- Alvarez-Suarez, JM., Gasparini, M., Forbes-Hernández, TY., Mazzoni, L and Giampieri, F. 2014. Review The Composition and Biological Activity of Honey: A Focus on Manuka Honey. *Foods*. 3: 420-432; doi:10.3390/foods3030420
- Amiry, S., Esmaiili, M., and Alizadeh, M. 2017. Classification of adulterated honeys by multivariate analysis. *Food Chemistry*, 224: 390–397. doi: 10.1016/j.foodchem.2016.12.025
- Antonini, Y., Costa, RG., and Martins, RP.2006. Floral preferences of a neotropical stingless bee, *Melipona quadrifasciata* Lepeletier (Apidae: Meliponina) in an urban forest fragment. *Braz J Biol*, 66 (2A): 463-471. doi:10.1590/s1519-69842006000300012.
- Anonim. 2015. Sarang Lebah Trigona. <http://sarangtrigona.blogspot.com/2017/05/cara-memproses-bee-pollen.html> diakses pada 21 Juni 2019
- Anonim. 2018. Madu Lebah Klutut. <https://www.facebook.com/249405058601935/photos/a.249545541921220/96675744686689/?type=1&theater> diakses tanggal 6 April 2019



Araujo, ED., Costa, M., Chaud-Netto, J., abd Fowler, HG. (2004). Body size and flight distance in stingless bees (Hymenoptera: Meliponini): inference of flight range and possible ecological implications. *Brazilian journal of biology. Revista brasileira de biologia*, 64(3B). 563–568. <https://doi.org/10.1590/s1519-69842004000400003>

Banks, K. 2019. U.S. honey industry contributes more than \$4.7 billion to economy, according to Ag Issues Center report. *Food Blog food news from the UC Division of Agriculture and Natural Resources.* <https://ucanr.edu/blogs/blogcore/postdetail.cfm?postnum=29513> diakses 27 Juni 2019

Basari, N., Ramli, SN., Syakirah, A., and Khairi, M. 2018. Food Reward and Distance Influence the Foraging Pattern of Stingless Bee, *Heterotrigona itama*. *Insects* 9: 138. doi: 10.3390/insects9040138

Batra, P and. Sharma, AK. 2013. Anti-cancer potential of flavonoids: recent trends and future perspectives. *Biotech.* 3: 439–459. doi 10.1007/s13205-013-0117-5

Bryant, V. 2018. Melissopalynology The Science Of Using Pollen To Study. *Bee Culture.* <https://www.beeculture.com/melissopalynology/>

Biswa, R., Sarkar, A. and Subba, SK. 2017. Ethnomedicinal uses of honey of stingless bee by Nepali community of Darjeeling foothills of West Bengal, India. *Indian J. Traditional Knowledge.* 648–653.

Boorn, K, Khor, YY, Sweetman, ET, F. Heard, Hammer, KT 2010. Antimicrobial activity of honey from the stingless bee *Trigona carbonaria* determined by agar diffusion, agar dilution, broth microdilution and time-kill methodology. *J. Appl. Microbiol.* 108: 1534-1543. doi: 10.1111/j.1365-2672.2009.04552.x.

Cabrera, M., Perez, M., Gallez, L., Andrada, A and Balbarrey, G. 2017. Colour, antioxidant capacity, phenolic and flavonoid content of honey from the Humid Chaco Region, Argentina. *Fytton* 86: 124-130

Celeromics. 2008. Cell Counting with Neubauer Chamber; Basic Hemocytometer Usage. (<http://www.celeromics.com/en/resources/docs/Articles/Cell-counting-Neubauer-chamber.pdf>). Diakses pada tanggal 5 Juli 2019

Canadanovic-Brunet, J., Cetkovic, G., Saponjac, T., Stajcic, S., Vulic, J., Dilas, S., and Popovic, B. 2014. Evaluation of phenolic content, antioxidant activity and sensory characteristics of Serbian honey-based product. *Industrial Crops and Products*, 62: 1–7.

Campbell, NA., J. B. Reece, LA. Urry, ML. Cain, SA., Wasserman, PV., Minorsky, and R. B. Jackson. 2010. *Biologi*. Edisi 8. Jilid 2. Erlangga. Jakarta. pp. 386-389.

Campos, MGR., S. Bogdanov, S., and de Almeida-Muradian, LB., 2008 “Pollen composition and standardisation of analytical methods,” *Journal of Apicultural Research.* 47 (2): 154–161 doi. 10.1080/00218839.2008.11101443



Campos, MGR., Firgerio, C., Lopes, J., and Bogdanov, S. 2010. "What is the future of Bee-Pollen?" *J. of Analytical Atomic Spectrometry*. 2: 131–144.

Cheung, Y., Meenu, M., Xiaoming Yu and Baojun Xu. 2019. Phenolic acids and flavonoids profiles of commercial honey from different floral sources and geographic sources Algerian honey. *International J. of Food Properties*. 22. (1). doi.10.1080/10942912.2019.1579835

Cholis, MN., Alpionota, R., Prawasti, TS and Atmowidi, T. 2019. Pollen load and flower constancy of stingless bees *Tetragonula laeviceps* (Smith) and *Heterotrigona itama* (Cockrekell) (Apidae: Meliponinae). *Adv. Biol. Sci. Res.* 8: 285-289

Chuttong, B., Phongphisuthinant, R., Sringsarm, K., Burgett, M and Barth, OM. 2018. Nutritional Composition of Pot-Pollen from Four Species of Stingless Bees (Meliponini) in Southeast Asia. 313-324. doi 10.1007/978-3-319-61839-5\_22

Chua, LS., Rahaman, NLA., Adnan, AN., and Tan, TTE. 2013. Antioxidant Activity of Three Honey Samples in relation with Their Biochemical Components. *J of Analytical Methods in Chemistry*. 2015. doi. 10.1155/2013/313798

da Silva, PM., Gauche, C., Gonzaga, LV., Costa, ACO., and Fett, R. 2016. Honey: Chemical composition, stability and authenticity. *Food Chemistry*. 196: 309–323. doi:10.1016/j.foodchem.2015.09.051

Dhawan, AS., Pawar., KW and Lokhande, AA.2018. Analysis of pollen grains in different honey samples from the region of Newasa tehsil in Maharashtra. *JPP* 7(3): 3438-3442

Dubtsova, E.D. 2009. "Structure, biological properties of honey, pollen and royal jelly and their possible use in nutrition therapy," *Experimental & Clinical Gastroenterology*. 3: 36–41.

Erdtman, G. 1960. The Acetolysis Method. A Revised Description. *Svensk Botanisk Tidskrift* 54: 561-564

Elaminea, Y., Lyoussia, B., Anjosc, O., M. Estevinhoe, L., Aazzaaf, S., D. Carlier, J., C. Costag, M., and G. Miguel. M. 2019. Zantaz honey "monoflorality": Chemometric applied to the routinely assessed parameters. *LWT - Food Science and Technology*. 106: 29–36

Eteraf-Oskouei, T and Najafi, M. 2013. Traditional and Modern Uses of Natural Honey in Human Diseases: A Review. *Iran J Basic Med Sci.* 2013 (16): 731-742.

Fabiola, C.B., Bibiana da Silva., Eduarda Talita, B.M., Guilherme, N.V., Luciano, V.G., Luciano, V., Gustavo, M., Rosiane, F., Eduardo, M.D and Ana Carolina, O.C. 2019. Investigation of phenolic compounds, antioxidant and anti-inflammatory activities in stingless bee honey (*Meliponinae*). *Food Research International*. Vol. 12. doi.org/10.1016/j.foodres.2019.108756

Faegri, K., and J. Iversen. 1989. Textbook Pollen Analysis. Hafner Press, New York: 328.



Fidalgo ADO and Kleinert ADMP. 2010. Floral preferences and climate influence in nectar and pollen foraging by *Melipona rufiventris* Lepeletier (Hymenoptera: Meliponini) in Ubatuba, São Paulo State, Brazil. *Neotrop. Entomol.* 39 (6): 879-884. <https://doi.org/10.1590/S1519-566X2010000600005>

Guerriero, G., Berni, R., Muñoz-Sánchez, J.A., Apone, J., Abdel-Salam, E.M., Qahtan, A.A., Alatar, A.A., Cantini, C., Cai, G., Jean-Francois, H., Siddiqui, K.S Hernández-Sotomayor, S.M.T and Faisal, M. 2018. Production of Plant Secondary Metabolites: Examples, Tips and Suggestions for Biotechnologists. *Genes* 9 (30): 309. doi:10.3390/genes9060309

Gul, A and Pehlivan, T. 2018. Antioxidant Activities Of Some Monofloral Honey Types Produced Across Turkey. *Saudi J. of Biological Sciences* 25 (6): 1056–1065. <https://doi.org/10.1016/j.sjbs.2018.02.011>

Halbritter, H., Ulrich, S., Grimsson, F., Weber, Zetter, R., Hesse, M., Buchner, R., Svojtka, M., and Frosch-Radivo, A. 2018. Illustrated Pollen Terminology 2nd Edition. Springer Wien. New York. pp. 4-61

Hessem, M., Halbritter, H., Zetter, R., Reinhard., Weber, M., Buchner, R., Frosch-Radivo, A and Ulrich, S. 2009. Pollen Terminology An illustrated handbook. NewYork : SpringerWien

Kabera, J. 2014. Plant Secondary Metabolites: Biosynthesis, Classification, Function and Pharmacological Classification, Function and Pharmacological Properties. *J. of Pharmacy and Pharmacology*. 2 (7): 377-392

Kajobe, R. 2007. Pollen Foraging by *Apis mellifera* and stingless bees *Meliponula bocandei* and *Meliponula nebulata* in Bwindi Impenetrable National Park, Uganda. *Africa J. Ecol.* 45: 265-274

Kapp, R. O. 1969. How to Know Pollen and Spores. WMc. Brown Company Publisher. Dubuque, Iowa, USA: 249 p.

Kek, P.P., Ling China, N., Yusofa, Y.A., Wei Tanb, S., Suan Chuac. L. 2014. Total Phenolic Contents and Colour Intensity of Malaysian Honeys from the *Apis* spp. and *Trigona* spp. Bees. *Agriculture and Agricultural Science Procedia* 2 ( 2014 ) 150 – 1552. <https://doi.org/10.1016/j.aaspro.2014.11.022>

Khongkwanmueang, A., Nuyu, A., Straub,L., and Maitip, J. 2020. Physicochemical Profiles, Antioxidant and Antibacterial Capacity of Honey from Stingless Bee *Tetragonula laeviceps* Species Complex. *E3S Web of Conferences* 141, 03007 (2020). doi:10.1051/e3sconf/202014103007

Klein S, Pasquaretta C, Xu Jiang, H., Perry, C., Soyik, E., Devaud, J-E., Barron., A.B., and Lihoreau, M. 2019. Honey bees increase their foraging performance and frequency



of pollen trips through experience. *Sci Rep.* 9(1): 6778.. doi:10.1038/s41598-019-42677-x

Kleijans, H.A.W., Van Keulen, S.J., Blacqueire, T., Booij, C.J.H., Hok-A-Hin, C.H., Cornelissen, A.C.M., and Van Dooremalen, J.A. 2012. The possible role of honey bees in the spread of pollen from field trials. *Plant Research International*.

Komosinska-Vassev, K., Olczyk, P Kafmierczak, J., Mencner, L., and Olczyk, K. 2015. Bee Pollen: Chemical Composition and Therapeutic Application. *Evidence-Based Complementary and Alternative Medicine.* 2015 (6). <https://doi.org/10.1155/2015/297425>

Kuś, P. M., Congiu, F., Teper, D., Sroka, Z., Jerkovic, I., and Tuberoso, C. I. G. 2014. Antioxidant activity, color characteristics, total phenol content and general HPLC fingerprints of six Polish unifloral honey types. *LWT Food Science and Technology.* 55 (1): 124–130. <https://doi.org/10.1016/j.lwt.2013.09.016>

Kusmardiyan, S., Novita, G., and Fidriani, I. 2016. Antioxidant Activities and Various Extract of Different Parts OF Kelakai (*Stenochlaena Palustris*) Grown in Central Kalimantan-Indonesia. *Asian J Pharm Clin Res.* 9 (2): 215-219.

Lestari, T. H, and Susandarini, R. 2019. Pollen analysis of *Apis cerana* honey from Java, Indonesia. *J. of Pharmacognosy and Phytochemistry.* 8(4): 3224-3230

Louveaux, J., Maurizio, A., and Vorwohl, G. 1978. Methods of Melissopalynology. *Bee World* 59 (4): 139-157.

Lung, J.K.S., and Destiani, D.K. 2017. Uji aktivitas antioksidan vitamin A, C, E dengan metode DPPH. *J Farmaka Suplemen.* 15 (1).

Mohammad, SM, Mahmud-Ab-Rashid, NK and Zawawi, N. 2020. Botanical Origin and Nutritional Values of Bee Bread of Stingless. *J. of Food Quality.* 2020. Article ID 2845757. doi:10.1155/2020/2845757

Mohamed, M., Sirajudeen, KNS., Swamy, M., Yaacob, NS., and Sulaiman, SA. 2010. Studies on The Antioxidant Properties of Tualang Honey of Malaysia. *Africa J Trad.* 7 (1): 59-63.

Moniruzzaman, M., Chua Yuan An., Visweswara Rao, P., Hawlader. M.,N.,I., Amirah, S., Sulaiman, S.A and Huan Gan, S. 2014. Identification of Phenolic Acids and Flavonoids in Monofloral Honey from Bangladesh by High Performance Liquid Chromatography: Determination of Antioxidant Capacity. *Biomed Research International.* 2014 (11). <https://doi.org/10.1155/2014/737490>

Mouhoubi-Tafinine, Z., Ouchemoukh S., Bachir bey M., Louaileche, H. and Tamendjari, A. 2018. Effect of storage on hydroxymethylfurfural (HMF) and color of some. *International Food Research Journal.* 25(3): 1044-1050

Moore, P. D, and Webb. J.A. 1978. An Illustrated Guide To Pollen Analysis. The Ronald Press Company, New York, USA: 133.



Morley, R J. 1990. Short Course introduction To Palynology With Emphasis on Southeast Asia. Fakultas Biologi UNSOED, Purwokerto.

Nasir, N.M., Mohd, K.S., Ibrahim, N., Rodi, M.M.M., and Zakaria, A.J. 2019. *Physicochemical Analysis and Antioxidant Activity of Honey from Three Malaysian. J. Of Agrobiotechnology.* 10(2): 1-11

Ncube, B and Van Staden, J. 2015. Tilting Plant Metabolism for Improved Metabolite Biosynthesis and Enhanced Human Benefit. *Molecules.* 20 (7): 12698-12731. <https://doi.org/10.3390/molecules200712698>

Nguyen, H., Panyoyai, N., Paramita, V.D., Mantri, N., and Kasapis, S. 2018. Physicochemical And Viscoelastic Properties Of Honey From Medicinal Plants. *Food Chemistry.* 241: 143-149. doi:10.1016/j.foodchem.2017.08.070

Nurjaman, J., Kusmoro, J., And Santoso, P. 2017. *Perbandingan Struktur Dan Komposisi Vegetasi Kawasan Rajamantri Dan Batumeja Cagar Alam Pananjung Pangandaran, Jawa Barat .* Jurnal Biodjati, 2 (2) 2017. <Http://Journal.Uinsgd.Ac.Id/Index.Php/Biodjati>

Ouchemoukh, A., Amessis-Ouchemoukh, N., Gomez-Romero, M., Aboud, F., Giuseppe, A., Fernandez-Gutierrez, A., and Segura-Carretero. A. 2017. Characterisation of phenolic compounds in Algerian honeys by RP-HPLC coupled to electrospray time-of-flight mass spectrometry. *LWT - Food Science and Technology.* 85: 460-469. <https://doi.org/10.1016/j.lwt.2016.11.084>

Ozbalci, B., Boyaci, I.H., Topcu, A., Kadilar, C. and Tamer, U. 2013. Rapid analysis of sugars in honey by processing Raman spectrum using chemometric methods and artificial neural networks. *Food Chemistry,* 136(3–4): 1444–1452. doi:10.1016/j.foodchem.2012.09.064

Pagare, S., Bhatia, M., Tripathi, N., Pagare, S., and Bansal, YK. 2015. Secondary Metabolites of Plants and their Role: Overview. Current Trends in Biotechnology and Pharmacy. Vol. 9 (3); 293-304

Panche, N., Diwan, A. D., and Chandra, S. R. 2016.. Flavonoids: an overview. *J. of Nutritional Science.* 5 (47): 1-15. doi:10.1017/jns.2016.41

Pangestika, N.W, Atmowidi, T and Kahono, S. 2017. Pollen Load and Flower Constancy of Three Species of Stingless bees (Hymenoptera, Apidae, Meliponinae). *Tropical life sciences Research,* 28 (2), 179-187. doi: 10.21315/tlsr2017.28.2.13

Parwata, IMOA. 2016. Diktat/Bahan ajar kimia organik bahan alam flavonoid. Universitas Udayana.

Pasquale, GD., Saligon, M., Conte, YL., Belzunges, LP., Decourtrye, A., Kretzchmar, A., Suchail, S., Brunet., JL., and Alaux, C. 2013. Influence of Pollen Nutrition on Honey Bee Health: Do Pollen Quality and Diversity Matter?. *J. Plos One.* 8 (8) 2016. <https://doi.org/10.1371/journal.pone.0072016>



Pontis, JA., da Costa, LAMA., da Silva, SJR and Flach, A. 2014. Color, phenolic and flavonoid content and antioxidant activity of honey from Roraima, Brazil. *Food Sci. Technol, Campinas.* 34 (!): 69-73.

Porcza, L.M., Simms, C and Chopra, M. 2016. Review Honey and Cancer: Current Status and Future Directions. 2016. *Diseases* 4 (30). doi:10.3390/diseases4040030

Putra, R.E., Permana, A.D., and Kinasih, I. 2014. Application of Asiatic honey bees (*Apis cerana*) and Stingless bees (*Trigona laeviceps*) as pollinator agents of hot pepper (*Capsicum annum L.*) at Local Indonesia Farm System. *Psyche A J. of Entomology.* 2014, Article ID 68797. doi: 10.1155/2014/68797

Ramalho, M., Giannini, T.C., Malagodi-Braga, K.S and Imperatriz-Fonseca, V.L. 1994. Pollen Harvest by Stingless Bee Foragers (Hymenoptera, Apidae, Meliponinae). *Grana* 33: 239-244. doi: 10.1080/00173139409429005

Rasyiid, M. 2017. Keragaman Serbuk Sari dan Metabolit Sekunder Pada Madu Hutan Sulawesi Tengah. Skripsi. Fakultas Biologi, Universitas Gadjah Mada. Yogyakarta pp. 41-45.

Ruiz-Cruz, S. Chaparro-Hernandez, S. Hernandez-Ruiz, K. L. Cira-Chavez, L. A. Estrada-Alvarado, M. I, Gassos Ortega, L. E, Ornalez-Paz, Jose de J and Lopez Mata, M. A. 2017. *Flavonoid: Important Biocompound in Food.* 16. doi: 10.5772/67864.

Riolina, A and Rahmasari, A.D. 2017. Efektivitas Larutan Madu Kelengkeng (*Euphorbia longana Sp.*) Terhadap Pemutihan Gigi (Bleaching). *Biomedika*, 9 (2)

Roowi, S., Muhamad, S.A., Sipon, H., Jaafar, M.F., Daud, M.N.H. and Othman, R. (2012). Asid fenolik bebas dalam madu Kelulut. *Buletin Teknologi MARDI*, 2: 145–147.

Rao, P.V, Krishnan, T.K, Salleh, N and Hua Gan, S. 2016. Biological and therapeutic effects of honey produced by honey bees and stingless bees: a comparative review. *Revista Brasileira de Farmacognosia.* 26 (5): 657-664. doi:10.1016/j.bjp.2016.01.012

Sakac, M.B, Jovanov, P.T, Maric, A. Z, Pezo, L. L, Kevrešan, Ž. S, Novaković A. R, and Nedeljković, N. M. 2019. Physicochemical properties and mineral content of honey samples from Vojvodina (Republic of Serbia). *Food Chem.* 15 (276): 15-21. doi: 10.1016/j.foodchem.2018.09.149.

Sant'ana, L.D., Ferreira, A.B.B., Lorenzon, M.C.A., Berbara, R.L.L and Castro, R.N. 2014. Correlation of Total Phenolic and Flavonoid Contents of Brazilian Honeys with Colour and Antioxidant Capacity. *Internasional J. of Food Properties,* 17 (1): 65-76. <https://doi.org/10.1080/10942912.2011.614368>

Schober, P., Boer, C., and Schwarte, L.A. 2018. Correlation coefficient: appropriate use and interpretation. Special article. 126 (5): 1763-1768. doi: 10.1213/ANE.0000000000002864



Selvaraju, K., Vikram, P., Soon, J.M., Krishnan, K.M., and Mohammed, A. 2019. Melissopalynological, physicochemical and antioxidant properties of honey from West Coast of Malaysia. *J. Food Sci Technol.* 56(5): 2508-2521. <https://doi.org/10.1007/s13197-019-03728-3>

Septriono, H.N. 2014. Karakter Umum Pollen dan Spora Serta Aplikasinya. Oseana, Volume XXXIX, Nomor 3, Tahun 2014 : 7 – 19

Shamsudin, S., Selamat, J., Sanny, M., Bahari A.R, S., Jambari, N.N., And Khatib, A. 2019. A Comparative Characterization Of Physicochemical And Antioxidants Properties Of Processed Heterotrigona Itama Honey From Different Origins And Classification By Chemometrics Analysis. *Molecules* 2019 (24): 3898. doi:10.3390/molecules24213898

Somerville, D. 2012. Technical Specialist Honey Bees. [www.dpi.nsw.gov.au/publications for updates Primefact 1126](http://www.dpi.nsw.gov.au/publications_for_updates_Primefact_1126) second edition

Stanek, N., Teper, D., Kafarski, P, and Jasicka-Misiak, I. 2019. Authentication of phacelia honeys (*Phacelia tanacetifolia*) based on a combination of HPLC and HPTLC analyses as well as spectrophotometric measurements. *LWT Food Science and Technology* 107 (5): 199–207. <https://doi.org/10.1016/j.lwt.2019.03.009>

Stevenson, P.C., S.W. Nicolson., and G.A. Wright. 2016. *Plant Secondary Metabolities in Nectar: Impacts on Pollinators and Ecological Function.* Funct. Ecol. 31: 65-75. doi:10.1111/1365-2435.12761

Sulaeman, A., Fikri, M., Kalsum, N and Mahani, M. 2019. Trigona Propolis And Its Potency For Health And Healing Process. Bogor : IPB

Syahidah, A. 2019. Keragaman Polen Hasil Koleksi Di Peternakan Lebah Madu Kemalang Klaten Dan Borobudur Magelang, Provinsi Jawa Tengah. Skripsi Fakultas Biologi Universitas Gadjah Mada

Silva, IAAD., Silva, TMSD., Camara, CA., Querioz, N., Magnani, M., Novais, JSD., Soledade, LEB., Lima, EDO., Souza, ALD., and Souza, AGD. 2013. Phenolic profile, antioxidant activity and palynological analysisof stingless bee honey from Amazonas, Northern Brazil. *Food Chemistry* 141: 3552-3558. <http://dx.doi.org/10.1016/j.foodchem.2013.06.072>

Taxonomi *Trigona* and *Apis*. 2019. <https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?mode=Info&id=28657&lvl=3&lin=f&keep=1&srchmode=1&unlock> diakses pada 6 April 2019

Thakodeea, T., Deowanishb, S., and Duangmal. K. 2018. Melissopalynological analysis of stingless bee (*Tetragonula pagdeni*) honey in Eastern Thailand *J. of Asia-Pacific Entomology* 21 (2018): 620–630. <https://doi.org/10.1016/j.aspen.2018.04.003>

Tiwari, R and Rana, C.S.2015. Plant secondary metabolites: a review. *International J. of Engineering Research and General Science.* 3 (5): 2091-2730



Tian-yang Wang, Qing Li, and Kai-shun Bi. 2018. Bioactive flavonoids in medicinal plants: Structure, activity and biological fate. *Asian J. Of Pharmaceutical Sciences.* 13 (1): 12–23. <https://doi.org/10.1016/j.ajps.2017.08.004>

Tuksithaa, L., Yi-Lin Sophia Chenb, Yi-Ling Chena, Kie-Yiong Wongc, and Chi-Chung, P. 2018. Antioxidant and antibacterial capacity of stingless bee honey from Borneo (Sarawak). *J. of Asia-Pacific Entomology.* 21 (2): 563–570

Trianto, M., and Purwanto, H. 2020. Morphological characteristic and morphometrics of Stingless bees (Hymenoptera: Meliponini) in Yogyakarta, Indonesia. *Biodiversitas.* 12 : 2619-2628

VectorStock color chart (<https://www.vectorstock.com/25122140> dan <https://www.vectorstock.com/21179790>).

Vit, P., Pedro, SRM., and Roubik, DW. 2018. *Pot-Pollen in Stingless bee melittology.* Springer International Publishing AG. DOI 10.1007/978-3-319-61839-5

Von Der Ohe, W., Oddo, L.P., Piana, M.L., Morlot, M and Martin, P. 2004. Harmonized methods of melissopalynology. *Apodologie* 35 (2004): S18–S25. doi: 10.1051/apido:2004050

Waheed, M., Hussain, M.M., Javed, A., Mushtaq, Z., Hassan, S., Shariati, M.A., Khan, M.U., Majeed, M., Nigam, M., Mishra, A.P., and Heydari, M. 2019. Honey and cancer: A mechanistic review *Clinical Nutrition.* 38 (6): 2499-2503. doi: 10.1016/j.clnu.2018.12.019.

Wang, T., Frand, H. L., Christiansson, N. R., Rosendal, S. E., Pedersen, M., and Smedsgaard J. 2018. Pyrrolizidine alkaloids in honey: Quantification with anda without standars. *Food Control.* 98: 227-237. Doi:10.1016/j.foodcont.2018.11.033

Wappler, T., Labandeira, C. C., Engel, M.E., Zetter, R and Grimsson, F. 2015. Specialized and Generalized Pollen-Collection Strategies in an Ancient Bee Lineage. *Current Biology.* 25 (23): 3092-3098. <https://doi.org/10.1016/j.cub.2015.09.021>

Xie, Y., Yang, W., Tang, F., Chen, X., and Ren, L. (2015). Antibacterial activities of flavonoids: structure-activity relationship and mechanism. *Current medicinal chemistry.* 22(1), 132–149. doi:10.2174/0929867321666140916113443

Yaacob, M., Rajab N.F., Shahar, S. and Sharif, R. 2018. Stingless bee honey and its potential value: a systematic review. *Food Research.* 2 (2): 124-133. doi: 10.26656/fr.2017.2(2).212

Yazan, L.S., Muhamad Zali, M.F.S., Ali, R.M., Zainal, N.A., Esa, N., Sapuan, S. and Syed Alwi, S.S. 2016. Chemopreventive Properties and Toxicity of Kelulut Honey in Sprague Dawley Rats Induced with Azoxymethane. *BioMed Research International.* 2016. Article ID 4036926. <https://doi.org/10.1155/2016/4036926>

Zamora, G., Berg, BVD., Beukelman, K and Arias, M.L. 2014. The antimicrobial activity and microbiological safety of stingless bee honeys from Costa Rica. *J. of Apicultural Research.* 53 (5): 503-513. doi: 10.3896/IBRA.1.53.5



**Analisis Serbuk Sari dan Senyawa Flavonoid Madu dari Pulau Lombok**

LALU ZULKAN JAYADI, Dr. Ratna Susandarini, M.Sc

Universitas Gadjah Mada, 2020 | Diunduh dari <http://etd.repository.ugm.ac.id/>

UNIVERSITAS  
GADJAH MADA