

DAFTAR PUSTAKA

- Acharya, R., Naik, B., and Parida, K., 2018, Cr(VI) Remediation from Aqueous Environment through Modified-TiO₂-Mediated Photocatalytic Reduction, *Beilstein J. Nanotechnol.*, 9, 1448- 1470.
- Behrad, F., Farimani, M. H. R., Shahtahmasebi, N., Roknabadi, M. R. and Karimipour, M., 2015, Synthesis and characterization of Fe₃O₄/TiO₂ magnetic and photocatalyst bifunctional core-shell with superparamagnetic performance, *Eur. Phys. J. Plus*, 130(144), 151-154.
- Blaney, L., 2007, Magnetite (Fe₃O₄) Properties, Synthesis, and Applications, *Lehigh Review*, Lehigh University.
- Bugis, H., Daud, A. dan Birawida, A., 2013, *Studi Kandungan Logam Berat Kromium VI (Cr VI) Pada Air dan Sedimen di Sungai Pangkajene Kabupaten Pangkep*, Fakultas Kesehatan Masyarakat, Universitas Hasanuddin, Makassar.
- Cai, J., Wu, X., Zheng, F., Li, S., Wu, Y., Lin, Y., Lin, L., Liu, B., Chen, Q. and Lin, L., 2017, Influence of TiO₂ Hollow Sphere Size on Its Photo-Reduction Activity for Toxic Cr(VI) Removal, *J. Colloid Interface Sci.*, 490, 37-45.
- Cargnello, M., Gordon, T.R. and Murray, C.B., 2014, Solution-Phase Synthesis of Titanium Dioxide Nanoparticles and Nanocrystals, *Chem. Rev.*, 114, 9319-9345.
- Carp, O., Huisman, C.L. and Reller, A., 2004, Photoinduced Reactivity of Titanium Dioxide, *Prog. Solid State Chem.*, 32(1), 33-177.
- Chen, D., Zhu, Q., Zhou, F., Deng, X. and Li, F., 2012, Synthesis and Photocatalytic Performances of The TiO₂ Pillared Montmorillonite: An Article, *J. Hazard. Mater.*, 236, 186-193
- Cheng, J.P., Ma, R., Chen, X., Shi, D., Liu, F. and Zhang, X.B., 2011, Effect of Ferric Ions on The Morphology and Size of Magnetite Nanocrystals Synthesized by Ultrasonic Irradiation, *Cryst. Res. Technol.*, 46(7), 723-730.
- Cook, W.G., and Olive, R.P., 2012, Pourbaix Diagrams for Chromium, Aluminium, and Titanium Extended to High-subcritical and Low-supercritical Conditions, *Corros. Sci.*, 58, 291-298.
- Cornell, R.M. and Schwertmann, U., 1996, *The Iron Oxides*, VCH Press, Weinheim, Germany.
- Dastan, D. and Chaure, N.B., 2014, Influence of Surfactants on TiO₂ Nanoparticles Grown by Sol-Gel Technique: An Article, *Int. J. Mater. Mech. Manuf.*, 2(1), 21-24.
- Demiral, h., Demiral, I., Tumsek, F., Karabacakoglu, B., 2008, Adsorption of chromium(VI) from aqueous solution by activated carbon derived from olive bagasse and applicability of different adsorption models, *Chem. Eng.*, 144(2), 188-196.

- Di Bona, K., Love, S., Rhodes, N.R., McAdory, D., Sinha, S.H., Kern, N., Kent, J., Strickland, J., Wilson, A., Beaird, J., Ramage, J., Rasco, J.F., and Vincent, J.B., 2011, Chromium Is Not Essential Trace Element for Mammals: Effects of a “Low Chromium” Diet, *J. Biol. Inorg. Chem.*, 16(3), 381.
- Dony, N., Aziz, H. dan Syukri, 2013, Studi Fotodegenerasi Biru Metilen di Bawah Sinar Matahari oleh ZnO-SnO₂ yang dibuat dengan Metode *Solid State Reaction*, *Media Sains*, 5(1), 66-74.
- Eisele, T.C., and Gabby, K.L., 2014, Review of Reductive Leaching of Iron by Anaerobic Bacteria, *Mineral Processing & Extractive Metall. Rev.*, 35, 75-105.
- Fernandez-Pazos, M.T., Garrido-Rodriguez, B., Novoa-Munoz, J.C., Arias-Estevez, M., Fernandez-Sanjuro, M.J., Nunez-Delgado, A. and Alvarez, E., 2013, Cr(VI) adsorption and desorption on soils and biosorbents, *Water. Air. Soil. Pollut.*, 224(1), 2381-2388.
- Fitriani, A.N.H., 2007, Kajian Pengaruh Konsentrasi Awal, Waktu Paparan dan Adanya Asam Oksalat terhadap Fotoreduksi Ion Cu(II) Terkatalisis TiO₂, *Skripsi*, Jurusan Kimia FMIPA UGM, Yogyakarta.
- Fujishima, A. and Honda, K., 1972, Electrochemical Photolysis of Water at a Semiconductor Electrode, *Nature*, 238, 37–38.
- Fujishima, A., Zhang, X. and Tryk, D.A., 2008, TiO₂ Photocatalysis And Related Surface Phenomena, *Surf. Sci.*, 63, 515-582.
- Gao Y., Chen B., Li H., and Ma Y., 2003, Preparation and Charaterisation of A Magnetically Separated Photocatalyst and Its Catalytic Properties, *J. Mater. Chem. Phys.*, 80, 348-355.
- Hoffmann, M.R., Martin, S.T., Choi, W. and Bahnemannt, D.W., 1995, Environmental Applications of Semiconductor Photocatalysis, *Chem. Rev.*, 95, 69–96.
- Jafari, T., Moharreri, E., Amin, A.S., Miao, R., Song, W. and Suib, S.L., 2016, Photocatalytic Water Splitting-The Untamed Dream: A Review of Recent Advances, *Molecules*, 21, 1-29.
- Jeng, H-T. and Guo, G.Y., 2002, First-Principles Investigations of The Electronic Struture and Magnetocrystalline Anisotropy in Strained Magnetite Fe₃O₄, *Phys. Rev.*, 65, 9902 - 9911.
- Kang, Y.S., Risbud, S., Rabold, J.F. and Storoewe, P., 1996, Synthesis and Characterization of Nanometer-size Fe₃O₄ and gama-Fe₂O₃ Particles, *Chem. Mater.*, 8(9), 2209-2211.
- Katsumata, H., Taniguchi, M., Kaneco, S. and T. Suzuki, 2013, Evaluation of Reaction Mechanism for Photocatalytic Degradation of Dye with Self-Sensitized TiO₂ under Visible Light Irradiation, *Catal. Commun.*, 34, 30-34.
- Kotas, J.Z., Stasicka, Z. and Smith, R.S., 2000, Chromium occurrence in the

- environment and methods of its speciation, *Environ. Pollut.*, 107, 263-267.
- Kunarti, E.S., Kartini, I., Syoufian, A., dan Widyandari, K.M., 2018, Synthesis and Photoactivity of Fe₃O₄/TiO₂-Co as a Magnetically Separable Visible Light Responsive Photocatalyst, *Indones. J. Chem.*, 18(3), 403-410.
- Ma, C.M., Shen, Y.S. and Lin, P.H., 2012, Photoreduction of Cr(VI) Ions in Aqueous Solutions by UV/TiO₂ Photocatalytic Processes, *International Journal of Photoenergy*, 2012, 1-7.
- Malakootian, M. and Mansuri, F., 2015, Hexavalent chromium removal by titanium dioxide photocatalytic reduction and effect of phenol and humic acid on its removal efficiency, *Int. J. Env. Health Eng.*, 4(1), 4-19.
- Mclean, J.E., McNeill, L.S., Edwards, M.A. and Parks, J.L., 2012, Hexavalent chromium review, part 1: Health effects, regulations, and analysis, *J. Am. Water Works Ass.*, 348-357.
- Mills, A. and Hunte, S.L., 1997, An Overview of Semiconductor Photocatalysis, *J. Photoc. Photobio. A*, 108, 1-35.
- Miyake, M., Mano, T., Nishimoto, S. and Kameshima, Y., 2015, Water Treatment Efficacy of Various Metal Oxide Semiconductors For Photocatalytic Ozonation Under UV And Visible Light Irradiation, *Chem. Eng.*, 264, 221-229.
- Munawaroh, H.S.H., Gumilar, G.G., Nandiyanto, A.B.D., Kartikasari, S., Kusumawaty, D. and Hasanah, 2017, Microbial Reduction of Cr(VI) in to Cr(III) by locally isolated *Pseudomonas aeruginosa*, *Mater. Sci. Eng. C*, 180(2017), 292-296.
- Palupi, E., 2006, Degradasi *Methylene Blue* dengan Fotokatalisis dan Fotoelektrokatalisis Menggunakan Film TiO₂, *Skripsi*, Departemen Fisika FMIPA IPB, Bogor.
- Pechova, A. and Pavlata, L., 2007, Chromium as An Essential Nutrient: A Review, *Veter. Med-czech*, 20(1), 1-18.
- Putri, A., 2012, Aktivitas Fotokatalis TiO₂-lignin pada Detoksi Ion Hg(II) dengan Metode Fotoreduksi: Pengaruh Massa Fotokatalis dan pH Larutan, *Skripsi*, FMIPA UGM, Yogyakarta.
- Rahman, T., Fadhlulloh, M.A., Nandiyanto, A.B.D. dan Mudzakir, A., 2014, *Review: Sintesis Titanium Dioksida Nanopartikel*, *J. Integrasi Proses*, 1(5), 15-29.
- Rahmawati, A.R., 2014, Modifikasi Magnetik Zeolit Alam Berbasis Metode Kopresipitasi Serta Aplikasinya Sebagai Adsorben Cd(II), *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Ren, G., Yan, L., Zhang, Z., Zhong, B., Yang and Wang, X., 2017, A New Green Synthesis of Porous Magnetite Nanoparticles from Waste Ferrous Sulfate by Solid-Phase Reduction Reaction, *J. Alloys Compd.* 710, 875-879.

- Saoud., F., 2010, Superparamagnetic Nanoparticles for Synthesis and Purification of Polymers Prepared Via Controlled Living Radical Polymerization (CLRP), *Dissertation*, Polymer Science at The University of Stellenbosch.
- Sari, E.K., Wahyuni, E.T., dan Aprilita, N.H., 2014, Pengaruh Ion Cu(II) dan ion Ni(II) Terhadap Efektivitas Fotoreduksi Ion Cr(VI) Terkatalisis TiO₂, *Berkala Mipa*, 24(2), 136-142.
- Sivakumar, P. and Sudha, D., 2015, Review On The Photocatalytic Activity of Various Composite Catalyts, *Chem. Eng. Prog.*, 97, 112-133.
- Smith, W., Mao, S., Lu, G., Catlett, A., Chen, J. and Zhao, Y., 2010, The Effect of Ag Nanoparticle Loading On The Photocatalytic Activity of TiO₂ Nanorod Arrays: An Article, *Chem. Phys. Lett.*, 485, 171-175.
- Sucahya, T.N., Permatasari, N. dan Nandiyanto, A.B.D., 2016, *Review: Fotokatalis untuk Pengolahan Limbah Cair*, *J. Integrasi Proses*, 6(1), 1-15.
- Sumerta, I. K., Wijaya, K. dan Tahir, I., 2003, Fotodegradasi Metilen Biru Menggunakan Katalis TiO₂-Montmorilonit dan Sinar UV, *Seminar Nasional Pendidikan Kimia*, 19 Oktober 2002, Yogyakarta.
- Supriyanto, R. dan Kiswandono, A.A., Pengaruh HNO₃ pada Analisis Cr(III) Menggunakan Asam Tanat Secara Spektrofotometri Ultraungu-Tampak, *Analit: Analytical and Environment Chemistry*, 2(2), 68-78
- Wang, X., Pehkonen, S.O., and Ray A.K., 2004, Photocatalytic Reduction of Hg(II) on Two Commercial TiO₂ Catalysts, *Electrochim. Acta.*, 49, 1435-1444.
- Wardhani, S., Lestari, Y.D. dan Khunur, M.M., 2015, Degradasi *Methylene Blue* Menggunakan Fotokatalis TiO₂-N/Zeolit dengan Sinar Matahari, *Kimia Student Journal*, 1(1), 592-598.
- Wijayanto, E., 2018, Komposit Grafit Nanomagnetit Sebagai Adsorben Permanganat, *Skripsi*, Departemen Kimia IPB, Bogor.
- Xu, Y. and Langford, C. H., 1997, Photoactivity of Titanium Dioxide Supported on MCM41, Zeolite X and Zeolite Y, *J. Phys. Chem. B*, 101(16), 3115-3121.
- Yan, X., Gao, Q., Qin, J., Yang, X., Li, Y. and Tang, H. (2013). Morphology-Controlled Synthesis of Ag₃PO₄ Microcubes with Enhanced Visible-Light-Driven Photocatalytic Activity. *Ceram. Int.*, 39, 9715-9720.
- Yang, Y., Wang, G., Deng, Q., Ng, D.H.L. and Zhao, H., 2014, Microwave-Assisted Fabrication of Nanoparticulate TiO₂ Microspheres for Synergistic Photocatalytic Removal of Cr(VI) and Methyl Orange, *ACS Appl. Mater. Interfaces.*, (6), 3008-3015.
- Yoon, J.K., Shim, E., Bae, S. and Joo, H., Application of immobilized nanotubular TiO₂ electrode for Photocatalytic hydrogen evolution: Reduction of hexavalent chromium Cr(VI) in water, *J. Hazer. Mater.*, 161, 1069-1074
- Zhan, J., Zhang, H. and Zhu., G., 2014, Magnetic Photocatalysts of Cenospheres Coated with Fe₃O₄/TiO₂ Core/Shell Nanoparticles Decorated with Ag

Nanoparticles, *Ceram. Int.*, 40(6), 8547-8559.

Zhang, J., Zhou, P., Liu, J. and Yu. J., 2014, New Understanding of The Difference of Photocatalytic Activity among Anatase, Rutile and Brookite TiO₂, *Phys. Chem.*, 16(August), 20382-20386.

Zhu, C., Zhang, M., Qiao, Y., Xiao, G., Zhang, F. and Zhen Y., 2010, Fe₃O₄/TiO₂ Core/Shell Nanotubes: Synthesis and Magnetic and Electromagnetic Wave Absorption Characteristics, *J. Phys. Chem. C*, 114(39), 16229-16235.

Zhu, Q., Peng, Y., Fan, C., Gao, G.Q., Wang, R.X., and Xu, A.W., 2014, Stable Blue TiO_{2-x} Nanoparticles For Efficient Visible Light Photocatalysts, *J. Mater. Chem. A.*, (2), 4429-4437.

Zivotsky, O., Seidlerova, J., Safarik, I., Lunacek, J., Safarikova, M., Kutlakova, K.M. and Jiraskova, Y., 2015, Magnetically modified TiO₂ powders- microstructure and magnetic properties, *Phys. Procedia*, 75, 1450-1457.