

DAFTAR PUSTAKA

- Ashwood, W. and Hungr, O. (2016) 'Estimating total resisting force in flexible barrier impacted by a granular avalanche using physical and numerical modeling', *Canadian Geotechnical Journal*, 53(10), pp. 1700–1717. doi: 10.1139/cgj-2015-0481.
- Balai Litbang Sabo. (2018) *Teknologi Ring Net Barriers untuk Pengendalian Aliran Debris*. Yogyakarta.
- Bawias, Y. A. (2012) 'Effect of Sand Mining Activity on the Sediment Control System (a Case Study of Sombe-Lewara River, Donggala, Indonesia)', *Journal of the Civil Engineering Forum*, 21(1). doi: 10.22146/jcef.18941.
- Chanson, H. (1999) *The Hydraulics of Open Channel Flow*. London: Arnold.
- Chanson, H. (2004) 'Sabo check dams - mountain protection systems in japan', *International Journal of River Basin Management*, 2(4), pp. 301–307. doi: 10.1080/15715124.2004.9635240.
- Gary, Y. and Ng, A. (2017) 'Design suggestions on flexible debris-resisting barriers', *Proceedings of the HKIE Geotechnical Division 37th Annual Seminar 2017 - G-Evolution, Geotechnical Practice in Hong Kong*, (July), pp. 353–362.
- Han, W. and Ou, G. (2006) 'Efficiency of slit dam prevention against non-viscous debris flow', *Wuhan University Journal of Natural Sciences*, 11(4), pp. 865–869. doi: 10.1007/BF02830178.
- Horiguchi, T. and Komatsu, Y. (2019) 'Method to evaluate the effect of inclination angle of steel open-type check dam on debris flow impact load', *International Journal of Protective Structures*, 10(1), pp. 95–115. doi: 10.1177/2041419618789702.
- Huo, M. *et al.* (2017) 'Effects of a flexible net barrier on the dynamic behaviours and interception of debris flows in mountainous areas', *Journal of Mountain Science*, 14(10), pp. 1903–1918. doi: 10.1007/s11629-017-4373-4.
- Itoh, T. *et al.* (2011) 'Fundamental Hydraulic Flume Test Focused on Sediment Control Function Using A Grid-Type High Dam', *Italian Journal of Engineering Geology and Environment-Book*. doi: 10.4408/IJEGE.2011-03.B-114.
- Kim, N. *et al.* (2019) 'Estimation of debris flow discharge coefficient considering sediment concentration', *International Journal of Sediment Research*, 34(1), pp. 1–7. doi: 10.1016/j.ijsrc.2018.05.003.
- Kim, Y. *et al.* (2017) 'Study on hydraulic characteristics of sabo dam with a flap structure for debris flow', *International Journal of Sediment Research*. Elsevier B.V., 32(3), pp. 452–464. doi: 10.1016/j.ijsrc.2017.05.001.
- Kusumobroto, H. (2013) *Aliran Debris dan Lahar: Pembentukan, Pengaliran, Pengendalian dan Pengendaliannya*. cetakan pe. Yogyakarta: Graha Ilmu.
- Kwan, J. S. H. *et al.* (2014) 'A case study on an open hillside landslide impacting on a flexible rockfall barrier at Jordan Valley, Hong Kong', *Landslides*, 11(6), pp. 1037–1050. doi: 10.1007/s10346-013-0461-x.
- Praise, S. *et al.* (2017) 'Impact of closed sabo dams on manganese concentration change in mountainous streams', *International Journal of River Basin Management*.

- Taylor & Francis, 15(1), pp. 61–68. doi: 10.1080/15715124.2016.1209510.
- Rahmat, A., Legono, D. and Kusumosubroto, H. (2008) ‘Pengelolaan Sedimen Kali Gendol Pasca Erupsi Merapi Juni 2006’, *Civil Engineering Forum Teknik Sipil*, 18(2), pp. 840-850–850.
- Ramos-Diez, I. *et al.* (2016) ‘Analysis of methods to determine the sediment retained by check dams and to estimate erosion rates in badlands’, *Environmental Monitoring and Assessment*. *Environmental Monitoring and Assessment*, 188(7). doi: 10.1007/s10661-016-5408-y.
- Segalini, A. *et al.* (2013) ‘Comparison between the mechanical behavior of barriers against rock fall vs debris flows’, in *ISRM International Symposium - EUROCK 2013*. doi: 10.1201/b15683-117.
- Shrestha, B. B. *et al.* (2008) ‘Numerical Simulation on Debris-Flow Deposition and Erosion Processes Upstream of a Check Dam with Experimental Verification Badri Bhakta SHRESTHA *, Hajime NAKAGAWA , Kenji KAWAIKE and Yasuyuki BABA’, *Annals of Disas. Prev. Res. Inst., Kyoto Univ.*, 51(B), pp. 613–624.
- Silva, D. M. *et al.* (2016) ‘Experimental and numerical study of slit-check’, *International Journal of Sustainable Development and Planning*, 11(2), pp. 107–118. doi: 10.2495/SDP-V11-N2-107-118.
- Soja, R. and Wiejaczka, L. (2014) ‘The impact of a reservoir on the physicochemical properties of water in a mountain river.’, *Water and Environment Journal*, 28(4), pp. 473–482.
- Song, D. ri *et al.* (2019) ‘Debris flow impact on flexible barrier: effects of debris-barrier stiffness and flow aspect ratio’, *Journal of Mountain Science*, 16(7), pp. 1629–1645. doi: 10.1007/s11629-018-5314-6.
- Takahara, T. and Matsumura, K. (2008) ‘Experimental Study of the Sediment Trap Effect of Steel Grid-Type Sabo Dams’, *International Journal of Erosion Control Engineering*, 1(2), pp. 73–78.
- Takahashi, T. (1981) *Debris flow.*, *Annual review of fluid mechanics, volume 13*. doi: 10.1146/annurev.fl.13.010181.000421.
- Tan, D. *et al.* (2017) ‘New Thoughts for Impact Force Estimation on Flexible Barriers’, in *Advancing Culture of Living with Landslides*. doi: 10.1007/978-3-319-53483-1_54.
- Tateishi, R. *et al.* (2020) ‘Experimental study of the woody debris trapping efficiency of a steel pipe, open sabo dam’, *International Journal of Sediment Research*. Elsevier Ltd, (xxxx). doi: 10.1016/j.ijsrc.2020.03.011.
- Vagnon, F., Segalini, A. and Ferrero, A. M. (2015) ‘Studies of Flexible Barriers Under Debris Flow Impact: An Application to an Alpine Basin’, *Procedia Earth and Planetary Science*. Elsevier B.V., 15, pp. 165–172. doi: 10.1016/j.proeps.2015.08.041.
- Wendeler, C. (2016) *Debris-Flow Protection System for Mountain Torrents. Basic Principles for Planning and Calculation of Flexible Barriers*. Birmensdorf: Swiss Federal Institute for Forest, Snow, and Landscape Research.

- Wendeler, C. and Volkwein, A. (2015) 'Laboratory tests for the optimization of mesh size for flexible debris-flow barriers', *Natural Hazards and Earth System Sciences*, 15(12), pp. 2597–2604. doi: 10.5194/nhess-15-2597-2015.
- Yuan, D. *et al.* (2019) 'Experimental study on the performance characteristics of viscous debris flows with a grid-type dam for debris flow hazards mitigation', *Bulletin of Engineering Geology and the Environment*. *Bulletin of Engineering Geology and the Environment*, 78(8), pp. 5763–5774. doi: 10.1007/s10064-019-01524-z.