

DAFTAR PUSTAKA

- Abdurrahman. 2002. Stratifikasi Penggunaan Habitat Berbagai Jenis Burung di Sekitar Danau Gili Meno, Kabupaten Lombok Utara. [Skripsi] FKIP Jurusan Biologi Universitas Mataram. Mataram.
- Ahyadi, H., Sudarma I.M., & Suana, I.W. 2014 Pengembangan Ekowisata Birdwatching Di Gili Meno. *Jurnal Penelitian UNRAM* 14(1). 50-53.
- Al-Amoudi M.M & Aguis C . 1991. Histology and Ultrastructure of the Chloride Cell in Freshwater- and Sea Water-Acclimated Specimens of *Oreochromis mossambicus* and *O. spilurus*. *J.K.A. v.: Mar. Sci.*, Vol. 2, pp. 123-136
- Amir, A.B., Morstensen, L. & Poppe T.T. 1992. *Histology atlas, normal structure of salmonids: A colour atlas – English, German, French and Spanish legends*. Grafisk Produksjon: Offset Nort AS. Noorway. P: 33-35.
- Ariyanto, D. 2003. Analisis Keragaman Genetik Tiga Strain Ikan Nila dan Satu Strain Ikan Mujair Berdasarkan Karakter Morfologinya. *Zuriat* 14 (1): 1-6.
- Awal, M.A., Begum, A.A. Chandar, K.J. Ahmed, & G.U. Kurohmaru, M. 2001. Myxosporidin infection of gills and skin among carp from nursery ponds in Bangladesh histopatology. *Vet. Arhiv* 71(5): 265-276.
- Ay, Ö., Kalay, M., Tamer, L., & Canlı, M. 1999. Copper and lead accumulation in tissues of a freshwater fish *Tilapia zillii* and its effects on the branchial Na⁺,K⁺-ATPase activity. *Bull. Environ. Contam. Toxicol* 62: 160-168.
- Balarin, J. D., & Hatton, J. P. 1979. *Tilapia. A Guide To Their Biology And Culture In Africa*. University of Stirling, Scotland, 174 pp.
- Baysoy, E., Atli, G. & Canlı, M. 2013. The effects of salinity and salinity+metal (chromium and lead) exposure on ATPase activity in the gill and intestine of tilapia (*Oreochromis niloticus*). *Arch Environ Con Tox*, 64, 291-300.
- Blanc-Livni, N., & Abraham, M. 1970. The influence of environmental salinity on the prolactin and gonadotropin-secreting regions in the pituitary of Ml+/ (Teleostei). *Gen. Comp. Endocrinol.* 14. 184-197.
- Blaxter, J.H.S. 2000. The Enhancement Of Marine fish Stocks. *Adv Mar Biol* 38:1–54.
- Burden. C.E. 1956. The failure of hypophysectomized *Funclulus heraroclrus* to survive in freshwater. *Biol. Bull.* 110, 8-28.
- De Zaccane, G. 1981. Effect of osmotic stress on the chloride and mucous cells in the gill epithelium of the fresh-water teleost *Barbus filamentosus* (Cypriniformes, Pisces). *Acta histochem.* 68, 147- 159.
- Eddy, F.B. 1982. Osmotic And Ionic Regulation In Captive Fish With Particular Reference To Salmonids. *Comp. Biochem. Physiol.* 73B, 125-142.
- El-Bab, M.F. 2004. *Fundamentals of the Histology of Fish part 1 Histology of Teleost. Second Edition*. Department of Anatomy and Histology Faculty of Veterinary Medicine Assiut University ASSIUT. EGYPT.

- Emmanouil, C., R.M. Green, F.R. Willey & J.K. Chipman. 2008. Oxidative damage in gill of *Mytilus edulis* from Merseyside, UK, and reversibility after depuration. *Environ. Pollut.*, 151(3): 663-668.
- Evans, D. H. (1979). *Ikan*. Dalam Fisiologi Komparatif Osmoregulasi pada Hewan (G. M. P. Maloiy, ed.), Vol. 1, hlm. 305-390. New York: Academic Press.
- Evans, D.H., Piermarini, P.M & Choe, K.P. 2005. The Multifunctional fish Gill: Dominant Site Of Gas Exchange, Osmoregulation, Acid–Base Regulation, And Excretion Of Nitrogenous Waste. *Physiol. Rev* 85, 97–177.
- Foskett, J. K, & Scheffey, C. 1982. The Chloride Cell: Definitive Identification As The Salt- Secretory Cell In Teleost. *Science, N.Y* 215, 164-166.
- Fudge, D., Schorno, S. 2016. The Hagfish Gland Thread Cell: A Fiber-Producing Cell Involved in Predator Defense. *Cells*, 5(2), 25.
- Genten, F., Eddy, T, & Andre, D. 2009. *Atlas of Fish Histology*. Science Publisher. New Hampshire. Pp. 111-115.
- Gonzales, R. 2011. The physiology of hyper-salinity tolerance in teleost fish. *J Comp Physiol B* 182(3):321–329.
- Hawkes J.W. 1974. The structure of fish skin. II. The chromatophore unit. *Cell Tissue Res* 149, 159-172.
- Hwang, P.P. 1987. Tolerance and ultrastructural responses of branchial chloride cells to salinity changes in the euryhaline teleost *Oreochromis mossambicus*. *Mar. Biol. (Berlin)* 94(4): 643-649.
- Hwang, P. P, & Wu, S. M.. 1988. Salinity effects on cytometrical parameters of the kidney in the euryhaline teleost *Oreochromis mossambicus* Peters. *J. Fish Biol.* 33. 89-95
- Jamil, K. Shoaib M. Ameer F . & Lin, H., 2004. Salinity tolerance and growth response of juvenile *Oreochromis mossambicus* at different salinity levels. *J Ocean U China* 3(1): 53-55.
- Jeremy, S., Timothy, D.L. Stecko, J., Stauffer R & Carline F. R. 1996. Combined effects of water temperature and salinity on growth and feed utilization of juvenile Nile tilapia *Oreochromis niloticus* (Linnaeus). *Aquaculture*. 146 (1-2): 37-46.
- Junqueira, L.C., Carneiro, J & Kelley, R.O. 1997. *Histology Dasar edisi kedelapan*. EGC. Jakarta. Pp. 223, 370-386.
- Jutfelt, f. 2006. *The intestinal epithelium of salmonoids. Transpithelial transport, barrier function and bacterial interactions*. Department of zoology, zoophysiology göteborg university.
- Jozuka, K. 1966. Chloride-excreting and mucous secreting cells in the gills of the Japanese common eel, *Anguilla japonica*. *Annot. Zoo. Jap.* 39,202-210.
- Kamal, A.H.M. & Mair, G.C. 2005. Salinity tolerance in superior genotypes of tilapia, *Oreochromis mossambicus* and their hybrids. *Aquaculture* 247(1-4): 189-201.

- Kaneko, T., Watanabe, S., & Lee, K.M., 2008. Functional morphology of mitochondrion rich cells in euryhaline and stenohaline teleosts. *Aqua-BioSci. Monogr.* 1, 1-62.
- Karl L. 1962. *Ichthyology*. John Wiley & Sons. Inc: New York
- Karlsen, C., Elisabeth Y., Gerrit T., Vibake H., Sigurd H., Sven M, & Aleksei K. 2018. Atlantic Salmon Skin Barrier Function Gradually Enhance After Seawater Transfer. *Sci Rep-Uk.* 50(2): 159-170
- Keys, A. B. & Willmer, E. N. 1932. "Chloride-secreting cells" in the gills of fishes with special reference to the common eel. *J. Physiol* 76,368-378.
- Korai, A.K., Lashari, K.H, Sahato, G.A. & Kazi, T.G. 2010. Histological lesions in gills of feral cyprinids, related to the uptake of waterborne toxicants from Keenjhar lake. *Fish Biol.* 18: 157-176.
- Kultz, D., Bastrop, R., Jurss, K. & Siebers, D. 1992. Mitochondrialrich (MR) cells and the activities of the Na⁺/K⁺-ATPase and carbonic anhydrase in the gill and opercular epithelium of *Oreochromis mossambicus* adapted to various salinities. *Comp. Biochem. Physiol.* 102B, 293-301.
- Kultz, D. & Onken, H. 1993. Long-term acclimation of the teleost *Oreochromis mossambicus* to various salinities: two different strategies in mastering hypertonic stress. *Mar. Biol.* 117, 527-533.
- Lane L. 2016. <https://sites.google.com/site/swimmingwithdiefishes/lindsay-lane>. diakses pada 28 Agustus 2019 pukul 10.54 WIB.
- Lemoine. A.-M., & Olivereau, M. 1973. Variations de la teneur en acide N-acetylneuraminique de la branchie de l'anguille au tours des changements de salinite. *C. R. Sot. Biol.* 167, 411-416.
- Likongwe, J.S, Stecko, T.D, Stauffer JR, & Carline RF. 1996. Combined effects of water temperature and salinity on growth and feed utilization of juvenile Nile tilapia *Oreochromis niloticus* (Linneaus). *Aquaculture.* 6:37-46.
- Lobel, P.S. 1980. Invasion by the Mozambique tilapia (*Oreochromis mossambicus*) ; Pisces: Cichlidae) of a Pacific atoll marine ecosystem. *Micronesia* 16(2): 349-355.
- Mackay, W. C., & Janicki, R. 1978. Changes in the eel intestine during seawater adaptation. *Comp. Biochem. Physiol A* 62, 757-761.
- Marshall, W.S. 1879. Effects of Salinity Acclimation, Prolactin, Growth Hormone, and Cortisol on the Mucous Cells of *Leptocottus armatus* (Teleostei; Cottidae). *Gen. Comp. Endocrinol.* 37. 358-368.
- Marshall, Jr E. K., & Smith H W. 1930. The Glomerular Development of the Vertebrate Kidney in Relation to Habitat. *Biological Bulletin*, Vol. 59, No. 2 pp. 135-153
- Marshall, W. S., & Grosell, M. 2006. "Ion transport, osmoregulation, and acidbase balance," in *The Physiology of Fishes*, eds D. H. Evans and J. B. Claiborne (Boca Raton, FL: CRC Press), 177-230.

- Mattheij, J. A. M.. and Sprangers, J. A. P. 1969. The site of prolactin secretion in the adenohypophysis of the stenohaline teleost, *Anoptichthys jurduni*, and the effects of this hormone on mucous cells. *Z. Zellforsch.* 99, 41 1-419.
- McCormick, S.D., 1995. *Hormonal control of gill Na⁺, K⁺-ATPase and chloride cell function.* In: *Fish Physiology*, (ed. C.M. Wood and T.J. Shuttleworth), pp.285-315. New York: Academic Press.
- Mescher, A. L. 2010. *Histology dasar junqueira Edisi 12.* Jakarta : EGC. p. 260-266.
- Morgan J D & Iwama G K. 1991. Effects of salinity on growth, metabolism, and ion regulation in juvenile rainbow and steelhead trout (*Oncorhynchus mykiss*) and fall chinook salmon (*O. tshawytscha*). *Can J Fisher Aqua Sci.* 48:2083–2094
- Moyle, P.B. & Cech J.J. 1996. *Fishes: An Introduction to Ichthyology. 3rd edition.* University of California.
- Muhammad, I., & Tarboton, D, G. 2006. *The Great Salt Lake Salinity, How it Affects Evaporation?*. NASA and Utah State University. Research Gate.
- Mumford, S. Heidel J. Smith C. Morrison J. MacConnell B. & Blazer V. 2007. *Fish Histology and Histopathology Manual.* USFWS-NCTC.
- Muti'ah. 2017. *Analisis Kandungan Cd Pada Ikan Mujair (*Oreochromis Mossambicus*) Di Danau Meno, Kabupaten Lombok Utara.* [Skripsi] FMIPA Jurusan Biologi Universitas Mataram. Mataram.
- Oliveira, R.F., & Almada V.C. 1995. Sexual dimorphism and allometry of external morphology in *Oreochromis mossambicus*. *J Fish Biol* 46(6):1055–1064
- Philippart, J.C. & Ruwet J.C. 1982. *Ecology and distribution of Tilapias.* In: Pullin, R. S. V., and Lowe-McConnell, R. H. (eds): *The Biology and Culture of Tilapias.* pp. 15-60. ICLARM Conf. Proc. 7, ICLARM, Manila, Philippines.
- Pullin, R.S.V. & Lowe-McConnell R.H. 1980. *The biology and culture of tilapias.* In: *International conference on the biology and culture of tilapias, Bellagio, Italy.* International Center for Living Aquatic Resource Management, pp 25–58, 74–80.
- Putra. 2010. *Kajian Probiotik, Prebiotik, dan Sinbiotik Untuk Meningkatkan Kinerja Pertumbuhan Ikan Nila.* Institute Pertanian Bogor. P.91.
- Raskovic, B.S., Stankovic, M.B. Markovic, . Z.Z. Poleksic, V.D. 2011. Histological methods in the assessment of different feed effects on liver and intestine of fish. *J Agr Sci.* 56 (10) : 87-100.
- Sheehan, D.C., & Hrapchak, B.B. 1987. *Theory And Practice Of Histotechnology, 2nd Edition.* Battelle Memorial Institute. Columbus. OH.
- Sherwood, L. 2016. *Fisiologi manusia dari sel ke system edisi 8.* Jakarta: EGC.p652-665.
- Shirai, N. & Utida, S. 1970. Development and degeneration of the chloride cell during seawater and freshwater adaptation of the Japanese eel *Anguilla japonica*. *Z Zellforsch Mikrsk Anat.*103,241-264.

- Senturk, G. Erkanli., Canilloğlu, & Y. Ersoy. 2014. *Which Histochemical Staining Technique Should I Choose for Biological Specimens*. Microscopy: advances in scientific research and education (A. Méndez-Vilas, Ed.).
- Skadhauge, E. 1974. Coupling of transmural flows of NaCl and water in the intestine of the eel (*Anguilla anguilla*). *J. Exp. Biol.* 60, 535-546.
- Smith, H. W. (1930). The absorption and excretion of water and salts by marine teleosts. *Am. J. Physiol.* 93, 480-505.
- Stickney, R.R. 1979. *Principles of Warmwater Aquaculture*. John Wiley And Sons. New York, 375 pp.
- Stickney, R. R. 1986. Tilapia tolerance of saline waters: a review. *Prog. Fish Cult.* 48, 161-167.
- Tacchi L, Lowrey L, Musharrafieh R, Crossey K, Larragoite E T, & Salinas I. 2015. Effects of transportation stress and addition of salt to transport water on the skin mucosal homeostasis of rainbow trout (*Oncorhynchus mykiss*). *Aquaculture*. 435: 120–127.
- Takei, Y., & Hwang, P. P. 2016. “Homeostatic responses to osmotic stress,” in *Fish Physiology- Biology of Stress in Fish, Vol. 35*, eds C. B. Schreck, L. Tort, A.P. Farrell, and C.J. Brauner. San Diego, CA: Academic Press Inc. p. 208–237.
- Trewavas, F. 1983. *Tilapias: Taxonomi and Speciation* . In R. S. V. Dullin and R. H. Low Mc. Connell (Eds). *The Biology and Culture of Tilapias* . ICLARM Conference, Mamalia.
- Tran-Ngoc K T., Schramaa J W., Lea M T T., Nguyenc T H., Roema A J., & Verreth J A J. 2017. Salinity and diet composition affect digestibility and intestinal morphology in Nile tilapia (*Oreochromis niloticus*). *Aquaculture* 469. 36–43.
- Usher, M. L., Talbot, C., & Eddy, F. B. (1991). Intestinal water transport in juvenile Atlantic salmon (*Salmo salar* L.) during smolting and following transfer to seawater. *Comp. Biochem. Physiol A* 100, 813-818.
- De Azevedo, V. Karolina dos Santos-Costa, R., Figueiredo de Oliveira, K., Flores-Lopes, F., Teixeira-Lanna, E.A., & Tavares-Braga, L.G. 2015. Responses of Nile tilapia to different levels of water salinity. *Lat. Am. J. Aquat. Res.*, 43(5): 828-835
- Watanabe, W.O., Kup C.M., & Huang M.C., 1985. The ontogeny of salinity tolerance in the tilapias *Oreochromis aureus* , *O. niloticus* , and an *O. mossambicus* x *O. niloticus* hybrid, spawned in freshwater. *Aquaculture* 47(4): 353-367.
- Webb, A.M. Maughan & Knott M. 2007. *Pest fish profile Oreochromis mossambicus - Mozambica tilapia*. ACTFR. James Cook University. Australia. P 12.
- Weng, C.F., Chiang, C.C., Gong, H.Y., Chen, M.H.C., Lin, C.J.F., Huang, W.T., Cheng, C.Y., Hwang, P.P., & Wu, J.L. 2002. Acute changes in gill Na⁺-K⁺-ATPase and creatine kinase in response to salinity changes in the euryhaline

- teleost, Tilapia (*Oreochromis mossambicus*). *Physiol. Biochem Zool* 75: 29-36.
- Whitfield A.K., & Blaber S.J.M. 1979. The distribution of the freshwater cichlid *Sarotherodon mossambicus* in estuarine systems. *Environ Biol Fish* 4(1): 77-81.
- Winkaler, E.U., A.G. Silva, H.C. Galindo & C.B.R. Martinez. 2001. Histological and physiological biomarkers to assess fish health in Londrina streams, state of Paraná. *Acta Sci.*, 23(2): 507-514.