

DAFTAR PUSTAKA

- Abbott, S.L. & J.J.M. Janda. 2006. The Genus *Edwardsiella*. In: Dworkin, M., S. Falkow, E. Rosenberg, K. Schleifer, & E. Stackbrandt (Eds.). *Prokaryotes*. Vol 6. Springer. p: 72–89.
- Abdel-Latif, H. M.R. & E. K. Sedeek. 2017. Diversity of enterobacteriaceae retrieved from diseased cultured *Oreochromis niloticus*. *International Journal of Fisheries and Aquatic Studies*. 5(1): 29-34.
- Adji, K. 2008. Evaluasi kontaminasi bakteri patogen pada ikan segar diperairan teluk semarang. Program Pascasarjana. Universitas Diponegoro. Semarang. Master Thesis.
- Agung, I.G.N. 2000. Analisis statistik sederhana untuk pengambilan keputusan. *Populasi*. 11(2): 77 – 100.
- Ahmed, O.M. 2019. Histamine and other biogenic amines formation in canned tuna fish inoculated with *Morganella morganii* or *Proteus mirabilis* in determining food safety during temperature abuse. *Nutrition and Food Toxicology*. 3(4): 690-700.
- Alin, K. 1950. Bacterial production and destruction of histamine in vitro. *Acta Allergologica*. 3: 136 – 146.
- Ardiwidjaja, I.Y. 2019. Pengaruh suhu dan lama penanganan terhadap kualitas cakalang segar dari Pelabuhan Perikanan Pantai Sadeng, Gunungkidul. Fakultas Pertanian. Universitas Gadjah Mada. Yogyakarta. Skripsi.
- Armani, M., M. Civettini, G. Conedera, M. Favretti, D. Lombardo, R. Lucchini, S. Paternolli, A. Pezzuto, M. Rabini, & G. Arcangeli. 2016. Evaluation of hygienic quality and labelling of fish distributed in public canteens of Northeast Italy. *Italian Journal of Food Safety*. 5(5723): 185 – 190.
- Arnold, S.H. & W.D. Brown. 1978. Histamine (?) toxicity from fish products. In: Chichester CO, Mrak EM, Stewart GF (Eds.). *Advances in Food Research*. New York: Academic Press. P 113-154.
- Atlas, R.M. 2005. *Handbook of Media for Environmental Microbiology*. 2nd edition. Taylor & Francis. Florida.
- Balan, S. S., R. Nethaji, S. Sankar, & S. Jayalakshmi. 2012. Production of gelatinase enzyme from *Bacillus* spp. isolated from the sediment sample of Porto Novo Coastal sites. *Asian Pacific Journal of Tropical Biomedicine*. S1811 – S1816.
- Barcik, W., B. Pugin, P. Westermann, N. Rodriguez, R. Ferstl, M. Wawrzyniak, S. Smolinska, M. Jutel, M. Hessel, D. Michalovich, C. Akdis, R. Frei, & L. O'Mahony. 2016. *Journal of Allergy and Clinical Immunology*. 138(5): 1491 – 1493.
- Basté, O.C., M.L. Latorre-Moratalla, S. Sánchez-Pérez, M. T. Veciana-Nogués & M.C. Vidal-Carou. 2019. Histamine and other biogenic amines in food: from scombroid poisoning to histamine intolerance. *Intech Open*. 1 – 12.
- Batra, P., P. Mathur, & M.C. Misra. 2016. *Aeromonas* spp.: an emerging nosocomial pathogen. *Journal of Laboratory Physicians*. 8: 1 – 4.
- Behling, A.R. & S.L. Taylor. 1982. Bacterial histamine production as a function of temperature and time of incubation. *Journal of Food Science*. 47: 1311 – 1317.
- Bergann, T. 1993. The amine-forming ability of *Aeromonas* spp. *Zentralbl Veterinarmed B*. 40(1): 31 – 34.
- Bermejo, A. & M.A. Mondaca. 2003. Growth and characterization of the histamine-forming bacteria of jack-mackerel (*Trachurus symmetricus*). *Journal of Food Processing Preservation*. 26: 401 – 404.

- Bjornsdottir, K., G. E. Bolton, P. D. McClellan-Green, L. Jaykus, & D. P. Green. 2009. Detection of Gram-negative histamin-producing bacteria in fish: a comparative study. *Journal of Food Protection*. 72(9): 1987 – 1991
- Bjornsdottir-Butler, K., J.L. Jones, R. Benner, & W. Burkhardt. 2011. Development of a real-time PCR assay with an internal amplification control for detection of Gram negative histamine-producing bacteria in fish. *Food Microbiology*. 28:356-363.
- Bjornsdottir-Butler, K., S.A. McCarthy, P.V. Dunlap, & R.A. Benner. 2016. *Photobacterium angustum* and *Photobacterium kishitanii*, psychrotrophic high-level histamine-producing bacteria indigenous to tuna. *Applied and Environmental Microbiology*. 82(7): 2167 – 2176.
- Brill, R.W., K. A. Bigelow, M. K. Musyl, K. A. Fritsches, & E. J. Warrant. 2005. Bigeye tuna (*Thunnus obesus*) behavior and physiology and their relevance to stock assessments and fishery biology. *Collective Volume of Scientific Papers International Commission for the Conservation of Atlantic Tunas*. 57(2): 142 – 161.
- Bruer, G.G., P. Hagedorn, M. Kietzmann, A. F. Tohamy, V. Filor, E. Schultz, S. Mielke-Kuschow & J. Meissner. 2019. Histamine H1 receptor antagonists enhance the efficacy of antibacterials against *Escherichia coli*. *BMC Veterinary Research*. 15(55): 1 – 6.
- Butt, R.L. & H. Volkoff. 2019. Gut microbiota and energy homeostasis in fish. *Frontiers in Endocrinology*. 10(9): 1 – 12.
- Calles-Enríquez, M., B.H. Eriksen, P. S. Andersen, F. P. Rattray, A. H. Johansen, M. Fernaández, V. Ladero, & M.A. Alvarez. 2010. Sequencing and transcriptional analysis of the *Streptococcus thermophilus* histamine biosynthesis gene cluster: factors that affect differential *hdcA* expression. *Applied and Environmental Microbiology*. 76(18):6231 – 6238.
- Chattopadhyay, P. & S. Adikari. 2014. Fish: catching & handling. In: *Encyclopedia of Food Microbiology*. 2nd edition. Elsevier./
- Chen, C.M., C.I. Wei, J.A. Koburger & M.R. Marshal. 1989. Comparison of four agar media for detection of histamine-producing bacteria in tuna. *Journal of Food Protection*. 52(11): 808 – 813.
- Chen, H., Y. Wang, & J. Zhang. 2017. Isolation and identification of *Citrobacter* spp. from the intestine of *Procambarus clarkii*. *Journal of Fisheries Research*. 2(1): 1 – 6.
- Cheptsov, V.S., S.I. Tsykina, & N.V. Minaev. 2019. New microorganism isolation techniques with emphasis on laser printing. *International Journal of Bioprinting*. 5(1): 165.
- Choudhury, M., M.K. Sahu, K. Sivakumar, T. Thangradjou, & L. Kannan. 2008. Inhibition of actinomycetes to histamine producing bacteria associated with indian mackerel fish (*Rastrelliger kanagurta*, Cuvier, 1816). *Journal of Fisheries and Aquatic Science*. 3(2): 126 – 136.
- Claros, M. C., D. M. Citron, & E. J. C. Goldstein. 1995. Survival of anaerobic bacteria in various thioglycolate and chopped meat broth formulations. *Journal of Clinical Microbiology*. 33(9): 2505 – 2507.
- Cowan, S.T., K.J. Steel, G.I. Barrow, & R.K.A. Feltham. 1993. *Cowan and Steel's Manual for the Identification of Medical Bacteria*. 3rd edition. Cambridge University Press. UK.

- Drzewiecka, D. 2016. Significance and roles of *Proteus* spp. bacteria in natural environments. *Microbial Ecology*. 72: 741–758.
- Duran, N., G.Z. Justo, M. Duran, M. Brocchi, L. Cordi, & L. Tasic. 2016. Advances in *Chromobacterium violaceum* and properties of violacein – its main secondary metabolite: a review. *Biotechnology Advances*. 34: 1030 – 1045.
- EFSA. 2011. Scientific opinion on risk based control of biogenic amine formation in fermented foods. *EFSA Journal*. 9(10): 2393.
- Emborg, J., B.G. Laursen, & P. Dalgaard. 2005. Significant histamine formation in tuna (*Thunnus albacares*) at 28C — effect of vacuum and modified atmosphere packaging on psychrotolerant bacteria. *International Journal of Food Microbiology*. 101: 263–279.
- Emborg, J., P. Dalgaard, & P. Ahrens. 2006. *Morganella psychrotolerans* sp. nov., a histamine producing bacterium isolated from various seafoods. *International Journal of Systematic and Evolutionary Microbiology*. 56: 2473–2479.
- Enache, E., A. Kataoka, D.G. Black, L. Weddig, M. Hayman, K. Bjornsdottir-Butler. 2013. Heat resistance of histamine-producing bacteria in irradiated tuna loins. *Journal of Food Protection*. 76(9): 1608 – 1614.
- Etkind, P., M.E. Wilson, & J.G. Cournoyer. 1987. Bluefish scombroid poisoning. an example of the expanding spectrum of food poisoning from seafood. *Journal of the American Medical Association*. 258: 3409 – 3410.
- FAO. 2004. Application of risk assessment in the fish industry. FAO Fisheries Technical Paper 442. Corporate Document Repository, Fisheries and Aquaculture Department. Rome.
- Farmer, J.J., M.K. Farmer, & B. Holmes. 2010. The Enterobacteriaceae: general characteristics. In: Topley & Wilson's Microbiology and Microbial Infections. John Wiley & Sons Ltd.
- FDA. 2011. Fish and Fishery Products Hazards and Controls Guidance. 4th edition. FDA. USA.
- FDA. 2020. Outbreak Investigation of Scombrotxin Fish Poisoning: Yellowfin/Ahi Tuna (November 2019). <<https://www.fda.gov/food/outbreaks-foodborne-illness/outbreak-investigation-scombrotxin-fish-poisoning-yellowfinahi-tuna-november-2019>> (diakses pada 6 Maret 2020).
- Ferragut, C., D. Izard, F. Gavin, B. Levebvre, & H. Leclerc. 1981. *Buttiauxella*, a new genus of the family Enterobacteriaceae. *Zentralblatt für Bakteriologie, Parasitenkunde, Infektionskrankheiten und Hygiene. Erste Abteilung: Originale*. C2: 33 – 44.
- Ferrario, C., C. Pegollo, G. Ricci, F. Borgo, & M. Grazia Fortina. 2012. PCR detection and identification of histamine-forming bacteria in filleted tuna fish samples. *Journal of Food Science*. 77(2): 115 – 120.
- Figueras, M.J., F. Latif-Eugenín, F. Ballester, I. Pujol, D. Tena, K. Berg, M. J. Hossain, R. Beaz-Hidalgo & M. R. Liles. 2017. *Aeromonas intestinalis* and *Aeromonas enterica* isolated from human faeces, *Aeromonas crassostreae* from oyster and *Aeromonas aquatilis* isolated from lake water represent novel species. *New Microbe and New Infect*. 15: 74 – 76.
- Fikri, R. 2019. Isolasi dan Identifikasi Bakteri Psikrotrof Pembentuk Histamin dari Tuna Mata Besar. Fakultas Pertanian. Universitas Gadjah Mada. Yogyakarta. Skripsi.

- Frank, H.A., D.H. Yoshinaga, & W. Nip. 1981. Histamine formation and honeycombing during decomposition of skipjack tuna, *Katsuwonus pelamis*, at elevated temperatures. *Marine Fisheries Review*. 43(10): 9 – 14.
- Garcia-Tapia, G., G. Barba-Quintero, J. A. Gallegos-Infante, R.P. Aguilar, J. Ruiz-Cortes, & J.A. Ramirez. 2013. Influence of physical damage and freezing on histamine concentration and microbiological quality of yellowfin tuna during processing. *Food Science and Technology*. 33:463–467.
- Gil, A.I., C. F. Lanata, S. M. Hartinger, D. Mäusezahl, B. Padilla, T. J. Ochoa, M. Lozada, I. Pineda & H. Verastegui. 2014. Fecal contamination of food, water, hands, and kitchen utensils at the household level in rural areas of Peru. *Journal of Environmental Health*. 76(6): 102 – 107.
- Grimont, F. & P.A. Grimont. 2006. The Genus *Serratia*. *Prokaryotes*. 6: 219–244
- Guillén-Velasco, S., E. Ponce-Alquicira, A. F. Saravia & I. Guerrero-Legarreta. 2004. Histamine production by two Enterobacteriaceae strains isolated from tuna (*Thunnus thynnus*) and jack mackerel (*Trachurus murphyi*). *International Journal of Food Properties*. 7(1): 91 – 103.
- Herrera, P.C., J.A. Santos, A. Otero & M.L. Garcia-Lopez. 2006. Occurrence of *Plesiomonas shigelloides* in displayed portions of saltwater fish determined by a PCR assay based upon the *hugA* gene. *International Journal of Food Microbiology*. 108: 233 – 238.
- Houicher, A., E. Kuley, B. Bendeddouche, & F. Ozogul. 2013. Histamine and tyramine production by bacteria isolated from spoiled sardine (*Sardina pilchardus*). *African Journal of Biotechnology*. 12(21): 3288 – 3295.
- Huys, G., M. Cnockaert, S.L. Abbott, J.M. Janda, & P. Vandamme. 2010. *Hafnia paralvei* sp. nov., formerly known as *Hafnia alvei* hybridization group 2. *International Journal of Systematic and Evolutionary Microbiology*. 60: 1725 – 1728.
- Hwang, C., P. Tseng, Y. Lee, H. Kung, C. Huang, H. Chen, & Y. Tsai. 2019. Determination of histamine in Japanese Spanish mackerel (*Scomberomorus niphonihungus*) meat implicated in a foodborne poisoning. *Journal of Food Protection*. 82(10): 1643-1649.
- Ina-Salwany, M.S., N. Al-saari, A. Mohamad, M. Fathin-Amirah, A. Mohd, M.N.A. Amal, H. Kasai, S. Mino, T. Sawabe, & M. Zamri-Saad. 2019. Vibriosis in fish: a review on disease development and prevention. *Journal of Aquatic Animal Health*. 31(1): 3 – 22.
- IOTC. 2019. Report of the 23rd Session of the Indian Ocean Tuna commission. Hyderabad. India.
- Iwase, T., A. Tajima, S. Sugimoto, K. Okuda, I. Hironaka, Y. Kamata, K. Takada, & Y. Mizunoe. 2013. A simple assay for measuring catalase activity: a visual approach. *Scientific Reports*. 3(3081): 1 – 4.
- Jackson, F.R. 1990. Prokaryotic and eukaryotic pyridoxal-dependent decarboxylases are homologous. *Journal of Molecular Evolution*. 31: 325–329.
- Janda, J.M. & S.L. Abbott. 2006. The genus *Hafnia*: from soup to nuts. *Clinical Microbiology Reviews*. 19(1): 12 – 18.
- Janda, J.M. & S.L. Abbott. 2010. The genus *Aeromonas*: taxonomy, pathogenicity, and infection. *Clinical Microbiology Reviews*. 23: 35 – 73.
- Jeyasanta, K.I, E. M. Kashwati, K. Saritha, & J. Patterson. 2015. Histamin content in local consumers demanded fishes of Tuticorin. *International Archives on Integrated Medicine*. 2(1): 50 – 61.

- Jiang, Q., Z. Dai, T. Zhou, J. Wu, J. Bu, & T. Zheng. 2013. Histamine production and bacterial growth in mackerel (*Pneumatophorus japonicus*) during storage. *Journal of Food Biochemistry*. 1 – 9.
- Joosten, H.M.L.J. and Northolt, M.D. 1989. Detection, growth and amine producing capacity of lactobacilli in cheese. *Applied and Environmental Microbiology*. 55: 2356 – 2359.
- Joshi, K.K., E. M. Abdussamad K.P. Said, P. Rohit, S. Ghosh, K. R. Sreenath, M. Beni, K. K. Bineesh & K.V. Akhilesh. 2012. Taxonomy and key for the identification of tuna species exploited from the Indian EEZ. *Indian Journal of Fish*. 59(3): 53-60.
- Joshi, P.A. & V.S. Bhoir. 2011. Study of histamin forming bacteria in commercial fish samples of Kalyan City. *International Journal of Current Scientific Research*. 1(2): 39 – 42.
- Kali, A., S. Srirangaraj, & P.A. Charles. 2015. A cost-effective carbohydrate fermentation test for yeast using microtitre plate. *Indian Journal of Medical Microbiology*. 33: 293 – 295.
- Kanki, M, T. Yoda, T. Tsukamoto & E. Baba. 2007. Histidine decarboxylases and their role in accumulation of histamine in tuna and dried saury. *Applied Environmental Microbiology*. 73(5):1467-1473.
- Kaper, J.B., J. P. Nataro & H. L. T. Mobley. 2004. Pathogenic *Escherichia coli*. *Nature Reviews Microbiology*. 2: 123 – 144.
- Kim, S. H., K. G. Field, M. T. Morrissey, R. J. Price, C.I. Wei, & H. An. 2001. Source and identification of histamine-producing bacteria from fresh and temperature-abused albacore. *Journal of Food Protection*. 64: 1035–1044.
- Kim, S. H., R.J. Price, M.T. Morrissey, K.G. Field, C.I. Wei, & H. An. 2002. Occurrence of histamine-forming bacteria in albacore and histamine accumulation in muscle at ambient temperature. *Journal of Food Science*. 67(4):1515 – 1521.
- Kim, S.H., B. Ben-Gigirey, J. Barros, R.J. Price, & H. An. 2000. Histamine and biogenic amine production by *Morganella morganii* isolated from temperature-abused albacore. *Journal of Food Protection*. 63(2): 244 – 251.
- Kim, S.H., K. G. Field, D.S. Chang, C. Wei, & H. An. 2001. Identification of bacteria crucial to histamine accumulation in pacific mackerel during storage. *Journal of Food Protection*. 64(10): 1556 – 1564
- Koohdar, V.A., V. Razavilar, A.A. Motalebi, F. Mosakhani, & T. Valinassab. 2011. Isolation and identification of histamine-forming bacteria in frozen skipjack tuna (*Katsuwonus pelamis*). *Iranian Journal of Fisheries Sciences*. 10(4): 678 – 688.
- Kovacova-Hanusikova, E. & T. Buday. 2015. Histamine, histamine intoxication and intolerance. *Allergologia et Immunopathologia*. 43 (5):498-506.
- Kurtz, J.R., J.A. Goggins, & J.B. McLachan. 2017. Salmonella infection: interplay between the bacteria and host immune system. *Immunology Letters*. 190: 42–50.
- Landete, J. M., B. de las Rivas, A. Marcobal, & R. Muñoz. 2008. Updated molecular knowledge about histamine biosynthesis by bacteria. *Critical Reviews of Food Science and Nutrition*. 48: 697–714.
- Lee, Y., H. Kung, C. Wu, H. Hsu, H. Chen, T. Huang, & Y. Tsai. 2016. Determination of histamine in milkfish stick implicated in food-borne poisoning. *Journal of Food Analysis*. 24: 63 – 71.
- Leininger, D.J., J.R. Roberson, & F. Elvinger. 2001. Use of eosin methylene blue agar to differentiate *Escherichia coli* from other gram-negative mastitis pathogens. *Journal of Veterinary Diagnostic Investigation*. 13:273–275.

- Lieber, E.R. & S.L. Taylor. 1978. Thin-layer chromatographic screening methods for histamine in tuna fish. *Journal of Chromatography*. 153:143-152.
- Lima-Bittencourt, C.I., S. Astolfi-Filho, E.C. Souza, F. Santos, & A. Nascimento. 2007. Analysis of *Chromobacterium* sp. natural isolates from different Brazilian ecosystems. *BMC Microbiology*. 7(58): 1 – 9.
- Liu, H., J. Zhu, Q. Hu, & X Rao. 2016. *Morganella morganii*, a non-negligent opportunistic pathogen. *International Journal of Infectious Diseases*. 50: 10 – 17.
- Lopez-Sabater, E.I., J.J. Rodriguez, M. Hernandez-Herero, & M. T. Mora-Ventura. 1996. Incidence of histamine-forming bacteria and histamine content in scombroid fish species from retail markets in the Barcelona area. *International Journal of Food Microbiology*. 28: 411 – 418.
- Lopez-Sabater, E.I., J.J. Rodriguez-Jerez, M. Hernandez-Herrero, & M.T. Mora-Ventura. 1994. Evaluation of histidine decarboxylase activity of bacteria isolated from sardine (*Sardina pilchardus*) by an enzymic method. *Letters in Applied Microbiology*. 19: 70 – 75.
- Lucas, P.M., W. Wolken, O. Classie, J. Lolkema, & A. Funel. 2005. Histamine-producing pathway encoded on an unstable plasmid in *Lactobacillus hilgardii* 0006. *Applied and Environmental Microbiology*. 71(3): 1417 – 1424.
- Ma, M., T. Amano, M. Enokimoto, T. Yano, K.K. Moe, & N. Misawa. 2007. Influence of pH of tsi medium on the detection of hydrogen sulfide production by *Campylobacter hyointestinalis*. *Letters in Applied Microbiology*. 44: 544 – 549.
- Maayer, P.D, D. Anderson, C. Cary, & D.A. Cowan. 2014. Some like it cold: understanding the survival strategies of psychrophiles. *EMBO reports*. 1-7.
- Madi, D.R., K. Vidyalakshmi, J. Ramapuram, & A.K. Shetty. 2015. Case report: successful treatment of *Chromobacterium violaceum* sepsis in a South Indian adult. *American Journal of Tropical Medicine and Hygiene*. 93(5): 1066 – 1067.
- Mahusain, N.A.S., F. Bayoi, N. U. Karim, M. Zainol & M. Danish-Daniel. 2016. Determination of histamine levels in longtail tuna (*Thunnus tonggol*) stored at different temperature. *PeerJ Preprints*. 1 – 7.
- Maijala, R.L. 1993. Formation of histamine and tyramine by some lactic acid bacteria in MRS-broth and modified decarboxylation agar. *Letters in Applied Microbiology*. 17:40 – 43.
- Maintz, L. & Novak, N. 2007. Histamine and histamine intolerance. *The American Journal of Clinical Nutrition*. 85(5): 1185-1196.
- Manos, J. & R. Belas. 2016. The Genera *Proteus*, *Providencia*, and *Morganella*. *Prokaryotes*. 6:245–269
- Margareta, G., S. R. Ratnawati, & I.D. Puspita. 2020. Growth rate and histamine production of *Citrobacter freundii* CK01 in various incubation temperatures. *E3S Web of Conferences*. 147: 03018.
- Martin, M. C., M. F. Andez, M. Linares & M. A. Alvarez. 2005. Sequencing, characterization, and transcriptional analysis of the histidine decarboxylase operon of *Lactobacillus buchneri*. *Microbiology*. 151:1219-1228.
- Mattick, J.S. 2002. Type IV pili and twitching motility. *Annual Review of Microbiology*. 56:289-314.
- Mavromatis, P., & P. C. Quantick. 2002. Modification of Niven's medium for the enumeration of histamine-producing bacteria and discussion of the parameters associated with its use. *Journal of Food Protection*. 3 (65): 546 – 551.

- Metri, B.C., P. Jyothi, & B.V. Peerapur. 2013. Antibiotic resistance in *Citrobacter* spp. Isolated from urinary tract infection. *Urology Annals*. 5(4): 312 – 313.
- Midorikawa, Y., S. Nakamura, R. Phetsouvanh, & K. Midorikawa. 2014. Detection of non-typhoidal *Salmonella* using a mechanism for controlling hydrogen sulfide production. *Open Journal of Medical Microbiology*. 4: 90 – 95.
- Morii, H. & K. Kasama. 2004. Activity of two histidine decarboxylase from *Photobacterium phosphoreum* at different temperatures, pHs, and NaCl concentrations. *Journal of Food Protection*. 67(8): 1736 – 1742.
- Muller, H.E., D.J. Brenner, G.R. Fanning, P.A.D. Grimont, & P. Kampfer. 1996. Emended description of *Buttiauxella agrestis* with recognition of six new species of *Buttiauxella* and two new species of *Kluyvera*: *Buttiauxella ferragutiae* sp. nov., *Buttiauxella gaviniae* sp. nov., *Buttiauxella brennerae* sp. nov., *Buttiauxella izardii* sp. nov., *Buttiauxella noackiae* sp. nov., *Buttiauxella warmboldiae* sp. nov., *Kluyvera cochleae* sp. nov., and *Kluyvera georgiana* sp. nov. *International Journal of Systematic Bacteriology*. 46(1): 50 – 63.
- Nedwell, D.B. 1999. Effect of low temperature on microbial growth: lowered affinity for substrates limits growth at low temperature. *Microbiology Ecology*. 30:101 – 111.
- Nento, W.R., T. Nurhayati, & R. Suwandi. 2014. Perubahan mutu daging terang ikan tuna yellowfin di perairan Teluk Tomini Propinsi Gorontalo. *Jurnal Pengolahan Hasil Perikanan Indonesia*. 17(3): 225 – 232.
- Niven, C.F., M.B. Jeffrey, & D.A. Corlett. 1981. Differential plating medium for quantitative detection of histamine producing bacteria. *Journal of Applied Environmental Microbiology*. 41:321-322.
- O'Hara, C.M., F. W. Brenner, & J.M. Miller. 2000. Classification, identification, and clinical significance of *Proteus*, *Providencia*, and *Morganella*. *Clinical Microbiology Reviews*. 13(4): 534–546.
- O'Sullivan, B. 2000. The Analysis of Biogenic Amines by standard and Novel Methods. School of Biological Sciences. Dublin City University. Master Thesis.
- Octavia S. & R. Lan. 2014. The Family *Enterobacteriaceae*. dIn: E. Rosenberg, E.F DeLong, S. Lory, E. Stackebrandt, & F. Thompson F (Eds.). *The Prokaryotes*. Springer. Berlin.
- Oh, S., S. Buddenborg, D.R. Yoder-Himes, J.M. Tiedje, & K.T. Konstantinidis. 2012. Genomic diversity of *Escherichia* isolates from diverse habitats. *PLoS ONE*. 7(10): e47005.
- Oliviera, R. B. A., W. P. Evangelista, M.J. Sena, & M.B.A. Gloria. 2012. Tuna fishing capture and post-capture practices in the northeast of Brazil and their effects on histamine and other bioactive amines. *Food Control*. 25:64–68
- Özogul, Y. & F. Özogul. 2019. Chapter 1: Biogenic Amines Formation, Toxicity, Regulations in Food. In: *Biogenic Amines in Food: Analysis, Occurrence and Toxicity*. p: 1 – 17.
- Pal, M., A. Ketema, M. Anberber, S. Mulu, & Y. Dutta. 2016. Microbial quality of fish and fish products. *Beverage & Food World*. 43(2): 46 – 49.
- Paramasivam, S, A. Arulkumar, & K. Malarvizhi. 2014. Histamin level and histamin producing bacteria in *Chirocentrus dorab*, *Gerres filamentosus* and *Siganus oramin* at ambient temperature. *Basic Research Journal of Food Science and Technology*. 1(7): 60 – 66.

- Patra, N., M.R. Prakash, S. Patil, M.B. Rao. 2018. First case report of surgical site infection due to *Buttiauxella agrestis* in a Neurocare Center in India. Archives of Medicine and Health Sciences. 6:117-119.
- Peng, S., C. Chen, Z. Shi, & L. Wang. 2013. Amino acid and fatty acid composition of the muscle tissue of yellowfin tuna (*Thunnus albacares*) and bigeye tuna (*Thunnus obesus*). Journal of Food and Nutrition Research. 1(4): 42 – 45.
- Percival, S.L. & D. W. Williams. 2014. Yersinia. Microbiology of Waterborne Diseases. 249 – 259.
- Pessoa, R.B.G, W.F. de Oliveira, D. S. C. Marques, M. T. S. Correia, E. de Carvalho, & L. C. Coelho. 2019. The genus *Aeromonas*: a general approach. Microbial Pathogenesis. 130: 81 – 94.
- Picket, M.J., J.R. Greenwood, & S.M. Harvey. 1991. Tests for detecting degradation of gelatin: comparison of five methods. Journal of Clinical Microbiology. 29(10): 2322 – 2325.
- Popovic, N.T., A.B. Skukan, P. Dzidara, R.C. Coz-Rakovac, I.S. Perovic, L. Kozacinski, M. Jadan, & D. Blerk-Gorski. 2010. Microbiological quality of marketed fresh and frozen seafood caught off the Adriatic coast of Croatia. Veterinarni Medicina. 55(5): 233 – 341.
- Reiner, K. 2010. Catalase test protocol. American Society for Microbiology. 1 – 9.
- Rodtong, S., S. Nawong, & J. Yongsawatdigul. 2005. Histamine accumulation and histamine-forming bacteria in Indian anchovy (*Stolephorus indicus*). Food Microbiology. 22:475-482.
- Rogers, L., K. Power, P.O. Gaora, & S. Fanning. 2016. *Escherichia coli* and other Enterobacteriaceae: occurrence and detection. Encyclopedia of Food and Health. 545 – 551.
- Romano, A., H. Trip, J. Lolkema & P.M. Lucas. 2013. Three component lysin/ornithine decarboxylation system in *Lactobacillus saerimneri* 3a. Journal of Bacteriology. 195(6): 1249 – 1254.
- Sabry, M.A., H.A. Mansour, R.M. Anshour, & E. Hamza. 2019. Histamine-producing bacteria and histamine induction in retail sardine and mackerel from fish markets in Egypt. Foodborne Pathogens & Disease. 20(20): 1 – 7
- Samaha, I.A. & T.A. Hendawy. 2017. Enterobacteriaceae in some imported fish. Journal of Dairy & Veterinary Sciences. 3(5): 1 – 6.
- Sandle, T. & K. Skinner. 2012. Study of psychrophilic and psychrotolerant microorganisms isolated in cold rooms used for pharmaceutical processing. Journal of Applied Microbiology. 114: 1166 – 1174.
- Santos, J.A., J.M. Rodriguez-Calleja, A.M. Otero, & L. Garcia-Lopez. 2014. *Plesiomonas*. Encyclopedia of Food Microbiology. 2nd edition. Elsevier Reference Collection in Food Science.
- Sarjito, A. Haditomo, Desrina, A. Djunaedi & S. Prayitno. 2018. The diversity of vibrios associated with vibriosis in pacific white shrimp (*Litopenaeus vannamei*) from extensive shrimp pond in Kendal District, Indonesia. IOP Conf. Series: Earth and Environmental Science. 116: 012011.
- Sarria, J.C., A.M. Vidal, & R.C. Kimbrough. 2001. Infections caused by *Kluyvera* species in humans. Clinical Infectious Diseases. 33: e69–74.
- Schreckenberger, P.C. & D.J. Blazevic. 1976. Rapid fermentation testing of anaerobic bacteria. Journal of Clinical Microbiology. 3(3): 313 – 317. (Abstr.).

- Sharma, A., P. Dour, & P. Gupta. 2006. Screening of enterobacterial contamination during gelatin production and its effect on pharmaceutical grade gelatin. *World Journal of Microbiology and Biotechnology*. 22: 1049 – 1054.
- Shatalin, K., E. Shatalina, A. Mironov, & E. Nudler. 2011. H₂S: a universal defense against antibiotics in bacteria. *Science*. 334(6058): 986 – 990.
- Silva, C.C.G., D. Da Ponte, & M. E. Dapkevicius. 1998. Storage temperature effect on histamine formation in big eye tuna and skipjack. *Journal of Food Science*. 63(4): 644 –
- Singh, M., N. Badrie, A. Newaj-Fyzul, & A. Ramsubhag. 2012. A prevalence study of histamine and histamine producing bacteria in two commercial tropical marine fish sold in Trinidad, West Indies. *Journal of Nutrition and Food Sciences*. 2(132): 1 – 6.
- Sitepu, S.B. 2020. Kualitas tongkol yang didaratkan di Pelabuhan Perikanan Pantai Sadeng Gunungkidul. Fakultas Pertanian. Universitas Gadjah Mada. Yogyakarta. Skripsi.
- Sivendra, R. & S.H. Tan. 1977. Pathogenicity of nonpigmented cultures of *Chromobacterium violaceum*. *Journal of Clinical Microbiology*. 5(5): 514 – 516.
- Smolinska, S., M. Jutel, R. Cramer, & L. O'Mahony. 2013. Histamine and gut mucosal immune regulation. *Allergy*. 1 – 9.
- SNI, 2013. SNI Ikan Segar 2729:2013. Badan Standardisasi Nasional. Jakarta.
- Steel, K.J. 1961. The oxidase reaction as a taxonomic tool. *Journal of General Microbiology*. 25: 297-806.
- Sukkon, P., S. Nalinanon, S. Yaiyen, & V. Areekul. 2016. Effects of temperature and time of incubation on the formation of histamine in bonito tuna flesh. *Food and Applied Bioscience Journal*. 4(2): 97–106.
- Tan, A., Y. Zhaoa, K. Sivashanmugana, K. Squirea, & A.X. Wang. 2019. Quantitative TLC-SERS detection of histamine in seafood with support vector machine analysis. *Food Control*. 103:111 – 118.
- Tao, Z., M. Sato, Y. Han, Z. Tan, T. Yamaguchi, & T. Nakano. 2011. A simple and rapid method for histamine analysis in fish and fishery products by TLC determination. *Food Control*. 22: 1154 – 1157.
- Tavakkoli, Z. 2019. Distribution of *Plesiomons shigelloides* in clinical samples in various countries: a review. *Article of Clinical Microbiology*. 8(2): 1 – 10.
- Taylor, S.L. & M.W. Speckhard. 1984. Isolation of histamine-producing bacteria from frozen tuna. *Marine Fisheries Review*. 45: 35 – 40.
- Taylor, W.I. & D. Achanzar. 1972. Catalase test as an aid to the identification of Enterobacteriaceae. *Applied Microbiology*. 24(1): 58 – 61.
- Tembhurne, M., A. Ghag, H. Sanathkumar, & B.B. Nayak. 2013. Dominance of Enterobacteria among histamine-producing bacteria isolated from Indian mackerel. *Advances in Microbiology*. 3: 537-542.
- Thompson, F.L., T. Iida, & J. Swings. 2004. Biodiversity of vibrios. *Microbiology and Molecular Biology Reviews*. 68(3): 403 – 431.
- Torido, Y., C. Ohshima, H. Takahashi, S. Miya, A. Iwakawa, T. Kuda, & B. Kimura. 2014. Distribution of psychrophilic and mesophilic histamine-producing bacteria in retailed fish in Japan. *Food Control*. 46: 338 – 342.
- Torido, Y., H. Takahashi, T. Kuda, & B. Kimura. 2012. Analysis of the growth of histamine-producing bacteria and histamine accumulation in fish during storage at low temperatures. *Food Control*. 26: 174 – 177.

- Trevisani, M., R. Mancussi, M. Cecchini, C. Costanza, & M. Prearo. 2017. Detection and characterization of histamine-producing strains of *Photobacterium damsela* subsp. *damsela* isolated from mullets. *Veterinary Sciences*. 4(31): 1 -11.
- Uddin, G., M.H. Larsen, L. Guardabassi, & A. Dalgaard, 2013. Bacterial flora and antimicrobial resistance in raw frozen cultured seafood imported to Denmark. *Journal of Food Protection*. 76: 490 – 499.
- Uktolseja J.C.B., B. Gafa & S. Bahar. 1991. Potensi dan penyebaran sumber daya ikan tuna dan cakalang. Dalam: Martosubroto P., N. Naamin, B.B.A. Malik (eds.). *Potensi dan Penyebaran Sumber daya Ikan Laut di Perairan Indonesia*. Jakarta: Direktorat Jenderal Perikanan. Pusat Penelitian dan Pengembangan Perikanan. Pusat Penelitian dan Pengembangan Oseanologi. Jakarta.
- Valdenegro-Vega, V., S. Naeem, J. Carson, J.P. Bowman, J.L. Tejedor del Real & B. Nowak. 2013. Culturable microbiota of ranches southern bluefin tuna (*Thunnus maccoyii* Castelnau). *Journal of Applied Microbiology*. 115: 923 — 932.
- Wang, D., S. Yamaki, Y. Kawai & K. Yamazaki. 2020. Histamine production behaviors of a psychrotolerant histamine-producer, *Morganella psychrotolerans*, in various environmental conditions. *Current Microbiology*. 1 – 8.
- Watson, J.R., R. Wallihan, & S. Antonara. 2018. Less commonly encountered Enterobacteriaceae. In: Long, S.S., C. G. Prober, & M. Fischer (Eds.). *Principles and Practice of Pediatric Infectious Disease*., 5th edition. Elsevier.
- Widiastuti, I. & S. Putro. 2010. Analisis mutu ikan tuna selama lepas tangkap. *Maspari Journal*. 1: 22 – 29.
- Wodi, S.I.M., W. Trilaksani, & M. Nurilmala. 2018. Histamin dan identifikasi bakteri pembentuk histamin pada tuna mata besar (*Thunnus obesus*). *Jurnal Teknologi Perikanan dan Kelautan*. 9(2): 185 -192.
- Wong, K.K. & P.M. Griffin. 2018. Other *Vibrio* species. In: Long, S (Eds.). *Principles and Practices of Pediatric Infectious Diseases*. Elsevier. Philadelphia. p: 879–881.
- Yoh, M., J. Matsuyama, M. Ohnishi, K. Takagi, H. Miyagi, K. Mori, K. Park, T. Ono, & T. Honda. 2005. Importance of *Providencia* species as a major cause of travellers' diarrhea. *Journal of Medical Microbiology*. 54: 1077–1082.
- Yoshinaga, D.H. & H.A. Frank. 1982. Histamine producing bacteria in decomposing skipjack tuna (*Katsuwonus pelamis*). *Applied and Environmental Microbiology*. 44(2): 447 – 452.
- Yu, H., D. Zhuang, X. Hu, S. Zhang, Z. He, M. Zeng, X. Fang, J. Chen, & X. Chen. 2018. Rapid determination of histamine in fish by thin layer chromatography - image analysis method using diazotized visualization reagent prepared with p-nitroaniline. *Analytical Methods*. 10: 3386 – 3392.
- Zou, Y. & X. Hou. 2016. Histamine production by *Enterobacter aerogenes* in chub mackerel (*Scomber japonicus*) at various storage temperatures. *Food Science and Technology*. 1 – 4.