

DAFTAR PUSTAKA

- [1] International Energy Agency, „Data and Statistics,“ International Energy Agency, [Online]. Available: <https://www.iea.org/data-and-statistics?country=INDONESIA&fuel=Energy%20consumption&indicator=Electricity%20final%20consumption>. [Zugriff am 2020 March 12].
- [2] D. Ürge-Vorsatz, O. Lucon, A. Zain Ahmed, H. Akbari, P. Bertoldi, L. Cabeza, N. Eyre, A. Gadgil, L. D. D Harvey, Y. Jiang, E. Liphoto, S. M. S. Mirasgedis, J. Parikh, C. Pyke und M. V. Vilarinho, „Buildings,“ in *In: Mitigation*, Working Group III contribution to the Fifth Assessment Report of the Intergovernmental Panel of Climate Change, 2014, p. 675.
- [3] L. Evangelisti, C. Guattari, F. Asdrubali und R. D. L. Vollaro, „An experimental investigation of the thermal performance of a building solar shading device,“ *Journal of Building Engineering*, Bd. 101089, Nr. November 2019, p. 28, 2020.
- [4] H. M. Hashim, E. Sokolova, O. Derevianko und D. B. Solovev, „Cooling Load Calculations,“ *IOP Conference Series: Materials Science and Engineering*, Bd. 463, Nr. 3, pp. 1-2, 2018.
- [5] A. A. Y. Freewan, „Advances in Passive Cooling Design: An Integrated Design Approach,“ *Intech*, pp. 2, 7, 2016.
- [6] Y. Ye, P. Xu, J. Mao und Y. Ji, „Experimental Study on The Effectiveness of Internal Shading Devices,“ *Energy and Buildings*, Bd. 111, Nr. December, p. 154, 2016.
- [7] A. Ghosh und S. Neogi, „Effect of Fenestration Geometrical Factors on Building Energy Consumption and Performance Evaluation of a New External Solar Shading Device in Warm and Humid Climatic Condition,“ *Solar Energy*, Bd. 169, Nr. April, p. 94, 2018.
- [8] J. Carmody und K. Haglund, „External Shading Devices in Commercial Buildings,“ Air Movement and Control Association International, Illinois, 2018.
- [9] W. K. Alhuwayil, M. A. Mujeebu und A. M. M. Algarny, "Impact of External Shading Strategy on Energy Performance of Multi-story Hotel Building in Hot-humid Climate," *Energy*, vol. 169, no. Elsevier, pp. 1166-1174, 2019.
- [10] G. Kirankumar, S. Saboor, P. R. T. Setty und A. Babu, „Effect of Various External Shading Devices on Windows for Minimum Heat Gain and Adequate Day lighting into Buildings of Hot and Dry Climatic Zone in India,“ in *MATEC Web of Conferences*, 2018.

- [11] M. S. Shahdan, S. S. Ahmad und M. A. Hussin, „External Shading Devices for Energy Efficient Building,“ *Earth and Environmental Science*, Bd. 117, Nr. IOP Publishing, pp. 1-7, 2018.
- [12] N. A. Arifin und Z. Denan, „An Analysis of Indoor Air Temperature and Relative Humidity in Office Room with Various External Shading Devices in Malaysia,“ *Social and Behavioral Science*, Bd. 179, Nr. Elsevier, pp. 290-296, 2015.
- [13] M. M. Samaan, O. Farag und M. Khalil, „Using Simulation Tools for Optimizing Cooling Loads and Daylighting Levels in Egyptian Campus Buildings,“ *HBRC Journal*, Bd. 4, Nr. Elsevier, pp. 79-92, 2018.
- [14] S.-H. Kim, K.-J. Shin, H.-j. Kim und Y.-H. Cho, „A Study on Effectiveness of the Horizontal Shading Device Installation for Passive Control of Buildings in South Korea,“ *International Journal of Polymer Science*, Bd. 2017, Nr. Hindawi, 2017.
- [15] V. Jernej, „Evaluation of Simulation Tools for Assessmenta of Urban Form Based on Physical Performance,“ Nr. Research Gate, 2013.
- [16] A. Kirimtut, B. K. Koyunbaba, I. Chatzikonstantinou und S. Sariyildiz, „Review of Simulation Modeling for Shading Devices in Buildings,“ *Renewable and Sustainable Energy Reviews*, Bd. 53, Nr. Elsevier, pp. 23-49, 2016.
- [17] A. K. K. Lau, E. Salleh, C. H. Lim, Sulaiman und M. Yusof, „Potential Shading Devices and Glazing Configurations on Cooling Energy Savings for High-rise Office Buildings in Hot-humid Climates: The Case of Malaysia,“ *International Journal of Sustainable Build Environment*, Bd. 5, Nr. Elsevier, pp. 387-399, 2016.
- [18] A. Mavrogianni, J. Krope, D. Goric̃anec und H. Altamirano-Medina, „Energy Efficiency and Thermal Envelope,“ in *A Handbook of Sustainable Building Design and Engineering*, New York, Taylor and Francis, 2013, pp. 59-63.
- [19] S. J. Rees, J. D. Spitler und H. Philip, „Quantitative Comparison of North American and U.K. Cooling Load Calculation Procedures--Result,“ *ASHRAE Transactions*, Bd. 104, Nr. ASHRAE, pp. 47-61, 1998.
- [20] S. J. Rees, M. J. Davis, J. D. Spitler und P. Haves, „Qualitative Comparison of North American and U.K. Cooling Load Calculation Methods,“ *HVAC&R Research*, Bd. 6, Nr. ASHRAE, pp. 75-99, 2000.
- [21] T. A. Reddy, J. F. Kreider, P. S. Curtis und A. Rabl, „Heat Gains Through Window,“ in *Heating and Cooling of Buildings*, Florida, CRC Press, 2017, pp. 127-149.
- [22] T. A. Reddy, J. F. Kreider, P. S. Curtis und A. Rabl, „Solar Radiation,“ in *Heating and Cooling of Buildings*, Florida, CRC Press, 2017, pp. 99-109.

- [23] D. Chwieduk, „Availability of Solar Radiation on the Earth,“ in *Solar Energy in Buildings: Thermal Balance for Efficient Heating and Cooling*, Academic Press, 2014, pp. 21-58.
- [24] S. A. Kalogirou, „Environmental Characteristics,“ in *Solar Energy Engineering: Processes and Systems*, Academic Press, 2014, pp. 51-120.
- [25] Peraturan Gubernur No. 38/2012, „Panduan Pengguna Bangunan Gedung Hijau Jakarta Vol. 1 Selubung Bangunan,“ Pemerintah Provinsi DKI Jakarta, Jakarta, 2012.
- [26] ASHRAE, „Standard 90.1-2019,“ 2019. [Online]. Available: https://ashrae.iwrapper.com/ViewOnline/Standard_90.1-2019. [Zugriff am 20 Juni 2020].
- [27] NZEB, „Shading,“ [Online]. Available: <https://nzeb.in/knowledge-centre/passive-design/shading/>. [Zugriff am 2020 Mei 19].
- [28] Intergrated Environmental Solution, „help.iesve,“ Intergrated Environmental Solution, 2019. [Online]. Available: <https://help.iesve.com/ve2019>. [Zugriff am 6 Juni 2020].