

DAFTAR PUSTAKA

- Adhikari, N.K.J., Beyene, J., Sam, J., dan Haynes, R.B., 2005. Effects of Computerized Clinical Decision Support Systems on Practitioner Performance. *Journal of American Medical Association*, **293**: 1223–1238.
- Astuti, D., 2013. 'Evaluasi Penggunaan Antibiotik pada Pasien Gangguan Ginjal Rawat Inap di Rumah Sakit Kasih Ibu Surakarta Periode Januari sampai September Tahun 2011', . Tesis, M.Sc., Fakultas Farmasi, Universitas Gadjah Mada, Yogyakarta.
- Awdishu, L., Coates, C.R., Lyddane, A., Tran, K., Daniels, C.E., Lee, J., dkk., 2016. The impact of real-time alerting on appropriate prescribing in kidney disease: A cluster randomized controlled trial. *Journal of the American Medical Informatics Association*, **23**: 609–616.
- Bauer, L.A., 2008. Clinical Pharmacokinetic and Pharmacodynamic Concept, dalam: *Applied Clinical Pharmacokinetics*. Mc Graw-Hill Medical, United State, hal. 3.
- Bhowmik, D., Vibha, D., Dogra, M., Agarwal, S., dan Bhat, A., 2014. Tranexamic acid overdose-induced generalized seizure in renal failure. *Saudi Journal of Kidney Diseases and Transplantation*, **25**: 130.
- Boussadi, A., Caruba, T., Karras, A., Berdot, S., Degoulet, P., Durieux, P., dkk., 2013. Validity of a clinical decision rule-based alert system for drug dose adjustment in patients with renal failure intended to improve pharmacists' analysis of medication orders in hospitals. *International Journal of Medical Informatics*, **82**: 964–972.
- Bradbury, B.D., Gilbertson, D.T., Brookhart, M.A., dan Kilpatrick, R.D., 2012. Confounding and Control of Confounding in Nonexperimental Studies of Medications in Patients With CKD. *Advances in Chronic Kidney Disease*, **19**: 19–26.
- Breton, G., Froissart, M., Janus, N., Launay-Vacher, V., Berr, C., Tzourio, C., dkk., 2011. Inappropriate drug use and mortality in community-dwelling elderly with impaired kidney function--the Three-City population-based study. *Nephrology Dialysis Transplantation*, **26**: 2852–2859.
- Buderer, N.M., 1996. Statistical methodology: I. Incorporating the prevalence of disease into the sample size calculation for sensitivity and specificity. *Academic emergency medicine*, **3**: 895–900.
- Bulsara, K.G. dan Makaryus, A.N., 2020. 'Candesartan', *StatPearls*. URL: <https://www.ncbi.nlm.nih.gov/books/NBK519501/>.

- Burgos-lunar, C. De, Salinero-fort, M.A., Cárdenas-valladolid, J., Soto-díaz, S., Fuentes-rodríguez, C.Y., Abánades-herranz, J.C., dkk., 2011. Validation of diabetes mellitus and hypertension diagnosis in computerized medical records in primary health care. *BMC Medical Research Methodology*, **11**: 146.
- Byrne, C. dan Cove-Smith, A., 2015. Clinical assessment of renal disease. *Medicine (United Kingdom)*, **43**: 361–367.
- Cabello-Muriel, A., Gascón-Cánovas, J.J., Urbietta-Sanz, E., dan Iniesta-Navalón, C., 2014. Effectiveness of pharmacist intervention in patients with chronic kidney disease. *International Journal of Clinical Pharmacy*, **36**: 896–903.
- Campbell, M.J. dan Freeman, J. V., 2008. Diagnostics Tests: Statistical Evaluation To Determine the Suitability for Diagnosis. *Scope*, 22–24.
- Chang, P., Chien, L.-N., Lin, Y.-F., Wu, M., Chiu, W., dan Chiou, H., 2016. Risk factors of gender for renal progression in patients with early chronic kidney disease. *Medicine*, **95**: e4203.
- Coleman, J.J., Sijs, H. Van Der, Haefeli, W.E., Slight, S.P., Mcdowell, S.E., Seidling, H.M., dkk., 2013. On the alert : future priorities for alerts in clinical decision support for computerized physician order entry identified from a European workshop. *BMC Medical Information & Decision Making*, **13**: 2–8.
- DatUAGE, R.P. r., 2017. 'Evaluasi Pendosisan Antibiotik untuk Terapi Pneumonia pada Pasien Sindrom Nefrotik Pediatri di RSUP dr. Sardjito Yogyakarta', . Tesis, M.Clin.Pharm., Fakultas Farmasi, Universitas Gadjah Mada, Yogyakarta.
- Desmedt, S., Spinewine, A., Jadoul, M., Henrard, S., Wouters, D., dan Dalleur, O., 2018. Impact of a clinical decision support system for drug dosage in patients with renal failure. *International Journal of Clinical Pharmacy*, **40**: 1225–1233.
- Doody, H.K., Peterson, G.M., Watson, D., dan Castelino, R.L., 2015. Retrospective evaluation of potentially inappropriate prescribing in hospitalized patients with renal impairment. *Current Medical Research and Opinion*, **31**: 525–535.
- Dooley, M.J., Allen, K.M., Doecke, C.J., Galbraith, K.J., Taylor, G.R., Bright, J., dkk., 2004. A prospective multicentre study of pharmacist initiated changes to drug therapy and patient management in acute care government funded hospitals. *British Journal of Clinical Pharmacology*, **57**: 513–521.
- Dwiningrum, A., 2016. 'Evaluasi Pharmacy Support System Dalam Mendeteksi Drug Related Problems (DRPs) Potensial Pada Pasien Geriatrik Rawat Jalan Di Rumah Sakit Yogyakarta', . Tesis, M.Sc., Fakultas Farmasi, Universitas Gadjah Mada, Yogyakarta.

- Emami, S., Esfahani, H.R., Farokhi, F.R., dan Fahimi, F., 2012. Assessment of drug dose adjustment in patients with kidney disease: Opportunities for pharmacist involvement. *International Journal of Pharmacy and Pharmaceutical Sciences*, **4**: 178–181.
- Eppenga, W.L., Kramers, C., Derijks, H.J., Wensing, M., Wetzels, J.F.M., dan De Smet, P.A.G.M., 2015. Individualizing pharmacotherapy in patients with renal impairment: The validity of the modification of diet in renal disease formula in specific patient populations with a glomerular filtration rate below 60 ml/min. A systematic review. *PLoS ONE*, **10**: 1–31.
- Eppenga, W.L., Kramers, C., Derijks, H.J., Wensing, M., Wetzels, J.F.M., dan De Smet, P.A.G.M., 2016. Drug therapy management in patients with renal impairment: how to use creatinine-based formulas in clinical practice. *European Journal of Clinical Pharmacology*, **72**: 1433–1439.
- Erler, A., Beyer, M., Petersen, J.J., Saal, K., Rath, T., Rochon, J., dkk., 2012. How to improve drug dosing for patients with renal impairment in primary care - a cluster- randomized controlled trial. *BMC Family Practice*, **13**: .
- Evans, P.D. dan Taal, M.W., 2015. Chronic Kidney Disease: Epidemiology and Causes, dalam: *Medicine*. Springer London, London, hal. 537–545.
- Fair, M.A. dan Pane, F., 2004. Pharmacist interventions in electronic drug orders entered by prescribers. *American Journal of Health-System Pharmacy*, **61**: 1286–1288.
- FDA, 2020. 'Clinical Outcome Assessment (COA)', *FDA.gov*. URL: <https://www.fda.gov/about-fda/>.
- Field, T.S., Rochon, P., Lee, M., Gavendo, L., Baril, J.L., dan Gurwitz, J.H., 2009. Computerized Clinical Decision Support During Medication Ordering for Long-term Care Residents with Renal Insufficiency. *Journal of the American Medical Informatics Association*, **16**: 480–485.
- Frisse, S., Röhrig, G., Franklin, J., Polidori, M.C., dan Schulz, R.-J., 2016. Prescription errors in geriatric patients can be avoided by means of a computerized physician order entry (CPOE). *Zeitschrift für Gerontologie und Geriatrie*, **49**: 227–231.
- Gaddis, G.M. dan Gaddis, M.L., 1990. Sensitivity, specificity, predictive value, and hypothesis testing., dalam: *Introduction to Biostatistics*. hal. 591–7.
- Getachew, H., Tadesse, Y., dan Shibeshi, W., 2015. Drug dosage adjustment in hospitalized patients with renal impairment at Tikur Anbessa specialized hospital, Addis Ababa, Ethiopia. *BMC Nephrology*, **16**: 158.
- Ghibelli, S., Marengoni, A., Djade, C.D., Nobili, A., Tettamanti, M., Franchi, C.,

- dkk., 2013. Prevention of Inappropriate Prescribing in Hospitalized Older Patients Using a Computerized Prescription Support System 821–828.
- Guerville, F., Roubaud-Baudron, C., Duc, S., Salles, N., Rainfray, M., dan Bourdel-Marchasson, I., 2019. Discrepancy Between Equations Estimating Kidney Function in Geriatric Care: A Study of Implications for Drug Prescription. *Drugs & Aging*, **36**: 155–163.
- Hassan, Y., Al-Ramahi, R., Abd Aziz, N., dan Ghazali, R., 2009a. Drug use and dosing in chronic kidney disease. *Annals of the Academy of Medicine Singapore*, **38**: 1095–1103.
- Hassan, Y., Al-Ramahi, R.J., Aziz, N.A., dan Ghazali, R., 2009b. Impact of a Renal Drug Dosing Service on Dose Adjustment in Hospitalized Patients with Chronic Kidney Disease. *Annals of Pharmacotherapy*, **43**: 1598–1605.
- Holm, H., Bjerke, K., Holst, L., dan Mathiesen, L., 2015. Use of renal risk drugs in patients with renal impairment. *International Journal of Clinical Pharmacy*, **37**: 1136–1142.
- Ilma, D.L., 2018. 'Evaluasi pendosisan seftazidim pada pasien pneumonia dengan gangguan fungsi ginjal'. Tesis, M.Clin.Pharm., Fakultas Farmasi, Universitas Gadjah Mada, Yogyakarta.
- Isbister, G.K., Heppell, S.P., Page, C.B., dan Ryan, N.M., 2017. Adult clonidine overdose: prolonged bradycardia and central nervous system depression, but not severe toxicity. *Clinical Toxicology*, **55**: 187–192.
- Joint Formulary Committee, 2018. *BNF 76 September 2018- Maret 2019*, 76th ed. BMJ Group & Pharmaceutical Press, London.
- Jones, S.A. dan Bhandari, S., 2013. The prevalence of potentially inappropriate medication prescribing in elderly patients with chronic kidney disease. *Postgraduate Medical Journal*, **89**: 247–250.
- Joosten, H., Drion, I., Boogerd, K.J., Van Der Pijl, E. V., Slingerland, R.J., Slaets, J.P.J., dkk., 2013. Optimising drug prescribing and dispensing in subjects at risk for drug errors due To renal impairment: Improving drug safety in primary healthcare by low eGFR alerts. *BMJ Open*, **3**: 1–9.
- Kementerian Kesehatan, 2013a. *Peraturan Menteri Kesehatan RI Nomor 82 Tentang Sistem Manajemen Rumah Sakit*. Kementerian Hukum dan Hak Asasi Manusia RI, Jakarta, Indonesia.
- Kementerian Kesehatan, 2013b. 'Riset Kesehatan Dasar 2013', . Lembaga Penerbit Badan Penelitian dan Pengembangan Kesehatan, Jakarta.
- Kementerian Kesehatan, 2016. *Peraturan Menteri Kesehatan RI Nomor 72 Tahun*

2016, *Tentang Standar Pelayanan Kefarmasian Di Rumah Sakit*. Kementerian Kesehatan Republik Indonesia, Jakarta, Indonesia.

Kementerian Kesehatan, 2019. 'Laporan Nasional Riskesdas 2018', . Lembaga Penerbit Badan Penelitian dan Pengembangan Kesehatan, Jakarta.

Khanal, A., Peterson, G.M., Castelino, R.L., dan Jose, M.D., 2015. Potentially Inappropriate Prescribing of Renally Cleared Drugs in Elderly Patients in Community and Aged Care Settings. *Drugs & Aging*, **32**: 391–400.

Kidney Disease Improving Global Outcomes (KDIGO) CKD Work Group, 2013. KDIGO 2012 Clinical Practice Guideline for the Evaluation and Management of Chronic Kidney Disease. *Kidney International Supplements*, **3**: 1–150.

Kouladjian, L., Hons, B.M.S., Pharm, M., Gnjidic, D., Ph, D., H, M.P., dkk., 2016. Development , validation and evaluation of an electronic pharmacological tool: The Drug Burden Index Calculator Ó. *Research in Social and Administrative Pharmacy*, **12**: 865–875.

Lamb, E., 2015. Assessment of kidney function in adults. *Medicine (United Kingdom)*, **43**: 368–373.

Lawanna, A., 2012. The Theory of Software Testing. *AU. J.T.*, **16**: 35–40.

Lea-Henry, T.N., Carland, J.E., Stocker, S.L., Sevastos, J., dan Roberts, D.M., 2018. Clinical Pharmacokinetics in Kidney Disease: Fundamental Principles. *Clinical Journal of the American Society of Nephrology*, **13**: 1085–1095.

Leape, L.L., Cullen, D.J., Clapp, M.D., dan Page, P., 2008. Pharmacist Participation on Physician Rounds in the Intensive Care Unit. *Journal of American Medical Association*, **281**: 267–270.

Lecker, I., Wang, D.-S., Whissell, P.D., Avramescu, S., Mazer, C.D., dan Orser, B.A., 2016. Tranexamic acid-associated seizures: Causes and treatment. *Annals of Neurology*, **79**: 18–26.

Leekha, S., Terrell, C.L., dan Edson, R.S., 2011. General Principles of Antimicrobial Therapy. *Mayo Clinic Proceedings*, **86**: 156–167.

Leung, A.A., Schiff, G., Keohane, C., dan Amato, M., 2013. Impact of Vendor Computerized Physician Order Entry on Patients With Renal Impairment in Community Hospitals. *Journal of Hospital Medicine*, **8**: 545–552.

Lexi-comp, I., 2017. *Drug Information Handbook : A Clinically Relevant Resource for All Healthcare Professionals*, 26th ed. Wolters Kluwer, United State.

Lin, Z. dan Xiaoyi, Z., 2016. Tranexamic acid-associated seizures: A meta-analysis. *Seizure*, **36**: 70–73.

- Lynch, S.S., 2019. 'Drug Efficacy and Safety', *MSD Manual Professional Version*.
URL: <https://www.msdmanuals.com/professional/clinical-pharmacology/>.
- Mackowiak, P.A., 1998. Concepts of Fever. *Archives of Internal Medicine*, **158**: 1870.
- Mahmoodi, B.K., Matsushita, K., Woodward, M., Blankestijn, P.J., Cirillo, M., Ohkubo, T., dkk., 2012. Associations of kidney disease measures with mortality and end-stage renal disease in individuals with and without hypertension: a meta-analysis. *The Lancet*, **380**: 1649–1661.
- Manzon, L., Nappe, T.M., DelMaestro, C., dan Maguire, N.J., 2020. 'Clonidine Toxicity', *StatPearls*. URL: <https://www.ncbi.nlm.nih.gov/books/NBK459374/>.
- Matzke, G.R., Aronoff, G.R., Atkinson, A.J., Bennett, W.M., Decker, B.S., Eckardt, K.-U., dkk., 2011. 'Drug dosing consideration in patients with acute and chronic kidney disease—a clinical update from Kidney Disease: Improving Global Outcomes (KDIGO)', , dalam: *Kidney International*. Nature Publishing Group, hal. 1122–1137.
- Mescia, F., Boccardo, P., Galbusera, M., dan Remuzzi, G., 2017. Prevention and Therapeutic Management of Bleeding in Dialysis Patients, dalam: *Handbook of Dialysis Therapy*. Elsevier, hal. 334-345.e1.
- Munar, M.Y. dan Singh, H., 2007. Drug Dosing Adjustments in Patients with Chronic Kidney Disease. *American Family Physician*, **75**: 1487–1496.
- National Kidney Foundation, 2011. Frequently Asked Questions About GFR Estimates. *Kidney.Org*, 4–19.
- Nielsen, A.L., Henriksen, D.P., Marinakis, C., Hellebek, A., Birn, H., Nybo, M., dkk., 2014. Drug Dosing in Patients with Renal Insufficiency in a Hospital Setting using Electronic Prescribing and Automated Reporting of Estimated Glomerular Filtration Rate. *Basic & Clinical Pharmacology & Toxicology*, **114**: 407–413.
- O'Sullivan, E.D., Hughes, J., dan Ferenbach, D.A., 2017. Renal Aging: Causes and Consequences. *Journal of the American Society of Nephrology*, **28**: 407–420.
- Oktaviani, E., 2016. 'Evaluasi Pendosisan Antidiabetika Oral pada Pasien DM Tipe 2 dengan Gangguan Fungsi Ginjal Rawat Jalan di RSUP dr. Sardjito Yogyakarta', . Tesis, M.Clin.Pharm., Fakultas Farmasi, Universitas Gadjah Mada, Yogyakarta.
- Oliven, A., Michalake, I., Zalman, D., Dorman, E., Yeshurun, D., dan Odeh, M., 2005. Prevention of prescription errors by computerized, on-line surveillance of drug order entry. *International Journal of Medical Informatics*, **74**: 377–

386.

Olyaei, A.J. dan Steffl, J.L., 2011. A Quantitative Approach to Drug Dosing in Chronic Kidney Disease. *Blood Purification*, **31**: 138–145.

Pharmaceutical care network Europe foundation, 2017. Classification for Drug related problems V 8.01. *PCNE Classification*, 1–10.

Prajapati, A. dan Ganguly, B., 2013. Appropriateness of drug dose and frequency in patients with renal dysfunction in a tertiary care hospital: A cross-sectional study. *Journal of Pharmacy and Bioallied Sciences*, **5**: 136–140.

Pratiwi, 2017. 'Evaluasi Pendosisan Antibiotika Oral pada Pasien DM Tipe 2 Geriatri dengan Gangguan Fungsi Ginjal Rawat Jalan di RSUD Sleman Yogyakarta', . Tesis, M.Clin.Pharm., Fakultas Farmasi, Universitas Gadjah Mada, Yogyakarta.

Pratiwi, T.A., 2018. 'Evaluasi Pendosisan Aminoglikosida Terhadap Efektivitas dan Fungsi Ginjal Pada Pasien dengan Gangguan Ginjal Kronis', . Tesis, M.Clin.Farm., Fakultas Farmasi, Universitas Gadjah Mada, Yogyakarta.

Presiden RI, 1998. Undang-Undang No 13 Tahun 1998 tentang Kesejahteraan Lansia. *Keputusan Presiden*, .

Quartarolo, J.M., Thoeke, M., dan Schafers, S.J., 2007. Reporting of estimated glomerular filtration rate: Effect on physician recognition of chronic kidney disease and prescribing practices for elderly hospitalized patients. *Journal of Hospital Medicine*, **2**: 74–78.

Rahmawati, F., Wahyono, D., Andayani, T.M., Ihsan, M., dan Hakim, A.R., 2018a. *Petunjuk Penggunaan Aplikasi Penyesuaian Dosis Obat Pada Penyakit Ginjal Dan Hepar*, 1st ed. Laboratorium Farmakoterapi dan Farmasi Klinik, Fakultas Farmasi, Universitas Gadjah Mada, Yogyakarta.

Rahmawati, F., Wahyono, D., Andayani, T.M., Ihsan, M., dan Hakim, A.R., 2018b. 'Kementerian Hukum dan Hak Asasi Manusia', [patent] 000127903.

Ramadaniati, H.U., Anggriani, Y., Wowor, V.M., dan Rianti, A., 2016. Drug-Related Problems in Chronic Kidneys Disease Patients in an Indonesian Hospital: Do the Problems Really Matter? *International Journal of Pharmacy and Pharmaceutical Sciences*, **8**: 298.

Reinhart, D.J., 2000. Minimising the Adverse Effects of Ketorolac. *Drug Safety*, **22**: 487–497.

Riazi, H. dan Rashid-farokhi, F., 2012. Assessment of drug dose adjustment in patients with kidney disease: Opportunities for pharmacist involvement. *International Journal of Pharmacy and Pharmaceutical Sciences*, **4**: 178–181.

- Rilawati, F.D., 2011. 'Evaluasi Penggunaan Antibiotika pada Pasien Gangguan Ginjal di Rumah Sakit PKU Muhammadiyah Yogyakarta', . Tesis, M.Sc., Fakultas Farmasi, Universitas Gadjah Mada, Universitas Gadjah Mada.
- Roberts, D.M., Sevastos, J., Carland, J.E., Stocker, S.L., dan Lea-Henry, T.N., 2018. Clinical Pharmacokinetics in Kidney Disease. *Clinical Journal of the American Society of Nephrology*, **13**: 1254–1263.
- Saad, R., 2019. Evaluation of renal drug dosing adjustment in chronic kidney disease patients at two university hospitals in Lebanon. *Pharmacy pra*, **17**: 1–6.
- Sakr, Y., Sponholz, C., dan Reinhart, K., 2007. Organ Dysfunction in the ICU: A Clinical Perspective, dalam: *Intensive Care Medicine*. Springer New York, New York, NY, hal. 238–245.
- Saleem, A. dan Masood, I., 2016. Pattern and Predictors of Medication Dosing Errors in Chronic Kidney Disease Patients in Pakistan : A Single Center Retrospective Analysis. *PLoS ONE*, 1–12.
- Salomon, L., Deray, G., Jaudon, M.C., Chebassier, C., Bossi, P., Launay-Vacher, V., dkk., 2003. Medication misuse in hospitalized patients with renal impairment. *International Journal for Quality in Health Care*, **15**: 331–335.
- Shargel, L. dan Yu, A.B.C., 2016. *Applied Biopharmaceutical*, 7th ed. Mc Graw-Hill Education, United State.
- Sheikh, A.M., Rwegerera, G.M., Godman, B., dan Habte, D., 2019. Adjustments of medication dosages in patients with renal impairment in Botswana; findings and implications to improve patient care. *Hospital Practice*, **47**: 231–240.
- Soetikno, V., Effendi, I., dan Setiabudy, R., 2009. A survey on the appropriateness of drug therapy in patients with renal dysfunction at the Internal Medicine Ward FMUI / Dr . Cipto Mangunkusumo Hospital. *Medical Journal of Indonesia*, **18**: 108–113.
- Steffl, J.L., Bennett, W., dan Olyaei, A.J., 2012. The Old and New Methods of Assessing Kidney Function. *The Journal of Clinical Pharmacology*, **52**: 63S–71S.
- Stemer, G. dan Lemmens-Gruber, R., 2011. Clinical pharmacy activities in chronic kidney disease and end-stage renal disease patients: a systematic literature review. *BMC Nephrology*, **12**: 35.
- Stevens, A., Hamel, J., Toure, A., Hadjadj, S., dan Boels, D., 2019. Metformin overdose: A serious iatrogenic complication—Western France Poison Control Centre Data Analysis. *Basic & Clinical Pharmacology & Toxicology*, **125**: 466–473.

- Such Díaz, A., Saez de la Fuente, J., Esteva, L., Alañón Pardo, A.M., Barrueco, N., Esteban, C., dkk., 2013. Drug prescribing in patients with renal impairment optimized by a computer-based, semi-automated system. *International Journal of Clinical Pharmacy*, **35**: 1170–1177.
- Tesfaye, W.H., Castelino, R.L., Wimmer, B.C., dan Zaidi, S.T.R., 2017. Inappropriate prescribing in chronic kidney disease: A systematic review of prevalence, associated clinical outcomes and impact of interventions. *International Journal of Clinical Practice*, **71**: e12960.
- Verbeeck, R.K. dan Musuamba, F.T., 2009. Pharmacokinetics and dosage adjustment in patients with renal dysfunction. *European Journal of Clinical Pharmacology*, **65**: 757–773.
- Westbrook, J.I., Reckmann, M., Li, L., Runciman, W.B., Burke, R., Lo, C., dkk., 2012. Effects of Two Commercial Electronic Prescribing Systems on Prescribing Error Rates in Hospital In-Patients: A Before and After Study. *PLoS Medicine*, **9**: e1001164.
- White, W. dan Cove-Smith, A., 2015. Chronic Kidney Disease: Kidney disease in the elderly. *Medicine*, **43**: 489–492.
- Whiting, P., Rutjes, A.W.S., REitsma, J.B., Glas, A.S., Bossuyt, P.M.M., dan Kleijnen, J., 2004. Sources of Variation and Bias in Studies of Diagnostic Accuracy. *Annals of Internal Medicine*, **140**: 189–203.
- Wood, S., Petty, D., Glidewell, L., dan Raynor, D.T., 2018. Application of prescribing recommendations in older people with reduced kidney function: a cross-sectional study in general practice. *British Journal of General Practice*, **68**: e378–e387.
- Yang, P., Chen, N., Wang, R.-R., Li, L., dan Jiang, S.-P., 2016. Inappropriateness of medication prescriptions about chronic kidney disease patients without dialysis therapy in a Chinese tertiary teaching hospital. *Dove Press Journal*, 1517–1524.
- Zaidi, M., Waseem, H., Fahim Ahmed Ansari, M., Irfan, M., Mustansir Hussain Zaidi, S., Fatima Waseem, H., dkk., 2016. 'Sample Size Estimation Of Diagnostic Test Studies in Health Sciences', , dalam: *14th International Conference on Statistical Sciences*. hal. 239–246.