



DAFTAR PUSTAKA

- Ali, A. S., Farouq, M. F., dan Al-Faify, K. A., 2011, Pharmacokinetics Approach for Optimizing Gentamicin Use in Neonates During the First Week of Life, 44.
- Il A'la, N. M., Suardi, A. U. and Turbawati, D. K., 2017, Impact of Comorbidity on Length of Stay of Hospitalized Pneumonia in Children, *Althea Medical Journal*, 4(1): 42–46.
- Abdel-Hady, E., Hamamsy, M., Hedaya, M., dkk., 2011, The efficacy and toxicity of two dosing-regimens of amikacin in neonates with sepsis, *Journal of Clinical Pharmacy and Therapeutics*, 36: 45–52.
- Agarwal, G., 2002, Original Article Comparison of Once-Daily Versus Twice-Daily Gentamicin, *Journal of Perinatology*, 22(May 2000): 268–274.
- Ascher, S. B., Smith, P. B., Clark, R. H., dkk., 2012, Sepsis in young infants with congenital heart disease, *Early Human Development*, 88(2) : 1–12.
- Avent, M. L., Roger B. A., Cheng , A., dkk., 2011, Current use of aminoglycosides : indications , pharmacokinetics, 41: 441–449.
- Badan Penelitian dan Pengembangan Kesehatan, 2013, ‘RISET KESEHATAN DASAR’.
- Barreto, M. L. dan Carmo, E. H., 2006, Infectious diseases epidemiology, 5.
- Bauer, L. A., 2008, *Applied Clinical Pharmacokinetics 2nd Ed.* The MacGraw-Hill Medical.
- Best, E. J., Gazarian, M., Chon, R., dkk., 2011, Once-daily Gentamicin in Infants and Children, *The Pediatric Infectious Disease Journal*, 30(10): 827–832.
- Bialkowski, S., Staatz C., Clark, J., dkk., 2016, Gentamicin Pharmacokinetics and Monitoring in Pediatric Patients with Febrile Neutropenia, *The Pediatric Infectious Disease Journal*, 38(6): 693–698.
- Bibi, S., Chisti, M., Akram, F., dkk., 2012, Ampicillin and gentamicin are a useful first-line combination for the management of sepsis in under-five children at an urban hospital in Bangladesh, *Journal of Health, Population and Nutrition*, 30(4): 487–490.
- Camacho-gonzalez, A, 2013, Neonatal infections Disease: Evluation of Neonatal Sepsis’, *Pediatric Clinical North America North America*, 60(2): 367–389.
- Canney, J. B., Wozniak, P. S. dan Sánchez, P. J., 2015, Prospective Surveillance of Antibiotic Use in the Neonatal Intensive Care Unit : Results From the SCOUT Study, *The Pediatric Infectious Disease Journal*, 34(3): 267–272.
- CHW, 2018, AMINOGLYCOSIDE DOSING AND MONITORING, (December),1–14.
- Clinical and Laboratory Standards Institute, 2018, Performance Standards for Antimicrobial Susceptibility Testing 28th edition, *Journal of Services Marketing*.
- Dahlan, M. S., 2016, *Besar Sampel dalam Penelitian Kedokteran dan Kesehatan. Epidemiologi Indonesia*. Jakarta.
- Denamur, S. et al. (2016) ‘Subcellular mechanisms involved in apoptosis induced by aminoglycoside antibiotics : Insights on p53 , proteasome and endoplasmic reticulum’, *Toxicology and Applied Pharmacology*. Elsevier Inc., 309, : 24–



36.

- Donge, T. Pfister,M., Bielicki, J., dkk., 2018, Quantitative Analysis of Gentamicin Exposure in Neonates and Infants Calls into Question Its Current Dosing Recommendations, *Antimicrobial Agents and Chemotherapy*, 62(4): 1–12.
- Drugbank (2019) *Amikacin*.
- Fauzi, R., 2018, 'Evaluasi Kesesuaian Penggunaan Antibiotik pada Pasien Sepsis di Neonatal Intensive Care Unit (NICU) dan Pediatric Intensive Care Unit (PICU) RSUP Dr. Sardjito Yogyakarta'. *Tesis*, M.Clin. Pharm, Fakultas Farmasi, Universitas Gadjah Mada, Yogyakarta.
- Finch, R., Greenwood, D., Noorby, S., dkk., 2010, *Antibiotic and Chemotherapy*, 9th edition, Elsevier, New York.
- Fuchs, A., Bielicki, S., Mathur, S., dkk., 2018, Reviewing the WHO guidelines for antibiotic use for sepsis in neonates and children, *Paediatrics and International Child Health*. Taylor & Francis, 38: S3–S15
- Hakim, L., 2015, *Farmakokinetika Klinik*. Bursa Ilmu Yogyakarta, Yogyakarta.
- Hanna, M. H., Askenazi, D. J. and Selewski, D. T., 2017, Drug Induced Acute Kidney Injury in Neonates, 28(2): 180–187.
- Hoff, D., Wilcox, L., Tollefson, L., dkk., 2009, Pharmacokinetic Outcomes of a Simplified , Weight-Based , Extended-Interval Gentamicin Dosing Protocol in Critically Ill Neonates, 29(11): 1297–1305.
- Ikatan Dokter Anak Indonesia, 2011, Pedoman Pelayanan Medis Ikatan Dokter Anak Indonesia, 81(8): 230–233.
- Katarnida, S., Karyanti, M, Oman, D., 2016, Pola Sensitifitas Bakteri dan Penggunaan Antibiotik, *Sari Pediatri*, 15(2) :122.
- Katzung, B. G., Masters, S. B. and Trevor, A. J., 2012, *BASIC & CLINICAL PHARMACOLOGY 12TH Edition*. McGrawHill Medical.
- Kawasaki, T., 2017, Update on pediatric sepsis: A review, *J, Journal of Intensive Care*, 5(1): 1–12.
- KemenKes RI (2011) 'Pedoman Umum Penggunaan Antibiotik'.
- KemenKes RI (2018) 'Data dan Informasi Profil Kesehatan Indonesia'.
- Krause, K. M.Serio, S., Kane, T., 2016, Aminoglycosides : An Overview, 1–18.
- Kuppala, V. S., Meinzen-Derr, J., Morrow, A., dkk, 2011, Prolonged Initial Empirical Antibiotic Treatment is Associated with with Adverse Outcomes in Premature Infants, *J Pediatric*, 159(5):720–725.
- Le, T. dan Bayer, A. S., 2003, Combination Antibiotic Therapy for Infective Endocarditis in Vitro Susceptibility Testing to Define Synergy, *Clinical Infectious Diseases*, 36: 615–636.
- Lee, H. C. Bennet, M., Schulman, J., 2016, Estimating Length of Stay by Patient Type in the Neonatal Intensive Care Unit, *American Journal of Perinatology*, 33(8): 751–757.
- Levison, M. E. L. dan Levison, J. H., 2013, Pharmacokinetics and Pharmacodynamics of Antibacterial Agents', 23(4): 1–2.
- Li, P., Szeto, C., Piraino, B., dkk., 2016, ISPD peritonitis recommendations: 2016 update on prevention and treatment, *Peritoneal Dialysis International*, 36(5):481–508.
- Lovering, A. M. dan Reeves, D. S. (2003) 'Aminoglycosides and Aminocyclitols',



145–159.

- Maarseveen, E. M. Van, Sprij, A. dan Touw, D. J., 2016, Extended-Interval Dosing of Gentamicin Aiming for a Drug-Free Period in Neonates : A Prospective Cohort Study, *Therapeutic Drug Monitoring*, 38(3): 402–406.
- Mannan, M., Nahar, N., Ahmed, F., dkk., 2018, Neonatal Pneumonia in NICU of a Tertiary Care Center, *Bangladesh Journal of Child Health*, 42(3):112–117.
- Maulida, M., 2016, *Pola Resistensi Bakteri Terhadap Antibiotik pada Penderita Sepsis Bayi di Ruang PICU dan NICU RSUP Dr. Soeradji Tirtonegoro Klaten Periode Agustus 2013-Agustus 2015*. Tesis, M.Clin. Pharm, Fakultas Farmasi, Universitas Muhammadiyah Surakarta.
- Mccoy, J., Tichon, T. and Narvey, M., 2016), Reducing CBC Clotting Rates in the Neonatal Patient Care Areas, 1–6.
- McKinnon, P. S. dan Davis, S. L., 2004, Pharmacokinetic and pharmacodynamic issues in the treatment of bacterial infections diseases, *European Journal of Clinical Microbiology and Infectious Diseases*, 23(4): 271–288.
- Mcwilliam, S., Antoine, D., Smyth, R., dkk., 2017, Aminoglycoside-induced nephrotoxicity in children, *Pediatric Nephrology*, 32: 2015–2025.
- Medscape (2020a) *Amikacin*.
- Medscape (2020b) *Gentamicin*.
- Menon, S., Kirkendall, E., Mph, H., 2014, Acute Kidney Injury Associated with High Nephrotoxic Medication Exposure Leads to Chronic Kidney Disease after 6 Months', *The Journal of Pediatrics*. Elsevier Inc, 165(3): 522-527.
- Mitra, D. K., Mullany, L., Harrison, M., 2018, Incidence and risk factors of neonatal infections in a rural Bangladeshi population: A community-based prospective study, *Journal of Health, Population and Nutrition*. Journal of Health, Population and Nutrition, 37(1): 1–11.
- Muller-Pebody, B., Johnson A., Heath, P., 2011, Empirical treatment of neonatal sepsis: Are the current guidelines adequate?, *Archives of Disease in Childhood: Fetal and Neonatal Edition*, 96(1): 2–7.
- Nezic, L., DerungsA., Bruggisser, M., 2014, Therapeutic drug monitoring of once daily aminoglycoside dosing : comparison of two methods and investigation of the optimal blood sampling strategy, *European Journal of Clinical Pharmacology*, 70 (7): 829–837.
- Pacifici, G. M. dan Marchini, G., 2017a, Clinical Pharmacokinetics of Amikacin in Neonates, *European Journal of Clinical Pharmacology*, 5(38): 4407–4428.
- Pacifici, G. M. dan Marchini, G., 2017b, Clinical Pharmacokinetics of Gentamicin in Neonates, *European Journal of Clinical Pharmacology*, 5(39): 4575–4599.
- Pacifici, G. M. dan Pacifici, G. M., 2010, Clinical pharmacokinetics of aminoglycosides in the neonate : a review, *European Journal of Clinical Pharmacology*, 65 (4): 419-427.
- Patton, J. S., Fishburn, C. S. dan Weers, J. G., 2004, The lungs as a portal of entry for systemic drug delivery., *Proceedings of the American Thoracic Society*, 1(4): 338–344.
- Pérez, V., Saénz, D., Madriz, J., 2011, A double-blind study of the efficacy and safety of multiple daily doses of amikacin versus one daily dose for children with perforated appendicitis in Costa Rica, *International Journal of Infectious*



- Diseases*, 15(8): 569–575.
- Raymond, S., Rincon, J., Wynn, J., 2017), Impact of early-life exposures to infections, antibiotics, and vaccines on perinatal and long-term health and disease, *Frontiers in Immunology*, 8(6): 1–7.
- Raymond, S., Hawkins, S., Peter, S., 2020, Predicting Morbidity and Mortality in Neonates Born With Gastroschisis, *Journal of Surgical Research*. Elsevier Inc, 245: 217–224.
- Reiter, P. D., 2019, ‘Pharmacokinetics’, 3(11).
- Roberts, J., Norris, r., Paterson, D., 2012, Therapeutic drug monitoring of antimicrobials, *British Journal of Clinical Pharmacology*, 73(1): 27–36.
- Rodriguez-guardado, A., 2010, Ampicillin/Sulbactam in Combination: A Review of its Use in the Treatment of Severe Bacterial Infections’, *Clinical Medicine Reviews in Therapeutics*, 2(10): 245–257.
- Rózańska, A., Wójkowska-Mach, J., Adamski, P., 2015, Infections and risk-adjusted length of stay and hospital mortality in Polish Neonatology Intensive Care Units, *International Journal of Infectious Diseases*, 35: e87–e92.
- Schmatz, M., Srinivasan, L., Grundmeier, R., 2020, Surviving Sepsis in a Referral Neonatal Intensive Care Unit: Association between Time to Antibiotic Administration and In-Hospital Outcomes, *Journal of Pediatrics*. Elsevier Inc, 217(18): 59–65.
- Seaton, S., Barker L., Draper E., 2018, Estimating neonatal length of stay for babies born very preterm, *Archives of Disease in Childhood: Fetal and Neonatal Edition*, 182–186.
- Shah, S., Barton, G. dan Fischer, A., 2015, Pharmacokinetic considerations and dosing strategies of antibiotics in the critically ill patient, *Journal of the Intensive Care Society*, 16(2): 147–153.
- Shehab El-Din, E., El-Sokkary, M., Bassiouny, M., 2015, Epidemiology of neonatal sepsis and implicated pathogens: A Study from Egypt, *BioMed Research International*, 2015.
- Sherwin, C., dan Svahn, S., 2009, Individualised dosing of amikacin in neonates : A pharmacokinetic / pharmacodynamic analysis, *European Journal of Clinical Pharmacology*, 65 (7):705-713.
- Simonsen, K., Anderson-Berry S., Ann., L., dkk., 2014, Early-onset neonatal sepsis, *Clinical Microbiology Reviews*, 27(1): 21–47.
- Smith, P. B.dan Benjamin, D. K., 2011, Choosing the right empirical antibiotics for neonates, *Archives of Disease in Childhood: Fetal and Neonatal Edition*, 96(1): 1–3.
- Sundaran, S., 2012, Therapeutic Drug Monitoring of Selected Drugs : an Approach To Drug Therapy Optimization, Desertasi, Dr., Department Of Pharmaceutical Chemistry, J.S.S. College of Pharmacy, India.
- Sweetman, S., 2009, *Martindale : THE COMPLETE DRUG REFERENCE* 36 Ed. Pharmaceutical Press.
- Teixeira, G., Sales, M. and Foresto, R. D., 2020, Drug-induced nephrotoxicity, 66(Suppl 1) : 82–90.
- Testa, M., Fanos, V., Stronati, M., 2007, Therapeutic Drug Monitoring of Gentamicin in Neonatal Intensive Care Unit : Experience in 68 Newborns



UNIVERSITAS
GADJAH MADA

Evaluasi Kesesuaian Dosis dan Clinical Outcome Amikasin dan Gentamisin di NICU (Neonatal Intensive

Care Unit) RSUP Dr. Sardjito Yogyakarta

ZITA DHIRANI PRAMONO, Dr. apt. Ika Puspita Sari, M. Si.; Dr. dr. Ida Safitri Laksanawati, Sp A (K)

Universitas Gadjah Mada, 2020 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Therapeutic Drug Monitoring of Gentamicin in Neonatal Intensive Care Unit : Experience in 68 Newborns, *Journal of Chemotherapy*, 19(2): 39–41.
- Torres-Espíndola, L., Demetrio-Ríos, L., Carmona-Aparicio, L., dkk., 2019, Comorbidity index as a predictor of mortality in pediatric patients with solid tumors, *Frontiers in Pediatrics*, 7(MAR): 1–7.
- Tzialla, C., Borghesi, A., Serra, G., dkk., 2015, Antimicrobial therapy in neonatal intensive care unit, *Italian Journal of Pediatrics*, 41(1):1–6.
- Wagstaff, J., Durrant, R., Newman, M., dkk., 2019, Antibiotic treatment of suspected and confirmed neonatal sepsis within 28 days of birth: A retrospective analysis, *Frontiers in Pharmacology*, 10(October): 1–10.
- Wang, C., Du., L., Ma, X., 2016, Analysis of in-hospital neonatal death in the tertiary neonatal intensive care unit in China: A multicenter retrospective study', *Chinese Medical Journal*, 129(22): 2652–2658.
- Whalen, K., Field, C. dan Radhakrishnan, R., 2019, *Lippincott Illustrated Reviews : Pharmacology Seventh Edition*. Wolters Kluwer.
- WHO (2015) *World Health Statistic*.
- Widness, J. A.dan Feld, R. D., 2005, Reducing phlebotomy blood loss in the NICU, (October): 1–6.
- Winter, M. E., 1994, *Basic Clinical Pharmacokinetics 3rd Ed.* Applied Therapeutics Inc. Vancouver.