

DAFTAR PUSTAKA

- Abougambou, S.S.I. dan A. Ayman, S., 2013. A study evaluating prevalence of hypertension and risk factors affecting on blood pressure control among type 2 diabetes patients attending teaching hospital in Malaysia. *Diabetes & Metabolic Syndrome*, **7**: 83–86.
- Adepu, R., Rasheed, A., dan Nagavi, B., 2007. Effect of patient counseling on quality of life in type-2 diabetes mellitus patients in two selected South Indian community pharmacies: A study. *Indian Journal of Pharmaceutical Sciences*, **69**: .
- Adisa, R., Alutundu, M.B., dan Fakeye, T.O., 2009. Factors contributing to nonadherence to oral hypoglycemic medications among ambulatory type 2 diabetes patients in Southwestern Nigeria. *Pharmacy Practice*, **7**: 163–169.
- Adikusuma, W., Perwitasari, D.A., dan Supadmi, W., 2016. Pengukuran Kualitas Hidup Pasien Diabetes Melitus Tipe 2 yang Mendapat Antidiabetik Oral Di Rumah Sakit PKU Muhammadiyah Bantul Yogyakarta. *Jurnal Ilmiah Ibnu Sina*, **1**: 1–8.
- Ahmad, N.S., Islahudin, F., dan Paraidathathu, T., 2014. Factors associated with good glycemic control among patients with type 2 diabetes mellitus. *Journal of Diabetes Investigation*, **5**: 563–569.
- Ainni, A.N., 2017. Studi Kepatuhan Pengobatan Penggunaan Obat Pada Pasien Diabetes Melitus Tipe 2 Di Instalasi Rawat Jalan RSUD. Dr. Tjitrowardojo Purworejo. *Universitas Muhammadiyah Surakarta*, 16.
- Al-Goblan, A.S., Al-Alfi, M.A., dan Khan, M.Z., 2014. Mechanism linking diabetes mellitus and obesity. *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*, **7**: 587–591.
- Alqarni, A.M., Alrahbeni, T., Al Qarni, A., dan Al Qarni, H.M., 2018. Adherence to diabetes medication among diabetic patients in the Bisha governorate of Saudi Arabia – a cross-sectional survey. *Patient Preference and Adherence*, **Volume 13**: 63–71.
- Al-Qazaz, H.K., Hassali, M.A., Shafie, A.A., Sulaiman, S.A., Sundram, S., dan Morisky, D.E., 2010. The eight-item Morisky Medication Adherence Scale MMAS: translation and validation of the Malaysian version. *Diabetes Research and Clinical Practice*, **90**: 216–221.

American Diabetes Association, 2019. Standards of Medical Care in Diabetes—2019. *Diabetes Care*, **42**: S13–S28.

Beyhaghi, H., Reeve, B.B., Rodgers, J.E., dan Stearns, S.C., 2016. Psychometric Properties of the Four-Item Morisky Green Levine Medication Adherence Scale among Atherosclerosis Risk in Communities Study (ARIC) Participants. *Value in health: the journal of the International Society for Pharmacoeconomics and Outcomes Research*, **19**: 996–1001.

Bindu Murali, A., Boban, B., Karoor Shanmughan, A., Marimuthu, K., Ramakrishnan Sreelatha, A., dan Xavier, A., 2016. Medication therapy management (MTM): an innovative approach to improve medication adherence in diabetics. *Drug Metabolism and Personalized Therapy*, **31**: 151–155.

Bluml, B.M., 2005. Definition of medication therapy management: development of professionwide consensus. *Journal of the American Pharmacists Association: JAPhA*, **45**: 566–572.

Boban, B., Aswathy, K.S., Athira, B.M., Karthikeyan, M., Xavier, A., dan Aravind, R.S., 2017. Impact of medication therapy management on knowledge, attitude and practice among diabetic patients. *Clinical Epidemiology and Global Health*, **5**: 70–72.

Burns, A., 2008. Medication therapy management in pharmacy practice: Core elements of an MTM service model (version 2.0). *Journal of the American Pharmacists Association*, **48**: 341–353.

Butt, M., Mhd Ali, A., Bakry, M.M., dan Mustafa, N., 2016. Impact of a pharmacist led diabetes mellitus intervention on HbA1c, medication adherence and quality of life: A randomised controlled study. *Saudi Pharmaceutical Journal*, **24**: 40–48.

Cheah, W., Lee, P., Lim, P., Fatin Nabila, A., Luk, K., dan Nur Iwana, A., 2012. Perception of Quality of Life among People with Diabetes. *Malaysian Family Physician: the Official Journal of the Academy of Family Physicians of Malaysia*, **7**: 21–30.

Chisholm-Burns, M.A., Schwinghammer, T.L., Wells, B.G., Malone, P.M., Kolesar, J.M., dan DiPiro, J.T., 2016. *Pharmacotherapy: Principles & Practice: Fourth Edition*. McGraw-Hill Education.

Chiu, K.C., Chu, A., Go, V.L.W., dan Saad, M.F., 2004. Hypovitaminosis D is associated with insulin resistance and β cell dysfunction. *The American Journal of Clinical Nutrition*, **79**: 820–825.

- Cho, N.H., Shaw, J.E., Karuranga, S., Huang, Y., da Rocha Fernandes, J.D., Ohlrogge, A.W., dkk., 2018. IDF Diabetes Atlas: Global estimates of diabetes prevalence for 2017 and projections for 2045. *Diabetes Research and Clinical Practice*, **138**: 271–281.
- Chun Li, Y., 2003. Vitamin D regulation of the renin-angiotensin system. *Journal of cellular biochemistry*, .
- Cornelis, M.C., Chiuve, S.E., Glymour, M.M., Chang, S.-C., Tchetgen Tchetgen, E.J., Liang, L., dkk., 2014. Bachelors, Divorcees, and Widowers: Does Marriage Protect Men from Type 2 Diabetes? *PLoS ONE*, **9**: .
- Daher, A.M., AlMashoor, S.A.H., dan Winn, T., 2015. Glycaemic control and quality of life among ethnically diverse Malaysian diabetic patients. *Quality of Life Research: An International Journal of Quality of Life Aspects of Treatment, Care and Rehabilitation*, **24**: 951–958.
- Departemen Kesehatan Republik Indonesia, 2005. Pharmaceutical Care untuk Penyakit Diabetes Melitus. Direktorat Bina Farmasi Komunitas dan Klinik.
- Dinas Kesehatan, 2017. Profil Kesehatan Provinsi DIY. *Dinas Kesehatan Provinsi Daerah Istimewa Yogyakarta*, 1–224.
- DiPiro, J.T. (Editor), 2008. *Pharmacotherapy: A Pathophysiologic Approach*, 7th ed. ed. McGraw-Hill Medical, New York.
- Elsous, A., Radwan, M., Al-Sharif, H., dan Abu Mustafa, A., 2017. Medications Adherence and Associated Factors among Patients with Type 2 Diabetes Mellitus in the Gaza Strip, Palestine. *Frontiers in Endocrinology*, **8**: .
- Erickson, S.R., Coombs, J.H., Kirking, D.M., dan Azimi, A.R., 2001. Compliance from self-reported versus pharmacy claims data with metered-dose inhalers. *The Annals of Pharmacotherapy*, **35**: 997–1003.
- Erku, D.A., Ayele, A.A., Mekuria, A.B., Belachew, S.A., Hailemeskel, B., dan Tegegn, H.G., 2017. The impact of pharmacist-led medication therapy management on medication adherence in patients with type 2 diabetes mellitus: a randomized controlled study. *Pharmacy Practice*, **15**: .
- Gautam, Y., Sharma, A., Agarwal, A., Bhatnagar, M., dan Trehan, R.R., 2009. A Cross-sectional Study of QOL of Diabetic Patients at Tertiary Care Hospitals in Delhi. *Indian Journal of Community Medicine: Official Publication of Indian Association of Preventive & Social Medicine*, **34**: 346–350.
- Hendryadi, 2017. Validasi Isi: Tahap Awal Pengembangan Kuesioner. *Jurnal Riset Manajemen dan Bisnis (JRMB)*, **2 (2)**: .

- Issa, B. dan Baiyewu, O., 2000. Quality of Life of Patients with Diabetes Mellitus in a Nigerian Teaching Hospital. *Hong Kong J Psychiatry*, **16**: .
- Javanbakht, M., Abolhasani, F., Mashayekhi, A., Baradaran, H.R., dan Noudeh, Y.J., 2012. Health Related Quality of Life in Patients with Type 2 Diabetes Mellitus in Iran: A National Survey. *PLOS ONE*, **7**: e44526.
- Jimmy, B. dan Jose, J., 2011. Patient Medication Adherence: Measures in Daily Practice. *Oman Medical Journal*, **26**: 155–159.
- Jing, X., Chen, J., Dong, Y., Han, D., Zhao, H., Wang, X., dkk., 2018. Related factors of quality of life of type 2 diabetes patients: a systematic review and meta-analysis. *Health and Quality of Life Outcomes*, **16**.
- Kamarul Imran, M., Ismail, A. a. A., Naing, L., dan Wan Mohamad, W.B., 2010. Type 2 diabetes mellitus patients with poor glycaemic control have lower quality of life scores as measured by the Short Form-36. *Singapore Medical Journal*, **51**: 157–162.
- Kementrian Kesehatan RI, 2014. Situasi dan Analisis Diabetes. *Infodatin (Pusat Data dan Informasi Kementrian Kesehatan RI)*, 1–8.
- Karimi, M. dan Brazier, J., 2016. Health, Health-Related Quality of Life, and Quality of Life: What is the Difference? *Pharmacoeconomics*, **34**: 645–649.
- Katadi, S., Andayani, T.M., dan Endarti, D., 2019. The Correlation of Treatment Adherence with Clinical Outcome and Quality of Life in Patients with Type 2 Diabetes. *JURNAL MANAJEMEN DAN PELAYANAN FARMASI (Journal of Management and Pharmacy Practice)*, **9**: 19.
- Kautzky-Willer, A., Harreiter, J., dan Pacini, G., 2016. Sex and Gender Differences in Risk, Pathophysiology and Complications of Type 2 Diabetes Mellitus. *Endocrine Reviews*, **37**: 278–316.
- Kubais, M.N.A., Hassan, N.A.G.M., dan Shamsain2, M.H., 2015. Assosiation Between Adherence to Diabetes Medication and Glycemic Control. *International Journal of Research and Development in Pharmacy & Life Sciences (IJRDPL)*, **Vol 5, issue 1 (2015)**: 1915–1920.
- Koda-Kimble, M.A. dan Alldredge, B.K. (Editor), 2013. *Applied Therapeutics: The Clinical Use of Drugs*, 10th ed. ed. Wolters Kluwer/Lippincott Williams & Wilkins, Philadelphia.
- Lameshow, S., 1997. *Besar Sampel Dalam Penelitian Kesehatan*. Gadjah Mada University Press. Yogyakarta.

Lee, T.C., Glynn, R.J., Peña, J.M., Paynter, N.P., Conen, D., Ridker, P.M., dkk., 2011. Socioeconomic status and incident type 2 diabetes mellitus: data from the Women's Health Study. *PloS One*, **6**: e27670.

Manju, C.S., Razak, R., R., C., dan B., A., 2016. Pharmacist Intervention in Medication Adherence in Patients with Type II Diabetes Mellitus. *INTERNATIONAL JOURNAL OF PHARMACEUTICAL SCIENCES AND RESEARCH*, **7**: 358–362.

Mauvais-Jarvis, F., Manson, J.E., Stevenson, J.C., dan Fonseca, V.A., 2017. Menopausal Hormone Therapy and Type 2 Diabetes Prevention: Evidence, Mechanisms, and Clinical Implications. *Endocrine Reviews*, **38**: 173–188.

McGivney, M.S., Meyer, S.M., Duncan-Hewitt, W., Hall, D.L., Goode, J.-V.R., dan Smith, R.B., 2007. Medication therapy management: its relationship to patient counseling, disease management, and pharmaceutical care. *Journal of the American Pharmacists Association: JAPhA*, **47**: 620–628.

Merlin, R., Arozal, W., Sauriasari, R., dan Keban, S., 2017. Evaluasi Penerapan Booklet dan Edukasi Apoteker pada Pasien Diabetes Melitus Tipe 2 di Rumah Sakit Mayapada Tangerang. *Pharmaceutical Sciences and Research (PSR)*, **4**: 102-110–110.

Mokolomban, C., 2018. KEPATUHAN MINUM OBAT PADA PASIEN DIABETES MELITUS TIPE 2 DISERTAI HIPERTENSI DENGAN MENGGUNAKAN METODE MMAS-8. *PHARMACON*, **7**: .

Nanda, O.D., Wiryanto, B., dan Triyono, E.A., 2018. Hubungan Kepatuhan Minum Obat Anti Diabetik dengan Regulasi Kadar Gula Darah pada Pasien Perempuan Diabetes Mellitus. *Amerta Nutrition*, **2**: 340–348.

Nagpal, J., Kumar, A., Kakar, S., dan Bhartia, A., 2010. The Development of 'Quality of Life Instrument for Indian Diabetes Patients (QOLID): A Validation and Reliability Study in Middle and Higher Income Groups. *JAPI*, **58**: 10.

Ndefo, U.A., Moultry, A.M., Davis, P.N., dan Askew, R., 2017. Provision of Medication Therapy Management by Pharmacists to Patients With Type-2 Diabetes Mellitus in a Federally Qualified Health Center. *Pharmacy and Therapeutics*, **42**: 632.

Ningtyas, D.W., 2013. Analisis Kualitas Hidup Pasien Diabetes Melitus Tipe II di RSUD Bangil Kabupaten Pasuruan (Analyze Quality of Life in Patients With Type II Diabetes Mellitus at Public Hospital of Bangil, Pasuruan) 7.

- Nuryanti, I. dan Bantas, K., 2014. Prevalensi dan Faktor Risiko Kejadian Diabetes Mellitus pada Wanita Dewasa di Indonesia 17.
- Osterberg, L. dan Blaschke, T., 2005. Adherence to medication. *The New England Journal of Medicine*, **353**: 487–497.
- Palaian, S., Chhetri, A.K., Prabhu, M., Rajan, S., dan Shankar, P.R., 2004. Role Of Pharmacist In Counseling Diabetes Patients. *The Internet Journal of Pharmacology*, **4**: .
- Perkeni, 2015. Konsensus Pengelolaan dan Pencegahan Diabetes melitus tipe 2 di Indonesia PERKENI.
- Peyrot, M. dan Rubin, R.R., 1999. Persistence of depressive symptoms in diabetic adults. *Diabetes Care*, **22**: 448–452.
- Pinto, S.L., Kumar, J., Partha, G., dan Bechtol, R.A., 2014. Pharmacist-provided medication therapy management (MTM) program impacts outcomes for employees with diabetes. *Population Health Management*, **17**: 21–27.
- Praska, J.L., Kripalani, S., Seright, A.L., dan Jacobson, T.A., 2005. Identifying and assisting low-literacy patients with medication use: a survey of community pharmacies. *The Annals of Pharmacotherapy*, **39**: 1441–1445.
- Pranarka, K., Setiawati, A., Halim, S., Saraswati, D., dan Alkaf, Z., 2009. Glimepiride monotherapy in achieving good blood glucose control in type-2 diabetes mellitus: a prospective observational study. *Medical Journal of Indonesia*, **18**: 172–80.
- Presetiawati, I., Andrajati, R., dan Sauriasari, R., 2017. EFFECTIVENESS OF A MEDICATION BOOKLET AND COUNSELING ON TREATMENT ADHERENCE IN TYPE 2 DIABETES MELLITUS PATIENTS. *International Journal of Applied Pharmaceutics*, 28–31.
- Ratnasari, P.M.D., 2017. *Analisis Outcome Klinik, Kualitas Hidup dan Biaya Terapi Pasien Diabetes Melitus Tipe 2*. Tesis. Universitas Gadjah Mada.
- Redekop, W.K., Koopmanschap, M.A., Stolk, R.P., Rutten, G.E.H.M., Wolffenbuttel, B.H.R., dan Niessen, L.W., 2002. Health-related quality of life and treatment satisfaction in Dutch patients with type 2 diabetes. *Diabetes Care*, **25**: 458–463.
- Retnowati, N. dan Satyabakti, P., 2015. Hubungan Dukungan Keluarga dengan Kualitas Hidup Penderita Diabetes Melitus di Puskesmas Tanah Kalikedinding. *Jurnal Berkala Epidemiologi*, **13**: 57–68.

- Riskesdas, 2013. 'Riset Kesehatan Dasar', *Badan Penelitian dan Pengembangan Kesehatan*. Kementerian Kesehatan Republik Indonesia, Jakarta.
- Rokhman, M.R., Darakay, C.N., dan Raditya, R., 2015. Pengaruh Pemberian Home Care Oleh Apoteker Pada Pasien Diabetes Melitus **5**: 8.
- Sagala, R.M., Arozal, W., Sauriasari, R., dan Keban, S., 2017. Evaluasi Penerapan Booklet dan Edukasi Apoteker pada Pasien Diabetes Melitus Tipe 2 di Rumah Sakit MayapadaTangerang. *Pharm Sci Res*, **2** **4**: .
- Sakthong, P., Chabunthom, R., dan Charoenvisuthiwongs, R., 2009. Psychometric properties of the Thai version of the 8-item Morisky Medication Adherence Scale in patients with type 2 diabetes. *The Annals of Pharmacotherapy*, **43**: 950–957.
- Septiar, H.E. dan Utami, P., 2015. Pengaruh Konseling Farmasis Terhadap Kualitas Hidup dan Kadar Gula Darah Pada Pasien Diabetes Melitus Tipe 2 Di Puskesmas Gedong Tengen Periode Maret-Mei 2014. *Jurnal Farmasi Sains dan Praktis*, **1**: 7.
- Shalansky, S.J., Levy, A.R., dan Ignaszewski, A.P., 2004. Self-reported Morisky score for identifying nonadherence with cardiovascular medications. *The Annals of Pharmacotherapy*, **38**: 1363–1368.
- Shaw, J.E., Sicree, R.A., dan Zimmet, P.Z., 2010. Global estimates of the prevalence of diabetes for 2010 and 2030. *Diabetes Research and Clinical Practice*, **87**: 4–14.
- Shams, M.E.E. dan Barakat, E.A.M.E., 2010. Measuring the rate of therapeutic adherence among outpatients with T2DM in Egypt. *Saudi Pharmaceutical Journal : SPJ*, **18**: 225–232.
- Shareef, J. dan Fernandes, J., 2016. Evaluating the Effect of Pharmacist's Delivered Counseling on Medication Adherence and Glycemic Control in Patients with Diabetes Mellitus. *Journal of Diabetes & Metabolism*, **07**: .
- Shen, W., Kotsanos, J.G., Huster, W.J., Mathias, S.D., Andrejasich, C.M., dan Patrick, D.L., 1999. Development and Validation of the Diabetes Quality of Life Clinical Trial Questionnaire: *Medical Care*, **37**: AS45–AS66.
- Shepard, M.A., 2001. Postmenopausal Women with Type 2 Diabetes: Better Glycemic Control with HT. *NEJM Journal Watch*, **2001**: .
- Sinuraya, R.K., Oktrina, A., Handayani, N.K., Destiani, D.P., dan Puspitasari, I.M., 2019. Pelayanan Farmasi Klinis Meningkatkan Kontrol Gula Darah Pasien Diabetes Melitus. *Indonesian Journal of Clinical Pharmacy*, **8**: 271.

- Soelistijo, A.S., Hermina N., Achmad R., Pradana S., Ketut Suastika, Asman M., Harsinen S., Dharma L., Alwi S., Bowo P., Yuanita A.L., Dyah P., Nanny N.S., Made Ratna S., Made Pande D., Agus Y., Laksmi S., Sugiarto, Krishna W.S., Hendra Z., 2015. Konsensus Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia. Perkumpulan Endokrin Indonesia.
- Sung, C.-C., Liao, M.-T., Lu, K.-C., dan Wu, C.-C., 2012. Role of vitamin D in insulin resistance. *Journal of Biomedicine & Biotechnology*, **2012**: 634195.
- Srikartika, V.M., Cahya, A.D., dan W. Hardiati, R.S., 2016. Analisis Faktor Yang Mempengaruhi Kepatuhan Penggunaan Obat Pasien Diabetes Melitus Tipe 2. *Jurnal Manajemen dan Pelayanan Farmasi*, **6 (3)**: 205–212.
- Targher, G., Bertolini, L., Padovani, R., Zenari, L., Scala, L., Cigolini, M., dkk., 2006. Serum 25-hydroxyvitamin D3 concentrations and carotid artery intima-media thickness among type 2 diabetic patients. *Clinical Endocrinology*, **65**: 593–597.
- Tao, X., Li, J., Zhu, X., Zhao, B., Sun, J., Ji, L., dkk., 2016. Association between socioeconomic status and metabolic control and diabetes complications: a cross-sectional nationwide study in Chinese adults with type 2 diabetes mellitus. *Cardiovascular Diabetology*, **15**: 61.
- Teli, M., 2017. Quality of Life Type 2 Diabetes Mellitus At Public Health Center Kupang City **15**: .
- Theofilou, P.A., 2013. Theoretical Contributions Quality of Life : Definition and Measurement.
- Tiv, M., Viel, J.-F., Mauny, F., Eschwège, E., Weill, A., Fournier, C., dkk., 2012. Medication adherence in type 2 diabetes: the ENTRED study 2007, a French Population-Based Study. *PloS One*, **7**: e32412.
- Tzeng, J.I., Chang, C.-C., Chang, H.-J., dan Lin, C.-C., 2008. Assessing analgesic regimen adherence with the Morisky Medication Adherence Measure for Taiwanese patients with cancer pain. *Journal of Pain and Symptom Management*, **36**: 157–166.
- Utami, D.T., Darwin Karim, dan Agrina, 2014. Faktor-Faktor yang Mempengaruhi Kualitas Hidup Pasien Diabetes Melitus dengan Ulkus Diabetikum **1**: .
- Viswanathan, M., Kahwati, L.C., Golin, C.E., Blalock, S.J., Coker-Schwimmer, E., Posey, R., dkk., 2015. Medication therapy management interventions in

outpatient settings: a systematic review and meta-analysis. *JAMA internal medicine*, **175**: 76–87.

Wang, Y., Lee, J., Toh, M.P.H.S., Tang, W.E., dan Ko, Y., 2012. Validity and reliability of a self-reported measure of medication adherence in patients with Type 2 diabetes mellitus in Singapore: Validation of a medication adherence measure in Singapore. *Diabetic Medicine*, **29**: e338–e344.

Whalen, K., 2018. *Lippincott Illustrated Reviews Pharmacology*. Wolters Kluwer, Hongkong.

Wild, S., Roglic, G., Green, A., Sicree, R., dan King, H., 2004. Global prevalence of diabetes: estimates for the year 2000 and projections for 2030. *Diabetes Care*, **27**: 1047–1053.

World Health Organization (Editor), 2003. *Adherence to Long-Term Therapies: Evidence for Action*. World Health Organization, Geneva.

World Health Organization (Editor), 2016. *Global Report on Diabetes*. WHO press, Switzerland.

Yuwindry, I., Wiedyaningsih, C., dan Widodo, G.P., 2016. Pengaruh Pengetahuan Terhadap Kualitas Hidup Dengan Kepatuhan Penggunaan Obat Sebagai Variabel Antara Pada Pasien DM **6**: 6.

Zyoud, S.H., Al-Jabi, S.W., Sweileh, W.M., Arandi, D.A., Dabeek, S.A., Esawi, H.H., dkk., 2015. Relationship of treatment satisfaction to health-related quality of life among Palestinian patients with type 2 diabetes mellitus: Findings from a cross-sectional study. *Journal of Clinical & Translational Endocrinology*, **2**: 66–71.