UNIVERSITAS GADJAH MADA
PENGARUH PENERAPAN DE-ESKALASI ANTIBIOTIK PADA PASIEN SEPSIS TERHADAP LUARAN KLINIK di RSUP. Dr. SARDJITO YOGYAKARTA
SAMUEL BUDI HARSONO LOMANTO, Prof. Dr. Zullies Ikawati, Apt.; Prof. dr. Iwan Dwiprahasto, MMed.Sc, Ph.D.; d
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

[AAP] American Academy of Pediatrics. Management of neonates with suspected or proven early-onset bacterial sepsis. American Academy of Pediatrics. 2012;129(5):1006-12

Abate, J.B and Burgess D.S. 2005. Antimicrobial Regimen Selection in JT. Dipiro RL, Talbert GC, Yee GR, Matzke BG, Wells LM, PoseyLM. *Pharmacotherapy A Pathophysiology Approach*, 6 th edition, McGraw-Hill, New York, 1920-1921.

Abelson, B., 2009, Flu Shots, Antibiotics, & Your Immune System, (online), (http://www.drabelson.com/PDF/Flu.pdf, diakses 7 sepetember 2019).

Agrawal, R., Ranjan, K.P. 2019. Bacteriological Profile of Sepsis and Their Antibiotic Susceptibility Pattern in Adult Patients in a Tertiary Care Hospital of Madhya Pradesh, India. *NJMR*, Volume 9(2), 65-69.

AHFS. 2008. Drug Information, Bethesda : American Society of Health-System Pharamcists Inc.

Akbar, I., Widjajanto, E., Fathoni, M. 2018. Faktor Dominan dalam Memprediksi Mortalitas Pasien dengan Sepsis di Unit Gawat Darurat. *Jurnal Kedokteran Brawijaya*. Malang. Vol. 30 No. 2. Agustus 2018. pp 153-158.

Alvarez-Lerma, F. 2006. Empiric broadspectrum antibiotic therapy of nosocomial pneumonia in the intensive care unit: a prospective observational study. Crit Care Med. 14 : 1-11.

Amorn, L.M.D., Korbitham, S.., Suwanna, T., Pintip, P., Penphun, N. 2008, Bioequivalence Study with Comparative Antibacterial Activity of a Generic Meropenem, *J Infect Dis Antimicrob Agents* 2008;25;63-72.

Andrade, I.N.G., Neto, F.R.M., Andrade, T.G. 2014. Use of Uero SCORE as apredictor of morbidity after cardiac surgery , *Rev Bras Cir Cardiovasc,*

Anderson, K.F., Patel, J.B., Wong, B. 2009. Characterization of Enterobacteriaceae with a false positive modified Hodge test, Abstracts of the Forty-ninth Interscience Conference on Antimicrobial Agents and Chemotherapy. *American Society for Microbiology*, pp.719-41.

Angele, P., Hubbard, C. 2014. Gender differences in sepsis. Cardiovaskular and immunological aspects. *Virulence*; 5(1): 12-19.

UNIVERSITAS GADJAH MADA
PENGARUH PENERAPAN DE-ESKALASI ANTIBIOTIK PADA PASIEN SEPSIS TERHADAP LUARAN KLINIK di RSUP. Dr. SARDJITO YOGYAKARTA
SAMUEL BUDI HARSONO LOMANTO, Prof. Dr. Zullies Ikawati, Apt.; Prof. dr. Iwan Dwiprahasto, MMed.Sc, Ph.D.; d
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Angus, D.C., Van der Poll, T. 2013, *Severe sepsis and septic shock*. NEJM 2013;369:840-51.

Annane, D. 2011. Corticosteroids for severe sepsis: an evidence-based guide for physicians. An Intensive Care. 1:7.

Anton, Y., Peleg, M.B and Hooper, M.D. 2010. Current Concept, Hospital- Acquired Infections Due to Gram Negative Bacteria, *N Engl J Med*. 362

Arias, A.C., Murray, B.E., 2008, *Mechanisms of Antibiotics Resistance in Enterococci*, www. Up date.com.

Arul, M.C., Markus, H.L., Chandan, K.S., Terrence, R.B., Sunita, S.S., Vidya, J.S. 2001.Molecular Signatures of Sepsis Multiorgan Gene Expression Profiles of Systemic Inflamation. *Am J Pathol.* 159(4):1199-1209.

Ascione, R., Rogers, C.A., Rajakaruna, C., Angelini, G.D. 2008. Inadequate blood glucose control is associated with hospital mortality and morbidity in diabetic and non diabetic patient undergoing cardiac surgery. Circulation. 118: 113-23.

[ATS] American Thoracic Society, Infectious Diseases Society of America. 2005. Guidelines for the management of adults with hospital-acquired, ventilator-associated, and healthcare-associated pneumonia. Am J Respir Crit Care Med. 17 : 388-416.

Aurangzeb, B. 2003. Neonatal sepsis in hospital born babies: bacterial isolates and antibiotic susceptibility pattern. *Journal of the college of physicians and surgeons.* 13:629-32.

Badan Penelitian dan Pengembangan Kesehatan Kementrian Kesehatan RI. Riset kesehatan dasar 2013. 2013. Hal. 65

Bauman, R.W. 2007, Microbiology *With Diseases by Taxonomy*, 2nd edition, Pearson Education Inc, San Fransisco, 301-302.

Baktygul, K., Bozgunchiev, M., Zurdinov, A, Harun – or – Rashid, M.,D and Junichi, S. 2011. *An Assesment of Antibiotics Prescribed at the Secondary Health - Care Level in the Krygyz Republic*. Nagoya J. Med. Sci. 73. 157 ~ 168.

Balci, I.,C., Sungurtein, H., Gursues, E, Sungurtein, U., Kaptanoglu, B. 2003. Useful of Procalcitonin of diagnosis of sepsis in the intensive care unit. *Crit Care* 7(1): 85-90.

UNIVERSITAS GADJAH MADA
PENGARUH PENERAPAN DE-ESKALASI ANTIBIOTIK PADA PASIEN SEPSIS TERHADAP LUARAN KLINIK di RSUP. Dr. SARDJITO YOGYAKARTA
SAMUEL BUDI HARSONO LOMANTO, Prof. Dr. Zullies Ikawati, Apt.; Prof. dr. Iwan Dwiprahasto, MMed.Sc, Ph.D.; d
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Bataar, O., Lundeg, G., Tsenddorj, G., Jochberger, S., Grander, W., Baelan I, et al. Nationwide survey on resource availability for implementing current sepsis guidelines in Mongolia. [Internet]. 2010 . [cited 2018 Jan 5]. Available from: URL: http://www.who.int/bulletin/volumes/88/11/10-077073/en/.

Batara, M., Darmawati, S., Prastiyanto, M.E. 2018. Keanekaragaman dan Pola Resistensi Bakteri pada Pasien yang Terdiagnosa Sepsis, *Jurnal Labora Medika,* Vol 2 No 2, 1-5.

Belomo, R., Cass, A., Cole, L., Finfer, S., Gallagher, M., Lo. 2014. Intensity of Continous renal-replacement therapyin crtitically ill patients. .*N Engl J Med*; 361:1627-38.

Berghe, V.D.G., Wouters, P., Weekers, F. 2001, Intensive insulin therapy in critically ill patients, *N Engl J Med*, 345:1359-1367.

Berkowitz, D.M., Martin, G.S. 2007. Sepsis and Sex Can We Look Beyond Our Hormones, *Chest*, 132(6), 1725-1727.

Bhakta, S., Evangelopoulos, D. 2010. Rapid Methods for Testing Inhibitors of Mycobacterial Growth.. Antibiotic Resistance Protocols. Pp 193-201.

Bibliography of Scientific Publication on Antimicrobial Resistence from South East Asia Region 1990-2010 [internet]. 2011 [cited 2011 September 25]

BioMérieux. 2018. Blood Culture a Key Investigation for Diagnosis of Bloodstream Infection. USA: BioMérieux ,Inc. https://www.biomerieux-usa.com/sites/subsidiary_us/files/blood_culture_booklet__prn_16_0097a_00_mk_ap proved13jul161.pdf.

Birken, S.L.K. 2014. Sepsis and Septic Shock, dalam: Dipiro, J.T., Talbert, R.L., Yee, G.C., Matzke, G.R., Wells, B.G., Posey, L.M. (Eds.), Pharmacotherapy A Pathophysiologic Approach. McGraw Hill Professional.

Bish, R., Katiyar, A., Singh R., Mittal, P. 2009. Antibiotic Resistance-a Global Issue of Concern. *Asian Journal of Pharmaceutical and Clinical Research* 2 (2).

BNF staff. 2011, *British National Formulary* 61, Pharmaceutical Prss, London, UK,p.246.

Bochud, Y.P., Glauser, P.M., Calandra, T. 2001, Antibiotics in Sepsis, *Intensv Care Med*, 27:S33-S48

UNIVERSITAS GADJAH MADA
PENGARUH PENERAPAN DE-ESKALASI ANTIBIOTIK PADA PASIEN SEPSIS TERHADAP LUARAN KLINIK di RSUP. Dr. SARDJITO YOGYAKARTA
SAMUEL BUDI HARSONO LOMANTO, Prof. Dr. Zullies Ikawati, Apt.; Prof. dr. Iwan Dwiprahasto, MMed.Sc, Ph.D.; d
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

[BPJS] Badan Penyelenggara Jaminan Sosial. 2019. BPJS Kesehatan, BPFS Kantor Pusat, Jakarta.

[BPOM] Badan Pengawas Obat dan Makanan RI. 2018. *Informatorium Obat Nasional Indonesia,* CV. Agung Seto, Yogyakarta, 385.

Bradley, J., Byington, C.L., Shah, S.S., Alverson, B. 2011. The Management of Community-Aquired Pneumonia in Infants and Chlifre Older Than 3 Months of Age: Clinical Practice Guidelines by the Pediatric Infectious Diseases Society and the Infectious Disease Society of America, 53(7), e25-e76, *Clinical Infectious Diseases*, San Diego, Amerika.

Briere, J. 2004. Psychological assessment of adult post traumatic states: Phenomenology, diagnosis, and measurement, Washington, DC: American Psychological Association.

Brunton, L.L., Parker, K.L., Blumenthal, D., Boxton, I. 2008, General Principle. Ed. *Goodman and gilman's manual of pharmacology and therapeutics*. California: McGraww - Hill, hal 1-25.

Burdette, S.D. *Systemic inflammatory response* syndrome [Internet]. [updated 2014;cited 2019 Okt 31]. Available from: Medscape

Capp, R., Chang, Y., Brown, D. 2011. Effective Antibiotic Treatment Prescribed by Emergency Phycisians in Patients Adimitted to the Intensive Care Unit with Severe Sepsis or Septic Shock: Where is the Gap? J Emerg Med.

Cariou, A., Charpentier, J., Fulla, Y., Vinsonneau, C., Grabar, S. 2004. Brain natriuretic peptide: A marker myocardial dyfuction and prognosis during severe sepsis. *Critical care Medicine*. 32(3):660-665.

Cassell, G.H., Mekalanos, J., 2001, *Development of Antimicrobial Agents in the Era of New and Reemerging Infectious Diseases and Increasing Antibiotic Resistance*, JAMA, 2001; 285(5), 601-605

Chambers, H.F., 2006, General Principles of Antimicrobial Therapy, In: Goodman and Gilman's *The Pharmacological Basis of Therapeutics*, 11th Edition, McGraw-Hill Companies, New York, 316-317

Chang, C.J., Wu, C.W., Hsu, H.C., Chiu-Hui W, Fang-Ying S,, Wang, S.W.l. 2015. Factors associated with blood culture contamination in the emergency department: critical illness, end-stage renal disease, and old age. PLoS One. 2015;8:10-8.

UNIVERSITAS GADJAH MADA
PENGARUH PENERAPAN DE-ESKALASI ANTIBIOTIK PADA PASIEN SEPSIS TERHADAP LUARAN KLINIK di RSUP. Dr. SARDJITO YOGYAKARTA
SAMUEL BUDI HARSONO LOMANTO, Prof. Dr. Zullies Ikawati, Apt.; Prof. dr. Iwan Dwiprahasto, MMed.Sc, Ph.D.; d
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Charles, P.E., Ladoire, S., Aho, J.P., Quenot, J.M., Doise, S., Olsson, N.O., Blettery, B. 2008. Serum PCT elevation in critically ill patients at the onset of bacteremia caused by either Gram negative or Gram positive bacteria . *BMC.Infect Dis*.8:38.

Chen, K., Widodo, D., 2004. Patofisiologi Sepsis: Peran Mediator Inflamasi. In: Widodo, D., Pohan, H.T. (Ed): Bunga Rampai Penyakit Sepsis. Diviisi Penyakit tropic dan Infeksi, Departemen Ilmu Penyakit Dalam, FKUI, Jakarta, pp: 54-62.

Cheng, B., Xie, G., Yao, S., Wu, X., Guo Q., Gu, M, Epidemiology of severe sepsis in critically ill surgical patients in ten university hospitals in China. *Critical Care Medicine* 2007;35(11):2538–46. [PUBMED: 17828034]

Chin, Ming Chen. 2014. Age May Not Influence the Outcome of Patients with Severe Sepsis in Intensive Care Units. *International Journal of Gerontology*. 8(1) 1-26.

Clark, R.H., Bloom, B.T., Spitzer, A.R. 2006. Empiric use of ampicillin and cefotaxime, compared with ampicillin and gentamicin, for neonates at risk for sepsis is associated with an increased risk of neonatal death. *Pediatrics.* 117:67–74

Conte, J.E. Jr., Golden, J.A., Kipps, J., Zurlinden, E. 2002. Intrapulmonary pharmacokinetics of linezolid. Antimicrob Agents Chemother. 46 : 1475–80.

Cowlishaw, P.J., Sair, M. 2004. Coma, meningitis dan enchepalitis. *Anesth In Care Med*. 5:323-25.

Cunha, B.A. 2017. *Antibotic Essentials*. Ed 15th. Bangladesh: Jaypee Brothers Medical Publisher

Dandona, P., Aljada, A., Mohanty, P., 2001, Insulin inhabits intranuclear factor kappa B and stimulates Ikappa B in mononuclear cell in obese subjects: evidence for anti-inflammatory effect?, *J Clin Endocrinol Metab*, 86: 3257-65.

Daniels, R. 2009. Identifying patient with sepsis. In: ABC of sepsis. UK: Blackwell Publishing; p. 162-172.

Dairo, M.T. 2014. Pola Kuman Berdasarkan Spesimen dan Sensitivitas Terhadap Antibiotik Pada Penderita Community-Aquired Pneumonia (CAP) di RSUP. Dr. Kariadi Semarang, *gg* Fakultas Kedokteran universitas Diponegoro, Semarang.

UNIVERSITAS GADJAH MADA
PENGARUH PENERAPAN DE-ESKALASI ANTIBIOTIK PADA PASIEN SEPSIS TERHADAP LUARAN KLINIK di RSUP. Dr. SARDJITO YOGYAKARTA
SAMUEL BUDI HARSONO LOMANTO, Prof. Dr. Zullies Ikawati, Apt.; Prof. dr. Iwan Dwiprahasto, MMed.Sc, Ph.D.; d
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Darwis, I. Hubungan Prokalsitonin dengan Derajat Keparahan Sepsis pada Pasien kanker Padat Neutropenia. Tesis. Magister Ilmu Kedokteran Klinis UGM.

Davey, P. 2013. Interventions to improve antibiotic prescribing practices for hospital inpatients. *The Cochrane database of systematic reviews*. 4:CD00354.

DeLeo, F.R., Otto, M., Kreiswirth, B.N., Chambers, H.F. 2010. Community-associated meticillin-resistant Staphylococcus aureus. Laboratory of Human Bacterial Pathogenesis, Rocky Mountain Laboratories,National Institute of Allergy andInfectious Diseases, National Institutes of Health, Hamilton, MT 59840, USA www.the lancet.com Published online March 5, 2010.

Dellit, T.H, Owens, R.C., McGowan, J.E. Jr., Gerding, D.N., Weinstein, R.A., Burke, J.P., Huskins, W.C., Paterson, D.L., Fishman, N.O., Carpenter, C.F., Brennan, P.J, Billeter, M., Hooton, T.M. 2007. Infectious Diseases Society of America and the Society for Healthcare

Dellinger, R.P., Levy, M.M., Carlet, J.M., Bion, J., Parker, M.M., Jaeschke, R. 2013. Surviving Sepsis Campaign: international guidelines for management of severe sepsis and septic shock. *Intensive Care Medicine* 2008;34(1):17–60. [PUBMED: 18058085] Epidemiology of America guidelines for developing an institutional program to enhance antimicrobial stewardship. *Clin Infect Dis* 44:159–177

de Oliveira, A., Cardoso, C., Santos, F., Campos, A.P, Leite, E., Stanislaus, J. 2013. Predictors of mortality in patients with severe sepsis or septic shock in the ICU of a public teaching hospital. Crit Care. 17(Suppl 4):P31.

[Depkes RI] Departemen Kesehatan RI. 2005. *Indikator Kinerja Rumah Sakit* Jakarta: Departemen Kesehatan RI.hlm 1-2, 7.

[Depkes RI] Departemen Kesehatan RI. 2011. *Buku Panduan Peringatan Hari Kesehatan Sedunia: Gunakan Antibiotik secara Tepat untuk Mencegah Kekebalan Kuman.* Jakarta: Departemen Kesehatan RI.hlm 1-2, 7.

[Depkes RI] Departemen Kesehatan RI. 2011. Permenkes No.2406/Menkes/PER/XII/2011: Pedoman Umum Penggunaan Antibiotik, Jakarta: Departemen Kesehatan RI.hlm 54-55.

Derek, C.A., Tom van der P. 2013. Severe sepsis and septic shock. N Engl J Med. 369:840-51.

De Bus, L., Denys, W., Decruyenaere, J., Depuydt, P. 2016. Impact of De-escalation of Beta-Lactam antibiotics on the emergence on antibiotic resistance in ICU

UNIVERSITAS GADJAH MADA
PENGARUH PENERAPAN DE-ESKALASI ANTIBIOTIK PADA PASIEN SEPSIS TERHADAP LUARAN KLINIK di RSUP. Dr. SARDJITO YOGYAKARTA
SAMUEL BUDI HARSONO LOMANTO, Prof. Dr. Zullies Ikawati, Apt.; Prof. dr. Iwan Dwiprahasto, MMed.Sc, Ph.D.; d
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

patients: a retrospective observational study. *Intensive Care Medicine*; 42(10): 1647-1648

Dhainaut, J.F. 2005. Re-establishing organ function in severe sepsis: targeting the microcirculation. *Crit Care Shock*. 2005; 9:1-2.

Deresinski, S. Principles of antibiotic therapy in severe infections: optimizing the therapeutic approach by use of laboratory and clinical data. Clinical Infectious Diseases 2007;45 Suppl 3:177–83. [PUBMED: 17712744]

Diana, G., 2001. Efesiensi Penggunaan Antibiotika, Dalam : Naskah Presentasi PolaKuman Rumah Sakit Husada Juli-Desember 2001, Jakarta, 2

Dipiro, J.T., Talbert, R.L., Yee, G.C., Matzke, G.R., Wells, B.G *et al*. 2015. *Pharmacotherapy A Pathophysiologic Approach*. Ninth Edition. United States of America : The McGraw-Hill Companies, Inc. hlm 427-432

Dombrovskiy, V.Y., Martin, A.A., Sunderram, J., Paz, H.L. Rapid increase in hospitalization and mortality rates for severe sepsis in the United States: a trend analysis from 1993 to 2003. *Critical Care Medicine* 2007;35(5):1244–50. [PUBMED: 17414736]

Dougnac, A.L., Mercado, M.F., Cornejo, R.R., Cariaga, M.V., Hernández, G.P., Andresen, M.H, .*Prevalence of severe sepsis in intensive care units. A national multicentric study* [Prevalencia de sepsis grave en las Unidades de Cuidado Intensivo.Primer studio nacional multicéntrico].*Revista Médica de Chile* 2007;135(5):620–30. [PUBMED: 17657331] De-escalation of antimicrobial treatment for adults with sepsis, severe sepsis or septic shock (Review) 12.

Drożdż, K., Skoczyńska, A., Jodkowska, A., Kwiecińska, D. 2007. Multiple organ dysfunction syndrome (MODS) in patients with chronic heart failure treated with polypharmacy – report of three cases. *Clinical and Experimental Medical Letters* 48 (4): 265-270.

Dwiprahasto, I., 2005, Kebijakan Untuk Meminimalkan Resiko Terjadinya Resistensi Bakteri Di Unit Perawatan Intensif Rumah Sakit, JMPK, Vol. VIII, No.04, Desember 2005, 177-180

Elixhauser, A dan Wier, L.M. 2011. *Complicating in Pregnancy and Childbirth, 2008*. Retrieved January 20, 2015, from Healthcare Cost and Utilization Cost: http://www.hcup-us.ahrq.gov/reports/statbriefs/sb113.pdf.

UNIVERSITAS GADJAH MADA
PENGARUH PENERAPAN DE-ESKALASI ANTIBIOTIK PADA PASIEN SEPSIS TERHADAP LUARAN KLINIK di RSUP. Dr. SARDJITO YOGYAKARTA
SAMUEL BUDI HARSONO LOMANTO, Prof. Dr. Zullies Ikawati, Apt.; Prof. dr. Iwan Dwiprahasto, MMed.Sc, Ph.D.; d
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Esper, A.M., Moss, M., Lewish, C.A., Nisbet, R., Mannino, D.M., Martin, G.S. 2006. *The role of infection and comorbidity: Factors that influence disparities in sepsis*. Crit Care Med, 34:2576-82

Farida, H., Herawati, Hapsari, M.M., Notoatmojo, H., Hardian. 2008. Penggunaan Antibiotik Secara Bijak Untuk Mengurangi Resistensi Antibiotik. Studi Intervensi di Bagian Kesehatan Anak RS. Kariadi. *Sari Pediatri*, Vol. 10, No.1, 34-41.

Febriana, L. 2015. Hubungan antara kondisi komorbid dan mortalitas pada pasien gagal ginjal yang menjalani hemodialisis diI RSU DOKTER SOEDARSO PONTIANAK. Skripsi. p.1-35..

Felmingham, D. 2002. The need for antimicrobial resistance surveillance. *J.Antimicrob. Chemother*., 50.pp 1-7.

Ferrer, R. 2014. *Empiric Antibiotic Treatment Reduces Mortality in and Septic Shock From the First Hour*. Results From a Guideline-Based Performance Improvement Program, *Society Of Critical Care Medicine* (42)1749-1755.

Fleischmann, C., Thomas–Rueddel, D.O., Hartmann, M., Hartog, C.S., Welte, T., Heublein, S., Dennler, U., Reinhart, K (2016). Hospital Incidence and Mortality Rates of Sepsis. An Analysis of Hospital Episode (DRG) Statistics in Germany From 2007 to 2013 *Dtsch Arztebl Int* 2016; 113: 159–66

Fekety, R. 2000. Vancomycin,, teicoplanin, and streptogramins: quinupristin and dalfopristin. In Mandel G.L., Bennet principlesand practice of infectious diseases, Fifth ed Philadelphia: churcill Living Stone , v.1.

Finney, S., Zecfeld, C., Elia, A., Evans, T. Glucose Control and Mortality in Citically Ill Patient. American Medical Association. 290(15): p 2041-2047.

Firizki, F. 2013. Pattern Sensitivity of Escherichia coli and Klebsiella sp. to Antibiotic Sefalosporin Period of Year 2008-2013 di Bandar Lampung. Medical Faculty Lampung University.

Fry, D.E. 2000. Sepsis syndrome. *The American Surgeon*, 66:126-132.

Gantner, D dan Mason, C. 2015. Management of Severe Sepsis. *Anaesthesia and Intensive Care Medicine.*

Garcia, H.L. 2002. Dermatological complications of obesity. *Am J Clin Dermatol*.3(&); 497-506

UNIVERSITAS GADJAH MADA
PENGARUH PENERAPAN DE-ESKALASI ANTIBIOTIK PADA PASIEN SEPSIS TERHADAP LUARAN KLINIK di RSUP. Dr. SARDJITO YOGYAKARTA
SAMUEL BUDI HARSONO LOMANTO, Prof. Dr. Zullies Ikawati, Apt.; Prof. dr. Iwan Dwiprahasto, MMed.Sc, Ph.D.; d
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Garnacho-Montero, J., Gutiérrez-Pizarraya, A., Escoresca-Ortega, A., Corcia.Palomo, Y., Fernández-Delgado, E., Herrera-Melero, I., et al. De-escalation of empirical therapy is associated with lower mortality in patients with severe sepsis and septic shock. *Intensive Care Med*. 2014;40(1):32-40

Gearhart, S.L., Silen, W. *Acute appendisitis and peritonitis.* Dalam: Fauci A, Braunwald E, Kasper D, Hauser S, Longo D, Jameson J, et al, editor (penyunting). Harrison's principal of internal medicine. Edisi ke-17 Volume II. USA: McGrawHill; 2008. hlm. 1916-7

Gizem Polat., Rustem Anil Ugan., Elif Cadirci., Zekai Halici. 2017. Sepsis and Septic Shock: Current Treatment Strategies and New Approaches. *Eurasian J Med* 49: 53-8.

Giriyapur, R., Nandihal, N., Krishna, Patil., Chandrasekhar. 2011. Comparison of Disc Diffusion Methods for the Detection of Extended-Spectrum Beta Lactamase Producing Enterobacteriaceae. *Journal of Laboratory Physicians*, Vol 3.

Gonsalves, P.J., Povoa, P.R., Lobo, C., Carneiro, A.H. 2011. Time of Antibiotic therapy and sepsis resolution. Result from the Portuguese community-acquired sepsis study. *Am J Respir Crit Care Med*. 183:A 38-53.

Goodman & Gilman.2008. *Dasar Farmakologi dan Terapi*.Ed ke-10 Volume ke-2. Jakarta: EGC.hlm. 1120, 1177-1178.

Goodman & Gilman. 2011. *Dasar Farmakologi Terapi*, J.G. Hardman, L.E. Limbird (Eds), ed. 10, Penerbit Buku Kedokteran EGC, Jakarta

Goodman & Gilman. 2012. Dasar Farmakologi Terapi, Editor Joel G., Hardman, Lee E., Limbird, Konsultan Editor Alfred Goodman Gilman, Alih bahasa Tim Alih Bahasa Sekolah Farmasi ITB, Edisi 10, Volume 2, Penerbit EGC, Jakarta.

Goots, J.E, Matthay, M.A. 2016. Sepsis: Pathophysiology and Clinical Management. BMJ.; 353:1585

Gornik, I., Gornik, O., Gasparovic, V. 2006. HbA1c is outcome predictor in diabetic patient with sepsis.Diabetes Research and Clinical Practise. 34: 120-125.

Grace CJ, Lieberman J, Pierce K, Littenberg B. 2001. Usefulness of blood culturefor hospitalized patients who arereceiving antibiotic therapy. ClinInfect Dis. 2001;32:1651–5.

UNIVERSITAS GADJAH MADA
PENGARUH PENERAPAN DE-ESKALASI ANTIBIOTIK PADA PASIEN SEPSIS TERHADAP LUARAN KLINIK di RSUP. Dr. SARDJITO YOGYAKARTA
SAMUEL BUDI HARSONO LOMANTO, Prof. Dr. Zullies Ikawati, Apt.; Prof. dr. Iwan Dwiprahasto, MMed.Sc, Ph.D.; d
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Gruenberg, D.A., Shelton, W. 2006. Factor Influencing Length Of Stay in Intensive Care Unit. *Am J Crit Care*. 15(5):502-509.

Guntur, H., 2007, Sepsis dalam AW. Sudoyo, B. , Setiyohadi, I., Alwi, K., Simadibrata, S., Setiati, Buku Ajar Ilmu Penyakit Dalam Jilid III, (Eds), edisi IV, Departemen Ilmu Penyakit Dalam FK. UI, Jakarta, pp 1840-1843.

Guntur dan Hermawan, T. 2007, Kunci Tatalaksana Sepsis, *GERAI, Majalah Farmacia*, 6(7):60-67.

Guntur, H.A. 2010. *Sepsis*. Dalam : Buku Ajar Ilmu Penyakit Dalam Edisi V Jilid III. Editor : Aru W. Sudoyo,dkk. Jakarta : FK UI.2010.

Gustot, T., Durand, F., Lebrec, D., Vincent, J.L., dan Moreau, R., 2009. Severe sepsis in cirrhosis. Hepatology, 50: 2022-2033

Habarth, S., Garbino, J., Pugin, J., Romand, J.A., Lew, D., Pittet, D. 2003. Innapropriate initial antimicrobial yherapy and its effect on survival in a clinical trial of immunomodulating therapy for severe sepsis. *The American Journal of Medicine*, 115:529-535.

Hadi, U. 2008. Audit of antibiotic prescribing in two governmental teaching hospitals in Indonesia. *Clinical Microbiology and Infectious Disease Journal* 14:698–707.

Hawkley, L.C., & Cacioppo, J.T., 2004, *Stress and the aging immune system, Brain, Behavior, and Immunity*, 18 (2), 114-119.

Heenen, S., Jacobs, F., Vincent, J.L. 2012, Antibiotic strategies in severe nosocomial sepsis: why do we not de-escalate more often, *Crit CareMed*, 40(5):1404-1409.

Hermawan, A.G. 2014. *Buku Ajar Ilmu Penyakit Dalam Jilid I edisi VI*. Jakarta:Interna Publishing. hlm 692-699.

Hinds, C.J., Watson, D., Pearse, R.M., 2012. *Kumar and Clark's Clinical Medicine*. 8th ed. Spanyol: Saunders Elsevier.

Hollenberg, S.M., Ahrens, T.S., Anne, D., Astiz, M.E., Chalfin, D.B. 2004. Practise parameters for hemodynamic support of sepsis in adult patients. *Crit Care Med*. 32:1928-48.

UNIVERSITAS GADJAH MADA
PENGARUH PENERAPAN DE-ESKALASI ANTIBIOTIK PADA PASIEN SEPSIS TERHADAP LUARAN KLINIK di RSUP. Dr. SARDJITO YOGYAKARTA
SAMUEL BUDI HARSONO LOMANTO, Prof. Dr. Zullies Ikawati, Apt.; Prof. dr. Iwan Dwiprahasto, MMed.Sc, Ph.D.; d
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Horn, D.L., Morrison, D.C., Opal, S.M., Silverstein, R., Visvanathan, K., Zabriskie, JB. 2000. What are the microbial components implicated in the pathogenesis of sepsis? Report on a symposium. Clin Infect Diseases. 31:851-858.

Hotchkiss, R.S., Karl, I.E., 2003, The Pathophysiology and Treatment of Sepsis, N *Engl J Med*, 348; 2:138-150.

Howell MD, Davis AM. 2017. Management of sepsis and septic shock. *JAMA*. 317 (8):847-8.

Hubacek, J.A., Strüber, F., Fröhlich, D., Book, M., Wetegrove, S., Ritter, M., Rothe, G., Schmitz, G. 2001, Gene variants of the bactericidal/permeability increasing protein and lipopolysacchraride binding protein in sepsis patients: gender-specific genetic predisposition to sepsis. *Crit Care Med*. 29:557-61

Hurtado, F.J, Buroni, M., Tenzi, J. 2009. Sepsis: Clinical approach, evidence based at the bedside. In: Gallo A, editors. Intensive and Critical Care Medicine. Springer-Verlag Italia; p.299-309.

Irianto, K. 2014. *Bakteriologi, Mikologi dan Virologi;* Panduan medis dan klinis. Alfabeta. Bandung, hal 60.

Irvan., Febyan., Suparto. 2018. *Jurnal Anestesiologi Indonesia*: Sepsis dan Tata Laksana Berdasar Guideline Terbaru. Jakarta.

Jakkinaboina, S., Deepak, K.S. 2015. De-escalation of empiric antibiotik therapy in sepsis- an Indian observationa study. *Intensive Care Medicine Experimental*. 3(Suppl 1)A405. Pp1-4.

Jawetz, Melnick, Adelberg. 2014. *Mikrobiologi Kedokteran*. Edisi ke-25. Nugroho AW, penerjemah; Jakarta : Penerbit Buku Kedokteran EGC. hlm 194-200, 227-229

Jordi, Rello, Marin, Diaz,E. 2007. Infection Diseases in Critical Care 2nd , Tarragona, Spain.

Judha, M dan Rahil, N.,M. 2011. *Sistem pernafasan dalam asuhan keperawatan*. Yogyakarta: Gosyen Publishing

Juniarty J.P., Nainggolan, Lucky, T., Kumaat, Mordekhai, L., Laihad. 2017. *Jurnal e-Clinic* (*eCl*): Gambaran Sumber Terjadinya Infeksi pada Penderita Sepsis dan Syok Septik di ICU RSUP Prof. Dr. R. D. Kandou Manado. Manado.

UNIVERSITAS GADJAH MADA
PENGARUH PENERAPAN DE-ESKALASI ANTIBIOTIK PADA PASIEN SEPSIS TERHADAP LUARAN KLINIK di RSUP. Dr. SARDJITO YOGYAKARTA
SAMUEL BUDI HARSONO LOMANTO, Prof. Dr. Zullies Ikawati, Apt.; Prof. dr. Iwan Dwiprahasto, MMed.Sc, Ph.D.; d
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Kalil, A., Metersky, M., Klompas, M., dan Muscedere, J. 2016. Management of Adults with Hospital-acquired dan ventilator associated Penumonia. 2016. Clinical Practice Guidelines by the Infectious Diseases Society of America and the American Thoracic Society. *Oxford University Press for the Infectious Diseases Society of America*, 63:e61-e111.

Katu, S., Suwarto, S., Pohan, H.T., Abdullah, M. 2015. Faktor-Faktor yang Mempengaruhi Keberhasilan Terapi Antibiotik Empirik pada Pasien Sepsis Berat dan Syok Sepsis di Bangsal Rawat Inap Penyakit Dalam Rumah Sakit Cipto Mangunkusumo. Jurnal Penyakit Dalam Indonesia | Vol. 2, No. 2 | April 2015. P 96-106.

Karchmer, A.W. 2000. Cephalosporins. In Mandel G.L., Bennet principlesand practice of infectious diseases, Fifth ed Philadelphia: churcill Living Stone, v.1.

Kaukonen, K.M., Bailey, M., Suzuki, S., Pilcher, D., Bellomo, R. 2014. Mortality Related to Severe Sepsis and Septic Shock Among Critically Ill Patients in Australia and New Zealand, 2000-2012. *JAMA*. 2014;311(13):1308-1316

Kemenkes RI, .2010. *Buletin Jendela Epidemiologi Pneumonia Balita. Jakarta*: Kementerian Kesehatan RI.

Kemenkes RI, 2011, Peraturan Menteri Kesehatan Republik Indonesia Nomor 2046/Menkes/Per/XII/2011 Tentang Pedoman Umum Penggunaan Antibiotik, Jakarta, Kementrian Kesehatan Republik Indonesia

Kemenkes. 2011b. *Peraturan Menteri Kesehatan Republik Indonesia Nomor 2406/Menkes/Per/XII/2011 Tentang Pedoman Umum Penggunaan Antibiotik*. Jakarta: Menteri Kesehatan Republik Indonesia.

Knowles, M., 2005. *The Definitive Classic in Adult Education and Human Resource Development 6th edition*. Amsterdam.

Koh, G.C., Peacock, S.J., Van der pol, T., Wiersinga, W.J. 2011. The impact of diabetes on the pathogenesis of sepsis. *Springer*. 2011.p 380-384.

Kollef, M.H., Morrow, L.E., Niederman, M.S., et al. 2006. Clinical characteristics and treatment patterns among patients with ventilator-associated pneumonia. Chest. 129:1210-1218.

Kollef, M.,H. 2014. What can be expected from antimicrobial de-escalation in the critical ill?. *Intensive Care Med*. 40;92-95.

UNIVERSITAS GADJAH MADA
PENGARUH PENERAPAN DE-ESKALASI ANTIBIOTIK PADA PASIEN SEPSIS TERHADAP LUARAN KLINIK di RSUP. Dr. SARDJITO YOGYAKARTA
SAMUEL BUDI HARSONO LOMANTO, Prof. Dr. Zullies Ikawati, Apt.; Prof. dr. Iwan Dwiprahasto, MMed.Sc, Ph.D.; d
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Kyle, A., Weant, Stephanie, N., Baker. 2012, Emergency Medicine Pharmacists and Sepsis Management, Nort Carolina Public Health Preparedness and Resonse, North Carolina Departementof Public Health , 100 East Six Forks Road, Suite 150, Raleigh, NC 27699, USA, Published online before print December 2, 2012, doi: 10.1177/0897190012467211. *Journal of Pharmacy Practise*

Langouche, L., Vanhorebeek, I., Vlasselaers, D., 2005, Intensive insulin therapy protects the endothelium of critically ill patients, *J Clin Invest*, 115:2277-86.

LaRosa, S.P., 2010. *Sepsis*. *In*: Gordon, S., ed. Current Clinical Medicine. 2nd ed. Philadelphia: Saunders Elsevier, 720-725.

Leon, M., Textoris, J. 2011. Overview of antimicrobial therapy in intensive care unit. *Expert Rev Anti Infect Ther*. 2011;9(1):97-109.

Leone, M., Bechis, C., Baumstrack, K. 2014. De-escalation versus continuation of empirical antimicrobial treatment in severe sepsis: a multicenter non-blinded randomized noninferiority trial. *Intensive Care Med*. 40:1399-1408.

Levy, M.M, Fink, M.P, Marshall, J.C, Abraham E, Angus D, Cook D, et al.2003 SCCM/ESICM/ACCP/ATS/SIS International Sepsis Definitions Conference. *Intensive Care Medicine* 2003;29(4): 530–8. [PUBMED: 12664219]

Lipworth, A.D., Saavedra, A.P, Weinberg, A.N., Johnson, R.A. *Non-Necrotizing Infection of the Dermis and Subcutaneous Fat: Cellulitis and Erysipelas. Fitzpatrick's Dermatology In General Medicine*. 8th ed. USA: McGraw-Hill. 2012. p.2160-9

Lubis, B.M., Syofiani, N.B., Sianturi, P., Azlin, W. 2013. Hubungan Kultur Dasar Pasien Tersangka Sepsis dengan Nilai Prokalsitonin dan *C-Reactive* Protein. Sari Pediatri. Vol 15(1):5-9.

Mandal, Wilkins, Dunbar, M. 2008. Penyakit Infeksi: Edisi Keenam. Jakarta, Erlangga.

Marik, P.E., Zaloga, G.P. 2004. Adrenal insufficiency during septic shock. *Crit Care Med.* 31:141-145..

Martin, G.S., Mannino, D.M., Eaton, S., Moss, M. 2003, The Epidemiology of Sepsis in United States from 1979 through 2000, *N Engl J Med*, 348; 1546-1554.

Martin, Greg, S. 2012. Sepsis, severe sepsis and septic shock: changes in incidence, pathogens and outcomes. *Expert Review of Anti-infective Therapy* 10 (6): 701–706.

UNIVERSITAS GADJAH MADA
PENGARUH PENERAPAN DE-ESKALASI ANTIBIOTIK PADA PASIEN SEPSIS TERHADAP LUARAN KLINIK di RSUP. Dr. SARDJITO YOGYAKARTA
SAMUEL BUDI HARSONO LOMANTO, Prof. Dr. Zullies Ikawati, Apt.; Prof. dr. Iwan Dwiprahasto, MMed.Sc, Ph.D.; d
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Martin, L.I., Deja, M., Koulenti, D., Dimopoulos, G., Marsh, B., Torres, A., Niederman, M.S., Rello, J., EU-VAP Investigators. 2013. Potentially resistant microorganisms in intubated patients with hospital-aquired pneumonia: interaction of ecology, shock and risk factors. *Intensive Care Med.* 39:672-681.

Masterton, R.G. 2011, Antibiotic De-escalation, *Crit Care Clin* 27 (2011) 149-162.

McArthur, D.R., Miller, M., Albertson, T., 2004, Adequate of Early Empiric Antibiotic Treatment and Survival in Severe Sepsis: Experience from the MONARCS trial, *Clin Infect Disease*, 38:284-8.

McKenzie, C. 2011. Antibiotic dosing in critical illness. *Journal of Antimicrobial Chemotherapy*. 66: 25-31.

Mehta Y, Kochar G. Sepsis and septic shock. Journal of Cardiac Critical Care TSS. 2017; 1(1): 3-5.

Melamed, A., Sorvillo, F.J. 2009. The burden of sepsis-associated mortality in the United States from 1999 to 2005: an analysis of multiple cause of death data. *Crit Care*, 13:R28

Mesotten, D., Swinnen, J.V., Vanderhoydonc, F., Wouters, P.J., Van den Berghe, G., 2004, Contribution of circulating lipids to the improved outcome of critical illness by glycemic control with intensive insulin therapy, *J Clin Endocrinol Metab*, 89:219-226.

Mohanty, A., Singh, S., Kabi, A., Gupta, P., Kumar, P. 2017. Bacteriological Profile and Antibiotic Sensitvity Pattern of Hospital Acquired Septicemia in a Tertiary Care Hospital in North East India. *Asian J Pharm Clin Res*, Vol 10, Issue 11, 186-189.

Mokart, D., Slehofer, G., Lambert, J., Sannini, A., Chow-Chine L, Brun, J.P., et al. De-escalation of antimicrobial treatment in neutropenic patients with severe sepsis: results from an observational study. *Intensive Care Med*. 2014; 40(1):41–49.

Monsef, A. 2010. Antibiotic sensitivity pattern of common bacterial pathogens in NICU and neonatal ward in Hamedan province of Iran. *Health*. 2:625-629.

Montero, G.J., Garmendia, G.L.J., Almodovar, B.A., 2003, Impact of adequate empiricial antibiotic therapy on the outcome of patient admitted to the intensive care unit with sepsis , Crit Care Med 31, 12:2742-2751.

UNIVERSITAS GADJAH MADA
PENGARUH PENERAPAN DE-ESKALASI ANTIBIOTIK PADA PASIEN SEPSIS TERHADAP LUARAN KLINIK di RSUP. Dr. SARDJITO YOGYAKARTA
SAMUEL BUDI HARSONO LOMANTO, Prof. Dr. Zullies Ikawati, Apt.; Prof. dr. Iwan Dwiprahasto, MMed.Sc, Ph.D.; d
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Moraes, R.I., Guillén, J.A., Zabaleta, W.J., Borges, V.K. 2016. De-escalation, adequacy of antibiotic therapy and culture positivity in septic patients: an observational study. *Rev Bras Ter Intensiva*; 28(3):315-322

Nelwan, R.H.H. 2007. *Buku Ajar Ilmu Penyakit Dalam* Jilid I, Ed ke-3. Jakarta: Balai Penerbit FKUI. hlm 1700-1702.

Nguyen, H.B. 2011 *Severe Sepsis and Septic Shock*: Review of the Literature and Emergency Department Management Guidelines. American College of Emergency Physicians 48(1): 28-54.

Nicholson, J.P., Wolmarans, M.R., Park, G.R. The Role of albumin in critical illness. *Br. J. Anaesh.* 85(4):599-610.

Nicolau, D.P. 2008. Pharmacodynamic optimization of β-lactams in the patient care setting. Crit Care Med. 12 : 1-5.

Niederman, M.S., Craven, D.E. 2005. Guidelines for the management of adults with hospital-acquired, ventilator-associated, and healthcare-associated pneumonia. Am J Respir Crit Care Med. 171 : 388-416.

Niederman, M.S. 2006. *De-escalation therapy in ventilator-associated pneumonia*. Curr Opin Crit Care 12:452–457

Noritomi, D.T., Ranzani, O.T., Monterio, M.B., Ferreira, E.M., Santos, S.R., Leibel, F. 2014. Implementation of a multifaceted sepsis education program in an emerging country setting: clinical outcomes and cost effectiveness in a long-term follow up study. *Intensive Care Med*. 40(2):182-91.

Park, D.R., 2005, *Antimicrobial treatment of ventilator- associated pneumonia*. Respir Care; 50:932-52.

Patel, J., Ewinstein, M., Eliopoulos, G.G., Jenkins, S. 2017. *Performance Standarts for Antimicrobial Susceptibility Testing, 27th* ed. Ed. Clinical and Laboratory Standarts Institute, West Valley Road , Suite 2500, Wayne, Pennsylvania 19087. USA.

Paul, M., Benuri-Silbiger, I., Soares-Weiser, K., Liebovici, L. 2004. β-Lactam monotherapy versus β-lactam–aminoglycoside combination therapy for sepsis in immunocompetent patients : systematic review and metaanalysis of randomised trials. BMJ.. 18 : 301-11.

UNIVERSITAS GADJAH MADA
PENGARUH PENERAPAN DE-ESKALASI ANTIBIOTIK PADA PASIEN SEPSIS TERHADAP LUARAN KLINIK di RSUP. Dr. SARDJITO YOGYAKARTA
SAMUEL BUDI HARSONO LOMANTO, Prof. Dr. Zullies Ikawati, Apt.; Prof. dr. Iwan Dwiprahasto, MMed.Sc, Ph.D.; d
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

[PAPDI] Perhimpunan Dokter Spesialis Penyakit Dalam Indonesia. Penatalaksanaan Di Bidang Ilmu Penyakit Dalam. Sepsis. Dan Renjatan Septik. 2015. Pusat Penerbitan Ilmu Penyakit Dalam. Jakarta

Penack, O., Buchheidt, D., Christopeit, M., *et al.* 2010. Management of sepsis in neutropenic patients: guidelines from the infectious diseases working party of the German Society of Hematology and Oncology. Ann Oncol. Available from : Oxford Journals

[PERDICI] Perhimpunan Dokter Intensive Care Indonesia. Penatalaksanaan Sepis dan Syok Sepsis (Optimasi FASTHUGSBID). 2017. Jakarta.

Planta, Pablito M., Armi, Grace G., Laiño, M.D., Noreen B., Alqueza, M.D., Liza M., Gonzales, M.D. 2012. Nasal Carriage of Staphylococcus aureus among Pediatric Health Care Workers in a Pediatric Intensive Care Unit. J. of PIDSP. 13:1 44-50.

Polito, A., Thiagarajam, R.R., Lausen, P.C. 2008. Association between intraoperative and early postoperative glucose levels and adverse outcome after complex congenital heart surgery. Circulation, 118:225-42.

Potter and Perry. 2005. Fundamental keperawatan edisi4 933-942.

Pradipta, I.S., 2008, Evaluasi Penggunaan Antibiotik pada Pasien Sepsis di bangsal Rawat Inap Penyakit Dalam RSUP. Dr. Sardjito Yogyakarta periode September-November 2008, Gadjah Mada, Yogyakarta, Indonesia.

Pradipta, I.S., Sodik, D.C., Lestari, K., Parwati, I., Halimah, E., Diantini, A. 2013. Antibiotic resistance in sepsis patients: Evaluation and recommendation of antibiotic use. North American Journal of Medical Sciences. 5(6):344.

Pratama, A.M. 2016. Pemeriksaan kadar Asam laktat sebagai Prediktor Mortalitas pada Pasien Sepsis di Intensive Care Unit (ICU) RSUP. Dr. Sardjito Yogyakarta. (Thesis). 46-47.

Pratiwi, R.H. 2017. Mekanisme Pertahanan Bakteri Patogen terhadap Antibiotik. *Jurnal Pro-Life*. Volume 4 Nomor 3, November 2017. 418-429.

Rello, J., Vidaur, L., Sandiumenge, A, et al. 2004. De-escalation therapy in ventilator- associated pneumonia. *Crit Care Med*. 32:2183-2190.

Ridad, M.A. 2007. Infeksi. Dalam: R. Sjamsuhidajat, editor (penyunting). Buku ajar ilmu bedah Sjamsuhidajat de jong. Edisi ke-3. Jakarta: EGC; hlm.52

UNIVERSITAS GADJAH MADA
PENGARUH PENERAPAN DE-ESKALASI ANTIBIOTIK PADA PASIEN SEPSIS TERHADAP LUARAN KLINIK di RSUP. Dr. SARDJITO YOGYAKARTA
SAMUEL BUDI HARSONO LOMANTO, Prof. Dr. Zullies Ikawati, Apt.; Prof. dr. Iwan Dwiprahasto, MMed.Sc, Ph.D.; d
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Riedel, S., Melendez, J.H., Janet, A.T., Zenilman, J.M. 2011. Procalsitonin as a Marker for the Detection of Bacteremia and Sepsis in the Emergency Departement. American Journal of Clinical Pathology. 135:182-189.

Riyadi,S. & Suharsono. 2010. *Asuhan keperawatan anak sakit*. Yogyakarta: Gosyen Publishing

Rodgers, A., Ezzati, M., Lopez, A.D., Murray, C.J.L. 2004. Comparative Quantification of Health Risks: Global and Regional Burden of Disease Attribute to Selected Major Risk Factors. Vol 1. WHO Publications.

Russell, J.A., 2006, *Management of Sepsis*, N Engl J Med, 355; 16: 1699-1712.

Russell, J.A. 2012. Shock syndromes related to sepsis. *In*: Goldman L, and Schaffer AI., ed. *Goldman's Cecil Medicine*. 24th ed. Philadelphia: Elsevier Saunders, 658-665.

Saavedra, A., Weinberg, A.N., Swartz, M.N., Johnson, R.A. *Soft tissue infections: Erysipelas, cellulitis, gangrenous cellulitis, and myonecrosis*. In: Wolff K, Goldsmith, L.A., Katz, S.I., Gilchrest, B.A., Paller, A.S., Leffel, D.J, editors. Fitzpatrick's Dermatology in General Medicine (Eight Edition). New York: McGraw Hill; 2012; p. 1720- 31.

Salahuddin, N., Lama Amer, Mini Joseph, Hazmi, A. 2016. Determinants od Deescalation Failure in Critically Ill Patients with Sepsis: A Prospective Cohort Study. Critical Care Research and Practise. Hindawi Publishing Coorporation. P 1-7

Shadrina, D.A., Ardi, Z., Putri, T. 2017. Quality Assesment of Antibiotic Prescription for Sepsis Treatment in Intensive Care Unit at Top Referral Hospital in West Java, Indonesia. *Althea Medical Journal* 2017;4(2):286-92.

Shapiro, N.I., Zimmer, G.D., Barkin, A.Z., 2010. Sepsis Syndromes. *In*: Marx et al., ed. *Rosen's Emergency Medicine Concepts and Clinical Practice*. 7^{t} ed. Philadelphia: Mosby Elsevier, 1869-1879.

Sharma, C.M., Agrawal, R.P., Sharan, H., Kumar, B., Sharma, D., Bhatia, S.S. 2013. Neonatal Sepsis: Bacteria and Their Susceptibility Pattern Toward Antibiotics in Neonatal Intensive Care Unit. *Journal of Clinical and Daignostic Research*. 7(11):2511-13.

Shaw, C.K. 2007. Neonatal sepsis bacterial isolates and antibiotic susceptibility patterns at a NICU in tertiary care hospital in western Nepal: a retrospective analysis. *KUMJ*. 5:153-60.

UNIVERSITAS GADJAH MADA
PENGARUH PENERAPAN DE-ESKALASI ANTIBIOTIK PADA PASIEN SEPSIS TERHADAP LUARAN KLINIK di RSUP. Dr. SARDJITO YOGYAKARTA
SAMUEL BUDI HARSONO LOMANTO, Prof. Dr. Zullies Ikawati, Apt.; Prof. dr. Iwan Dwiprahasto, MMed.Sc, Ph.D.; d
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Seymour, C.W., Liu, V.X., Iwashyna, T.J., Brunkhorst, F.M., Rea, T.D., Scherag, A., Rubenfeld, G., Kahn, J.M., Singer, M., Deutschman, C.S. 2016. Assessment of Clinical criteria for sepsis : for the Third International Consensus Definitions for Sepsis and Septic Shock. JAMA, 315(8):762-774.

Shime, N., Satake, S., Fujita, N. 2011. De-ecalation of antimicrobials in the treatment of bacteremia due to antibiotic-sensitive pathogen in immunocompetent patients. *Infection.* 39: 319-325.

Silva E, Pedro Mde A, Sogayar A.C, Mohovic T, Silva C.L, Janiszewski M, Brazilian Sepsis Epidemiological Study (BASES study). *Critical Care* 2004;8(4):R251–60. [PUBMED: 15312226]

Silva, B.N., Andriolo, R.B., Atallah, A.N., Saloma˜o, R. 2013. *De-escalation of antimicrobial treatment for adults with sepsis, severe sepsis or septic shock.* Cochrane Database Syst Rev 3:CD007934

Siswandono dan Soekardjo, B. 2008. *Kimia Medisinal*.Ed ke-2. Surabaya: Airlangga University Press. hlm 109.

Siswanti, E.P.S. 2011, Pengaruh Pemakaian Antibiotik Terhadap Perbaikan Klinis pada Pasien Preeklamsi yang Sepsis. Gadjah Mada, Yogyakarta, Indonesia.

Sjoekoer, M. 2003. *Bakteriologi Medik*. Malang: Bayumedia Publishing. hlm 105-122.

Soong, J and Soni, N. 2012. Sepsis: recognition and treatment. *Clin Med*, 12(3), 276-280.

Smeltzer dan Bare. 2005 *Buku Ajar Keperawatan Medical Bedah Brunner & Suddart.* Edisi 8, Vol 1, alih bahasa: Kuncara Monica Ester. Jakarta: EGC

Starr, M., Saiyo, H. 2014. *Sepsis In Old Ages: Review Of Human and Animal Studies*.

Steinberg, J.P., Burd, E.M. 2014. Other gram-negative and gram variable bacilli. In: *Mandell, Douglas and Bennet's Principles and Practice of Infectious Disease*, 7th ed. Mandell GR, et al (editors). Elsevier.

Siregar, R.S. 2015. Atlas Berwarna Saripati Penyakit Kulit Edisi 3. Jakarta: EGC.

Suharto. 2000. Tatalaksana Syok Septik dalam : Update on Shock. Pertemuan Ilmiah Terpadu I, ed. Suharto, A. Abadi, N.M. Rehatta, T. Ontoseno. Fakultas Kedokteran Universitas Airlangga. Surabaya, hlm. 173-86.

UNIVERSITAS GADJAH MADA
PENGARUH PENERAPAN DE-ESKALASI ANTIBIOTIK PADA PASIEN SEPSIS TERHADAP LUARAN KLINIK di RSUP. Dr. SARDJITO YOGYAKARTA
SAMUEL BUDI HARSONO LOMANTO, Prof. Dr. Zullies Ikawati, Apt.; Prof. dr. Iwan Dwiprahasto, MMed.Sc, Ph.D.; d
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Suharjo, B.C. 2007. *Terapi Antibiotik Empiris Pada Pasien Sepsis Berdasarkan Organ Terinfeksi*. Dexa Medika. Vol. 20 No. 2.

Sukandar, E.Y., Andrajati, R., Sigit, J.l., Adnyana, I.K., Setiabudi, A.A.P., Kusnandar. 2008 ISO Farmakoterapi. Jakarta. PT ISFI.

Sulaiman, M., Hammerman, H., Boulos, M., et al. 2005. Fasting glucose is an important independent risk factor for 30-day mortality in patients with acute myocardial infection. A prospective study . Circulation, 111:754-60.

Sutton, S.S., 2008, Sepsis and Sepsis Shock in Burn Chisholm, MA. Wells, GB. Schwinghammer, LT. Malone, MP. Kolsar, MJ. Rotschafer, CJ. DiPiro, TJ. (Eds), *Pharmacotherapy Principles & Practice*, McGraw-Hill, New York, 1185-1197.

Tambajong, R.,N., Lalenoh, D.,C., Kumaat, L. 2016. Profil penderita sepsis di ICU RSUP Prof. Dr. R. D. Kandou Manado periode Desember 2014-November 2015. *JeCl* 4(1):452-457.

Tenover, F., C. 2006, Mechanism of Antimicrobial Resistance in Bacteria, *The American Journal of Medicine,* vol 119(6A)

Tessy, A. & Suwanto, A., 2001. Infeksi Saluran Kemih dalam Buku Ajar Ilmu Jilid II E. Balai Penerbit Fakultas Kedokteran Universitas Indonesia, ed., Jakarta.

Tsertsvadze A, Royle P, Seedat, F., Cooper, J., Crosby, R, McCarthy, N. 2016. Community-onset sepsis and its public health burden: a systematic review. BMC, 5:81.

Tupchong, K., Koyfman, A., Foran, M. 2015. Sepsis, severe sepsis, and septic shock: A review of the literature. *African J Emerg Med*. 5(3):127-35

Unbraw, 2003, *Obat Antimikroba, Dalam: Bakteriologi Medik*, Bayumedia Publishing, Malang, 105-123

Utami, E.,R. 2011. Antibiotika, resistensi dan rasionalitas terapi. *Jurnal El-Hayh* 1 (4): 191-198.

Vincent, J.,L, Sakr, Y., Sprung, C,L., Ranieri, V.,M., Reinhart, K., Gerlach, H., *et al*.Sepsis in European intensive care units: results of the SOAP study. *Critical Care Medicine* 2006;34(2):344–53. [PUBMED: 16424713]

Vincent, J.L. 2016. Advances in antibiotic therapy in the critical ill. *Critical Care*. 20(133):1-3.

UNIVERSITAS GADJAH MADA
PENGARUH PENERAPAN DE-ESKALASI ANTIBIOTIK PADA PASIEN SEPSIS TERHADAP LUARAN KLINIK di RSUP. Dr. SARDJITO YOGYAKARTA
SAMUEL BUDI HARSONO LOMANTO, Prof. Dr. Zullies Ikawati, Apt.; Prof. dr. Iwan Dwiprahasto, MMed.Sc, Ph.D.; d
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Vidaur,L., Sirgo, G., Rodriguez, A., Rello, J. 2005. Clinical Approach to the patient with suspected ventilator- associated pneumonia. *Respr Care*. 50:965-974.

Wahyono, H., 2005, Faktor Yang Berpengaruh Terhadap Kejadian Methicillin Resistant Staphylococcus Aureus (MRSA) pada Penderita dengan Bakteremia di Ruang Perawatan Intensif RS.Hasan Sadikin dan RS. Kariadi, Jurnal MMI, Vol. 40, No. 1, Tahun 2005, 3

Wardhana, A., Djan, R., Halim, Z. 2017. Bacterial and Antimicrobial Susceptibility Profile and The Prevalence of Sepsis among Patients at the Burn Unit of Cipto Mangunkusumo Hospital. *Annals of Burns and Fire Disasters*, vol. XXX (2), 107-115.

World Health Organization. Indonesia: WHO statistical profile. [Internet]. 2015. [cited 2018 Jan 6]. Available from:URL:http://www.who.int/gho/countries/idn.pdf?ua=1

Wirawan, C., Soemardi, U., Alisyahbana, B. Gambaran penatalaksanaan penderita sepsis berat dan syok sepsis dalam 6 jam pertama [Tesis]. Bandung: Universitas Padjajaran; 2016.

Wylie-Cheer, B., Goodson, H. 2016. Sepsis care and treatment in New Zealand and Australia. *JEMS.*

Yana, K., Alisjahbana, B., Hartantri,Y. 2018. Gambaran Penyebab Rendahnya Positivitas Hasil Kultur Darah pada Penderita Sepsis. *Jurnal Penyakit Dalam Indonesia.* Vol. 5, No. 4. Desember 2018. p. 189-195.

Yong Mei, Kaste, M. 2008. Dynamic of hyperglycemia as a Predict of stroke outcome in the ECASS-II trial. Stroke; 39: 1749-55.

Zahar, J., Timsit, J., Garroute, M., Adrien ,F., Vesim, A., Descorcps, A. 2011. Outcome in severe sepsis and patient with shock septic: Pathogen species and infection site are not associated with mortality. Critical Care Medicine. 39(18):p 1886-1893