

DAFTAR PUSTAKA

- Amirahmadi, M., Shoeibi, S., Rastegar, H., Elmi, M., dan Mousavi Khaneghah, A., 2017, Simultaneous analysis of mycotoxins in corn flour using LC/MS-MS combined with a modified QuEChERS procedure, *Toxin Rev.* 37, 187–195.
- Ansari, A. A., Kaushik, A., Solanki, P., dan Malhotra, B., 2008, Sol–Gel Derived Nanoporous Cerium Oxide Film for Application to Cholesterol Biosensor, *Electrochem Commun.* 10, 1246–1249.
- Anonim, 2016, *PubChem Database* CID=186907, <https://pubchem.ncbi.nlm.nih.gov/compound/Aflatoxin-B1> (diakses pada tanggal 20 April 2020)
- Arya, S.K., Solanki, P.R., Datta, M., dan Malhotra, B.D., 2009, Recent advances in self-assembled monolayers based biomolecular electronic devices, *Biosens Bioelectron.* 24, 2810–2817.
- Astawan, M., 2009, *Sehat dengan Hidangan Kacang dan Biji-Bijian*, pp. 30–32, Jakarta: Penebar Swadaya, ISBN 979-002-366-9.
- Ayad, M.M., Salahuddin, N.A. dan Minisy, I.M., 2014, Detection of Some Volatile Organic Compounds with Chitosan-Coated Quartz Crystal Microbalance, *Designed Monomers and Polymers*, 8, 17, 795-802.
- Baggiani C., Anfossi L., dan Giovannoli C., 2008, Molecular imprinted polymers as synthetic receptors for the analysis of myco- and phyco-toxins, *Analyst*, 133, 719–730.
- Battal, D., Akgönüllü, S., Yalcin, M.S., Yavuz, H., dan Denizli, A., 2018, Molecularly Imprinted Polymer Based Quartz Crystal Microbalance Sensor System for Sensitive and Label-Free Detection of Synthetic Cannabinoids in Urine, *Biosensors and Bioelectronics*, 111, 10–17.
- Beltrán, E., Ibáñez, M., Sancho, J.V., Cortés, M.A., Yusá, V., dan Hernández, F., 2011, UHPLC-MS/MS highly sensitive determination of aflatoxins, the aflatoxin metabolite M1 and ochratoxin A in baby food and milk, *Food Chem.*, 126, 737-744
- Bennett, J.W., dan Klich, M., 2003, Mycotoxins, *Clin. Microbiol. Rev.*
- Brady, S., Lau, K.T., Megill, W., Wallace, G.G., dan Diamond, D., 2005, The Development and Characterisation of Conducting Polymeric-based Sensing Devices, *Synth. Met.*, 154, 25–28.
- Chauhan, R., Solank, P.R., Singh, J., Mukherjee, I., Basu, T., dan Malhotra, B.D., 2015, A Novel Electrochemical Piezoelectric Label Free Immunosensor for Aflatoxin B1 Detection in Groundnut, *Food Control*, 52, 60-70.
- Cho, J.H., Yu, J.B., Kim, J.S., Sohn, S.O., Lee, D.D., dan Huh, J.S., 2005, Sensing Behaviors of Polypyrrole Sensor under Humidity Condition, *Sens. Actuators B*, 108, 389–392.
- Creppy, E.E., 2002, Update of survey, regulation and toxic effects of mycotoxins in Europe, *Toxicol. Lett.*, 127, 19–28.
- Díaz-García, M.E., dan Laíño, R.B., 2005, Molecular Imprinting in Sol-Gel Materials: Recent Developments and Applications, *Microchimica Acta*, 149, 19–36.

- Diltemiz, E.S., Keçili, R., Ersöz, A., dan Say, R., 2017, Molecular Imprinting Technology in Quartz Crystal Microbalance (QCM) Sensors, *Sensors*, 17, 3, 454.
- Doyle, M.E., Steinhart, C.E., dan Cochrane, B.A., 1993, *Food safety 1993*, CRC Press, ISBN 978-0-8247-9156-8.
- Eslamian, M., 2017, Inorganic and Organic Solution-Processed Thin Film Devices. *Nano-Micro Lett.*, 9, 1–23.
- Espinosa-Calderón, A., Contreras-Medina, L.M., Muñoz-Huerta, R.F., Millán-Almaraz, J.R., Gerardo, R., González, G., dan TorresPacheco, I., 2011, Methods for detection and quantification of aflatoxins, In: Torres-Pacheco I. (Ed.), Aflatoxins - detection, measurement and control, InTech China, Shanghai.
- Fernández, H., Arévalo, F.J., Granero, A.M., Robledo, S.N., Nieto, C.H.D., Riberi, W.I., dan Zon, M.A., 2017, Electrochemical Biosensors for the Determination of Toxic Substances Related to Food Safety Developed in South America: Mycotoxins and Herbicides, *Chemosensors*, 5, 23.
- Garcia R., Cabrita, M., dan Costa Freitas, A., 2011, Application of molecularly imprinted polymers for the analysis of pesticide residues in food - a highly selective and innovative approach, *Am. J. Anal. Chem.*, 2, 16–25.
- Gu, Y., Wang, Y., Wu, X., Pan, M., Hu, N., Wang, J., dan Wang, S., 2019, Quartz crystal microbalance sensor based on covalent organic framework composite and molecularly imprinted polymer of poly(o-aminothiophenol) with gold nanoparticles for the determination of aflatoxin B1, *Sensors and Actuators B: Chemical*, 291, 293-297.
- Hawari, H.F., Samsudin, N.M., Shakaff, A.Y., Wahab, Y., Hashim, U., Zakaria, A., Ghani, S.A., dan Ahmad, M.N., 2013, Highly selective molecular imprinted polymer (MIP) based sensor array using interdigitated electrode (IDE) platform for detection of mango ripeness, *Sensors and Actuators B: Chemical*, 187, 434–44.
- He, C., Long, Y., Pan, J., Li, K., dan Liu, F., 2007, Application of molecularly imprinted polymers to solid-phase extraction of analytes from real samples, *J. Biochem. Biophys. Methods*, 70, 133–150.
- Huang, W., Wang, X., Jia, Y., Li, X., Zhu, Z., Li, Y., Si, Y., Ding, B., Wang, X. dan Yu, J., 2013, Highly sensitive formaldehyde sensors based on polyvinylamine modified polyacrylonitrile nanofibers, *RSC Adv.*, 3, 22994.
- Hussein, H., 2001, Toxicity, metabolism, and impact of mycotoxins on humans and animals, *Toxicology*, 167, 101–134.
- International Agency for Research on Cancer (IARC), 2002, Some traditional herbal medicines, some mycotoxins, naphthalene and styrene. *Monograph on the evaluation of carcinogenic risk to humans*, Vol. 82.
- Jha, S.K., dan Hayashi, K., 2015, Polyacrylic Acid Polymer and Aldehyde Template Molecule Based MIPs Coated QCM Sensor for Detection on Pattern Aldehydes, *Sensor and Actuators*, B206, 471-48.
- Jin, X., Jin, X., Liu, X., Chen, L., Jiang, J., Shen, G., dan Yu, R., 2009, Biocatalyzed deposition amplification for detection of aflatoxin B1 based on quartz crystal microbalance, *Analytica Chimica Acta*, 645, 92–97.

- Johannsmann, D., 2015, *The Quartz Crystal Microbalance in Soft Matter Research*, Springer International Publishing, Switzerland.
- Kakalis, A., dan Panayiotou, C., 2017, The temperature effect of AT-cut input quartz parameters on QCM effective properties calculated with equivalent circuit models, *J. Electroceramics*, 40(1), 23-35.
- Li, P., dan Zhang, Q., 2011, Aflatoxin measurement and analysis, In: Torres-Pacheco I. (Ed.), *Aflatoxins - detection, measurement and control*, InTech China, Shanghai.
- Liu, C., Wyszynski, B., Yatabe, R., Hayashi, K., dan Toko, K., 2017, Molecularly Imprinted Sol-Gel-Based QCM Sensor Arrays for The Detection and Recognition of Volatile Aldehydes, *Sensors (Switzerland)*, 17, 2, 1–15.
- Lu, G.W., Qu, L.T., dan Shi, G.Q., 2005, Electrochemical Fabrication of Neuron-type Networks based on Crystalline Oligopyrene Nanosheets, *Electrochim. Acta*, 51, 340–346.
- Macagnano, A., Zampetti, E. dan Kny, E., 2015, *Electrospinning for High Performance Sensors*, Springer International Publishing, Switzerland.
- Marin, S., Ramos, A.J., Cano-Sancho, G., dan Sanchis, V., 2013, Mycotoxins: Occurrence, toxicology, and exposure assessment, *Food Chem. Toxicol.*, 60, 218–237.
- Morris, A. S., 2001, Measurement and Instrumentation Principles, *Measurement Science and Technology*, 12, 10, 1743–1744.
- Nicolas-Debarnot, D., dan Poncin-Epaillard, F, 2003, Polyaniline as a new sensitive layer for gas sensors, *Anal. Chim. Acta*, 475, 1–15.
- Pan, M., Li, R., Xu, L., Yang, J., Cui, X., dan Wang, S., 2018, Reproducible Molecularly Imprinted Piezoelectric Sensor for Accurate and Sensitive Detection of Ractopamine in Swine and Feed Products, *Sensors (Switzerland)*, 18, 6.
- Park, J.W., dan Kim, Y.B., 2006, Effect of Pressure Cooking on Aflatoxin B1 in Rice, *J. Agric. Food Chem.*, 54, 6, 2431-2435.
- Percival, C.J., Stanley, S., Galle, M., Braithwaite, A., Newton, M.I., McHale, G., dan Hayes, W., 2001, Crystal Microbalances for the Detection of Terpenes, *Anal. Chem.*, 73, 17, 4225–28.
- Pohanka, M., Jun, D., dan Kuca, K., 2007, Mycotoxin Assays Using Biosensor Technology: A Review, *Drug Chem. Toxicol*, 30, 253–261.
- Quero, J.M., Perdigones, F., dan Aracil, C., 2014, Microfabrication technologies used for creatng smart devices for industrial applications, *Smart sensors and MEMS*, 10, 281-304.
- Prasad, G.K., Radhakrishnan, T.P., Kumar, D.S., dan Krishna, M.G., 2005, Ammonia Sensing Characteristics of Thin Film based on Polyelectrolyte Templated Polyaniline, *Sens. Actuators B*, 106, 626–631.
- Ram, M.K., Yavuz, O., Lahsangah, V., dan Aldissi, M., 2005, CO Gas Sensing from Ultrathin Nano-composite Conducting Polymer Film, *Sens. Actuators B*, 106, 750–757.
- Raykova, R., Marinkova, D.A., Semerdzhieva, V.A., Michiel, M., Griesmar, P., Mourdjeva, M., Yaneva, S., dan Iliev, T.I., 2019, Quartz Crystal Microbalance

- Detection of Aflatoxin B1 by Self-Assembled Monolayer Technique, *The Open Biotechnology Journal*, 13, 122-128.
- Reddy, A.B., Reddy, G.S.M., Sivanjineyulu, V., Jayaramudu, J., Varaprasad, K., Sadiku, E.R., 2016, Hydrophobic/Hydrophilic Nanostructured Polymer Blends, *Micro and Nano Technologies*, 17, 385-411.
- Richard, J. L., 2003, Mycotoxins and Human Disease, in Clinical mycology (eds), *EJ Anaissie MR McGinnis and MA Pfaller*, 589-598.
- Rodrigues, P., Venâncio, A., dan Lima, N., 2012, Mycobiota and mycotoxins of almonds and chestnuts with special reference to aflatoxins, *Food Res Int*, 48, 76-90.
- Santos, A.O., Vaz, A., Rondrigues, P., Veloso, A.C.A., Venancio, A., dan Peres, A. M., 2019, *Chemosensors*, 7(3), 1-23.
- Ruangchuay, L., Sirivat, A., dan Schwank, J., 2004, Selective Conductivity Response of Polypyrrole-based Sensor on Flammable Chemicals, *React. Funct. Polym.*, 61, 11-22.
- Saigusa, Y., 2017, Quartz-Based Piezoelectric Materials, *Adv. Piezoelectric Materials 2nd ed.*, 5, 197-233.
- Saini, S., dan Kaur, A., 2013, Molecularly imprinted polymers for the detection of food toxins: a minireview, *Adv. Nanoparticles*, 2, 60-65.
- Santos, A.O., Vaz, A., Rondrigues, P., Veloso, A.C.A., Venancio, A., dan Peres, A. M., 2019, Thin films sensor devices for mycotoxins detection in foods: Applications and challenges, *Chemosensors*, 7(3), 1-25.
- Sauerbrey, G., 1959, Verwendung von Schwingquarzen zur Wägung dünner Schichten und zur Mikrowägung, *Zeitschrift für Phys.*, 155, 2, 206-222.
- Semong, O., dan Batlokwa, B.S., 2017, Development of an aflatoxin B1 specific molecularly imprinted solid phase extraction sorbent for the selective pre-concentration of toxic aflatoxin B1 from child weaning food, Tsabana, *Molecular Imprinting*, 5(1), 1-15.
- Shen, D., Kang, Q., Wang, Y.E., Hu, Q., dan Du, J., 2008, New Cut Angle Quartz Crystal Microbalance with Low Frequency-Temperature Coefficients in an Aqueous Phase, *Talanta*, 76, 4, 803-808.
- Solanki, P.R., Kaushik, A., Agrawal, V.V., dan Malhotra, B.D., 2011, Nanostructured metal oxide-based biosensors, *NPG Asia Mater*, 3, 17-24.
- Spinella, K., Mosiello, L., Palleschi, G., dan Vitali, F., 2013, Development of a QCM (Quartz Crystal Microbalance) Biosensor to the Detection of Aflatoxin B1, *Open Journal of Applied Biosensor*, 2, 112-119.
- Srivastava, A.K., dan Sakthivel, P., 2001, Quartz-crystal microbalance study for characterizing atomic oxygen in plasma ash tools, *J. Vac. Sci. Technol. A Vacuum, Surfaces, Film.*, 19, 1, 97-100.
- Tan, L., He, R., Chen, K., Peng, R., Huang, C., Yang, R., dan Tang, Y., 2016, Ultra-high performance liquid chromatography combined with mass spectrometry for determination of aflatoxins using dummy molecularly imprinted polymers deposited on silicacoated magnetic nanoparticles, *Microchim. Acta*, 183, 1469-1477.
- Tang, Y., Tang D., Zhang, J., dan Tang, D., 2018, Novel Quartz Crystal Microbalance Immunodetection of Aflatoxin B1 Coupling Cargo-encapsulated

- Liposome with Indicator-triggered Displacement Assay, *Analytica Chimica Acta*, 1031,161-168.
- Tothill, I.E., dan Turner, A.P.F., 2003, *Encyclopedia of Food Sciences and Nutrition 2nd ed*, Academic Press, London.
- Wei, S., Liu, Y., Yan, Z., dan Liu, L., 2015, Molecularly imprinted solid phase extraction coupled to high performance liquid chromatography for determination of aflatoxin M1 and B1 in foods and feeds, *RSC Adv.*, 5, 20951–20960.
- William, J.H., Phillips, T.D., Jolly, P.E., Stiles, J.K., Jolly, C.M., dan Aggarwal, D., 2004, Human aflatoxicosis in developing countries: a review of toxicology, exposure, potential health consequences, and interventions, *Am. J Clin Nutr.*, 80(5):1106-22.
- Yao, S. Z., 1997, *Piezo-Chemistry and Biosensors*, Hunan Normal University Press, Changsha.
- Zhang H., 2014, Water-compatible molecularly imprinted polymers: promising synthetic substitutes for biological receptors, *Polymer (Guildf)*, 55, 699–714.