

DAFTAR PUSTAKA

- [1] Y. W. Lim and C. Y. S. Heng, “Dynamic internal light shelf for tropical daylighting in high-rise office buildings,” *Build. Environ.*, vol. 106, pp. 155–166, 2016, doi: 10.1016/j.buildenv.2016.06.030.
- [2] Y. Sun, X. Liu, W. Qu, G. Cao, and N. Zou, “Analysis of Daylight Glare and Optimal Lighting Design for Comfortable Office Lighting,” *Optik (Stuttg.)*, vol. 206, no. 1, p. 164291, 2020, doi: 10.1016/j.ijleo.2020.164291.
- [3] A. Michael and C. Heracleous, “Assessment of natural lighting performance and visual comfort of educational architecture in Southern Europe: The case of typical educational school premises in Cyprus,” *Energy Build.*, vol. 140, pp. 443–457, 2017, doi: 10.1016/j.enbuild.2016.12.087.
- [4] R. A. Mangkuto, F. Feradi, R. E. Putra, R. T. Atmodipoero, and F. Favero, “Optimisation of daylight admission based on modifications of light shelf design parameters,” *J. Build. Eng.*, vol. 18, no. March, pp. 195–209, 2018, doi: 10.1016/j.job.2018.03.007.
- [5] R. A. Mangkuto, *Pemodelan dan Simulasi Pencahayaan Alami dalam Bangunan di Indonesia*, 1st ed. Bandung: ITB Press, 2019.
- [6] H. Lee, J. Seo, and S. Kim, “Improvement of light-shelf performance through the use of a diffusion sheet,” *Build. Environ.*, vol. 144, no. July, pp. 248–258, 2018, doi: 10.1016/j.buildenv.2018.07.040.
- [7] H. Lee, K. Kim, J. Seo, and Y. Kim, “Effectiveness of a perforated light shelf for energy saving,” *Energy Build.*, vol. 144, pp. 144–151, 2017, doi: 10.1016/j.enbuild.2017.03.008.
- [8] Wardahtuljannah, “Analisis Pengaruh Posisi Matahari Terhadap Pencahayaan Alami Bangunan (Studi Kasus Gedung SGLC),” Universitas Gadjah Mada, 2017.
- [9] A. R. Dharmanto, “Analisis dan Simulasi Potensi Pencahayaan Alami (Daylight) Gedung Smart and Green Learning Center (SGLC) menggunakan perangkat lunak OpenStudio Radiance 1.11,” Universitas Gadjah Mada, 2017.
- [10] G. A. Warrier and B. Raphael, “Performance evaluation of light shelves,” *Energy Build.*, vol. 140, pp. 19–27, 2017, doi: 10.1016/j.enbuild.2017.01.068.
- [11] A. Kontadakis, A. Tsangrassoulis, L. Doulos, and S. Zerefos, “A review

- of light shelf designs for daylit environments,” *Sustain.*, vol. 10, no. 1, 2017, doi: 10.3390/su10010071.
- [12] U. Berardi and H. K. Anaraki, “Analysis of the impacts of light shelves on the useful daylight illuminance in office buildings in Toronto,” *Energy Procedia*, vol. 78, pp. 1793–1798, 2015, doi: 10.1016/j.egypro.2015.11.310.
- [13] A. A. Y. Freewan and J. A. Al Dalala, “Assessment of daylight performance of Advanced Daylighting Strategies in Large University Classrooms ; Case Study Classrooms at JUST,” *Alexandria Eng. J.*, vol. 59, no. 2, pp. 791–802, 2020, doi: 10.1016/j.aej.2019.12.049.
- [14] Illuminating Engineering Society of North America, “The IESNA Lighting Handbook Reference & Application edisi 9,” 9th ed., New York: Publications Departement IESNA, 2010.
- [15] A. N. Arlandita, “Analisis Potensi Pencahayaan Alami Pada Desain Smart and Green Learning Center Universitas Gadjah Mada,” Universitas Gadjah Mada, 2016.
- [16] Erdian Aditia Viriawan, “Analisis Potensi Pencahayaan Alami di Gedung Perpustakaan Fakultas Teknik Universitas Gadjah Mada,” UNiversitas Gadjah Mada, 2016.
- [17] E. Indarto, “PENGARUH ORIENTASI BANGUNAN KANTOR DENGAN RAK CAHAYA GANDA TERHADAP EFISIENSI DISTRIBUSI SUHU UDARA EFEKTIF DAN CAHAYA ALAM,” *MODUL*, vol. 18, no. 1, p. 1, May 2018, doi: 10.14710/mdl.18.1.2018.1-8.
- [18] H. Lee, “Performance evaluation of a light shelf with a solar module based on the solar module attachment area,” *Build. Environ.*, vol. 159, no. March, p. 106161, 2019, doi: 10.1016/j.buildenv.2019.106161.
- [19] S. Lou, D. H. W. Li, and W. Chen, “Identifying overcast , partly cloudy and clear skies by illuminance fl uctuations,” vol. 138, pp. 198–211, 2019, doi: 10.1016/j.renene.2019.01.080.
- [20] I. Reda and A. A. Nrel, “Solar Position Algorithm for Solar Radiation Applications (Revised),” *Natl. Renew. Energy Lab. Nrel/Tp-560-34302*, no. January, pp. 1–56, 2005, doi: 10.2172/15003974.
- [21] C. A.-T. Andrés Suárez-García^{a,b}, Montserrat Díez-Mediavilla^b, Diego Granados-López^b, David González-Peña^b, “Benchmarking of meteorological indices for sky cloudiness classification.pdf,” 2020, doi: <https://doi.org/10.1016/j.solener.2019.11.060>.
- [22] F. Binarti and S. Dewi, “The effectiveness of light shelf in tropical urban context,” *Environ. Clim. Technol.*, vol. 18, no. 1, pp. 42–53, 2016, doi:

10.1515/rtuct-2016-0012.

- [23] I. Idrus, R. Rahim, B. Hamzah, R. Mulyadi, and N. Jamala, “Evaluasi Pencahayaan Alami Ruang Kelas di Areal Pesisir Pantai Sulawesi Selatan,” *J. Linears*, vol. 2, no. 2, pp. 73–78, 2020, doi: 10.26618/j-linears.v2i2.3125.
- [24] Meteotest, “Meteonorm.” .
- [25] M. H. Moazzeni and Z. Ghiabaklou, “Investigating the influence of light shelf geometry parameters on daylight performance and visual comfort, a case study of educational space in Tehran, Iran,” *Buildings*, vol. 6, no. 3, pp. 1–16, 2016, doi: 10.3390/buildings6030026.
- [26] H. Lee, S. Park, and J. Seo, “Development and Performance Evaluation of Light Shelves Using Width-Adjustable Reflectors,” *Adv. Civ. Eng.*, vol. 2018, pp. 1–9, Apr. 2018, doi: 10.1155/2018/2028065.
- [27] S. Carlucci, F. Causone, F. De Rosa, and L. Pagliano, “A review of indices for assessing visual comfort with a view to their use in optimization processes to support building integrated design,” *Renew. Sustain. Energy Rev.*, vol. 47, no. 7491, pp. 1016–1033, 2015, doi: 10.1016/j.rser.2015.03.062.
- [28] USGBC, “LEED v 4 for BD and C,” pp. 113–165, 2016.
- [29] R. A. Mangkuto, M. Rohmah, and A. D. Asri, “Design optimisation for window size, orientation, and wall reflectance with regard to various daylight metrics and lighting energy demand: A case study of buildings in the tropics,” *Appl. Energy*, vol. 164, pp. 211–219, 2016, doi: 10.1016/j.apenergy.2015.11.046.
- [30] BSN, *SNI 16-7062-2004 Pengukuran Intensitas Penerangan di Tempat Kerja*. Jakarta: Badan Standardisasi Nasional, 2004.
- [31] Z. S. Zomorodian and M. Tahsildoost, “Assessing the effectiveness of dynamic metrics in predicting daylight availability and visual comfort in classrooms Window to Wall Ratio,” vol. 134, pp. 669–680, 2019.