

DAFTAR PUSTAKA

- Adnyana, N. S. *et al.* (2017) ‘Hubungan Gangguan Pemusatan Perhatian Dan Hiperaktifitas (Gpph) Terhadap Status Gizi Anak Di Klinik Tumbuh Kembang Rsup Sanglah Denpasar’, 6(8), pp. 1–8.
- Ainusyifa, A. Wi. (2012) ‘Gambaran demografi, Klinis, Faktor Risiko, dan Terapi Pasien Anak dengan ADHD di RSJ Dr. Soeharto Heerdjan Tahun 2010-2012’, *Laporan Penelitian Praktek*, p. 43.
- American Psychiatric Association. (2013). *Diagnostic And Statistical Manual of Mental Disorder Edition “DSM-5”*. Washinton DC: American Psychiatric Publishing. Washinton DC.
- Ayano, G., Yohannes, K. and Abraha, M. (2020) ‘Epidemiology of attention-deficit/hyperactivity disorder (ADHD) in children and adolescents in Africa: A systematic review and meta-analysis’, *Annals of General Psychiatry*. BioMed Central, 19(1), pp. 1–10. doi: 10.1186/s12991-020-00271-w.
- Bélangier, S. A. *et al.* (2018) ‘ADHD in children and youth: Part 1-Etiology, diagnosis, and comorbidity’, *Paediatrics and Child Health (Canada)*, 23(7), pp. 447–453. doi: 10.1093/pch/pxy109.
- Catala´-Lo´pez F, Hutton B, Nu´ñez-Beltra´n A, Page MJ, Ridao M, Maci´as Saint-Gerons D, et al. (2017) The pharmacological and nonpharmacological treatment of attention deficit hyperactivity disorder in children and adolescents: A systematic review with network meta-analyses of randomised trials. *PLoS ONE* 12(7): e0180355. <https://doi.org/10.1371/journal.pone.0180355>

- Craig, S. G. *et al.* (2015) ‘Long-Term Effects of Stimulant Treatment for ADHD: What Can We Tell Our Patients?’, *Current Developmental Disorders Reports*, 2(1), pp. 1–9. doi: 10.1007/s40474-015-0039-5.
- Chou, W. J. *et al.* (2018) ‘Dietary and nutrient status of children with attentiondeficit/ hyperactivity disorder: A case-control study’, *Asia Pacific Journal of Clinical Nutrition*, 27(6), pp. 1325–1331. doi: 10.6133/apjcn.201811_27(6).0020.
- Cortese, S. and Tessari, L. (2017) ‘Attention-Deficit/Hyperactivity Disorder (ADHD) and Obesity: Update 2016’, *Current Psychiatry Reports*. Current Psychiatry Reports, 19(1). doi: 10.1007/s11920-017-0754-1.
- Dubnov-Raz, G., Perry, A. and Berger, I. (2011) ‘Body mass index of children with attention-deficit/hyperactivity disorder’, *Journal of Child Neurology*, 26(3), pp. 302–308. doi: 10.1177/0883073810380051.
- Egbert, A. H. *et al.* (2018) ‘Attention-Deficit/Hyperactivity Disorder Symptoms Are Associated with Overeating with and without Loss of Control in Youth with Overweight/Obesity’, *Childhood Obesity*, 14(1), pp. 50–57. doi: 10.1089/chi.2017.0114.
- Energin, E., Rakicioglu, N. and Günay kilic, B. (2015) ‘Nutritional status of children with attention deficit hyperactivity disorder’, *British Food Journal*, 117(2), pp. 604–612. doi: 10.1108/BFJ-12-2013-0345.
- Eze, J. N. *et al.* (2017) ‘Physical growth and nutritional status assessment of school children in Enugu, Nigeria’, *Nigerian Journal of Clinical Practice*, 20(1), pp. 64–70. doi: 10.4103/1119-3077.180067.
- Felt, B. T. *et al.* (2014) ‘Diagnosis and management of ADHD in children’, *American Family Physician*, 90(7), pp. 456–464.
- Fliers, E. A. *et al.* (2013) ‘ADHD is a risk factor for overweight and obesity in children’, *Journal of Developmental and Behavioral Pediatrics*, 34(8), pp. 566–574. doi: 10.1097/DBP.0b013e3182a50a67.

- Granato, M. F. *et al.* (2018) 'Associations between attention-deficit hyperactivity disorder (ADHD) treatment and patient nutritional status and height', *Behavioural Neurology*. Hindawi, 2018. doi: 10.1155/2018/7341529.
- Green Corkins, K. and Teague, E. E. (2017) 'Pediatric Nutrition Assessment: Anthropometrics to Zinc', *Nutrition in Clinical Practice*, 32(1), pp. 40–51. doi: 10.1177/0884533616679639.
- Harjatmo, T. P., Par'i, H. M. and Wiyono, S. (2017) 'PENILAIAN STATUS GIZI'. Available at: <http://bppsdmk.kemkes.go.id/pusdiksdmk/wp-content/uploads/2017/11/PENILAIAN-STATUS-GIZI-FINAL-SC.pdf>.
- Hebrani P & Behdani F. (2007) Influence of Gender on Familial Aggregation of ADHD in Relatives of Proband with ADHD. *Pak J Med Sci*. 2007;23(4): 610-613.
- Hermiyanty, Ayu Bertin, W. and Sinta, D. (2017) 'Methylphenidate for attention deficit hyperactivity disorder (ADHD) in children and adolescents - assessment of adverse events in non-randomised studies (REVIEW)', *Journal of Chemical Information and Modeling*, 8(9), pp. 1–58. doi: 10.1017/CBO9781107415324.004.
- Kiddie, J. Y. *et al.* (2010) 'Nutritional Status of Children with Attention Deficit Hyperactivity Disorder: A Pilot Study', *International Journal of Pediatrics*, 2010, pp. 1–7. doi: 10.1155/2010/767318.
- Kim, H. W. *et al.* (2014) 'Effect of methylphenidate on height and weight in Korean children and adolescents with attention-deficit/hyperactivity disorder: A retrospective chart review', *Journal of Child and Adolescent Psychopharmacology*, 24(8), pp. 448–453. doi: 10.1089/cap.2014.0025.
- Kinman, T. (2016) *ADHD Symptoms Differ in Boys and Girls*. Available at: <https://www.healthline.com/health/adhd/adhd-symptoms-in-girls-and-boys#ADHD-and-Gender-> (Accessed: 7 July 2020).

- Lecendreux, M. *et al.* (2000) 'Sleep and alertness in children with ADHD', *Journal of Child Psychology and Psychiatry and Allied Disciplines*, 41(6), pp. 803–812. doi: 10.1017/S0021963099005971.
- Magnus, W. *et al.* (2019) *Attention Deficit Hyperactivity Disorder (ADHD)*, StatPearls. StatPearls Publishing. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/28722868> (Accessed: 15 June 2019).
- Mangunsong, F. (2010). Psikologi dan Pendidikan Anak Berkebutuhan Khusus Jilid Ke-2. Depok: LPSP3UI.
- Martin, J. (2018) *Why is ADHD more common in boys than girls?* Available at: <https://theconversation.com/why-is-adhd-more-common-in-boys-than-girls-92151> (Accessed: 7 July 2020).
- McCabe, S. E. *et al.* (2017) 'Age of Onset, Duration, and Type of Medication Therapy for Attention-Deficit/Hyperactivity Disorder (ADHD) and Substance Use During Adolescence: A Multi-Cohort National Study', *Physiology & behavior*, 176(3), pp. 139–148. doi: 10.1016/j.physbeh.2017.03.040.
- McCarthy, S. *et al.* (2018) 'Effects of long-term methylphenidate use on growth and blood pressure: Results of the German Health Interview and Examination Survey for Children and Adolescents (KiGGS)', *BMC Psychiatry*. *BMC Psychiatry*, 18(1), pp. 1–10. doi: 10.1186/s12888-018-1884-7.
- Mousavi, P. *et al.* (2015) 'Comparison of the Nutritional Status of Boys with and without Attention', 17(1), pp. 28–36.
- Kim, M. J. *et al.* (2017) 'Prevalence of Attention-Deficit/Hyperactivity Disorder and its Comorbidity among Korean Children in a Community Population', *Journal of Korean Medical Science*, 32(3), pp. 401–406. doi: 10.3346/jkms.2017.32.3.401.

- Pastor, Pastor N. et al. (2015). Association between diagnosed ADHD and selected characteristics among children aged 4–17 years: United States, 2011–2013. *NCHS data brief*, no 201. Hyattsville, MD: National Center for Health Statistic
- Rahmi, I. and Wimbari, S. (2018) ‘Inhibition in ADHD and non-ADHD children ages 6-12 years’, *International Journal of Research Studies in Psychology*, 7(1). doi: 10.5861/ijrsp.2018.2008.
- Ramtekkar M.D., M.P.E., D. U. P. et al. (2011) ‘Sex and age differences in Attention-Deficit/Hyperactivity Disorder symptoms and diagnoses: Implications for DSM-V and ICD-11’, *Bone*, 23(1), pp. 1–7. doi: 10.1161/CIRCULATIONAHA.110.956839.
- Rodríguez, C. et al. (2016) ‘Attention deficit/hyperactivity disorder (ADHD) diagnosis: An activation-executive model’, *Frontiers in Psychology*, 7(SEP), pp. 1–13. doi: 10.3389/fpsyg.2016.01406.
- Sastroasmoro. (2011). *Dasar-Dasar Metodologi Penelitian Klinis*. Edisi keempat. Jakarta: Sagung Seto, 130-145.
- Schwartz, B. S. et al. (2014) ‘Attention deficit disorder, stimulant use, and childhood body mass index trajectory’, *Pediatrics*, 133(4), pp. 668–676. doi: 10.1542/peds.2013-3427.
- Shikieri, A. B. El et al. (2017) ‘Assessment of the Nutritional status of Children (3 - 12 yrs) with Attention Deficit Hyperactivity Disorder in Al-Madinah Al-Munawarah, Saudi Arabia’, *EC Nutrition*, 9(6), pp. 256–262.
- Singh, A. et al. (2015) ‘Overview of attention deficit hyperactivity disorder in young children’, *Health Psychology Research*, 3. doi: 10.4081/hpr.2015.2115.
- Skogli, E. W. et al. (2013) ‘ADHD in girls and boys - gender differences in co-existing symptoms and executive function measures’, *BMC Psychiatry*. *BMC Psychiatry*, 13(1), p. 1. doi: 10.1186/1471-244X-13-298.

Soetjiningsih. (2012). *Tumbuh Kembang Anak*. Jakarta: EGC

Soreff, Stephen. (2019) '*Attention Deficit Hyperactivity Disorder (ADHD): Background, Pathophysiology, Epidemiology*'. Available at: <https://emedicine.medscape.com/article/289350-overview#a5> (Accessed: 3 May 2020).

Suskind, M. (1987) 'Assessment of Nutritional Status of Children', 5(7), pp. 195–202. doi: <https://doi.org/10.1542/pir.5-7-195>.

Thomas, R. *et al.* (2015) 'Prevalence of attention-deficit/hyperactivity disorder: A systematic review and meta-analysis', *Pediatrics*, 135(4), pp. e994–e1001. doi: 10.1542/peds.2014-3482.

Waring, M. E. and Lapane, K. L. (2008) 'Overweight in children and adolescents in relation to attention-deficit/ hyperactivity disorder: Results from a national sample', *Pediatrics*, 122(1). doi: 10.1542/peds.2007-1955.

Wiasti, N. M. (2017) 'Mencermati Permasalahan Gender dan Pengarusutamaan Gender (PUG)', *Journal of Anthropology*, 1(1), pp. 29–42.