

DAFTAR PUSTAKA

- American Diabetes Association. (2020) '2. Classification and diagnosis of diabetes: Standards of Medical Care in Diabetes'. *Diabetes Care* 2020, 43(Suppl. 1), S14–S31
- American Psychiatric Association (2013) Diagnostic and Statistical Manual of Mental Disorders. 5th ed. Arlington: American Psychiatric Association.
- Araujo, A.B., Durante, R., Feldman, H.A., Goldstein, I., McKinlay, J.B. (1998) 'The relationship between depressive symptoms and male erectile dysfunction: cross sectional results from Massachusetts Male Aging Study', *Psychosomatic Medicine*, 60, pp. 458-465.
- Auffenberg, G. B., Pariser, J. J. dan Helfand, B. T. (2016) 'Normal Erectile Physiology', dalam McVary, K. T. and Kohler, T. S. (eds) *Contemporary Treatment of Erectile Dysfunction: A Clinical Guide*. 2nd Edition. New York City: Humana Press, pp. 17–28.
- Bak, E., Marcisz, C., Krzeminska, S., Matusiak, D.D., Foltyn, A., Cop, A.D. (2017) 'Relationships of Sexual Dysfunction with Depression and Acceptance of Illness in Women and Men with Type 2 Diabetes Mellitus', *International Journal of Environmental Research and Public Health*, 14, 1073.
- Beck, A.T. (2006). *Depression: Causes and Treatment*. Philadelphia: University of Pennsylvania Press.
- Beck, A.T., Steer, R.A., Brown, G.K. (1996) *Beck depression inventory 2nd ed*, United States of America, The Psychological Cooperation.
- Berardis, G.D., Pellegrini, F., Franciosi, M., Belfiglio, M., Nardo, B.D., Greenfield, S. *et al.*(2006) 'Clinical and psychological predictors of incidence of self-reported erectile dysfunction in patients with type 2 diabetes', *The Journal of Urology*, 177, pp. 252-257.
- Braun, M., Wassmer, G., Klotz, T., Reifenrath, B., Mathers, M., Engelmann, U. (2000) 'Epidemiology of erectile dysfunction: results of the 'Cologne Male Survey'', *International Journal of Impotence Research*, 12, pp. 305–311.
- Cheng, J. Y. W. Ng, E.M.L. Chen, R.Y.L. Ko, J.S.N. (2007) 'Prevalence of erectile dysfunction in Asian populations: A meta-analysis', *International Journal of Impotence Research*, 19(3), pp. 229–244.
- Cooper, E. (2010). *Depression Among African American Female College Students: Exploratory Factor Analysis of The Beck Depression Inventory II*. ProQuest Dissertation And These.
- Coretti, G., Baldi, I. (2007) 'The relationship between anxiety disorders and sexual

dysfunction', *Psychiatric Times*, 24(9), pp. 58-59

Dahlan, M.S. (2011) *Besar sampel dalam penelitian kedokteran dan kesehatan edisi 4*, Jakarta, Epidemiologi Indonesia.

Dean, R. C. dan Lue, T. F. (2005) 'Physiology of Penile Erection and Pathophysiology of Erectile Dysfunction', *Urol Clin North Am*, 32, pp. 379-395.

Derogatis, L.R., Meyer, J.K., King, K.M. (1981) 'Psychopathology in individuals with sexual dysfunction', *The American Journal of Psychiatry*, 138, pp. 757-763.

Feldman, H. A. Goldstein, I., Hatzichristou, D., Krane, R.J., Mckinlay, J.B. (1994) 'Impotence and its Medical and Pshycosocial Correlates: Result of The Massachusettes Male Aging Study', *The Journal of Urology*, 151, pp. 54-61.

Friedman-Wheeler, D.G., Ahrens, A.H., Haaga, D.A.F., McIntosh, E., Thorndike, F.P. (2007) 'Depressive symptoms, depression proneness, and outcome expectancies for cigarette smoking', *Cogn Ther Res*, 31, pp. 547-557.

Furukawa, S., Sakai, T., Niiya, T., Miyaoka, H., Miyake, T., Yamamoto, S. *et al.* (2016) 'Depressive symptoms and prevalence of erectile dysfunction in Japanese patients with type 2 diabetes mellitus: the Dogo Study', *The International Journal of Impotence Research*, 00, pp. 1-4.

Ginting, H., Naring, G., Veld, W.M.V.D., Srisayekti, W., Becker, E.S. (2013) 'Validating the Beck Depression Inventory-II in Indonesia's general population and coronary heart disease patients', *International Journal of Clinical and Health Psychology*, 13, pp. 235-242.

Goldstein, I., Chambers, R., Tang, W., Stechers, V., Hassan, T. (2017) 'Real-world observational results from a database of 48 million men in the United States: Relationship of cardiovascular disease, diabetes mellitus and depression with age and erectile dysfunction', *The International Journal of Clinical Practice*, e13078. pp. 1-7.

Johannes, C.B., Araujo, A.B., Feldman, H.A., Derby, C.A., Kleinman, K.P., McKinlay, J.B. (2000) 'Incidence of erectile dysfunction in men 40 to 69 years old: longitudinal results from Massachusetts male aging study', *Journal of Urology*, 163. pp. 460-3

Kaplan, H. I., dan Sandock, B. J. (1997). *Sinopsis Psikiatri Ilmu Pengetahuan Perilaku Psikiatri Klinis*. Jilid I. Edisi 7. Jakarta: Binarupa Aksara.

Kasper, D.L., Fauci, A.S., Hauser, S.L., Longo, D.L., Jameson, J.L., Loscalzo, J. (2016). *Harrison's Manual of Medicine 19th ed*. New York: Mc Graw Hill Education.

Klaassen, Z.W.A., Manvar, A.M., Kavuri, S., Terris, M.K., Ghest, T.R. (2013)

Male reproductive organ anatomy. Tersedia di
<https://emedicine.medscape.com/article/1899075>.

Krane, R.J., Goldstein, I., Saenz de Tejada, I. (1989) 'Impotence', *New England Journal of Medicine*, 321, pp. 1648-1659.

Kroenke, K., Spitzer, R., Williams, W. (2001) 'The PHQ-9: Validity of a brief depression severity measure', *Journal of General Internal Medicine*, 16, pp. 606-616.

Lefstad, E. (2017) 'Depression and Other Common Mental Disorders: Global Health Estimates'. World Health Organization, Geneva: Licence: CC BY-NC-SA 3.0 IGO.

Lue, T. F. (2000) 'Erectile Dysfunction', *The New England Journal of Medicine*, 342(24), pp. 1802-1813.

Ma, B.O., Shim, S.G., Yang, H.J. (2015) 'Association of erectile dysfunction with depression in patients with chronic viral hepatitis', *World Journal of Gastroenterology*, 21(18), pp. 5641-5646.

Maiorino, M. I., Bellastella, G. dan Esposito, K. (2014) 'Diabetes and sexual dysfunction: current perspectives', *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*, 7, pp. 95-105.

Makhlouf, A., Kparker, A., Niederberger, C.S. (2007) 'Depression and erectile dysfunction', *Urologic Clinics of North America*, 34(2007), pp. 565-574.

Malavige, L. S. dan Levy, J. C. (2009) 'Erectile dysfunction in diabetes mellitus', *Journal of Sexual Medicine*, 6(5), pp. 1232-1247.

Martins, R. dan Meirelles, R. (2017) 'Functional Hypogonadism: Diabetes Mellitus, Obesity, Metabolic Syndrome and Testosterone', in Hohl, A. (ed.) *Testosterone: From Basic to Clinical Aspects*. Cham: Springer International Publishing, pp. 147-159.

McMahon, C. G. (2014) 'Erectile dysfunction', *Internal Medicine Journal*, 44, pp. 18-26.

Mcvary, K.T. (2007) 'Erectile dysfunction', *New England Journal of Medicine*, 357, pp. 2472-2481.

Nargund, V.H. (2015) 'Effects of psychological stress on male fertility', *Nature Reviews Urology*, 12, pp. 373-382.

Nicolosi, A. Glasser, D.B. Kim, S.C. Marumo, K. Laumann, E.O. (2005) 'Sexual behaviour and dysfunction and help-seeking patterns in adults aged 40-80 years in the urban population of Asian countries', *BJU International*, 95(4), pp. 609-614.

NIH Consensus Conference (1993) 'Impotence. NIH Consensus Development Panel on Impotence', in *JAMA*, 270(1), pp. 83-90. Tersedia di:

<http://jama.jamanetwork.com>.

- Nunes, K.P., Webb, R.C. (2012) Mechanisms in Erectile Function and Dysfunction: An Overview. Tersedia di: <https://www.intechopen.com/books/erectile-dysfunction-disease-associated-mechanisms-and-novel-insights-into-therapy/mechanisms-in-erectile-function-and-dysfunction-an-overview>
- Phé, V. dan Rouprêt, M. (2012) 'Erectile dysfunction and diabetes : A review of the current evidence-based medicine and a synthesis of the main available therapies', *Diabetes and Metabolism*. Elsevier Masson SAS, 38(1), pp. 1–13.
- Piya, M. K., Tahrani, A. A., Barnett, A. H. (2010) 'Emerging treatment options for type 2 diabetes, *Br J Clin Pharmacol*, 70(5), pp. 631-644.
- Rajkumar, R.P., Kumaran, A.K. (2015) ' Depression and anxiety in men with sexual dysfunction : a retrospective study', *Compr Psychiatry*, 60, pp. 114-8.
- Riddle, M. C., Bakris, G., Blonde, L., Boulton, A.J.M., D'Alessio, D., Groot, M.D. *et al.* (2018) 'American Diabetes Association: Standards of Medical Care in Diabetes-2018', *Diabetes Care*, 41(1).
- Rhoden, E.L. Teloken, C., Sogari, P.R. Souto, C.A.V. (2002). ' The use of simplified International Index of Erectile Function (IIEF-5) as a diagnostic tool to study the prevalence of erectile dysfunction' *International Journal of Impotence Research*, 14, pp. 245-250.
- Rosen, R.C. Cappelleri, J.C. Smith, M.D. Lipsky, J. Pena, B.M. (1999) 'Development and evaluation of an abridged, 5-item version of the International Index of Erectile Function (IIEF-5) as a diagnostic tool for erectile dysfunction', *International Journal of Impotence Research*, 11, pp. 319–326.
- Roy, T dan Lloyd, C.E. (2012) 'Epidemiology of depression and diabetes', *Journal of Affective Disorders*. Elsevier Ltd, 142S1(2012),pp. S8-S21.
- Semenkovich, K., Brown, M.E., Svrakic, D.M., Lustman, P.J. (2015) 'Depression in type 2 diabetes mellitus: prevalence, impact, and treatment', *Drugs*, 75, pp. 577-587.
- Shabsigh, R., Klein, L.T., Seidman, S., Kaplan, S.A., Lehrhoff, B.J., Ritter, J.S. (1998) 'Increased incidence of depressive symptoms in men with erectile dysfunction', *Urology*, 52, pp. 848-852.
- Shamloul, R. dan Ghanem, H. (2013) 'Erectile dysfunction', *The Lancet*. Elsevier Ltd, 381(9861), pp. 153–165. doi: 10.1016/S0140-6736(12)60520-0.
- Soelistijo, S.A. Novida, H. Rudijanto, A. Soewondo, P. Suastika, K. Manaf, A. *et al.* (2015) *Konsensus Pengelolaan dan Pencegahan Diabetes Melitus Tipe*

2 di Indonesia 2015. Cetakan pertama. PB PERKENI.

- Starkstein, S.E., Davis, W.A., Dragovic, M., Cetrullo, V., Davis, T.M.E., Bruce, D.G. (2014) 'Diagnostic criteria for depression in type 2 diabetes: a data-driven approach', *Plos ONE*, 9(11), pp. e112049.
- Steers, W. D. (2000) 'Neural pathways and central sites involved in penile erection: Neuroanatomy and clinical implications', *Neuroscience and Biobehavioral Reviews*, 24(5), pp. 507–516.
- Steiger, A., Holsboer, F., Benkert, O. (1993) 'Studies of nocturnal penile tumescence and sleep electroencephalogram in patients with mayor depression and in normal controls', *Acta Psychiatrica Scandinavica*, 87, pp. 358-363.
- Strik, J.J., Honig, A., Lousberg, R., Denollet, J. (2001) 'Sensitivity and specificity of observer and self report questionnaires in major and minor depression following myocardial infarction', *Psychosomatics*, 42, pp. 423-428.
- Suija, K., Kerkela, M., Rajala, U., Jokelainen, J., Laakso, M., Harkonen, P., *et al.* (2014) 'The association between erectile dysfunction, depressive symptoms and testosterone levels among middle-aged men', *Scandinavian Journal of Public Health*, 42, pp. 677-682.
- Sulistyo, N.A. (2015) 'Pengaruh depresi terhadap kejadian disfungsi ereksi penderita penyakit jantung koroner stabil'. Tersedia di : http://etd.repository.ugm.ac.id/index.php?mod=penelitian_detail&sub=PenelitianDetail&act=view&typ=html&buku_id=92279&obyek_id=4
- Ting H.Y.Z., Metcalfe P.D., Tsui B.C.H. (2016) Penile Blocks. In: Tsui B., Suresh S. (eds) *Pediatric Atlas of Ultrasound- and Nerve Stimulation-Guided Regional Anesthesia*. Springer, New York, NY
- Wetterauer, U. (1988) 'Anatomy of the Penis and Physiology of Erection', in Eicher, W. and Kockott, G. (eds) *Sexology*. Berlin: Springer-Verlag, pp. 115–126.
- Wibowo, A.F., Yuliadi, I., Karyanta, N.A. (2013) 'Perbedaan derajat disfungsi ereksi pria dewasa awal ditinjau dari tingkat stres di kelurahan Jagalan Surakarta'. Tersedia di : <http://www.http://candrawijaya.psikologi.fk.uns.ac.id/index.php/candrawijaya/article/viewFile/63/54>
- Zigmond, A.S., Snaith, R.P. (1983) 'The hospital anxiety and depression scale', *Acta Psychiatrica Scandinavica*, 67, pp. 361-370.