



## DAFTAR PUSTAKA

- [1] T. Falkowski, “Feature model for the specification of industrial indoor location- based services,” *Procedia Manuf.*, vol. 24, pp. 141–146, 2018, doi: 10.1016/j.promfg.2018.06.048.
- [2] M. A. Al-Ammar *et al.*, “Comparative survey of indoor positioning technologies, techniques, and algorithms,” in *Proceedings - 2014 International Conference on Cyberworlds, CW 2014*, 2014, pp. 245–252, doi: 10.1109/CW.2014.41.
- [3] A. Basiri *et al.*, “Indoor location based services challenges , requirements and usability of current solutions,” *Comput. Sci. Rev.*, vol. 24, pp. 1–12, 2017, doi: 10.1016/j.cosrev.2017.03.002.
- [4] W. Sakpere, M. Adeyeye-Oshin, and N. B. W. Mlitwa, “A state-of-the-art survey of indoor positioning and navigation systems and technologies,” *South African Comput. J.*, vol. 29, no. 3, pp. 145–197, 2017, doi: 10.18489/sacj.v29i3.452.
- [5] S. Xia, Y. Liu, G. Yuan, M. Zhu, and Z. Wang, “Indoor fingerprint positioning based on Wi-Fi: An overview,” *ISPRS Int. J. Geo-Information*, vol. 6, no. 5, 2017, doi: 10.3390/ijgi6050135.
- [6] Z. Farid, R. Nordin, and M. Ismail, “Recent advances in wireless indoor localization techniques and system,” *J. Comput. Networks Commun.*, vol. 2013, 2013, doi: 10.1155/2013/185138.
- [7] C. T. Li, J. C. P. Cheng, and K. Chen, “Automation in Construction Top 10 technologies for indoor positioning on construction sites,” *Autom. Constr.*, vol. 118, no. June, p. 103309, 2020, doi: 10.1016/j.autcon.2020.103309.
- [8] S. He and S. H. G. Chan, “Wi-Fi fingerprint-based indoor positioning: Recent advances and comparisons,” *IEEE Communications Surveys and Tutorials*, vol. 18, no. 1, pp. 466–490, 2016, doi: 10.1109/COMST.2015.2464084.
- [9] D. J. Suroso, P. Cherntanomwong, P. Sooraksa, and J. I. Takada, “Location



fingerprint technique using Fuzzy C-Means clustering algorithm for indoor localization,” in *IEEE Region 10 Annual International Conference, Proceedings/TENCON*, 2011, pp. 88–92, doi: 10.1109/TENCON.2011.6129069.

- [10] X. Ge and Z. Qu, “Optimization WIFI indoor positioning KNN algorithm location-based fingerprint,” *Proc. IEEE Int. Conf. Softw. Eng. Serv. Sci. ICSESS*, vol. 0, pp. 135–137, 2016, doi: 10.1109/ICSESS.2016.7883033.
- [11] J. Yim, “Introducing a decision tree-based indoor positioning technique,” *Expert Syst. Appl.*, vol. 34, no. 2, pp. 1296–1302, 2008, doi: 10.1016/j.eswa.2006.12.028.
- [12] S. Sathyadevan and R. R. Nair, “Comparative analysis of decision tree algorithms: Id3, c4.5 and random forest,” *Smart Innov. Syst. Technol.*, vol. 31, no. 7, pp. 549–562, 2015, doi: 10.1007/978-81-322-2205-7\_51.
- [13] L. Breiman, “ST4\_Method\_Random\_Forest,” *Mach. Learn.*, vol. 45, no. 1, pp. 5–32, 2001, doi: 10.1017/CBO9781107415324.004.
- [14] D. B. Ninh, J. He, V. T. Trung, and D. P. Huy, “An effective random statistical method for Indoor Positioning System,” *Futur. Gener. Comput. Syst.*, vol. 109, pp. 238–248, 2020, doi: 10.1016/j.future.2020.03.043.
- [15] J. I. E. Zhang, G. Han, and N. Sun, “Path-Loss-Based Fingerprint Localization Approach for Location-Based Services in Indoor Environments,” *IEEE Access*, vol. 5, pp. 13756–13769, 2017, doi: 10.1109/ACCESS.2017.2728789.
- [16] K. Kaemarungsi and P. Krishnamurthy, “Modeling of indoor positioning systems based on location fingerprinting,” *Proc. - IEEE INFOCOM*, vol. 2, pp. 1012–1022, 2004, doi: 10.1109/infcom.2004.1356988.
- [17] H. Zhao, B. Huang, and B. Jia, “Applying kriging interpolation for WiFi fingerprinting based indoor positioning systems,” *IEEE Wirel. Commun. Netw. Conf. WCNC*, vol. 2016-Septe, no. Wcnc, pp. 1822–1827, 2016, doi: 10.1109/WCNC.2016.7565018.
- [18] A. V. Bosisio and U. Spagnolini, “Indoor localization by attenuation maps: Model-based interpolation for random medium,” *ICEAA 2005 - 9th Int. Conf.*



*Electromagn. Adv. Appl. EESC 2005 - 11th Eur. Electromagn. Struct. Conf.*, pp. 341–344, 2005.

- [19] E. Navarro, B. Peuker, M. Quan, A. C. Clark, and J. Jipson, “Wi-Fi Localization Using RSSI Fingerprinting,” *Test*, pp. 1–6, 2010, [Online]. Available: <http://digitalcommons.calpoly.edu/cpesp/17>.
- [20] S. Bozkurt, G. Elibol, S. Gunal, and U. Yayan, “A comparative study on machine learning algorithms for indoor positioning,” *INISTA 2015 - 2015 Int. Symp. Innov. Intell. Syst. Appl. Proc.*, 2015, doi: 10.1109/INISTA.2015.7276725.
- [21] M. S. Choi and B. Jang, “An accurate fingerprinting based indoor positioning algorithm,” *Int. J. Appl. Eng. Res.*, vol. 12, no. 1, pp. 86–90, 2017.
- [22] M. S. Gast, *802.11 Wireless Networks The Definitive Guide*. O’Reilly, 2002.
- [23] K. Pahlavan and A. H. Lavesque, *Wireless Information Networks*, 2nd ed. New Jersey: John Wiley & Sons, 2005.
- [24] A. F. Molisch, *Wireless Communication*, Secon Edit. John Wiley & Sons Ltd., 2005.
- [25] W. L. Stutzman and G. A. Thiele, *Antenna Theory and Design*, Second Edi. New York: Wiley, 1997.
- [26] H. Anton and C. Rorres, *Elementary Linear Algebra: Application Version*, 11th ed. Hoboken, NJ: John Wiley & Sons Inc, 2014.
- [27] G. Louppe, “Understanding Random Forests: From Theory to Practice,” no. July, 2014, [Online]. Available: <http://arxiv.org/abs/1407.7502>.
- [28] L. Breiman, “Bagging predictors: Technical Report No. 421,” *Dep. Stat. Univ. Calif.*, no. 2, p. 19, 1994, [Online]. Available: <https://www.stat.berkeley.edu/%7B~%7Dbreiman/bagging.pdf>.
- [29] B. Efron, “Bootstrap Method: Another Look at the Jackknife,” *Ann. Stat.*, vol. 7, no. 1, pp. 1–26, 1979.
- [30] G. Varoquaux, L. Buitinck, G. Louppe, O. Grisel, F. Pedregosa, and A. Mueller, “Scikit-learn,” *GetMobile Mob. Comput. Commun.*, vol. 19, no. 1, pp. 29–33, 2015, doi: 10.1145/2786984.2786995.
- [31] J. Kiusalaas, *Numerical Methods in Engineering with Python 3*. New York:



UNIVERSITAS  
GADJAH MADA

Penerapan Algoritma Random Forest dan Teknik Interpolasi pada Teknik Fingerprint untuk Indoor Positioning System

ALVIN SAMUEL HERMAN RUDIANTO, Dwi Joko Suroso, S.T., M.Eng.; Dr. Ing. Ir. Singgih Haryibowo

Universitas Gadjah Mada, 2020 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Cambridge University Press, 2013.

- [32] W. H. Press, S. A. Teukolsky, W. T. Vetterling, and B. P. Flannery, *Numerical Recipes in C: The Art of Scientific Computing*, 2nd ed. New York: Cambridge University Press, 1992.
- [33] J. Hightower and G. Borriello, “Location systems for ubiquitous computing,” *Computer (Long. Beach. Calif.)*., vol. 34, no. 8, pp. 57–66, 2001, doi: 10.1109/2.940014.