

## DAFTAR PUSTAKA

- Abdulmuthalib. (2015). Prinsip dasar terapi sistemik pada kanker. In: Setiati, S., Alwi, I., Sudoyo, A. W., Simadibrata, M., Setiyohadi, B. & Syam, A. F. (Eds), *Buku ajar ilmu penyakit dalam*. Jakarta: InternaPublishing.
- Acea Nebril, B., Builes Ramirez, S., Garcia Novoa, A., & Varela Lamas, C. (2016). Rotational flaps in oncologic breast surgery. Anatomical and technical considerations. *Cir Esp.*, 94: 372-8.
- Adesunkanmi, A. R., Lawal, O. O., Adelusola, K. A., & Durosimi, M. A. (2006). The severity, outcome and challenges of breast cancer in Nigeria. *Breast*, 15: 399-409.
- Adli, M. (2016). Uji reliabilitas dan validitas European Organization for Research and Treatment of Cancer Quality of Life Questionnaire-Breast 23 pada pasien kanker payudara dalam terapi. Tesis. Universitas Indonesia [Online]. Available: [http://www.depkes.go.id/download.php?file=download/pusdatin/infodatin/InfoDatin%20Bulan%20Peduli%20Kanker%20Payudara\\_2016.pdf](http://www.depkes.go.id/download.php?file=download/pusdatin/infodatin/InfoDatin%20Bulan%20Peduli%20Kanker%20Payudara_2016.pdf) [Accessed 24 October 2017].
- Aerts, L., Christiaens, M. R., Enzlin, P., Neven, P., & Amant, F. (2014). Sexual functioning in women after mastectomy versus breast conserving therapy for early-stage breast cancer: a prospective controlled study. *Breast*, 23: 629-36.
- Ali, E. M., Sheta, M., & El Mohsen, M. A. (2011). Elevated serum and tissue VEGF associated with poor outcome in breast cancer patients. *Alexandria Journal of Medicine*, 47: 217-24.
- Alrawi, S. J., Abo Deeb, A. A., Samee, M., Raju, R., Shirazian, D., Acinapura, A. J., et al. (2001). Significance of interferon-gamma in coronary artery bypass surgery. *JSLs*, 5: 249-53.
- Angka, L., Khan, S. T., Kilgour, M. K., Xu, R., Kennedy, M. A., & Auer, R. C. (2017). Dysfunctional Natural Killer Cells in the Aftermath of Cancer Surgery. *Int J Mol Sci.*, 18.
- Anwar, S. L., Haryono, S. J., Aryandono, T., & Haryana, S. M. (2018). microRNA: Biogenesis, Fungsi, dan Perannya dalam Proses Karsinogenesis dan Penatalaksanaan Kanker. UGM PRESS.
- Baena-Canada, J. M., Palomo Gonzalez, M. J., Arriola Arellano, E., Anon Requena, M. J., & Benitez Rodriguez, E. (2008). [Evolution of angiogenesis following anthracycline-based neoadjuvant chemotherapy in breast cancer]. *Med Clin (Barc.)*, 130: 721-5.
- Banerjee, J., & Sen, C. K. (2015). microRNA and Wound Healing. *Adv Exp Med Biol.*, 888: 291-305.
- Bao, P., Kodra, A., Tomic-Canic, M., Golinko, M. S., Ehrlich, H. P., & Brem, H. (2009). The role of vascular endothelial growth factor in wound healing. *J Surg Res.*, 153(2): 347-58.



UNIVERSITAS  
GADJAH MADA  
BAPRAS.

**VIABILITAS FLAP KEYSTONE PADA PENUTUPAN DEFEK PEMBEDAHAN PALIATIF KANKER  
PAYUDARA UNTUK PERBAIKAN  
KUALITAS HIDUP:TELAAH KHUSUS TERHADAP IFN-GAMMA, VEGF DAN VEGFR SERTA MIR-29A  
SEBAGAI BIOMARKER  
PENYEMBUHAN LUKA**

IRENA SAKURA RINI, Prof. Dr. dr. Teguh Aryandono, Sp.B(K) Onk; Dr. dr. Ishandono Dachlan, M.Sc., Sp.B, Sp.BP-  
Universitas Gadjah Mada, 2020 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Available: <http://www.bapras.org.uk/docs/default-source/commissioning-and-policy/final-oncoplastic-guidelines---healthcare-professionals.pdf?sfvrsn=0>  
[Accessed].
- Behan, F. C. (2003). The *Keystone* Design Perforator Island Flap in reconstructive surgery. *ANZ J Surg.*, 73: 112-20.
- Osle, S. W. (2012). Introduction to the *keystone* island flap. In: Behan, F. C., Findlay, M. & Lo, C. H. (Eds), *The keystone perforator island flap concept.*, pp. 3-9. NSW: Elsevier, Australia.
- Behan, F. C., Rozen, W. M., Lo, C. H., & Findlay, M. (2011). The omega - Omega - variant designs (types A and B) of the keystone perforator island flap. *ANZ J Surg.*, 81: 650-2.
- Belizon, A., Balik, E., Feingold, D. L., Bessler, M., Arnell, T. D., Forde, K. A., *et al.* (2006). Major abdominal surgery increases plasma levels of vascular endothelial growth factor: open more so than minimally invasive methods. *Ann Surg.*, 244: 792-8.
- Billington, A., Dayicioglu, D., Smith, P., & Kiluk, J. (2019). Review of Procedures for Reconstruction of Soft Tissue Chest Wall Defects Following Advanced Breast Malignancies. *Cancer Control*, 26: 1073274819827284.
- Bootun, R. (2013). Effects of immunosuppressive therapy on wound healing. *Int Wound J.*, 10: 98-104.
- Borj, M. R., Andalib, A. R., Mohammadi, A., Hoseiniharouni, S. M., Pourghadamyari, H., Azizi, H., *et al.* (2017). Evaluation of IL-4, IL-17, and IFN- $\gamma$  levels in patients with breast cancer. *Int J Basic Sci Med.*, 2: 20-24.
- Brase, J. C., Johannes, M., Schlomm, T., Falth, M., Haese, A., Steuber, T., *et al.* (2011). Circulating miRNAs are correlated with tumor progression in prostate cancer. *Int J Cancer.*, 128: 608-16.
- Chen, Y. C., & Sani, I. (2014). Quality of Life after Palliative Mastectomy for Stage IV Breast Cancer in Elderly. *Journal of Surgery [Jurnalul de Chirurgie]*, 10: 223-224.
- Colleoni, M., Rocca, A., Sandri, M. T., Zorzino, L., Masci, G., Nole, F., *et al.* (2002). Low-dose oral methotrexate and cyclophosphamide in metastatic breast cancer: antitumor activity and correlation with vascular endothelial growth factor levels. *Ann Oncol.*, 13: 73-80.
- de la Cruz-Merino, L., Chiesa, M., Caballero, R., Rojo, F., Palazon, N., Carrasco, F. H., *et al.* (2017). Breast Cancer Immunology and Immunotherapy: Current Status and Future Perspectives. *Int Rev Cell Mol Biol.*, 331: 1-53.
- de Mendonca, R. J. (2012). Angiogenesis in Wound Healing. In: Davies, J, *Tissue Regeneration - From Basic to Clinical Application.*, pp. 93-108. ISBN: 978-953-51-0387-5, InTech, Available from: <http://www.intechopen.com/books/tissue-regeneration-from-basic-biology-to-clinical-application/angiogenesisin-wound-healing>
- Del Fabbro, M., Taschieri, S., & Weinstein, R. (2009). Quality of life after microscopic periradicular surgery using two different incision techniques: a randomized clinical study. *Int Endod J.*, 42: 360-7.
- Delgado-Sanz, M. C., Garcia-Mendizabal, M. J., Pollan, M., Forjaz, M. J., Lopez-Abente, G., Aragones, N., *et al.* (2011). Health-related quality of life in Spanish breast cancer patients: a systematic review. *Health Qual Life Outcomes.*, 9: 3.
- DiPietro, L. A. (2016). Angiogenesis and wound repair: when enough is enough. *J Leukoc Biol.*, 100: 979-984.
- Donaldson, C., Murday, H. K. M., Gutman, M. J., Maher, R., Goldschlager, T., Xenos, C., *et al.* (2018). Long-term follow-up for *keystone* design perforator island flap for closure of myelomeningocele. *Childs Nerv Syst.*, 34: 733-736.



- metastatic breast cancer: impact on VEGF. *J Egypt Natl Canc Ins.t*, 24: 15-22.
- El Fakir, S., El Rhazi, K., Zidouh, A., Bennani, M., Benider, A., Errihani, H., *et al.* (2016). Health-Related Quality of Life among Breast Cancer Patients and Influencing Factors in Morocco. *Asian Pac J Cancer Prev.*, 17: 5063-5069.
- El Tarhouny, S., Seefeld, M., Fan, AX., Hahn, S., Holzgreve, W., & Zhong, XY. (2008). Comparison of Serum VEGF and its Soluble Receptor sVEGFR1 with Serum Cell-Free DNA in Patients with Breast Tumor. *Cytokine*, 44(1):65-9.
- Fayers, P. M., Aaronsin, N. K., Bjordal, K., Groenvold, M., Curran, D., & A., B. (2001). *The EORTC QLQ-C30 Scoring Manual*, Brussels, European Organisation for Research and Treatment of Cancer.
- Flight, L., & Julious, S. A. (2016). Practical guide to sample size calculations: superiority trials. *Pharm Stat.*, 15: 75-9.
- Frank, S., Hubner, G., Breier, G., Longaker, M. T., Greenhalgh, D. G., & Werner, S. (1995). Regulation of vascular endothelial growth factor expression in cultured keratinocytes. Implications for normal and impaired wound healing. *J Biol Chem.*, 270: 12607-13.
- Franke, A., Lante, W., Kurig, E., Zoller, L. G., Weinhold, C., & Markewitz, A. (2006). Is interferon gamma suppression after cardiac surgery caused by a decreased interleukin-12 synthesis? *Ann Thorac Surg.*, 82: 103-9.
- Ganesh, S., Lye, M. S., & Lau, F. N. (2016). Quality of Life among Breast Cancer Patients In Malaysia. *Asian Pac J Cancer Prev.*, 17: 1677-84.
- Ganz, P. A., Kwan, L., Stanton, A. L., Krupnick, J. L., Rowland, J. H., Meyerowitz, B. E., *et al.* (2004). Quality of life at the end of primary treatment of breast cancer: first results from the moving beyond cancer randomized trial. *J Natl Cancer Inst.*, 96: 376-87.
- Gong, X., Cui, J., Jiang, Z., Lu, L., & Li, X. (2018). Risk factors for pedicled flap necrosis in hand soft tissue reconstruction: a multivariate logistic regression analysis. *ANZ J Surg.*, 88: E127-E131.
- Gupta, S., Sharma, A., Srivastava, S. (2020). A Keystone Flap as a Reconstructive Option for Selected Areas: A Prospective Study. *J Aesthet Reconstr Surg.*, 6(2):6.
- Harmanci, D., Erkan, E. P., Kocak, A., & Akdogan, G. G. (2017). Role of the microRNA-29 family in fibrotic skin diseases. *Biomed Rep.*, 6: 599-604.
- Heithoff KA, L. K. (1990). Effectiveness and outcomes in health care: proceedings of an invitational conference. Washington (DC): National Academies Press, USA.
- Hierner, R., Degreef, H., Vranckx, J. J., Garmyn, M., Massage, P., & van Brussel, M. (2005). Skin grafting and wound healing-the "dermato-plastic team approach". *Clin Dermatol.*, 23: 343-52.
- Higginson, I. J., & Carr, A. J. (2001). Measuring quality of life: Using quality of life measures in the clinical setting. *BMJ*, 322: 1297-300.
- Hodges, M., Zgheib, C., Xu, J., & Liechty, K. (2016). The Role of MicroRNAs in Impaired Diabetic Wound Healing. In: Alexandrescu, V., *Wound Healing - New Insights into Ancient Challenges*. InTech, Available from: <http://www.intechopen.com/books/wound-healing-new-insights-into-ancient-challenges/the-role-of-micrnas-in-impaired-diabetic-wound-healing>
- Honnegowda, T. M., Kumar, P., Udupa, E. G., Kumar, S., Kumar, U., & Rao, P. (2015). Role of angiogenesis and angiogenic factors in acute and chronic wound healing. *Plast Aesthet Res.*, 2: 239-42.
- Hornbrey, E., Han, C., Roberts, A., McGruther, D. A., & Harris, A. L. (2003). The relationship of human wound vascular endothelial growth factor (VEGF) after breast cancer surgery to circulating VEGF and angiogenesis. *Clin Cancer Res.*, 9: 4332-9.



- median, range, and the size of a sample. *BMC Med Res Methodol.*, 5: 13.
- Hwang, J., Min, B.-H., Jang, J., Kang, S. Y., Bae, H., Jang, S. S., *et al.* (2018). MicroRNA Expression Profiles in Gastric Carcinogenesis. *Scientific Reports*, 8: 14393.
- Ishida, Y., Kondo, T., Takayasu, T., Iwakura, Y., & Mukaida, N. (2004). The essential involvement of cross-talk between IFN-gamma and TGF-beta in the skin wound-healing process. *J Immunol.*, 172: 1848-55.
- Janz, N. K., Mujahid, M., Lantz, P. M., Fagerlin, A., Salem, B., Morrow, M., *et al.* (2005). Population-based study of the relationship of treatment and sociodemographics on quality of life for early stage breast cancer. *Qual Life Res.*, 14: 1467-79.
- Jeon, F. H. K., Varghese, J., Griffin, M., Butler, P. E., Ghosh, D., & Mosahebi, A. (2018). Systematic review of methodologies used to assess mastectomy flap viability. *BJS Open.*, 2: 175-184.
- Johnson, K. E., & Wilgus, T. A. (2014). Vascular Endothelial Growth Factor and Angiogenesis in the Regulation of Cutaneous Wound Repair. *Adv Wound Care (New Rochelle).*, 3: 647-661.
- Kaminska, M., Ciszewski, T., Kukielka-Budny, B., Kubiowski, T., Baczewska, B., Makara-Studzinska, M., *et al.* (2015). Life quality of women with breast cancer after mastectomy or breast conserving therapy treated with adjuvant chemotherapy. *Ann Agric Environ Med.*, 22: 724-30.
- KemkesRI. (2016). *InfoDATIN: Pusat data dan informasi kementerian kesehatan RI. Bulan peduli kanker payudara* [Online]. Available at: [http://www.depkes.go.id/download.php?file=download/pusdatin/infodatin/InfoDatin%20Bulan%20Peduli%20Kanker%20Payudara\\_2016.pdf](http://www.depkes.go.id/download.php?file=download/pusdatin/infodatin/InfoDatin%20Bulan%20Peduli%20Kanker%20Payudara_2016.pdf) [Accessed 24 October 2017].
- KemkesRI. (2017). *Panduan penatalaksanaan kanker payudara* [Online]. Available at: <http://kanker.kemkes.go.id/guidelines/PPKPayudara.pdf> [Accessed 24 October 2017].
- Khourri, J. S., Egeland, B. M., Daily, S. D., Harake, M. S., Kwon, S., Neligan, P. C., *et al.* (2011). The keystone island flap: use in large defects of the trunk and extremities in soft-tissue reconstruction. *Plast Reconstr Surg.*, 127: 1212-21.
- Klaassen, M. F., Brown, E., & Behan, F. (2018). *Keystone flap concepts*. In: *Simply local flaps*. Switzerland: Springer International Publishing.
- Komatsu, S., Ichikawa, D., Kubota, T., Okamoto, K., Shiozaki, A., Fujiwara, H., *et al.* (2015). Clinical outcomes and quality of life according to types of reconstruction following laparoscopy-assisted distal gastrectomy for gastric cancer. *Surg Laparosc Endosc Percutan Tech.*, 25: 69-73.
- Kreth, S., Hubner, M., & Hinske, L. C. (2018). MicroRNAs as Clinical Biomarkers and Therapeutic Tools in Perioperative Medicine. *Anesth Analg.*, 126: 670-681.
- Krouse, R. S., Nelson, R. A., Farrell, B. R., Grube, B., Juarez, G., Wagman, L. D., *et al.* (2001). Surgical palliation at a cancer center: incidence and outcomes. *Arch Surg.*, 136: 773-8.
- Kut, C., Mac Gabhann, F., & Popel, A. S. (2007). Where is VEGF in the body? A meta-analysis of VEGF distribution in cancer. *Br J Cancer.*, 97: 978-85.
- Landén, N. X., Li, D., & Ståhle, M. (2016). Transition from inflammation to proliferation: a critical step during wound healing. *Cell Mol Life Sci.*, 73(20): 3861-85.
- Lanni, M. A., Van Kouwenberg, E., Yan, A., Rezak, K. M., & Patel, A. (2017). Applying the Keystone Design Perforator Island Flap Concept in a Variety of Anatomic Locations: A Review of 60 Consecutive Cases by a Single Surgeon. *Ann Plast Surg.*, 79: 60-67.
- Larson, D. L., Basir, Z., & Bruce, T. (2011). Is oncologic safety compatible with a predictably viable mastectomy skin flap? *Plast Reconstr Surg.*, 127: 27-33.



- (2016). Identification of independent risk factors for flap failure: A retrospective analysis of 1530 free flaps for breast, head and neck and extremity reconstruction. *J Plast Reconstr Aesthet Surg.*, 69: 894-906.
- Lee, T. J., Oh, T. S., Kim, E. K., Suh, H., Ahn, S. H., Son, B. H., *et al.* (2016). Risk factors of mastectomy skin flap necrosis in immediate breast reconstruction using low abdominal flaps. *J Plast Surg Hand Surg.*, 50: 302-6.
- Lemaine, V., Hoskin, T. L., Farley, D. R., Grant, C. S., Boughey, J. C., Torstenson, T. A., *et al.* (2015). Introducing the SKIN score: a validated scoring system to assess severity of mastectomy skin flap necrosis. *Ann Surg Oncol.*, 22: 2925-32.
- Li, D., Wang, A., Liu, X., Meisgen, F., Grunler, J., Botusan, I. R., *et al.* (2015). MicroRNA-132 enhances transition from inflammation to proliferation during wound healing. *J Clin Invest.*, 125: 3008-26.
- Lie, K. H., Barker, A. S., & Ashton, M. W. (2013). A classification system for partial and complete DIEP flap necrosis based on a review of 17,096 DIEP flaps in 693 articles including analysis of 152 total flap failures. *Plast Reconstr Surg.*, 132: 1401-8.
- Liippo J, K. V., & Toriseva, M. J. (2010). Natural killer cells in wound healing. In: *Natural killer cells basic science and clinical application*. 1 ed. UK: Elsevier Inc.
- Lissoni, P., Fugamalli, E., Malugani, F., Ardizzoia, A., Secondino, S., Tancini, G., *et al.* (2000). Chemotherapy and angiogenesis in advanced cancer: vascular endothelial growth factor (VEGF) decline as predictor of disease control during taxol therapy in metastatic breast cancer. *Int J Biol Markers.*, 15: 308-11.
- LoPiccolo, M. C. (2015). Rotation Flaps-Principles and Locations. *Dermatol Surg.*, 41 Suppl 10: S247-54.
- Losken, A., Thourani, V. H., Carlson, G. W., Jones, G. E., Culbertson, J. H., Miller, J. I., *et al.* (2004). A reconstructive algorithm for plastic surgery following extensive chest wall resection. *Br J Plast Surg.*, 57: 295-302.
- Maria, L., Konstantinos, V., Ioannis, D., Nikolaos, L., & Konstantinos, A. (2016). Nasolabial pedicled compared with island flaps for intraoral reconstruction of oncological defects: complications, recovery of sensitivity, and assessment of quality of life. *Br J Oral Maxillofac Surg.*, 54: 746-50.
- Maurer, B., Stanczyk, J., Jungel, A., Akhmetshina, A., Trenkmann, M., Brock, M., *et al.* (2010). MicroRNA-29, a key regulator of collagen expression in systemic sclerosis. *Arthritis Rheum.*, 62: 1733-43.
- Mills, P. J., Parker, B., Jones, V., Adler, K. A., Perez, C. J., Johnson, S., *et al.* (2004). The effects of standard anthracycline-based chemotherapy on soluble ICAM-1 and vascular endothelial growth factor levels in breast cancer. *Clin Cancer Res.*, 10: 4998-5003.
- Mogal, H. D., Howard-McNatt, M., Dodson, R., Fino, N. F., & Clark, C. J. (2017). Quality of life of older African American breast cancer survivors: a population-based study. *Support Care Cancer*, 25: 1431-1438.
- Mohan, A. T., Rammos, C. K., Akhavan, A. A., Martinez, J., Wu, P. S., Moran, S. L., *et al.* (2016). Evolving Concepts of *Keystone* Perforator Island Flaps (KPIF): Principles of Perforator Anatomy, Design Modifications, and Extended Clinical Applications. *Plast Reconstr Surg.*, 137: 1909-20.
- Monarca, C., Rizzo, M. I., & Sanese, G. (2012). *Keystone* flap: freestyle technique to enhance the mobility of the flap [corrected]. *ANZ J Surg.*, 82: 950-1.
- Moro-Valdezate, D., Buch-Villa, E., Peiro, S., Morales-Monsalve, M. D., Caballero-Garate, A., Martinez-Agullo, A., *et al.* 2014. Factors associated with health-related quality of life in a cohort of Spanish breast cancer patients. *Breast Cancer*, 21: 442-52.



- Mulholland, E. J., Dunne, N., & McCarthy, H. O. (2017). MicroRNA as Therapeutic Targets for Chronic Wound Healing. *Mol Ther Nucleic Acids.*, 8: 46-55.
- NCCN. (2017). *NCCN clinical practice guidelines in oncology: breast cancer* [Online]. Available: [https://www.nccn.org/professionals/physician\\_gls/pdf/breast.pdf](https://www.nccn.org/professionals/physician_gls/pdf/breast.pdf) [Accessed 16 April 2017].
- Ng, T., Phey, X. Y., Yeo, H. L., Shwe, M., Gan, Y. X., Ng, R., *et al.* (2018). Impact of Adjuvant Anthracycline-Based and Taxane-Based Chemotherapy on Plasma VEGF Levels and Cognitive Function in Breast Cancer Patients: A Longitudinal Study. *Clin Breast Cancer*, 18: e927-e937.
- Nissen, N. N., Polverini, P. J., Koch, A. E., Volin, M. V., Gamelli, R. L., & DiPietro, L. A. (1998). Vascular endothelial growth factor mediates angiogenic activity during the proliferative phase of wound healing. *Am J Pathol.*, 152: 1445-52.
- Nunez, M., Sastre, S., Nunez, E., Lozano, L., Nicodemo, C., & Segur, J. M. (2012). Health-related quality of life and direct costs in patients with anterior cruciate ligament injury: single-bundle versus double-bundle reconstruction in a low-demand cohort--a randomized trial with 2 years of follow-up. *Arthroscopy*, 28: 929-35.
- O'Reilly, S. (2015). miRNA-29a in systemic sclerosis: A valid target. *Autoimmunity*, 48: 511-2.
- Olivier, W. A., Hazen, A., Levine, J. P., Soltanian, H., Chung, S., & Gurtner, G. C. (2003). Reliable assessment of skin flap viability using orthogonal polarization imaging. *Plast Reconstr Surg.*, 112: 547-55.
- Pačarić, S., Kristek, J., Mirat, J., Kondža, G., Turk, T., Farčić, N., *et al.* (2018). The quality of life of Croatian women after mastectomy: a cross-sectional single-center study. *BMC Public Health.*, 18: 999.
- Paraskevi, T. (2012). Quality of life outcomes in patients with breast cancer. *Oncol Rev.*, 6: e2.
- Park, H. S., Morrison, E., Lo, C., & Leong, J. (2016). An Application of *Keystone* Perforator Island Flap for Closure of Lumbosacral Myelomeningocele Defects. *Ann Plast Surg.*, 77: 332-6.
- Park, J. S., Ahn, S. H., Son, B. H., & Kim, E. K. (2015). Using local flaps in a chest wall reconstruction after mastectomy for locally advanced breast cancer. *Arch Plast Surg.*, 42: 288-94.
- Park, T. H., Lee, J. W., & Kim, C. W. (2018). The fortune cookie flap for aesthetic reconstruction after chest keloid resection: a small case series. *J Cardiothorac Surg.*, 13: 31.
- Pauchot, J., Chambert, J., Remache, D., Elkhyat, A., & Jacquet, E. (2012). Geometrical analysis of the V-Y advancement flap applied to a *keystone* flap. *J Plast Reconstr Aesthet Surg.*, 65: 1087-95.
- Payne, W. G., Naidu, D. K., Wheeler, C. K., Barkoe, D., Mentis, M., Salas, R. E., *et al.* (2008). Wound healing in patients with cancer. *Eplasty.*, 8: e9.
- Pelissier, P., Gardet, H., Pinsolle, V., Santoul, M., & Behan, F. C. (2007). The *keystone* design perforator island flap. Part II: clinical applications. *J Plast Reconstr Aesthet Surg.*, 60: 888-91.
- Peng, Q., Feng, Z., Shen, Y., Zhu, J., Zou, L., Shen, Y., *et al.* (2019). Integrated analyses of microRNA-29 family and the related combination biomarkers demonstrate their widespread influence on risk, recurrence, metastasis and survival outcome in colorectal cancer. *Cancer Cell Int.*, 19:181.



- 'thoracoabdominal' flap for large chest wall reconstruction. *Ann Plast Surg.*, 57: 177-83.
- Perwitasari, D. A., Atthobari, J., Dwiprahasto, I., Hakimi, M., Gelderblom, H., Putter, H., *et al.* (2011). Translation and validation of EORTC QLQ-C30 into Indonesian version for cancer patients in Indonesia. *Jpn J Clin Oncol.*, 41: 519-29.
- Prasetyono, T. O., Rini, I. S., & Wibisono, C. (2015). EASEPort NPWT System to Enhance Skin Graft Survival--A Simple Assembly. *Int Surg.*, 100: 518-23.
- Pyter, L. M., Husain, Y., Calero, H., McKim, D. B., Lin, H. Y., Godbout, J. P., *et al.* (2016). Tumors Alter Inflammation and Impair Dermal Wound Healing in Female Mice. *PLoS One.*, 11: e0161537.
- Qiagen. (2011). *RT2 preAMP cDNA synthesis handbook* [Online]. Available: <https://www.qiagen.com/us/resources/resourcedetail?id=2846c4d5-af47-4c82-96d3-2ad075d7ea93&lang=en> [Accessed April 2018].
- Qiagen. (2012). *miRNeasy serum/plasma handbook* [Online]. Available: <https://www.qiagen.com/es/resources/resourcedetail?id=710c0168-e408-408b-95af-91df5b5b1dd6&lang=en> [Accessed April 2018].
- R&D. (2018). *Quantikine ELISA: Human IFN-γ Immunoassay* [Online]. Available: <https://resources.rndsystems.com/pdfs/datasheets/dif50.pdf> [Accessed May 2018].
- Ragab, H., Shaaban, H., Maksoud, N., Radwan, S., Elaziz, W., & Hafez, N. (2016). Expression of Vascular Endothelial Growth Factor Protein in Both Serum Samples and Excised Tumor Tissues of Breast Carcinoma Patients. *International Journal of Cancer Research*, 12: 152-161.
- Rao, K., & Raine, C. (2010). Re: *Keystone* design flap: a tension-reducing modification. *ANZ J Surg.*, 80: 574.
- Rini, I. S., Krisna, M. A., Kamayana, J., Djarot, K. R., & Gunardi, A. J. (2019). *Keystone* Perforator Island Flap for Postmastectomy Defect Resurfacing in Late-stage Breast Cancer Patients. *Plast Reconstr Surg Glob Open.*, 7: e2457.
- Roberti, M. P., Mordoh, J., & Levy, E. M. (2012). Biological role of NK cells and immunotherapeutic approaches in breast cancer. *Front Immunol.*, 3: 375.
- Robertson, S. A., Jeevaratnam, J. A., Agrawal, A., & Cutress, R. I. (2017). Mastectomy skin flap necrosis: challenges and solutions. *Breast Cancer (Dove Med Press)*, 9: 141-152.
- Ruthenborg, R. J., Ban, J., Wazir, A., Takeda, N., & Kim, J. (2014). Regulation of Wound Healing and Fibrosis by Hypoxia and Hypoxia-Inducible Factor-1. *Mol Cells.*, 37(9): 637-643.
- Salgado, C. J., Chim, H., Schoenoff, S., & Mardini, S. (2010). Postoperative care and monitoring of the reconstructed head and neck patient. *Semin Plast Surg.*, 24: 281-7.
- Sanati-Mehrzy, P., Massenburg, B. B., Rozehnal, J. M., Ingargiola, M. J., Hernandez Rosa, J., & Taub, P. J. (2016). Risk Factors Leading to Free Flap Failure: Analysis From the National Surgical Quality Improvement Program Database. *J Craniofac Surg.*, 27: 1956-1964.
- Schnitt, S. J., & Lakhani, S. R. (2014). World Cancer Report: Breast Cancer. In: Anderson, B. O., Mathew, B. S. & Rajkumar, T. (eds.). Geneva: World Health Organization.
- Schoenborn, J. R., & Wilson, C. B. (2007). Regulation of interferon-gamma during innate and adaptive immune responses. *Adv Immunol.*, 96: 41-101.
- Schuller, M., Gosau, M., Muller, S., Gerken, M., Rohrmeier, C., Legal, S., *et al.* (2015). Long-term outcome and subjective quality of life after surgical treatment of lower lip cancer. *Clin Oral Investig.*, 19: 1093-9.
- Schwentner, L., Harbeck, N., Singer, S., Eichler, M., Rack, B., Forstbauer, H., *et al.* (2016). Short term quality of life with epirubicin-fluorouracil-cyclophosphamid (FEC) and



- with primary breast cancer - Results from the prospective multi-center randomized ADEBAR trial. *Breast*, 27, 69-77.
- Shantha, H. M. N., Cabot, J. C., Hoffman, A., Luchtefeld, M., Kalady, M. F., *et al.* (2010). Minimally Invasive Colon Resection for Malignant Colonic Conditions is Associated with a Transient Early Increase in Plasma s VEGFR1 and a Decrease in sVEGFR2 Levels after Surgery. *Surg Endosc.*, 24(2):283-9.
- Shih, B., Garside, E., McGrouther, D. A., & Bayat, A. (2010). Molecular dissection of abnormal wound healing processes resulting in keloid disease. *Wound Repair Regen.*, 18: 139-53.
- Siegel, R. L., Miller, K. D., & Jemal, A. (2016). Cancer statistics. *CA Cancer J Clin.*, 66: 7-30.
- Soliman, A. M., Das, S., Abd Ghafar, N., & Teoh, S. L. (2018). Role of MicroRNA in Proliferation Phase of Wound Healing. *Front Genet.*, 9: 38.
- Stathopoulos, J., Armakolas, A., Stathopoulos, G. P., & Gomatos, I. P. (2010). Plasma VEGF levels in breast cancer patients with and without metastases. *Oncology letters*, 1: 739-741.
- Stone, J. P., Webb, C., McKinnon, J. G., Dawes, J. C., McKenzie, C. D., & Temple-Oberle, C. F. (2015). Avoiding Skin Grafts: The Keystone Flap in Cutaneous Defects. *Plast Reconstr Surg.*, 136: 404-8.
- Sudjatmiko, G., & Putri, M. N. (2016). *Keystone Flap*, Jakarta: Yayasan Lingkar Studi Bedah Plastik.
- Suryanarayana Deo, S. V., Mishra, A., Shukla, N. K., & Sandeep, B. (2019). Thoracoabdominal Flap: a Simple Flap for Covering Large Post-mastectomy Soft Tissue Defects in Locally Advanced Breast Cancer. *Indian J Surg Oncol.*, 10: 494-498.
- Than, U. T. T., Guanzon, A., Leavesley, D., & Parker, T. (2017). Association of Extracellular Membrane Vesicles with Cutaneous Wound Healing. *Int J Mol Sci.*, 18:956
- Thielemann, A., Baszczuk, A., Kopczynski, Z., Kopczynski, P., & Grodecka-Gazdecka, S. (2013). Clinical Usefulness of Assessing VEGF and Soluble Receptors sVEGFR-1 and sVEGFR-2 in Women with Breast Cancer. *Ann Agric Environ Med.*, 20(2):293-7.
- Thorne, C. H. (2014). *Grabb and Smith's plastic surgery*. Philadelphia: Lippincott Williams & Wilkins, USA.
- Tim, C. R., Martignago, C. C. S., da Silva, V. R., Dos Santos, E. C. B., Vieira, F. N., Parizotto, N. A., *et al.* (2018). A Comparison of Three Methods for the Analysis of Skin Flap Viability: Reliability and Validity. *Adv Wound Care (New Rochelle)*, 7: 157-163.
- Unger-Saldana, K. (2014). Challenges to the early diagnosis and treatment of breast cancer in developing countries. *World J Clin Oncol.*, 5: 465-77.
- Vasilescu, D. (2016). Guidelines for post-operative care and monitoring of free flaps. *Arch Balk Med Union.*, 51: 251-4.
- Vieira, R., da Silva, K. M. T., de Oliveira-Junior, I., & de Lima, M. A. (2017). ITADE flap after mastectomy for locally advanced breast cancer: A good choice for mid-sized defects of the chest wall, based on a systematic review of thoracoabdominal flaps. *J Surg Oncol.*, 115: 949-958.
- Wang, R., Jaw, J. J., Stutzman, N. C., Zou, Z., & Sun, P. D. (2012). Natural killer cell-produced IFN-gamma and TNF-alpha induce target cell cytolysis through up-regulation of ICAM-1. *J Leukoc Biol.*, 91: 299-309.
- Whiteside, T. L. (2006). Immune suppression in cancer: effects on immune cells, mechanisms and future therapeutic intervention. *Semin Cancer Biol.*, 16: 3-15.



- complications. In: Wei, F.-C. & Mardini, S. (Eds.) *Flaps and Reconstructive Surgery*.  
Edinburgh: W.B. Saunders, UK.
- Wockel, A., Schwentner, L., Krockenberger, M., Kreienberg, R., Janni, W., Wischnowsky, M.,  
*et al.* (2017). Predictors of the course of quality of life during therapy in women with  
primary breast cancer. *Qual Life Res.*, 26: 2201-2208.
- Wu, F. T., Stefanini, M. O., Mac Gabhann, F., Kontos, C. D., Annex, B. H., & Popel, A. S.  
(2010). A systems biology perspective on sVEGFR1: its biological function,  
pathogenic role and therapeutic use. *J Cell Mol Med.*, 14(3): 528-52.
- Xia, J., Tang, Z., Deng, Q., Yang, R., Wang, J., & Yu, J. (2017). Predictors of the quality of  
life in Chinese breast cancer survivors. *Breast Cancer Res Treat.*, 167(2): 537-545.
- Xia, S., Xu, H., Xu, G., Zhou, J., & Li, P. (2018). Role of microRNAs in regulation of  
cutaneous wound healing. *Int J Clin Exp Med.*, 11(11): 12611-20.
- Yan, B., Yang, L. M., Hao, L. P., Yang, C., Quan, L., Wang, L. H., *et al.* (2016). Determinants  
of Quality of Life for Breast Cancer Patients in Shanghai, China. *PLoS One.*, 11:  
e0153714.
- Yildiz, B. D., & Sulu, B. (2013). Effects of dextran-40 on flap viability after modified radical  
mastectomy. *Can J Plast Surg.*, 21: 83-6.
- Zhang, J., Fan, J., Venneti, S., Cross, J. R., Takagi, T., Bhinder, B., *et al.* (2014). Asparagine  
plays a critical role in regulating cellular adaptation to glutamine depletion. *Mol Cell.*,  
56: 205-18.
- Zhou, J., Zhang, X., Liang, P., Ren, L., Zeng, J., Zhang, M., *et al.* (2016). Protective role of  
microRNA-29a in denatured dermis and skin fibroblast cells after thermal injury. *Biol  
Open.*, 5: 211-9.
- Zhou, W., Zhang, W. B., Yu, Y., Wang, Y., Mao, C., Guo, C. B., *et al.* (2017). Risk factors for  
free flap failure: a retrospective analysis of 881 free flaps for head and neck defect  
reconstruction. *Int J Oral Maxillofac Surg.*, 46: 941-945.
- Zide, M. F. & Topper, D. (2004). Pivot point and secondary defect problems with rotation  
flaps. *J Oral Maxillofac Surg.*, 62: 1069-75.
- Zubaidi, A. M., Hussain, T., & Alzogaibi, M. A. (2015). The time course of cytokine  
expressions plays a determining role in faster healing of intestinal and colonic  
anastomatic wounds. *Saudi J Gastroenterol.*, 21: 412-7.