

DAFTAR PUSTAKA

- Abbott Nutrition. (2011). Nutrition Intervention is Effective in Mitigating Protein-Energy Wasting (PEW) and Improving Outcomes in Patients with Chronic Kidney Disease (CKD). *Abbott Laboratories*.
- Agarwal, R., & Georgianos, P. (2018). Feeding during dialysis - Risks and uncertainties. *Nephrology Dialysis Transplantation*, 33(6), 917–922. <https://doi.org/10.1093/ndt/gfx195>
- Babitt, J. L., & Lin, H. Y. (2012). Mechanisms of Anemia in CKD. *Journal of the American Society of Nephrology*, 23(10), 1631–1634. <https://doi.org/10.1681/ASN.2011111078>
- Beer, J., Mountford, E., & Boudville, N. (2018). Dietetic intervention in haemodialysis patients improves malnutrition. *Renal Society of Australasia Journal*, 14(1), 14–20.
- Bellizzi, V., Di Iorio, B. R., Terracciano, V., Minutolo, R., Iodice, C., De Nicola, L., & Conte, G. (2003). Daily nutrient intake represents a modifiable determinant of nutritional status in chronic haemodialysis patients. *Nephrology Dialysis Transplantation*, 18(9), 1874–1881. <https://doi.org/10.1093/ndt/gfg239>
- Bello, A. K., Alrukhaimi, M., Ashuntantang, G. E., Basnet, S., Rotter, R. C., Douthat, W. G., Moe, O. (2017). Complications of Chronic Kidney Disease: Current State, Knowledge Gaps, and Strategy for Action. *Kidney International Supplements*, 7(2), 122–129. <https://doi.org/10.1016/j.kisu.2017.07.007>
- Blake, C., Codd, M. B., & O'Meara, Y. M. (2000). The Short Form 36 (SF-36) Health Survey: Normative Data for The Irish Population. *Irish Journal of Medical Science*, 169(3), 195–200. <https://doi.org/10.1007/BF03167695>
- Borzou, S. R., Mahdipour, F., Oshvandi, K., Salavati, M., & Alimohammadi, N. (2016). Effect of Mealtime During Hemodialysis on Patients' Complications. *Journal of Caring Sciences*, 5(4), 277–286. <https://doi.org/10.15171/jcs.2016.029>
- Bradbury, B. D., Fissell, R. B., Albert, J. M., Anthony, M. S., Critchlow, C. W., Pisoni, R. L., Gillespie, B. W. (2007). Predictors of Early Mortality among Incident US Hemodialysis Patients in the Dialysis Outcomes and Practice Patterns Study (DOPPS). *Clinical Journal of the American Society of Nephrology*, 2(1), 89–99. <https://doi.org/10.2215/CJN.01170905>
- Burrowes, J. D., Cockram, D. B., Dwyer, J. T., Larive, B., Paranandi, L., Bergen, C., & Poole, D. (2002). Cross-sectional relationship between dietary protein and energy intake, nutritional status, functional status, and comorbidity in older versus younger hemodialysis patients. *Journal of Renal Nutrition*, 12(2), 87–95. <https://doi.org/10.1053/jren.2002.32209>
- Burrowes, J. D., Larive, B., Cockram, D. B., Dwyer, J., Kusek, J. W., McLeroy, S., ... Rocco, M. V. (2003). Effects of dietary intake, appetite, and eating habits on dialysis and non-dialysis treatment days in hemodialysis patients: Cross-sectional results from the HEMO study. *Journal of Renal Nutrition*, 13(3), 191–198. [https://doi.org/10.1016/S1051-2276\(03\)00069-4](https://doi.org/10.1016/S1051-2276(03)00069-4)
- Campbell, D. T., & Stanley, J. C. (1963). Experimental and Quasi-Experimental

- Designs for Research. In *Houghton Mifflin Company*. <https://doi.org/10.1037/022808>
- Carolina, P., & Aziz, Z. A. (2019). Dukungan Keluarga Dalam Peningkatan Kualitas Hidup Pasien Dengan Gagal Ginjal Kronik Di Rsud dr. Doris Sylvanus Palangka Raya. *Dinamika Kesehatan Jurnal Kebidanan Dan Keperawatan*, *10*(2), 795–808. <https://doi.org/10.33859/dksm.v10i2.484>
- Chan, Y. M., Zalilah, M. S., & Hii, S. Z. (2012). Determinants of compliance behaviours among patients undergoing hemodialysis in malaysia. *PLoS ONE*, *7*(8). <https://doi.org/10.1371/journal.pone.0041362>
- Checheriță, I. A., Turcu, F., Dragomirescu, R. F., & Ciocâlțeu, A. (2010). Chronic complications in hemodialysis: Correlations with primary renal disease. *Romanian Journal of Morphology and Embryology*, *51*(1), 21–26.
- Chertow, G. M., Johansen, K. L., Lew, N., Lazarus, J. M., & Lowrie, E. G. (2000). Vintage, nutritional status, and survival in hemodialysis patients. *Kidney International*, *57*(3), 1176–1181. <https://doi.org/10.1046/j.1523-1755.2000.00945.x>
- Cho, M.-K. (2013). Effect of Health Contract Intervention on Renal Dialysis Patients in Korea. *Nursing & Health Sciences*, *15*(1), 86–93. <https://doi.org/10.1111/nhs.12003>
- Chumlea, W. C., Dwyer, J., Bergen, C., Burkart, J., Paranandi, L., Frydrych, A., ... McLeroy, S. (2003). Nutritional status assessed from anthropometric measures in the HEMO study. *Journal of Renal Nutrition*, *13*(1), 31–38. <https://doi.org/10.1053/jren.2003.50003>
- Coronado, J., Balmaceda, B., & Ariza, A. (2016). Factors Associated with Mortality of Patients on Hemodialysis. *Journal of Nephrology & Therapeutics*, *06*(06). <https://doi.org/10.4172/2161-0959.1000275>
- Cupisti, A., D'Alessandro, C., Valeri, A., Capitanini, A., Meola, M., Betti, G., & Barsotti, G. (2010). Food Intake and Nutritional Status in Stable Hemodialysis Patients. *Renal Failure*, *32*(1), 47–54. <https://doi.org/10.3109/08860220903391234>
- Cupisti, Adamasco, Kovesdy, C., D'Alessandro, C., & Kalantar-Zadeh, K. (2018). Dietary Approach to Recurrent or Chronic Hyperkalaemia in Patients with Decreased Kidney Function. *Nutrients*, *10*(3), 261. <https://doi.org/10.3390/nu10030261>
- Delima, Tjitra, E., Tana, L., Halim, F., Ghani, L., & Siswoyo, H. (2017). Faktor Risiko Penyakit Ginjal Kronik : Studi Kasus Kontrol di Empat Rumah Sakit di Jakarta Tahun 2014. *Buletin Penelitian Kesehatan*, *45*(1), 17–26.
- Diaz-Buxo, J. A., Lowrie, E. G., Lew, N. L., Zhang, H., & Lazarus, J. M. (2000). Quality-of-life evaluation using Short Form 36: Comparison in hemodialysis and peritoneal dialysis patients. *American Journal of Kidney Diseases*, *35*(2), 293–300. [https://doi.org/10.1016/S0272-6386\(00\)70339-8](https://doi.org/10.1016/S0272-6386(00)70339-8)
- Dobell, E., Chan, M., Williams, P., & Allman, M. (1993). Food Preferences and Food Habits of Patients with Chronic Renal Failure Undegoing Dialysis. *Journal of American Dietetic Association*, *93*, 1129–1135.
- Duong, T. Van, Tsao, C.-A., Yang, E., Peng, C.-H., Hou, Y.-C., Su, Y.-C., ... Yang, S.-H. (2019). Education and Protein Supplementation Improve Nutritional

- Biomarkers among Hypoalbuminemic Peritoneal Dialysis Patients: A Quasi-Experimental Design. *Healthcare*, 7(4), 135. <https://doi.org/10.3390/healthcare7040135>
- Ebrahimi, H., Sadeghi, M., Amanpour, F., & Dadgari, A. (2016). Influence of nutritional education on hemodialysis patients' knowledge and quality of life. *Saudi Journal of Kidney Diseases and Transplantation: An Official Publication of the Saudi Center for Organ Transplantation, Saudi Arabia*, 27(2), 250–255. <https://doi.org/10.4103/1319-2442.178253>
- Feroze, U., Noori, N., Kovesdy, C. P., Molnar, M. Z., Martin, D. J., Reina-Patton, A., Kalantar-Zadeh, K. (2011). Quality-of-life and mortality in hemodialysis patients: Roles of race and nutritional status. *Clinical Journal of the American Society of Nephrology*, 6(5), 1100–1111. <https://doi.org/10.2215/CJN.07690910>
- Ferreira Corrêa, R., & Filho, C. R. D. S. (2011). Quality of Life of Chronic Renal Patients on Hemodialysis in Marilia, SP, Brazil. *Jornal Brasileiro de Nefrologia*, 33(2), 129–135.
- Fouque, D., McKenzie, J., De Mutsert, R., Azar, R., Teta, D., Plauth, M., Vendrely, B. (2008). Use of a renal-specific oral supplement by haemodialysis patients with low protein intake does not increase the need for phosphate binders and may prevent a decline in nutritional status and quality of life. *Nephrology Dialysis Transplantation*, 23(9), 2902–2910. <https://doi.org/10.1093/ndt/gfn131>
- Fouque, D., Vennegoor, M., Wee, P. Ter, Wanner, C., Basci, A., Canaud, B., Vanholder, R. (2007). EBPG guideline on nutrition. *Nephrology Dialysis Transplantation*, 22(SUPPL.2), ii45–ii87. <https://doi.org/10.1093/ndt/gfm020>
- García-Llana, H., Remor, E., del Peso, G., & Selgas, R. (2014). The role of depression, anxiety, stress and adherence to treatment in dialysis patients' health-related quality of life: a systematic review of the literature. *Nefrologia*, 34(5), 637–657. <https://doi.org/10.3265/Nefrologia.pre2014.Jun.11959>
- Gillison, F., Stathi, A., Reddy, P., Perry, R., Taylor, G., Bennett, P., ... Greaves, C. (2015). Processes of Behaviorchange and weight loss in a theory-based weight loss intervention program: a test of the process model for lifestyle behavior change. *International Journal of Behavioral Nutrition and Physical Activity*, 12(1), 2. <https://doi.org/10.1186/s12966-014-0160-6>
- González-Parra, E., Gracia-Iguacel, C., Egido, J., & Ortiz, A. (2012). Phosphorus and Nutrition in Chronic Kidney Disease. *International Journal of Nephrology*, 1–5. <https://doi.org/10.1155/2012/597605>
- Gubernur Daerah Istimewa Yogyakarta. (2019). *Penetapan Upah Minimum Kabupaten/Kota Tahun 2019*.
- Gunes, F. E. (2013). Medical Nutrition Therapy for Hemodialysis Patients. In *Hemodialysis by Hiromichi Suzuki* (p. 13). <https://doi.org/http://dx.doi.org/10.5772/57353>
- Hakim, R. M., & Levin, N. (1993). Malnutrition in Hemodialysis Patients. *American Journal of Kidney Diseases*, 21(2), 125–137. [https://doi.org/10.1016/S0272-6386\(12\)81083-3](https://doi.org/10.1016/S0272-6386(12)81083-3)
- Handayani, D., & Kusumastuty, I. (2017). *Diagnosis Gizi* (P. M. Arsana, Ed.).

Malang: UB Press.

- Harris, A. D., McGregor, J. C., Perencevich, E. N., Furuno, J. P., Zhu, J., Peterson, D. E., & Finkelstein, J. (2006). The Use and Interpretation of Quasi-Experimental Studies in Medical Informatics. *Journal of the American Medical Informatic Association*, 13(1), 16–23. <https://doi.org/10.1197/jamia.M1749.Background>
- Hays, R. D., Kallich, J. D., Mapes, D. L., Coons, S. J., Amin, N., Carter, W. B., & Kamberg, C. (1997). Kidney Disease Quality of Life Short Form (KDQOL-SFtm), Version 1.3: A Manual for Use and Scoring. In *RAND*. Retrieved from https://www.rand.org/content/dam/rand/www/external/health/surveys_tools/kdqol/kdqol13man.pdf
- Hemayati, R., Lesanpezeshki, M., & Seifi, S. (2015). Association of dialysis adequacy with nutritional and inflammatory status in patients with chronic kidney failure. *Saudi Journal of Kidney Diseases and Transplantation : An Official Publication of the Saudi Center for Organ Transplantation, Saudi Arabia*, 26(6), 1154–1160. <https://doi.org/10.4103/1319-2442.168593>
- Hidayah, L. N., & Ernawaty. (2017). Gambaran Karakteristik Pasien dan Pengetahuan Pasien Rujukan BPJS Kesehatan di Puskesmas. *Jurnal Penelitian Kesehatan*, 15(1), 44–51. Retrieved from <https://doi.org/10.1016/j.procs.2019.01.106>
<https://doi.org/10.1016/j.apenergy.2019.114422>
<http://dx.doi.org/10.1016/j.ijfatigue.2008.11.016>
<http://www.ansr.pt/Estatisticas/RelatoriosDeSinistralidade/Pages/default.aspx>
<http://dx.doi.org/10.1016/j>
- Hill Gallant, K. M., & Spiegel, D. M. (2017). Calcium Balance in Chronic Kidney Disease. *Current Osteoporosis Reports*, 15(3), 214–221. <https://doi.org/10.1007/s11914-017-0368-x>
- Himmelfarb, J. (2005). Hemodialysis Complications. *American Journal of Kidney Diseases*, 45(6), 1122–1131. <https://doi.org/10.1053/j.ajkd.2005.02.031>
- Himmelfarb, J., & Ikizler, T. A. (2010). Hemodialysis. *The New England Journal of Medicine*, 363(19), 1833–1845.
- Hsu, C. H. (2007, February 5). Calcium and Phosphate Metabolism Management in Chronic Renal Disease - Google Buku. Retrieved June 10, 2020, from Springer Science & Business Media website: https://books.google.co.id/books?id=Fle55UMSOcwC&dq=calcium+intake+per+day+for+dialysis+patients+800+mg&hl=id&source=gbs_navlinks_s
- Ibrahim, S., Hossam, M., & Belal, D. (2015). Study of Non-Compliance Among Chronic Hemodialysis Patients and its Impact on Patients' Outcomes. *Saudi Journal of Kidney Disease and Transplantation*, 26(2), 243–249. <https://doi.org/10.4103/1319-2442.152405>
- Iseki, K., Tozawa, M., & Takishita, S. (2003). Effect of the duration of dialysis on survival in a cohort of chronic haemodialysis patients. *Nephrology Dialysis Transplantation*, 18(4), 782–787. <https://doi.org/10.1093/ndt/gfg145>
- Jha, V., Garcia-garcia, G., Iseki, K., Li, Z., Naicker, S., Plattner, B., ... Yang, C. (2013). Chronic kidney disease : Global dimension and perspectives Global Kidney Disease 3 Chronic kidney disease : global dimension and perspectives. *The Lancet*, 382(9888), 260–272. <https://doi.org/10.1016/S0140->

6736(13)60687-X

- Kalantar-Zadeh, K., Kopple, J. D., Block, G., & Humphreys, M. H. (2001). Association among SF36 quality of life measures and nutrition, hospitalization, and mortality in hemodialysis. *Journal of the American Society of Nephrology*, 12(12), 2797–2806.
- Kalantar-Zadeh, Kamyar, Block, G., McAllister, C. J., Humphreys, M. H., & Kopple, J. D. (2004). Appetite and inflammation, nutrition, anemia, and clinical outcome in hemodialysis patients. *American Journal of Clinical Nutrition*, 80(2), 299–307. <https://doi.org/10.1093/ajcn/80.2.299>
- Kalantar-Zadeh, Kamyar, & Ikizler, T. A. (2013). Let Them Eat During Dialysis: An Overlooked Opportunity to Improve Outcomes in Maintenance Hemodialysis Patients. *Journal of Renal Nutrition*, 23(3), 157–163. <https://doi.org/10.1053/j.jrn.2012.11.001>
- Kalantar-Zadeh, Kamyar, Streja, E., Kovesdy, C. P., Oreopoulos, A., Noori, N., Jing, J., Anker, S. D. (2010). The obesity paradox and mortality associated with surrogates of body size and muscle mass in patients receiving hemodialysis. *Mayo Clinic Proceedings*, 85(11), 991–1001. <https://doi.org/10.4065/mcp.2010.0336>
- Kalantar-Zadeh, Kamyar, Tortorici, A. R., Chen, J. L. T., Kamgar, M., Lau, W. L., Moradi, H., Kovesdy, C. P. (2015). Dietary Restrictions in Dialysis Patients: Is There Anything Left to Eat? *Seminars in Dialysis*, 28(2), 159–168. <https://doi.org/10.1111/sdi.12348>
- Kang, S. S., Chang, J. W., & Park, Y. (2017). Nutritional Status Predicts 10-Year Mortality in Patients with End-Stage Renal Disease on Hemodialysis. *Nutrients*, 9(399). <https://doi.org/10.3390/nu9040399>
- Kawate, Y., & Miyata, H. (2017). The importance of nutritional intervention by dietitians for hyperphosphatemia in maintained hemodialysis patients. *Renal Replacement Therapy*, 3(1), 1–13. <https://doi.org/10.1186/s41100-017-0095-x>
- Kazancioglu, R. (2013). Risk factors for chronic kidney disease : an update. *Kidney International Supplements*, 3, 368–371. <https://doi.org/10.1038/kisup.2013.79>
- Kementerian Kesehatan Republik Indonesia. (2018). *Hasil Utama Riskesdas 2018*.
- Kidney Disease: Improving Global Outcomes (KDIGO). (2017). KDIGO 2017 Clinical Practice Guideline Update for the Diagnosis, Evaluation, Prevention, and Treatment of Chronic Kidney Disease–Mineral and Bone Disorder (CKD-MBD). *Kidney International Supplements*, 7, 1–59. <https://doi.org/10.1053/j.ajkd.2017.07.019>
- Kidney Health Australia. (2015). *All About Chronic Kidney Disease*. (July), 1–4. Retrieved from <http://kidney.org.au/about-us/resources-library/fact-sheets>
- Kidney Health Australia. (2016). *An Introduction to Haemodialysis*.
- Kistler, B. M., Benner, D., Burrowes, J. D., Campbell, K. L., Fouque, D., Garibotto, G., Kalantar-Zadeh, K. (2018). Eating During Hemodialysis Treatment: A Consensus Statement From the International Society of Renal Nutrition and Metabolism. *Journal of Renal Nutrition*, 28(1), 4–12. <https://doi.org/10.1053/j.jrn.2017.10.003>
- Kistler, B. M., Fitschen, P. J., Ikizler, T. A., & Wilund, K. R. (2015). Rethinking

- the restriction on nutrition during hemodialysis treatment. *Journal of Renal Nutrition*, 25(2), 81–87. <https://doi.org/10.1053/j.jrn.2014.08.008>
- Kurniawan, A. W., & Koesrini, J. (2019). Hubungan Kadar Ureum, Hemoglobin dan Lama Hemodialisa dengan Kualitas Hidup Penderita PGK. *Jurnal Ners Dan Kebidanan*, 6, 292–299. <https://doi.org/10.26699/jnk.V6i3.ART.p292-299>
- Kusumastuty, I. (2015). Matrik Intervensi Gizi dan NCP. In Dian Handayani & O. Anggraeny (Eds.), *Nutrition Care Process (NCP)* (p. VIII+148). Yogyakarta: Graha Ilmu.
- Lacey, K., & Pritchett, E. (2003). Nutrition Care Process and Model: ADA adopts road map to quality care and outcomes management. The 2008 Update. *Journal of the American Dietetic Association*, 103(8), 1113–1117. <https://doi.org/10.1053/jada.2003.50564>
- Lambert, K., Mullan, J., & Mansfield, K. (2017). An integrative review of the methodology and findings regarding dietary adherence in end stage kidney disease. *BMC Nephrology*, 18(1), 1–20. <https://doi.org/10.1186/s12882-017-0734-z>
- Lazarus, E. R. (2018). Effectiveness of education and exercise on quality of life among patients undergoing hemodialysis. *Clinical Epidemiology and Global Health*, 7(3), 402–408. <https://doi.org/10.1016/j.cegh.2018.07.003>
- Lemeshow, S., Jr, D. W. H., Klar, J., & Lwanga, S. K. (1990). *Adequacy of Sample Size in Health Studi* (World Health Organization, Ed.). Baffins Lane, Chichester, England: John Wiley & Sons Ltd.
- Liakopoulos, V., Roumeliotis, S., Gorny, X., Dounousi, E., & Mertens, P. R. (2017). Oxidative Stress in Hemodialysis Patients: A Review of the Literature. *Oxidative Medicine and Cellular Longevity*. <https://doi.org/10.1155/2017/3081856>
- Liem, Y. S., Bosch, J. L., Arends, L. R., Heijenbrok-Kal, M. H., & Hunink, M. G. M. (2007). Quality of life assessed with the medical outcomes study short form 36-item health survey of patients on renal replacement therapy: A systematic review and meta-analysis. *Value in Health*, 10(5), 390–397. <https://doi.org/10.1111/j.1524-4733.2007.00193.x>
- Luis, D., Zlatkis, K., Comenge, B., & Garc, Z. (2015). Dietary Quality and Adherence to Dietary Recommendations in Patients Undergoing Hemodialysis. *Journal of Renal Nutrition*, 1–6. <https://doi.org/10.1053/j.jrn.2015.11.004>
- Luis, D., Zlatkis, K., Comenge, B., García, Z., Navarro, J. F., Lorenzo, V., & Carrero, J. J. (2016). Dietary Quality and Adherence to Dietary Recommendations in Patients Undergoing Hemodialysis. *Journal of Renal Nutrition*, 26(3), 190–195. <https://doi.org/10.1053/j.jrn.2015.11.004>
- Luyckx, V. A., Tonelli, M., & Stanifer, J. W. (2018). The Global Burden of Kidney Disease and The Sustainable Development Goals. *Bulletin of the World Health Organization*, 96(6), 414–422D. <https://doi.org/10.2471/BLT.17.206441>
- Macias-Nunez, J. F., Cameron, J. S., & Oreopoulos, D. G. (2007). *The Aging Kidney in Health and Disease - Google Buku*. Retrieved from <https://books.google.co.id/books?id=XHIBhXZAiQ4C&dq=health+mental+a>

- nd+physical+between+older+and+younger+dialysis+patient&hl=id&source=gbs_navlinks_s
- Mailani, F. (2015). Kualitas Hidup Pasien Penyakit Ginjal Kronik yang Menjalani Hemodialisis: Systematic Review. *Ners Jurnal Keperawatan*, *11*(1), 1–8.
- Martin-Alemañy, G., Valdez-Ortiz, R., Olvera-Soto, G., Gomez-Guerrero, I., Aguire-Esquivel, G., Cantu-Quintanilla, G., ... Espinosa-Cuevas, A. (2016). The effects of resistance exercise and oral nutritional supplementation during hemodialysis on indicators of nutritional status and quality of life. *Nephrology Dialysis Transplantation*, *31*(10), 1712–1720. <https://doi.org/10.1093/ndt/gfw297>
- MCHorney, C. A., Ware, J. E., & Raczek, A. E. (1993). The MOS 36-Item Short-Form Health Survey (SF-36): Psychometric and Clinical Tests of Validity in Measuring Physical and Mental Health Constructs. *Medical Care*, *31*(3), 247–263. <https://doi.org/10.1097/00005650-199303000-00006>
- Murali, K. M., Mullan, J., Roodenrys, S., Hassan, H. C., Lambert, K., & Lonergan, M. (2019). Strategies to improve dietary, fluid, dialysis or medication adherence in patients with end stage kidney disease on dialysis: A systematic review and meta-analysis of randomized intervention trials. *PLoS ONE*, *14*(1), 1–27. <https://doi.org/10.1371/journal.pone.0211479>
- National Institutes of Diabetes and Digestive and Kidney Disease (NIDDK). (2006). Treatment Methods for Kidney Failure: Hemodialysis. *National Institutes of Health Publication*, 1–11.
- National Kidney Foundation. (2000). K/DOQI(TM) clinical practice guidelines for nutrition in chronic renal failure. *American Journal of Kidney Diseases*, *35*(6 SUPPL. 2).
- National Kidney Foundation. (2002). K/DOQI Clinical Practice Guidelines for Chronic Kidney Disease: Evaluation, Classification and Stratification. In *American Journal of Kidney Diseases* (Vol. 39).
- National Kidney Foundation. (2006a). *Hemodialysis: What You Need to Know*. <https://doi.org/10.1016/j.matlet.2011.04.090>
- National Kidney Foundation. (2006b). KDOQI Clinical Practice Guidelines and Clinical Practice Recommendations for 2006 Updates: Hemodialysis Adequacy, Peritoneal Dialysis Adequacy and Vascular Access. *American Journal of Kidney Diseases* *48*:S1-S322. <https://doi.org/10.1053/j.ajkd.2006.04.040>
- National Kidney Foundation. (2006c). KDOQI Clinical Practice Guidelines and Clinical Practice Recommendations for 2006 Updates: Hemodialysis Adequacy, Peritoneal Dialysis Adequacy and Vascular Access. *American Journal of Kidney Diseases*, *48*(1), 1–322.
- National Kidney Foundation. (2013). *Nutrition and Hemodialysis*. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2274561/pdf/canfamphys00325-0080.pdf>
- National Kidney Foundation. (2019). *Potassium and Your CKD Diet*.
- Nayana, S. A., Balasubramanian, T., Nathaliya, P. M., Nimsha Hussain, P., Mohammed Salim, K. T., & Muhammed Lubab, P. (2017). A Cross Sectional Study on Assessment of Health Related Quality of Life Among End Stage

- Renal Disease Patients Undergoing Hemodialysis. *Clinical Epidemiology and Global Health*, 5(3), 148–153. <https://doi.org/10.1016/j.cegh.2016.08.005>
- Noordzij, M., & Jager, K. J. (2013). Increased Mortality Early After Dialysis Initiation: a Universal Phenomenon. *Kidney International*, 85(1), 12–14. <https://doi.org/10.1038/ki.2013.316>
- Nunes, F. T., de Campos, G., de Paula, S. M. X., Merhi, V. A. L., Portero-McLellan, K. C., da Motta, D. G., & de Oliveira, M. R. M. (2008). Dialysis Adequacy and Nutritional Status of Hemodialysis Patients. *Hemodialysis International*, 12(1), 45–51. <https://doi.org/10.1111/j.1542-4758.2008.00239.x>
- Opiyo, R. O., Nyasulu, P. S., Olenja, J., Zunza, M., Nguyen, K. A., Bukania, Z., ... Were, A. O. (2019). Factors associated with adherence to dietary prescription among adult patients with chronic kidney disease on hemodialysis in national referral hospitals in Kenya: A mixed-methods survey. *Renal Replacement Therapy*, 5(1), 1–14. <https://doi.org/10.1186/s41100-019-0237-4>
- Ozen, N., Cinar, F. I., Askin, D., Dilek, M. U. T., & Turker, T. (2019). Nonadherence in hemodialysis patients and related factors: A multicenter study. *Journal of Nursing Research*, 27(4), 1–11. <https://doi.org/10.1097/jnr.0000000000000309>
- Pakpour, A. H., Saffari, M., Yekaninejad, M. S., Panahi, D., Harrison, A. P., & Molsted, S. (2010). Health-Related Quality of Life in a Sample of Iranian Patients on Hemodialysis. *Iranian Journal of Kidney Disease*, 4(1), 51–59.
- Park, K.-A., Choi-Kwon, S., Sim, Y. M., & Kim, S. B. (2008). Comparison of Dietary Compliance and Dietary Knowledge Between Older and Younger Korean Hemodialysis Patients. *Journal of Renal Nutrition*, 18(5), 415–423. <https://doi.org/10.1053/j.jrn.2008.04.004>
- Perhimpunan Nefrologi Indonesia (PERNEFRI). (2017). *10th Report Of Indonesian Renal Registry 2017*.
- Ricardo, A. C., Madero, M., Yang, W., Anderson, C., Menezes, M., Fischer, M. J., Lash, J. P. (2013). Adherence to a Healthy Lifestyle and All-Cause Mortality in CKD. *Clinical Journal of the American Society of Nephrology*, 8(4), 602–609. <https://doi.org/10.2215/CJN.00600112>
- Roach, L. A., Lambert, K., Holt, J. L., & Meyer, B. J. (2017). Diet quality in patients with end-stage kidney disease undergoing dialysis. *Journal of Renal Care*, 43(4), 226–234. <https://doi.org/10.1111/jorc.12215>
- Roy, L. G., Shetty, M. S., & Urooj, A. (2013). Effect of Nutritional Intervention On Malnutrition Indicators in Patients On Hemodialysis. *Journal of Renal Care*, 39(1), 39–46. <https://doi.org/10.1111/j.1755-6686.2013.12000.x>
- Rustandi, H., Tranado, H., & Pransasti, T. (2018). Faktor-faktor yang Mempengaruhi Kualitas Hidup Pasien Chronic Kidney Disease 9CKD) yang Menjalani Hemodialisa di Ruang Hemodialisa. *Jurnal Keperawatan Silampari (JKS)*, 1(2).
- Sameiro-Faria, M. Do, Ribeiro, S., Costa, E., Mendonça, D., Teixeira, L., Rocha-Pereira, P., Santos-Silva, A. (2013). Risk Factors for Mortality in Hemodialysis Patients: Two-Year Follow-Up Study. *Disease Markers*, 35(6), 791–798. <https://doi.org/10.1155/2013/518945>
- Santos, A. C. B. dos, Machado, M. do C., Pereira, L. R. Abel., Abreu, J. L. emo. P.,

- & Lyra, M. B. arbos. (2013). Association Between the Level of Quality of Life and Nutritional Status in Patients Undergoing Chronic Renal Hemodialysis. *Jornal Brasileiro de Nefrologia*, 35(4), 279–288. <https://doi.org/10.5935/0101-2800.20130047>
- Savitri, E. R. . (2016). Hubungan Lama Terapi Hemodialisis dan Indeks Masa Tubuh dengan Kualitas Hidup Pasien Gagal Ginjal Kronis yang Menjalani Terapi Hemodilaisis di Unit Hemodialisa Rumah Sakit Umum Daerah Abdul Wahab Sjahranie Kota Samarinda. <https://doi.org/10.1017/CBO9781107415324.004>
- Scott, M. K., Shah, N. A., Vilay, A. M., Thomas, J., Kraus, M. A., & Mueller, B. A. (2009). Effects of Peridialytic Oral Supplements on Nutritional Status and Quality of Life in Chronic Hemodialysis Patients. *Journal of Renal Nutrition*, 19(2), 145–152. <https://doi.org/10.1053/j.jrn.2008.08.004>
- Segall, L., Moscalu, M., Hogaş, S., Mititiuc, I., Nistor, I., Veisa, G., & Covic, A. (2014). Protein-Energy Wasting, As Well As Overweight and Obesity, is a Long-term Risk Factor for Mortality in Chronic Hemodialysis Patients. *International Urology and Nephrology*, 46(3), 615–621. <https://doi.org/10.1007/s11255-014-0650-0>
- Sharma, M., Rao, M., Jacob, S., & Jacob, C. . (1999). A Dietary Survey in Indian Hemodialysis. *Journal of Renal Nutrition*, 9(1), 21–25.
- Shinaberger, C. S., Kilpatrick, R. D., Regidor, D. L., McAllister, C. J., Greenland, S., Kopple, J. D., & Kalantar-Zadeh, K. (2006). Longitudinal Associations Between Dietary Protein Intake and Survival in Hemodialysis Patients. *American Journal of Kidney Diseases*, 48(1), 37–49. <https://doi.org/10.1053/j.ajkd.2006.03.049>
- Shumaker, S. A., Ockene, J. K., & Riekert, K. A. (2008, September). The Handbook of Health Behavior Change, Third Edition - Google Buku. Retrieved June 10, 2020, from Springer Publishing Company website: https://books.google.co.id/books?id=4jRNJKzlhlc&dq=patient+need+12+months+to+change+dietary+behavior&hl=id&source=gbs_navlinks_s
- Siagian, Y. (2018). Status Nutrisi Pasien Hemodialisa Di Rumah Sakit Umum Daerah. *Jurnal Keperawatan Silampari (JKS)*, 2(1), 300–314. <https://doi.org/10.31539/jks.v2i1.320>
- St-Jules, D. E., Goldfarb, D. S., & Sevick, M. A. (2016). Nutrient Non-equivalence: Does Restricting High-Potassium Plant Foods Help to Prevent Hyperkalemia in Hemodialysis Patients? *Journal of Renal Nutrition*, 26(5), 282–287. <https://doi.org/10.1053/j.jrn.2016.02.005>
- St-Jules, D. E., Woolf, K., Pompeii, M. Lou, Kalantar-Zadeh, K., & Sevick, M. A. (2016). Reexamining the Phosphorus–Protein Dilemma: Does Phosphorus Restriction Compromise Protein Status? *Journal of Renal Nutrition*, 26(3), 136–140. <https://doi.org/10.1053/j.jrn.2015.12.004>
- Struijk-wielinga, G. I., Romijn, M., Neelemaat, F., Wee, P. M., & Weijs, P. J. M. (2016). Providing In-Between Meals During Dialysis Treatment Contributes to an Ad- equate Protein And Energy Intake in Hemodialysis Patients : A Non-Randomized Intervention Study. *Mathews Journal of Nutrition & Dietetics*, 1(2), 006.

- Therrien, M., Byham-Gray, L., & Beto, J. (2015). A Review of Dietary Intake Studies in Maintenance Dialysis Patients. *Journal of Renal Nutrition*, 25(4), 329–338. <https://doi.org/10.1053/j.jrn.2014.11.001>
- Thomas, R., Kanso, A., & Sedor, J. R. (2008). Chronic Kidney Disease and Its Complications. *Primary Care: Clinics in Office Practice*, 35(2), 329–344. <https://doi.org/10.1016/j.pop.2008.01.008>
- VCU Medical Center. (2006). *The Renal Diet A Guide to Eating Healthier for Hemodialysis Patients*. Retrieved from https://www.vcuhealth.org/media/file/renal_diet.pdf
- Veerappan, I., Arvind, R. M., & Ilayabharthi, V. (2012). Predictors of quality of life of hemodialysis patients in India. *Indian Journal of Nephrology*, 22(1), 18–25. <https://doi.org/10.4103/0971-4065.91185>
- Verheijden, M. W. (2004). Nutrition counselling in general practice: the Stages of Change Model. In *Nutrition counselling in general practice: the stages of change model*.
- Wahyuni, P., Miro, S., & Kurniawan, E. (2018). Hubungan Lama Menjalani Hemodialisis dengan Kualitas Hidup Pasien Penyakit Ginjal Kronik dengan Diabetes Melitus. *Jurnal Kesehatan Andalas*, 7(4), 480–485.
- Wang, L.-J., Wu, M.-S., Hsu, H.-J., Wu, I.-W., Sun, C.-Y., Chou, C.-C., Chen, C.-K. (2012). The Relationship between Psychological Factors, Inflammation, and Nutrition in Patients with Chronic Renal Failure Undergoing Hemodialysis. *The International Journal of Psychiatry in Medicine*, 44(2), 105–118. <https://doi.org/10.2190/PM.44.2.b>
- Webster, A. C., Nagler, E. V., Morton, R. L., & Masson, P. (2017). Chronic Kidney Disease. *The Lancet*, 389(10075), 1238–1252. [https://doi.org/10.1016/S0140-6736\(16\)32064-5](https://doi.org/10.1016/S0140-6736(16)32064-5)
- WHO. World Health Organization. (1997). *WHOQOL Measuring Quality of Life* (Vol. 41).
- Widiany, F. L. (2017). Faktor-faktor yang Mempengaruhi Kepatuhan Diet Pasien Hemodialisis. *Jurnal Gizi Klinik Indonesia*, 14(2), 72. <https://doi.org/10.22146/ijcn.22015>
- Wight, J. P., Edwards, L., Brazier, J., Walters, S., Payne, J. N., & Brown, C. B. (1998). The SF36 As an Outcome Measure of Services for End Stage Renal Failure. *Quality and Safety in Health Care*, 7(4), 209–221. <https://doi.org/10.1136/qshc.7.4.209>
- Wilund, K., Biruete, A., Barnes, J., Kistler, B., Wiens, K., Fitschen, P., ... Merz, C. (2015). Characterization of Eating Patterns in Hemodialysis Patients. *Nephrology Dialysis Transplantation*, 30(suppl_3), iii340–iii340. <https://doi.org/10.1093/ndt/gfv184.24>
- World Health Organization. (2003). *Adherence to Long-term Therapies Evidence for Action*.
- Wulandari, H., Susetyowati, & Prasanto, H. (2018). Comparison Between Brief Food Frequency Questionnaire and Food Record to Assess the Energy and Protein Intake of Hemodialysis Patients at Dr. Sardjito Hospital in Indonesia. *Saudi Journal of Kidney Diseases and Transplantation*, 29(1), 145. <https://doi.org/10.4103/1319-2442.225196>

- Wyskida, K., Witkowicz, J., Chudek, J., & Więcek, A. (2012). Daily Magnesium Intake and Hypermagnesemia in Hemodialysis Patients With Chronic Kidney Disease. *Journal of Renal Nutrition*, 22(1), 19–26. <https://doi.org/10.1053/j.jrn.2011.03.001>
- Yusop, N. B. M., Mun, C. Y., Shariff, Z. M., & Huat, C. B. (2013). Factors associated with quality of life among hemodialysis patients in Malaysia. *PLoS ONE*, 8(12), 1–11. <https://doi.org/10.1371/journal.pone.0084152>
- Zha, Y., & Qian, Q. (2017). Protein Nutrition and Malnutrition in CKD and ESRD. *Nutrients*, 9(3), 208. <https://doi.org/10.3390/nu9030208>