

DAFTAR PUSTAKA

- Abbasi Fakhravari, A., Bastani, F., & Haghani, H. (2018). The Effect of Foot Reflexology Massage on the Sleep Quality of Elderly Women With Restless Leg Syndrome. *Journal of Client-Centered Nursing Care*, 26(5), 96–103. <https://doi.org/10.32598/jccnc.4.2.96>
- Abdel-Kader, K., Unruh, M. L., & Weisbord, S. D. (2009). Symptom burden, depression, and quality of life in chronic and end-stage kidney disease. *Clinical Journal of the American Society of Nephrology*, 4(6), 1057–1064. <https://doi.org/10.2215/CJN.00430109>
- Ahmadidarrehshima, S., Mohammadpourhodki, R., Ebrahimi, H., Keramati, M., & Dianatinasab, M. (2018). Effect of foot reflexology and slow stroke back massage on the severity of fatigue in patients undergoing hemodialysis: A semi-experimental study. *Journal of Complementary and Integrative Medicine*, 15(4), 1–6. <https://doi.org/10.1515/jcim-2017-0183>
- Al-Jahdali, H. H., Al-Ghamdi, S. M., Tamim, H., Al-Sayyari, A. A., Khogeer, H. A., Baharoon, S., ... Al-Hejaili, F. F. (2010). Insomnia in chronic renal patients on dialysis in Saudi Arabia. *Journal of Circadian Rhythms*, 8(0), 7. <https://doi.org/10.1186/1740-3391-8-7>
- Almutary. (2017). Towards a Symptom Cluster Model in Chronic Kidney Disease: A Structural Equation Approach. *Journal of Advanced Nursing*, 73(10), 2450–2461. <https://doi.org/10.1111/ijlh.12426>
- Almutary, H., Bonner, A., & Douglas, C. (2016). Which Patients with Chronic Kidney Disease Have the Greatest Symptom Burden? A Comparative Study of Advanced CKD Stage and Dialysis Modality. *Journal of Renal Care*, 42(2), 73–82. <https://doi.org/https://doi.org/10.1111/jorc.12152>
- Almutary, Hayfa, Bonner, A., & Douglas, C. (2013). Symptom Burden in Chronic Kidney Disease: A Review of Recent Literature. *Journal of Renal Care*, 1–11. <https://doi.org/https://doi.org/10.1111/j.1755-6686.2013.12022.x>
- American Psychiatric Association. (2013). *American Psychiatric Association: Diagnostic and Statistical Manual of Mental Disorders* (Fifth). Arlington: American Psychiatric Publishing. <https://doi.org/10.1176/appi.books.9780890425596.744053>
- Arache, W., Laboudi, F., Ouanass, A., & El Kabbaj, D. (2019). Poor Quality of Sleep in Patients on Chronic Hemodialysis. *Ibnosina J Med Biomed Sci*, 11(1), 20–24. <https://doi.org/10.4103/ijmbs.ijmbs>
- Assimon, M. M., & Flythe, J. E. (2017). Definitions of intradialytic hypotension. *Seminars in Dialysis*, 30(6), 464–472. <https://doi.org/10.1111/sdi.12626>
- Bagshaw, S. M. (2010). Diagnosis and classification of AKI: AKIN or RIFLE ? *Nature Reviews Nephrology*, 6(2), 71–73. <https://doi.org/10.1038/nrneph.2009.225>
- Bahall, M. (2017). Use of complementary and alternative medicine by patients with end-stage renal disease on haemodialysis in Trinidad: A descriptive study. *BMC Complementary and Alternative Medicine*, 17(1), 1–10.

<https://doi.org/10.1186/s12906-017-1755-7>

- Bennett, P. N., Ngo, T., Kalife, C., & Schiller, B. (2018). Improving wellbeing in patients undergoing dialysis: Can meditation help? *Seminars in Dialysis*, 31(1), 59–64. <https://doi.org/10.1111/sdi.12656>
- Blank, M., Zhang, J., Lamers, F., Taylor, A. D., Hickie, I. B., & Merikangas, K. R. (2015). Health correlates of insomnia symptoms and comorbid mental disorders in a nationally representative sample of US adolescents. *Sleep*, 38(2), 197–204. <https://doi.org/10.5665/sleep.4396>
- Bochkarev, M., Korostovtseva, L., Pilchenko, I., Rotar, O. P., Sciryaev, Y., Zhernakova, Y., ... Shlyakhto, E. (2018). Social demofraphic aspects of insomnia in the Russian population according to ESSE-RD study. *ЖУРНАЛ НЕВРОЛОГИИ И ПСИХИАТРИИ*, 4(2).
- Bonnet, M. H. (2009). Evidence for the pathophysiology of insomnia. *Sleep*, 32(4), 441–442. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/19413138> <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=PMC2663857>
- Bossola, M., Di Stasio, E., Antocicco, M., Panico, L., Pepe, G., & Tazza, L. (2015). Fatigue is Associated with Increased Risk of Mortality in Patients on Chronic Hemodialysis. *Nephron*, 130(2), 113–118. <https://doi.org/10.1159/000430827>
- Brown, R. E., Basheer, R., McKenna, J. T., Strecker, R. E., & McCarley, R. W. (2012). Control of Sleep and Wakefulness. *Physiol Rev*, 92(3), 1087–1187. <https://doi.org/10.1152/physrev.00032.2011>.CONTROL
- Buyse, D. J. (2013). Insomnia. *JAMA: The Journal of the American Medical Association*, 309(7), 706–716.
- Buyse, Reynolds, C., Monk, T., Berman, S., & Kupfer, D. (1989). The Pittsburgh Sleep Quality Index: A New Instrument for Psychiatric Practice and Research. *Psychiatry Research*, 28, 193–213. <https://doi.org/10.1152/ajpheart.00471.2010>
- Centers for Disease Control and Prevention. (2017). *National Chronic Kidney Disease Fact Sheet, 2017*. Atlanta. Retrieved from https://www.cdc.gov/diabetes/pubs/pdf/kidney_factsheet.pdf
- Chung, K., Kan, K. K., & Yeung, W. (2011). Assessing insomnia in adolescents : Comparison of Insomnia Severity Index , Athens Insomnia Scale and Sleep Quality Index. *Sleep Medicine*, 12(5), 463–470. <https://doi.org/10.1016/j.sleep.2010.09.019>
- Coca, S. G., Singanamala, S., & Parikh, C. R. (2012). Chronic kidney disease after acute kidney injury : a systematic review and meta-analysis. *Kidney International*, 81(5), 442–448. <https://doi.org/10.1038/ki.2011.379>
- Dangol, M., Shrestha, S., & Rai Koirala, S. K. (2020). Insomnia and its associated factors among older people of selected ward of Banepa municipality, Nepal. *Nursing Open*, 7(1), 355–363. <https://doi.org/10.1002/nop2.396>
- Danielle, F. M. E. H., Mahamat, M., Francois, K. F., Marie-Patrice, H., & Gloria, A. (2017). Sleep Quality on Maintenance Hemodialysis Patients in Douala General Hospital in Cameroon. *Open Journal of Nephrology*, 07(03), 61–68. <https://doi.org/10.4236/ojneph.2017.73008>
- Elder, S. J., Pisoni, R. L., Akizawa, T., Fissell, R., Andreucci, V. E., Fukuhara, S., ...

- Saran, R. (2008). Sleep quality predicts quality of life and mortality risk in haemodialysis patients: Results from the Dialysis Outcomes and Practice Patterns Study (DOPPS). *Nephrology Dialysis Transplantation*, 23(3), 998–1004. <https://doi.org/10.1093/ndt/gfm630>
- Emamverdi, M., Mohammadpour, A., Aval, S. B., & Sajjadi, M. (2019). Comparing the Effects of Reflexology Massage and Acupressure on the Quality of Sleep in Hemodialysis Patients: A Randomized Clinical Trial. *J Mazandaran Univ Med Sci*, 29(176), 34–46.
- Embong, N., Chang, Y., Chiau, L., & Wui, T. (2015). Journal of Traditional and Complementary Medicine Revisiting reflexology: Concept, evidence, current practice, and practitioner training. *Journal of Traditional Chinese Medical Sciences*, 5(4), 197–206. <https://doi.org/10.1016/j.jtcme.2015.08.008>
- Evans, P. D., & Tall, M. W. (2015). Epidemiology and causes of chronic kidney disease. *Medicine*, 1–4. <https://doi.org/10.1016/j.mpmed.2015.05.005>
- Farhud, D. D., Malmir, M., & Khanahmadi, M. (2014). Happiness & health: The biological factors- systematic review article. *Iranian Journal of Public Health*, 43(11), 1468–1477.
- Farrokhian, R., Solaimani, M., Sheikhi, M., & Alipou, M. (2016). Effect of Foot Reflexology Massage on Sleep Quality in Hemodialysis Patients: A Randomized Control Trial. *Scientific Journal of Hamadan Nursing & Midwifery Faculty*, 24(3). <https://doi.org/10.21859/nmj-24041>
- Feroze, U., Martin, D., Reina-Patton, A., Kalantar-Zadeh, K., & Kopple, J. D. (2010). Mental health, depression, and anxiety in patients on maintenance dialysis. *Iranian Journal of Kidney Diseases*, 4(3), 173–180.
- Ficheux, A., Kerr, P. G., Brunet, P., & Argilés, À. (2011). The ultrafiltration coefficient of a dialyser (KUF) is not a fixed value, and it follows a parabolic function: The new concept of KUF max. *Nephrology Dialysis Transplantation*, 26(2), 636–640. <https://doi.org/10.1093/ndt/gfq510>
- Finnegan-John, J., & Thomas, V. J. (2012). The Psychosocial Experience of Patients with End-Stage Renal Disease and Its Impact on Quality of Life: Findings from a Needs Assessment to Shape a Service. *ISRN Nephrology*, 2013, 1–8. <https://doi.org/10.5402/2013/308986>
- Firoz, M. N., Shafipour, V., Jafari, H., Hosseini, S. H., & Charati, J. Y. (2015). Sleep Quality and Depression and Their Association with Other Factors in Hemodialysis Patients. *Global Journal of Health Science*, 8(8), 121. <https://doi.org/10.5539/gjhs.v8n8p121>
- Gaita, D., Mihaescu, A., & Schiller, A. (2014). Of heart and kidney: a complicated love story. *European Journal of Preventive Cardiology*, 21(7), 840–846. <https://doi.org/10.1177/2047487312462826>
- Gamble, K. L., Berry, R., Frank, S. J., & Young, M. E. (2014). Circadian clock control of endocrine factors. *Nature Reviews Endocrinology*, 10(8), 466–475. <https://doi.org/10.1038/nrendo.2014.78>
- García-Llana, H., Remor, E., del Peso, G., & Selgas, R. (2014). El papel de la depresión, la ansiedad, el estrés y la adhesión al tratamiento en la calidad de vida relacionada con la salud en pacientes en diálisis: Revisión sistemática de la

- literatura. *Nefrologia*, 34(5), 637–657.
<https://doi.org/10.3265/Nefrologia.pre2014.Jun.11959>
- Gerasimoula, K., Lefkothea, L., Maria, L., Victoria, A., Paraskevi, T., & Maria, P. (2015). Quality of Life in Hemodialysis Patients. *Mater Sociomed*, 5, 305–309.
<https://doi.org/10.5455/msm.2015.27.305-309>
- Gross, C. R., Kreitzer, M. J., Reilly-Spong, M., Wall, M., Winbush, N. Y., Patterson, R., ... Cramer-Bornemann, M. (2011). Mindfulness-based stress reduction versus pharmacotherapy for chronic primary insomnia: A randomized controlled clinical trial. *Explore: The Journal of Science and Healing*, 7(2), 76–87.
<https://doi.org/10.1016/j.explore.2010.12.003>
- Guimaraes, C. M., Pinge, M. C. M., Yamamura, Y., & Mello, L. E. A. M. (1997). Effects of acupuncture on behavioral, cardiovascular and hormonal responses in restraint-stressed Wistar rats. *Brazilian Journal of Medical and Biological Research*, 30(12), 1445–1450.
- Hachul, H., Oliveira, D. S., Bittencourt, L. R. A., Andersen, M. L., & Tufik, S. (2014). The beneficial effects of massage therapy for insomnia in postmenopausal women. *Sleep Science*, 7(2), 114–116. <https://doi.org/10.1016/j.slsci.2014.09.005>
- Haddad, M. N., Winnicki, E., & Nguyen, S. (2019). *Adolescents with Chronic Kidney Disease*. Switzerland: Springer Nature.
- Haffner, D., & Zivicnjak, M. (2016). Pubertal development in children with chronic kidney disease. *Pediatric Nephrology*, 32(6), 949–964.
<https://doi.org/10.1007/s00467-016-3432-3>
- Hamzi, M. A., Hasani, K., Asseraji, M., & El Kabbag, D. (2017). Insomnia in Hemodialysis Patients: A Multicenter Studi from Morocco. *Saudi Jour*, 28(5), 1112–1118.
- Harris, P. E., Cooper, K. L., Relton, C., & Thomas, K. J. (2012). Prevalence of complementary and alternative medicine (CAM) use by the general population: A systematic review and update. *International Journal of Clinical Practice*, 66(10), 924–939. <https://doi.org/10.1111/j.1742-1241.2012.02945.x>
- Hassanzadeh, M., Kiani, F., Bouya, S., & Zarei, M. (2018). Comparing the effects of relaxation technique and inhalation aromatherapy on fatigue in patients undergoing hemodialysis. *Complementary Therapies in Clinical Practice*, 31, 210–214. <https://doi.org/10.1016/j.ctcp.2018.02.019>
- Himmelfarb, J., & Ikizler, T. A. (2019). *Chronic Kidney Disease , Dialysis , and Transplantation*. <https://doi.org/10.1016/B978-0-323-52978-5.18001-2>
- Hughes, C. M., McCullough, C. A., Bradbury, I., Boyde, C., Hume, D., Yuan, J., ... McDonough, S. M. (2009). Acupuncture and reflexology for insomnia: A feasibility study. *Acupuncture in Medicine*, 27(4), 163–168.
<https://doi.org/10.1136/aim.2009.000760>
- Ibrahim, J. M., & Wedgan, O. M. (2011). Epidemiology of sleep disorders in patients with chronic renal disease in Cairo, Egypt. *Journal of the Egyptian Public Health Association*, 86(3–4), 68–72.
<https://doi.org/10.1097/01.EPX.0000399136.00486.4e>
- Indonesian Renal Registry. (2017). *10 th Report of Indonesian Renal Registry*. Jakarta.
- Ingham, E. (1984). *Stories the Feet Can Tell Thru Reflexology, Stories the Feet Have*

- Told Thru Reflexology*. St. Peterburg, USA: Ingham Publishing.
- IsHak, W. W., Bagot, K., Thomas, S., Magakian, N., Bedwani, D., Larson, D., ... Zaky, C. (2012). Quality of life in patients suffering from insomnia. *Innovations in Clinical Neuroscience*, 9(10), 13–26.
- Islam, S. (2017). *Thrombosis and Embolism: from Research to Clinical Practice* (Vol. 1). Switzerland: Springer International Publishing. <https://doi.org/DOI10.1007/978-3-319-22108-3>
- Jabr, F. (2007). Letter to the editor. *American Journal of Physical Medicine & Rehabilitation*, 86(8), 691. <https://doi.org/10.1590/S0365-05962007000200014>
- James, A. (2002). *Hands on Reflexology: A Complete Guide* (First). Manchester: Edward Arnold.
- Kashani, F., & Kashani, P. (2014). The Effect of Massage Therapy on the Quality of Sleep in Breast Cancer Patients. *Iranian Journal of Nursing and Midwifery Research*, 19(2).
- Kawata, Y., Maeda, M., Sato, T., Maruyama, K., Wada, H., Ikeda, A., & Tanigawa, T. (2020). Association between marital status and insomnia-related symptoms: Findings from a population-based survey in Japan. *European Journal of Public Health*, 30(1), 144–149. <https://doi.org/10.1093/eurpub/ckz119>
- KDIGO. (2013). Definition and classification of CKD. *Kidney International Supplements*, 3(1), 19–62. <https://doi.org/10.1038/kisup.2012.64>
- KDIGO. (2018). Clinical Practice Guideline for the Prevention , Diagnosis , Evaluation , and Treatment of Hepatitis C in Chronic Kidney Disease. In *Kidney International Supplements* (Vol. 8).
- Kementerian kesehatan RI. (2018). Riset Kesehatan Dasar 2018 (p. 61). Jakarta. <https://doi.org/10.1016/j.sbspro.2013.12.001>
- Kementerian Pendidikan dan Kebudayaan. (2015). *Ilmu Pijat Pengobatan Refleksi Relaksasi* (1st ed.). Jakarta: Direktorat Pembinaan Kursus dan Pelatihan.
- Kim, K., Kang, G. W., & Woo, J. (2018). The quality of life of hemodialysis patients is affected not only by medical but also psychosocial factors: A canonical correlation study. *Journal of Korean Medical Science*, 33(14), 1–11. <https://doi.org/10.3346/jkms.2018.33.e111>
- Knezevic, M. Z., Djordjevic, V. V., Bivolarevic, I. C., Jovic, J. J., & Djordjević, V. M. (2012). Insomnia severity in chronic kidney disease patients with various therapies. *Central European Journal of Medicine*, 7(1), 112–117. <https://doi.org/10.2478/s11536-011-0115-0>
- Knezevic, M. Z., Djordjevic, V. V., Jankovic, S. M., & Djordjevic, V. M. (2013). Influence of dialysis modality and membrane flux on insomnia severity in haemodialysis patients. *Nephrology*, 18(11), 706–711. <https://doi.org/10.1111/nep.12131>
- Koch, B. C. P., Van Der Putten, K., Van Someren, E. J. W., Wieters, J. P. M., Ter Wee, P. M., Nagtegaal, J. E., & Gaillard, C. A. J. M. (2010). Impairment of endogenous melatonin rhythm is related to the degree of chronic kidney disease (CREAM study). *Nephrology Dialysis Transplantation*, 25(2), 513–519. <https://doi.org/10.1093/ndt/gfp493>
- Koyama, H., Fukuda, S., Shoji, T., Inaba, M., Tsujimoto, Y., Tabata, T., ... Nishizawa,

- Y. (2010). Fatigue is a predictor for cardiovascular outcomes in patients undergoing hemodialysis. *Clinical Journal of the American Society of Nephrology*, 5(4), 659–666. <https://doi.org/10.2215/CJN.08151109>
- Krystal, A. D. (2012). Psychiatric Disorders and Sleep. *Neurologic Clinics*, 30(4), 1389–1413. <https://doi.org/10.1016/j.ncl.2012.08.018>
- Kusuma, H., Ropyanto, C. B., Widyaningsih, S., & Sujianto, U. (2018). Relating Factors of Insomnia among Haemodialysis Patients. *Nurse Media Journal of Nursing*, 8(1), 44. <https://doi.org/10.14710/nmjn.v8i1.15741>
- Lai, X., Chen, W., Bian, X., Wang, T., Li, J., Wang, H., & Guo, Z. (2015). Predictors of Poor Sleep Quality and Excessive Daytime Sleepiness in Peritoneal Dialysis Patients. *Renal Failure*, 37(1), 61–65. <https://doi.org/10.3109/0886022X.2014.959431>
- Lee, J., Han, M., Chung, Y., Kim, J., & Choi, J. (2011). Effects of Foot Reflexology on Fatigue, Sleep and Pain: A Systematic Review and Meta-analysis. *Journal of Korean Academy of Nursing*, 41(6), 821. <https://doi.org/10.4040/jkan.2011.41.6.821>
- Lenz, E., Pugh, L. C., Milligan, R. A., Gift, A., & Suppe, F. (1997). The Middle-Range Theory of Unpleasant Symptoms: An Update. *Adv Nurs Sci*, 19(3), 14–27.
- Leonard, C. (2013). Shame and Disgust Sensitivity in Adult Dialysis Patients. *Thesis*, University of Leicester.
- Levy, I., Attias, S., Stern Lavee, T., Avneri, O., Cohen, G., Balachsan, S., ... Schiff, E. (2020). The effectiveness of foot reflexology in reducing anxiety and duration of labor in primiparas: An open-label randomized controlled trial. *Complementary Therapies in Clinical Practice*, 38. <https://doi.org/10.1016/j.ctcp.2019.101085>
- Lozano, R., Naghavi, M., Foreman, K., Stephen, L., Shibuya, K., Aboyans, V., & Abraham, J. (2012). Global and regional mortality from 235 causes of death for 20 age groups in 1990 and 2010: a systematic analysis for the Global Burden of Disease Study 2010. In *Global Burden Disease* (Vol. 380, pp. 2095–2128). [https://doi.org/10.1016/S0140-6736\(12\)61728-0](https://doi.org/10.1016/S0140-6736(12)61728-0)
- Mahdavi, A., Gorji, M. A. H., Gorji, A. M. H., Yazdani, J., & Ardebil, M. D. (2013). Implementing Benson's relaxation training in hemodialysis patients: Changes in perceived stress, anxiety, and depression. *North American Journal of Medical Sciences*, 5(9), 536–540. <https://doi.org/10.4103/1947-2714.118917>
- Malaki, M., Mortazavi, F. S., Moazemi, S., & Shoaran, M. (2012a). Insomnia and limb pain in hemodialysis patients: what is the share of restless leg syndrome? *Saudi Journal of Kidney Diseases and Transplantation : An Official Publication of the Saudi Center for Organ Transplantation, Saudi Arabia*, 23(1), 15–20. <https://doi.org/10.4103/1319-2442.91289>
- Malaki, M., Mortazavi, S., Moazemi, S., & Shoaran, M. (2012b). Insomnia and Limb Pain in Hemodialysis Patients: What is the Share of Restless Leg Syndrome? *Saudi J Kidney Dis Transpl*, 23(1), 15–20.
- Malekshahi, F., Aryamanesh, F., & Fallahi, S. (2018). The effects of massage therapy on sleep quality of patients with end-stage renal disease undergoing hemodialysis. *Sleep and Hypnosis*, 20(2), 91–95. <https://doi.org/10.5350/Sleep.Hypn.2017.19.0138>

- Mandel, E. I., Bernacki, R. E., & Block, S. D. (2017). Serious Illness Conversations in ESRD. *Clin J Am Soc Nephrol*, 12(5), 854–863. <https://doi.org/10.2215/CJN.05760516>
- Maung, S. C., El Sara, A., Chapman, C., Cohen, D., & Cukor, D. (2016). Sleep disorders and chronic kidney disease. *World Journal of Nephrology*, 5(3), 224–232. <https://doi.org/10.5527/wjn.v5.i3.224>
- Merdasi, F., Najar, S., & Haghighizadeh, M. (2013). The Effect of Foot Massage on Sleep Disorders among Mothers in Postpartum Period. *Iranian Journal of Obstetrics Gynecology and Infertility*, 16(73), 19–28.
- Minisola, S., Pepe, J., Piemonte, S., & Cipriani, C. (2015). The diagnosis and management of hypercalcaemia. *BMJ*, 350, 2723. <https://doi.org/10.1136/bmj.h2723>
- Modi, S., Deisler, R., Gozel, K., Reicks, P., Irwin, E., Brunsvold, M., ... Beilman, G. J. (2016). Wells criteria for DVT is a reliable clinical tool to assess the risk of deep venous thrombosis in trauma patients. *World Journal of Emergency Surgery*, 11(1), 1–6. <https://doi.org/10.1186/s13017-016-0078-1>
- Morin, C. M., Belleville, G., Bélanger, L., & Ivers, H. (2011). The Insomnia Severity Index: psychometric indicators to detect insomnia cases and evaluate treatment response. *Sleep*, 34(5), 601–608. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/21532953> <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=PMC3079939>
- Naseri, M., Rahmani, A., Nerir, B., Salari, M., & Moshkani Farahani, M. (2016). Effect of Foot Reflexology Massage and Foot Bath on the Sleep Quality of Patients with Acute Coronary Syndrome: A Comparative Study. *Journal of Critical Care Nursing*, 9(4). <https://doi.org/10.17795/ccn-10294>
- National Institute of Diabetes and Digestive and Kidney Disease. (n.d.). Treatment Methods Kidney Failure: Hemodialysis. Retrieved March 17, 2019, from <http://kidney.niddk.nih.gov/kudiseases/pubs/hemodialysis/>
- Nissenson, A., & Fine, R. (2017). *Handbook of Dialysis Therapy* (Fifth). Philadelphia: Elsevier.
- Novak, M., Shapiro, C. M., Mendelssohn, D., & Mucsi, I. (2006). Diagnosis and management of insomnia in dialysis patients. *Seminars in Dialysis*, 19(1), 25–31. <https://doi.org/10.1111/j.1525-139X.2006.00116.x>
- Nugroho, A., Kuswadi, I., & Djarwoto, B. (2014). Correlation of Ferritin Level to The Quality of Life. *The Journal of Internal Medicine, Acta Interna*, 4(2), 79–86.
- Nurjannah, I., & Mailani, F. (2016). The most frequent diagnosis on patients undergoing hemodialysis. *International Journal of Research in Medical Sciences Int J Res Med Sci*, 44(10), 4453–4457. <https://doi.org/10.18203/2320-6012.ijrms20163310>
- Okun, M. L., Ph, D., Kravitz, H. M., Sowers, M. F., Ph, D., Moul, D. E., ... Ph, D. (2009). Psychometric Evaluation of the Insomnia Symptom Questionnaire : a Self-report Measure to Identify Chronic Insomnia. *Journal of Clinical Sleep Medicine*, 5(1), 41–51.
- Paluchamy, T., & Vaidyanathan, R. (2018). Effectiveness of intradialytic exercise on dialysis adequacy, physiological parameters, biochemical markers and quality of

- Life – A pilot study. *Saudi Journal of Kidney Diseases and Transplantation*, 29(4), 902. <https://doi.org/10.4103/1319-2442.239661>
- Pasyar, N., Rambod, M., & Kahkhaee, F. R. (2018). The Effect of Foot Massage on Pain Intensity and Anxiety in Patients Having Undergone a Tibial Shaft Fracture Surgery: A Randomized Clinical Trial. *Journal of Orthopaedic Trauma*, 32(12), E482–E486. <https://doi.org/10.1097/BOT.0000000000001320>
- Picariello, F., Moss-Morris, R., Macdougall, I. C., & Chilcot, J. (2017). The role of psychological factors in fatigue among end-stage kidney disease patients: A critical review. *Clinical Kidney Journal*, 10(1), 79–88. <https://doi.org/10.1093/ckj/sfw113>
- Pierratos, A., & Hanly, P. J. (2011). Sleep disorders over the full range of chronic kidney disease. *Blood Purification*, 31(1–3), 146–150. <https://doi.org/10.1159/000321859>
- Rahmani, A., Naseri, M., Salaree, M. M., & Nehrir, B. (2016). Comparing the Effect of Foot Reflexology Massage, Foot Bath and Their Combination on Quality of Sleep in Patients with Acute Coronary Syndrome. *Journal of Caring Sciences*, 5(4), 299–306. <https://doi.org/10.15171/jcs.2016.031>
- Rambod, M., Pasyar, N., & Shamsadini, M. (2019). The effect of foot reflexology on fatigue, pain, and sleep quality in lymphoma patients: A clinical trial. *European Journal of Oncology Nursing*, 43(June), 101678. <https://doi.org/10.1016/j.ejon.2019.101678>
- Reeve, K., & Bailes, B. (2010). Insomnia in Adults: Etiology and Management. *Journal for Nurse Practitioners*, 6(1), 53–60. <https://doi.org/10.1016/j.nurpra.2009.09.013>
- Romagnani, P., Remuzzi, G., Glassock, R., Levin, A., Tonelli, M., Massy, Z., & Wanner, C. (2017). Chronic kidney disease. *Disease Primer*, 3, 1–24. <https://doi.org/10.1038/nrdp.2017.88>
- Sabry, A. A., Abo-zenah, H., Wafa, E., Mahmoud, K., & El-dahshan, K. (2010). Brief Communication. *Saudi J Kidney Dis Transpl*, 21(2), 300–305.
- Sadeghian, J., Roudsari, D. M., Seyedfatemi, N., & Rafiei, H. (2016). Body-image disturbance: A comparative study among Haemodialysis and kidney transplant patients. *Journal of Clinical and Diagnostic Research*, 10(5), OC14–OC16. <https://doi.org/10.7860/JCDR/2016/15699.7733>
- Saeedi, M., Ashktorab, T., Shamsikhani, S., & Saatchi, K. (2013). The Effect of Progressive Muscle Relaxation on Insomnia Seveity of Hemodialysis Patients. *Journal of Complementary Medicine*, 2(2), 159–170.
- Sateia, Michael, Buysse, D., Krystal, A. D., Neubauer, D., & Heald, J. (2017). Clinical practice guideline for the pharmacologic treatment of chronic insomnia in adults. *J Clin Sleep Med. Journal of Clinical Sleep Medicine*, 13(5), 307–349.
- Sateia, MJ, Buysse, D., Krystal, A., Neubauer, D., & Heald, J. (2017). Clinical practice guideline for the pharmacologic treatment of chronic insomnia in adults: an American Academy of Sleep Medicine clinical practice guideline. *J Clin Sleep Med. Journal of Clinical Sleep Medicine*, 13(2), 307–349. <https://doi.org/10.1097/01.nt.0000465858.86412.88>
- Scherer, J. S., Combs, S. A., & Brennan, F. (2016). In Practice Sleep Disorders ,

- Restless Legs Syndrome , and Uremic Pruritus : Diagnosis and Treatment of Common Symptoms in Dialysis Patients. *American Journal of Kidney Diseases*, 1–12. <https://doi.org/10.1053/j.ajkd.2016.07.031>
- Schutte-Rodin, S. L., Broch, L., Buysee, D., Dorsey, C., & Sateia, M. (2008). Clinical guideline for the evaluation and management of chronic insomnia in adults. *Journal of Clinical Sleep Medicine*, 4(5), 487–504.
- Shen, Q., Huang, X., Luo, Z., Xu, X., Zhao, X., & He, Q. (2016). Sleep quality, daytime sleepiness and health-related quality-of-life in maintenance haemodialysis patients. *Journal of International Medical Research*, 44(3), 698–709. <https://doi.org/10.1177/0300060515608296>
- Sheshadri, A., Kittiskulnam, P., & Johansen, K. L. (2019). Higher Physical Activity Is Associated With Less Fatigue and Insomnia Among Patients on Hemodialysis. *Kidney International Reports*, 4(2), 285–292. <https://doi.org/10.1016/j.ekir.2018.10.014>
- Siswanto, Susila, & Suyanto. (2016). *Metodologi Penelitian Kesehatan dan Kedokteran* (Edisi pert). Yogyakarta: Bursa Ilmu.
- Soldatos, C. R., Dikeos, D. G., & Paparrigopoulos, T. J. (2000). Athens Insomnia Scale : validation of an instrument based on ICD-10 criteria. *Journal of Psychosomatic*, 48, 555–560.
- Spence, D. W., Kayumov, L., Chen, A., Lowe, A., Jain, U., Katzman, M. A., ... Shapiro, C. M. (2004). Acupuncture Increases Nocturnal Melatonin Secretion and Reduces Insomnia and Anxiety: A Preliminary Report. *Journal of Neuropsychiatry and Clinical Neurosciences*, 16(1), 19–28. <https://doi.org/10.1176/jnp.16.1.19>
- Sudmeier, I., Bodner, G., Egger, I., Mur, E., Ulmer, H., & Herold, M. (1999). Changes of Renal Blood Flow During Organ-Associated Foot Reflexology Measured by Color Doppler Sonography. *Complementary Medicine Research*, 6(3), 129–134. <https://doi.org/10.1159/000021238>
- Sulistyaningsih, D. R., & Melastuti, E. (2016). Benson's Relaxation Therapy to Decrease the Level of Patients Insomnia with Chronic Kidney Disease to Those Who Undergo Hemodialysis. *Jurnal INJEC*, 1(1), 61–65.
- Swanenghyun, G. (2015). Validitas dan Reliabilitas Alat Ukur Insomnia Severity Index Versi Indonesia (ISI-INA) pada Remaja Jalanan Di Yogyakarta. *Unpublished Thesis*, Universitas Gadjah Mada.
- Tarrasch, R., Carmel-Neiderman, N. N., Ben-Ami, S., Kaufman, B., Pfeffer, R., Ben-David, M., & Gamus, D. (2018). The Effect of Reflexology on the Pain-Insomnia-Fatigue Disturbance Cluster of Breast Cancer Patients during Adjuvant Radiation Therapy. *Journal of Alternative and Complementary Medicine*, 24(1), 62–68. <https://doi.org/10.1089/acm.2017.0023>
- Tarsy, D. (2017). *Clinical Handbook of Insomnia*. (Third Edition, Ed.), *Handbook of neurology*. Switzerland: Springer International Publiishing. <https://doi.org/10.1007/978-3-319-41400-3>
- Toygar, İ., Yeşilbalkan, Ö. U., Malseven, Y. G., & Sönmez, E. (2020). Effect of reflexology on anxiety and sleep of informal cancer caregiver: Randomized controlled trial. *Complementary Therapies in Clinical Practice*, 39.

<https://doi.org/10.1016/j.ctcp.2020.101143>

- Unal, K. S., & Akpınar, R. B. (2016). The Effect of Foot Reflexology and Back Massage on Hemodialysis Patient's Fatigue and Sleep Quality. *Complementary Therapies in Clinical Practice*. <https://doi.org/10.1016/j.ctcp.2016.06.004>
- Visser, A., Dijkstra, G., Kuiper, D., de Jong, P., Franssen, C., Gansevoort, R., ... Reineveld, S. (2009). Accepting or Declining Dialysis: Considerations Taken into Account by Elderly Patients with End Stage Renal Disease. *J Nephrol*, 22(6), 794–799.
- Wang, H., Naghavi, M., Allen, C., Barber, R. M., Carter, A., Casey, D. C., ... Zuhlke, L. J. (2016). Global, regional, and national life expectancy, all-cause mortality, and cause-specific mortality for 249 causes of death, 1980–2015: a systematic analysis for the Global Burden of Disease Study 2015. *The Lancet*, 388(10053), 1459–1544. [https://doi.org/10.1016/S0140-6736\(16\)31012-1](https://doi.org/10.1016/S0140-6736(16)31012-1)
- Widiana, I. G. P. W., Sudiar, M., & Sukraandini, N. K. (2020). Pengaruh Massage Kaki terhadap Penurunan Insomnia pada Lansia di Banjar Temesi Desa Temesi Kabupaten Gianyar. *Jurnal Akademika Baiturrahim Jambi*, 9(1), 83. <https://doi.org/10.36565/jab.v9i1.186>
- Widjaja, J. A., Simadibrata, C., Srilestari, A., & Marbun, M. B. H. (2017). The Effect of Acupuncture Treatment for Insomnia in Chronic Hemodialysis Patients. *Journal of Physics: Conference Series*, 884(1). <https://doi.org/10.1088/1742-6596/884/1/012130>
- World Health Organization. (2007). *The ICD-10 Classification of Mental and Behavioural Disorders: Clinical Descriptions and Diagnostic Guidelines*. Geneva Switzerland. Retrieved from <http://www.who.int/classifications/icd/en/bluebook.pdf>
- Wu, Y., Yang, L., Li, L., Wu, X., Zhong, Z., He, Z., ... Lin, Q. (2018). Auricular acupressure for insomnia in hemodialysis patients: Study protocol for a randomized controlled trial. *Trials*, 19(1), 1–10. <https://doi.org/10.1186/s13063-018-2546-2>
- Yeh, C. Y., Chen, C. K., Hsu, H. J., Wu, I. W., Sun, C. Y., Chou, C. C., ... Wang, L. J. (2014). Prescription of psychotropic drugs in patients with chronic renal failure on hemodialysis. *Renal Failure*, 36(10), 1545–1549. <https://doi.org/10.3109/0886022X.2014.949762>
- Yeung, W. F., Chung, K. F., Poon, M. M. K., Ho, F. Y. Y., Zhang, S. P., Zhang, Z. J., ... Wong, V. T. (2012). Acupressure, reflexology, and auricular acupressure for insomnia: A systematic review of randomized controlled trials. *Sleep Medicine*, 13(8), 971–984. <https://doi.org/10.1016/j.sleep.2012.06.003>
- Yusop, N. B. M., Mun, C. Y., Shariff, Z. M., & Huat, C. B. (2013). Factors associated with quality of life among hemodialysis patients in Malaysia. *PLoS ONE*, 8(12), 1–11. <https://doi.org/10.1371/journal.pone.0084152>