UNIVERSITAS
GADJAH MADA
PENGARUH COGNITIVE BEHAVIOR THERAPY TERHADAP PENURUNAN TINGKAT KECEMASAN PASIEN GAGAL GINJAL KRONIK YANG MENJALANI HEMODIALISIS DI RS PKU MUHAMMADIYAH GAMPING
SUCI APRILIA, Haryani, S.Kp., M.Kes., Ph.D; dr. R. Heru Prasanto, Sp.PD.K-GH
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Afroozeh, F., Askarizadeh, G., & Towhidi, A. (2019). The Effectiveness of Cognitive-Behavioral Stress Management Training on Chronic Fatigue and Death Anxiety in Women Undergoing Hemodialysis. *Iranian Journal of Psychiatric Nursing (IJPN)*, *7*(4). https://doi.org/10.21859/ijpn-07408

Afshar, M., Mohsenzadeh, A., Gilasi, H., & Sadeghi-Gandomani, H. (2018). The effects of guided imagery on state and trait anxiety and sleep quality among patients receiving hemodialysis: A randomized controlled trial. *Complementary Therapies in Medicine*, *40*, 37–41. https://doi.org/10.1016/j.ctim.2018.07.006

Aggarwal, H. K., Jain, D., Dabas, G., & Yadav, R. K. (2017). Prevalence of Depression, Anxiety and Insomnia in Chronic Kidney Disease Patients and their Co-Relation with the Demographic Variables. *Prilozi (Makedonska Akademija Na Naukite I Umetnostite. Oddelenie Za Medicinski Nauki)*, *38*(2), 35–44. https://doi.org/10.1515/prilozi-2017-0020

Aisara, S., Azmi, S., & Yanni, M. (2018). Gambaran Klinis Penderita Penyakit Ginjal Kronik yang Menjalani Hemodialisis di RSUP Dr. M. Djamil Padang. *Jurnal Kesehatan Andalas*, *7*(1), 42. https://doi.org/10.25077/jka.v7.i1.p42-50.2018

Ait-Daoud, N., Hamby, A. S., Sharma, S., & Blevins, D. (2018). A Review of Alprazolam Use, Misuse, and Withdrawal: *Journal of Addiction Medicine*, *12*(1), 4–10. https://doi.org/10.1097/ADM.0000000000000350

Alirudin, C., Hendellyn, A., Sumada, I. K., Yuliani, D., & Sunaka, I. W. (2020). Profil Gangguan Fungsi Kognitif pada Pasien Hemodialisis di Rumah Sakit Umum Daerah Wangaya. *Callosum Neurology - Jurnal Berkala Neurologi Bali*, *6*(2), 42–46. https://doi.org/10.29342/cnj.v3i2/97

Alshraifeen, A., Alnuaimi, K., Al-Rawashdeh, S., Ashour, A., Al-Ghabeesh, S., & Al-Smadi, A. (2020). Spirituality, Anxiety and Depression Among People Receiving Hemodialysis Treatment in Jordan: A Cross-Sectional Study. *Journal of Religion and Health*. https://doi.org/10.1007/s10943-020-00988-8

American Psychiatric Association. (2000). *Diagnostic and Statistical Manual of Mental Disorders: DSM-IV-TR*. https://doi.org/10.1176/appi.books.9780890423349.5847

American Psychological Association. (2017). *Beyond worry: How psychologists help with anxiety disorders*. Https://Www.Apa.Org. https://www.apa.org/helpcenter/anxiety

Aprilia, S. (2016). *Faktor-faktor yang Berhubungan dengan Tingkat Kecemasan Pasien Gagal Ginjal Kronik yang Menjalani Hemodialisis di PKU Muhammadiyah 2 Yogyakarta [Unpublished Undergraduate Thesis]*. Universitas Muhammadiyah Yogyakarta.

Ariani, T. A. (2017). The Potential of Psychosocial Health Indicators That Effects to Chronic Renal Failure (CRF) Patient With Cognitive Behavior Therapy (CBT) Based. *Jurnal Kesehatan Hesti Wira Sakti*, *5*(1), 60–67.

Arikunto, S. (2006). *Prosedur Penelitian SUatu Pendekatan Praktik*. Jakarta: Rineka Cipta.

UNIVERSITAS
GADJAH MADA
PENGARUH COGNITIVE BEHAVIOR THERAPY TERHADAP PENURUNAN TINGKAT KECEMASAN PASIEN GAGAL GINJAL KRONIK YANG MENJALANI HEMODIALISIS DI RS PKU MUHAMMADIYAH GAMPING
SUCI APRILIA, Haryani, S.Kp., M.Kes., Ph.D; dr. R. Heru Prasanto, Sp.PD.K-GH
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Arjadi, R. (2012). *Terapi Kognitif-Perilaku untuk Menangani Depresi pada Lanjut Usia (Tesis)*. Fakultas Psikologo, Program Magister Profesi Psikologi Klinis Dewasa, Universitas Indonesia.

Arsa, P. S. A., Sudiana, I. K., & Hidayati, L. (2018). *Description of Factors Aaffecting Anxiety on End Stage Renal Disease Patients Which The Hemodialysis at Lavalette Hospital in Malang*. The 9th Internationa Nursing Conference 2018.

Astuti, P., Herawati, T., & Kariasa, I. M. (2016). *Faktor-Faktor Yang Berhubungan Dengan Self Management Pada Pasien Hemodialisis di Kota Bekasi*. 12.

Australian Institute of Health and Welfare (Ed.). (2005). *Chronic kidney disease in Australia, 2005*. Australian Institute of Health and Welfare.

Avramovic, M., & Stefanovic, V. (2012). Health-Related Quality of Life in Different Stages of Renal Failure. *Artificial Organs*, *36*(7), 581–589. https://doi.org/10.1111/j.1525-1594.2011.01429.x

Avşar, U., Avşar, U. Z., Cansever, Z., Yucel, A., Cankaya, E., Certez, H., Keles, M., Aydınlı, B., & Yucelf, N. (2015). Caregiver Burden, Anxiety, Depression, and Sleep Quality Differences in Caregivers of Hemodialysis Patients Compared With Renal Transplant Patients. *Transplantation Proceedings*, *47*(5), 1388–1391. https://doi.org/10.1016/j.transproceed.2015.04.054

Banks, S. J., Eddy, K. T., Angstadt, M., Nathan, P. J., & Phan, K. L. (2007). Amygdala–frontal connectivity during emotion regulation. *Social Cognitive and Affective Neuroscience*, *2*(4), 303–312. https://doi.org/10.1093/scan/nsm029

Barlow, D. H. (2004). *Anxiety and its disorders. The nature and treatment of anxiety and panic (2nd ed.)*. New York: The Guilford Press.

Bieber, B., Qian, J., Anand, S., Yan, Y., Chen, N., Wang, M., Wang, M., Zuo, L., Hou, F. F., Pisoni, R. L., Robinson, B. M., & Ramirez, S. P. B. (2014). Two-times weekly hemodialysis in China: Frequency, associated patient and treatment characteristics and Quality of Life in the China Dialysis Outcomes and Practice Patterns study. *Nephrology, Dialysis, Transplantation: Official Publication of the European Dialysis and Transplant Association - European Renal Association*, *29*(9), 1770–1777. https://doi.org/10.1093/ndt/gft472

Bjelland, I., Dahl, A. A., Haug, T. T., & Neckelmann, D. (2002). The validity of the Hospital Anxiety and Depression Scale: An updated literature review. *Journal of Psychosomatic Research*, *52*(2), 69–77. https://doi.org/10.1016/S0022-3999(01)00296-3

Bond, F. W., & Dryden. (2002). *Handbook of cognitive behaviour therapy*. Chichester: John Wily & Sons, Ltd.

Bossola, M., Di Stasio, E., Giungi, S., Rosa, F., & Tazza, L. (2015). Fatigue Is Associated With Serum Interleukin-6 Levels and Symptoms of Depression in Patients on Chronic Hemodialysis. *Journal of Pain and Symptom Management*, *49*(3), 578–585. https://doi.org/10.1016/j.jpainsymman.2014.07.009

Bura, U. D. K., Hasmono, D., Surdijati, S., & Hartono, R. (2017). Studi Penggunaan Antihipertensi Golongan Angiotensin Receptor Blockers

UNIVERSITAS
GADJAH MADA
PENGARUH COGNITIVE BEHAVIOR THERAPY TERHADAP PENURUNAN TINGKAT KECEMASAN PASIEN GAGAL GINJAL KRONIK YANG MENJALANI HEMODIALISIS DI RS PKU MUHAMMADIYAH GAMPING
SUCI APRILIA, Haryani, S.Kp., M.Kes., Ph.D; dr. R. Heru Prasanto, Sp.PD.K-GH
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Terhadap Pasien Gagal Ginjal Kronik Stadium V di Rumah Sakit Bhayangkara Surabaya. *J PHARM SCI*, *4*(2), 8.

Butler, A., Chapman, J., Forman, E., & Beck, A. (2006). The empirical status of cognitive-behavioral therapy: A review of meta-analyses. *Clinical Psychology Review*, *26*(1), 17–31. https://doi.org/10.1016/j.cpr.2005.07.003

Cahyani, N. D., Tyaswati, J. E., Rachmawati, D. A., & Kalimantan, J. (2016). *Hubungan antara Tingkat Kecemasan dengan Kualitas Hidup pada Pasien Chronic Kidney Disease (CKD) yang Menjalani Hemodialisis di RSD dr. Soebandi Jember*. *4*, 8.

Caninsti, R. (2013). Kecemasan dan Depresi pada Pasien Gagal Ginjal Kronis yang Menjalani Terapi Hemodialisis. *Jurnal Psikologi Ulayat*, *1*(2). https://doi.org/10.24854/jpu22013-22

CDC. (2014). National Chronic Kidney Disease Fact Sheet, 2014. *Centers for Disease Control and Prevention, US*, 1–3.

Chen, H.-Y., Cheng, I.-C., Pan, Y.-J., Chiu, Y.-L., Hsu, S.-P., Pai, M.-F., Yang, J.-Y., Peng, Y.-S., Tsai, T.-J., & Wu, K.-D. (2011). Cognitive-behavioral therapy for sleep disturbance decreases inflammatory cytokines and oxidative stress in hemodialysis patients. *Kidney International*, *80*(4), 415–422. https://doi.org/10.1038/ki.2011.151

Cukor, D., Coplan, J., Brown, C., Friedman, S., Newville, H., Safier, M., Spielman, L. A., Peterson, R. A., & Kimmel, P. L. (2008). Anxiety Disorders in Adults Treated by Hemodialysis: A Single-Center Study. *American Journal of Kidney Diseases*, *52*(1), 128–136. https://doi.org/10.1053/j.ajkd.2008.02.300

Dagnan, D., Chadwick, P., & Trower, P. (2000). Psychometric properties of the Hospital Anxiety and Depression Scale with a population of members of a depression self-help group. *The British Journal of Medical Psychology*, *73 (Pt 1)*, 129–137. https://doi.org/10.1348/000711200160255

Dani, R., & Utami, G. T. (2015). Hubungan Motivasi, Harapan, dan Dukungan Petugas Kesehatan terhadap Kepatuhan Pasien Gagal Ginjal Kronik untuk Menjalani Hemodialisis. *Jurnal Online Mahasiswa*, *2*(2), 10.

Daugirdas, J. T., Depner, T. A., Inrig, J., Mehrotra, R., Rocco, M. V., Suri, R. S., Weiner, D. E., Greer, N., Ishani, A., MacDonald, R., Olson, C., Rutks, I., Slinin, Y., Wilt, T. J., Rocco, M., Kramer, H., Choi, M. J., Samaniego-Picota, M., Scheel, P. J., … Brereton, L. (2015). KDOQI Clinical Practice Guideline for Hemodialysis Adequacy: 2015 Update. *American Journal of Kidney Diseases*, *66*(5), 884–930. https://doi.org/10.1053/j.ajkd.2015.07.015

Davidson, J. R. T. (2009). First-Line Pharmacotherapy Approaches for Generalized Anxiety Disorder. *The Journal of Clinical Psychiatry*, *70*(suppl 2), 25–31. https://doi.org/10.4088/JCP.s.7002.05

Dehkordi, L. M., & Shahgholian, N. (2013). An investigation of coping styles of hemodialysis patients. *Iranian Journal of Nursing and Midwifery Research*, *18*(1), 42–46.

Doehrmann, O., Ghosh, S. S., Polli, F. E., Reynolds, G. O., Horn, F., Keshavan, A., Triantafyllou, C., Saygin, Z. M., Whitfield-Gabrieli, S., Hofmann, S. G., Pollack, M., & Gabrieli, J. D. (2013). Predicting Treatment Response

UNIVERSITAS GADJAH MADA
PENGARUH COGNITIVE BEHAVIOR THERAPY TERHADAP PENURUNAN TINGKAT KECEMASAN PASIEN GAGAL GINJAL KRONIK YANG MENJALANI HEMODIALISIS DI RS PKU MUHAMMADIYAH GAMPING
SUCI APRILIA, Haryani, S.Kp., M.Kes., Ph.D; dr. R. Heru Prasanto, Sp.PD.K-GH
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

in Social Anxiety Disorder From Functional Magnetic Resonance Imaging. *JAMA Psychiatry*, *70*(1), 87–97. https://doi.org/10.1001/2013.jamapsychiatry.5

Dwi, A. (2018). Self Management terhadap Psychosocial Adjustment Pasien Penyakit Ginjal Kronis dengan Hemodialisa. *Jurnal Keperawatan Soedirman*, *12*(3), 181. https://doi.org/10.20884/1.jks.2017.12.3.698

Dziubek, W., Kowalska, J., Kusztal, M., Rogowski, Ł., Gołębiowski, T., Nikifur, M., Szczepańska-Gieracha, J., Zembroń-Łacny, A., Klinger, M., & Woźniewski, M. (2016). The Level of Anxiety and Depression in Dialysis Patients Undertaking Regular Physical Exercise Training—A Preliminary Study. *Kidney and Blood Pressure Research*, *41*(1), 86–98. https://doi.org/10.1159/000368548

Ediz, B., Ozcakir, A., & Bilgel, N. (2017). Depression and anxiety among medical students: Examining scores of the beck depression and anxiety inventory and the depression anxiety and stress scale with student characteristics. *Cogent Psychology*, *4*(1). https://doi.org/10.1080/23311908.2017.1283829

Erwina, I. (2010). *Pengaruh Cognitive Behavior Therapy Terhadap Post-Traumatic Stress Disorder pada Penduduk Pasca Gempa di kelurahan Air Tawar Barat Kecamatan Padang Utara Propinsi Sumatera Barat (Tesis)*. Fakultas Ilmu Keperawatan, Program Magister Ilmu Keperawatan, Kekhususan keperawatan Jiwa, Universitas Indonesia.

Etkin, A., & Wager, T. D. (2007). Functional Neuroimaging of Anxiety: A Meta-Analysis of Emotional Processing in PTSD, Social Anxiety Disorder, and Specific Phobia. *Am J Psychiatry*, 13.

Fadlilah, S. (2019). Faktor-Faktor yang Berhubungan dengan Kualitas Hidup Pasien Hemodialisis. *Jurnal Kesehatan*, *10*(2), 284. https://doi.org/10.26630/jk.v10i2.1454

Ferrey, A. J., Choi, G., Hanna, R. M., Chang, Y., Tantisattamo, E., Ivaturi, K., Park, E., Nguyen, L., Wang, B., Tonthat, S., Rhee, C. M., Reddy, U., Lau, W. L., Huang, S. S., Gohil, S., Amin, A. N., Hsieh, L., Cheng, T. T., Lee, R. A., & Kalantar-Zadeh, K. (2020). A Case of Novel Coronavirus Disease 19 in a Chronic Hemodialysis Patient Presenting with Gastroenteritis and Developing Severe Pulmonary Disease. *American Journal of Nephrology*, *51*(5), 337–342. https://doi.org/10.1159/000507417

FIK-UI. (2015). *Draft Modul Cognitive Behavior Therapy (CBT)*. Universitas Indonesia.

Foji, S., Tadayonfar, M. Alr., Mohsenpour, M., & Rakhshani, M. H. (2015). The study of the effect of guided imagery on pain, anxiety and some other hemodynamic factors in patients undergoing coronary angiography. *Complementary Therapies in Clinical Practice*, *21*(2), 119–123. https://doi.org/10.1016/j.ctcp.2015.02.001

Forwaty, E., Malini, H., & Oktarina, E. (2019). Pengaruh Intradialytic Range of Motion (ROM) Exercise terhadap Depresi, Insomnia dan Asupan Nutrisi pada Pasien Hemodialisis. *Jurnal Kesehatan Andalas*, *8*(3), 529–536. https://doi.org/10.25077/jka.v8i3.1038

Geglorian, T. R., & Arif, M. S. (2016). Pengaruh Cognitive Therapy Terhadap Tingkat Ansietas Pada Pasien Yang Akan Menjalani Hemodialisa Di RS

UNIVERSITAS
GADJAH MADA
PENGARUH COGNITIVE BEHAVIOR THERAPY TERHADAP PENURUNAN TINGKAT KECEMASAN PASIEN GAGAL GINJAL KRONIK YANG MENJALANI HEMODIALISIS DI RS PKU MUHAMMADIYAH GAMPING
SUCI APRILIA, Haryani, S.Kp., M.Kes., Ph.D; dr. R. Heru Prasanto, Sp.PD.K-GH
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Panti Wilasa Citarum Semarang. *Jurnal Ilmu Keperawatan dan Kebidanan*, *5*(1), 1–11.

Gela, D., & Mengistu, D. (2018). Self-management and associated factors among patients with end-stage renal disease undergoing hemodialysis at health facilities in Addis Ababa, Ethiopia. *International Journal of Nephrology and Renovascular Disease*, *Volume 11*, 329–336. https://doi.org/10.2147/IJNRD.S184671

Gerasimoula, K., Lefkothea, L., Maria, L., Victoria, A., Paraskevi, T., & Maria, P. (2015). Quality of Life in Hemodialysis Patients. *Materia Socio Medica*, *27*(5), 305. https://doi.org/10.5455/msm.2015.27.305-309

Gerogianni, G., Babatsikou, F., Polikandrioti, M., & Grapsa, E. (2019). Management of anxiety and depression in haemodialysis patients: The role of non-pharmacological methods. *International Urology and Nephrology*, *51*(1), 113–118. https://doi.org/10.1007/s11255-018-2022-7

Gerontoukou, E.-I., Michaelidoy, S., Rekleiti, M., Saridi, M., & Souliotis, K. (2015). Investigation of Anxiety and Depression in Patients with Chronic Diseases. *Health Psychology Research*, *3*(2). https://doi.org/10.4081/hpr.2015.2123

Ghonemy, T., Farag, S., Soliman, S., El-okely, A., & El-hendy, Y. (2016). Epidemiology and risk factors of chronic kidney disease in the El-Sharkia Governorate, Egypt. *Saudi Journal of Kidney Diseases and Transplantation*, *27*(1), 111. https://doi.org/10.4103/1319-2442.174137

Giusti, L., Ussorio, D., Salza, A., Malavolta, M., Aggio, A., Bianchini, V., Casacchia, M., & Roncone, R. (2018). Preliminary study of effects on paranoia ideation and jumping to conclusions in the context of group treatment of anxiety disorders in young people. *Early Intervention in Psychiatry*, *12*(6), 1072–1080. https://doi.org/10.1111/eip.12415

Golper, T. A., Fissell, R., Fissell, W. H., Hartle, P. M., Sanders, M. L., & Schulman, G. (2014). Hemodialysis: Core Curriculum 2014. *American Journal of Kidney Diseases*, *63*(1), 153–163. https://doi.org/10.1053/j.ajkd.2013.07.028

Griva, K., Lam, K. F. Y., Nandakumar, M., Ng, J. H., McBain, H., & Newman, S. P. (2018). The effect of brief self-management intervention for hemodialysis patients (HED-SMART) on trajectories of depressive and anxious symptoms. *Journal of Psychosomatic Research*, *113*, 37–44. https://doi.org/10.1016/j.jpsychores.2018.07.012

Gunarti, C. S. I., & Pohan, L. D. (2018). Cognitive Behavioral Therapy for Decreasing Anxiety in an Elderly Female Patient Undergoing Hemodialysis: A Single-case Study. *Proceedings of the 1st International Conference on Intervention and Applied Psychology (ICIAP 2017)*. 1st International Conference on Intervention and Applied Psychology (ICIAP 2017), Depok, Indonesia. https://doi.org/10.2991/iciap-17.2018.32

Hare, J., Clark-Carter, D., & Forshaw, M. (2014). A randomized controlled trial to evaluate the effectiveness of a cognitive behavioural group approach to improve patient adherence to peritoneal dialysis fluid restrictions: A pilot study. *Nephrology Dialysis Transplantation*, *29*(3), 555–564. https://doi.org/10.1093/ndt/gft477

UNIVERSITAS
GADJAH MADA
PENGARUH COGNITIVE BEHAVIOR THERAPY TERHADAP PENURUNAN TINGKAT KECEMASAN PASIEN GAGAL GINJAL KRONIK YANG MENJALANI HEMODIALISIS DI RS PKU MUHAMMADIYAH GAMPING
SUCI APRILIA, Haryani, S.Kp., M.Kes., Ph.D; dr. R. Heru Prasanto, Sp.PD.K-GH
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Hathaway, W. R., & Newton, B. W. (2020). Neuroanatomy, Prefrontal Cortex. In *StatPearls*. StatPearls Publishing. http://www.ncbi.nlm.nih.gov/books/NBK499919/

Hill, N. R., Fatoba, S. T., Oke, J. L., Hirst, J. A., O'Callaghan, C. A., Lasserson, D. S., & Hobbs, F. D. R. (2016). Global Prevalence of Chronic Kidney Disease – A Systematic Review and Meta-Analysis. *PLOS ONE*, *11*(7), e0158765. https://doi.org/10.1371/journal.pone.0158765

Hofmann, S. G., Asmundson, G. J. G., & Beck, A. T. (2013). The Science of Cognitive Therapy. *Behavior Therapy*, *44*(2), 199–212. https://doi.org/10.1016/j.beth.2009.01.007

Hou, Y., Li, X., Yang, L., Liu, C., Wu, H., Xu, Y., Yang, F., & Du, Y. (2014). Factors associated with depression and anxiety in patients with end-stage renal disease receiving maintenance hemodialysis. *International Urology and Nephrology*, *46*(8), 1645–1649. https://doi.org/10.1007/s11255-014-0685-2

Ikizler, T. A., & Kliger, A. S. (2020). Minimizing the risk of COVID-19 among patients on dialysis. *Nature Reviews Nephrology*, *16*(6), 311–313. https://doi.org/10.1038/s41581-020-0280-y

Imelda, F., Susalit, E., Marbun, M. B. M., & Rumende, C. M. (2017). Gambaran Klinis dan Kualitas Hidup Pasien Penyakit Ginjal Tahap Akhir yang Menjalani Hemodialisis Dua Kali Dibandingkan Tiga Kali Seminggu. *Jurnal Penyakit Dalam Indonesia*, *4*(3), 128. https://doi.org/10.7454/jpdi.v4i3.139

Institute for Quality and Efficiency in Health Care (IQWiG). (2018). *Dialysis in chronic kidney disease*. Institute for Quality and Efficiency in Health Care (IQWiG). https://www.ncbi.nlm.nih.gov/books/NBK492979/

Irfan, Wawomeo, A., & Kambuno, N. T. (2019). Hepatitis B Virus Infection in Hemodialisis patient at Prof. DR. W.Z. Johannes Kupang Hospital, East Nusa Tenggara. *Jurnal Kesehatan Primer*, *4*(1), 63–69. https://doi.org/10.31965/jkp

Ismoyowati, T. W. (2018). Pengaruh Acceptance and Commitment Therapy terhadap Perubahan Kecemasan dan Selfefficacy pada Pasien dengan Hemodialisa Di RS Sint Carolus Jakarta. *Jurnal Kesehatan*, *5*(2), 44–58. https://doi.org/10.35913/jk.v5i2.95

Julian, L. J. (2011). Measures of anxiety: State-Trait Anxiety Inventory (STAI), Beck Anxiety Inventory (BAI), and Hospital Anxiety and Depression Scale-Anxiety (HADS-A). *Arthritis Care & Research*, *63*(S11), S467–S472. https://doi.org/10.1002/acr.20561

Julianty, S. A. H., Yustina, I., & Ardinata, D. (2015). Faktor-faktor yang Berhubungan dengan Tingkat Kecemasan Pasien Hemodialisis di RSUD Dr. Pirngadi Medan. *Idea Nursing Journal*, *VI*(3).

Kaczkurkin, A. N., & Foa, E. B. (2015). Cognitive-behavioral therapy for anxiety disorders: An update on the empirical evidence. *Dialogues in Clinical Neuroscience*, *17*(3), 337–346.

Kaplan, H. I., Sadock, B. J., & Grebb, J. A. (2010). *Sinopsis Psikiatri Jilid 2*. Terjemahan Widjaja Kusuma. Jakarta: Binarupa Aksara.

Karkar, A. (2013). Advances in Hemodialysis Techniques. In H. Suzuki (Ed.), *Hemodialysis*. InTech. https://doi.org/10.5772/52444

UNIVERSITAS
GADJAH MADA
PENGARUH COGNITIVE BEHAVIOR THERAPY TERHADAP PENURUNAN TINGKAT KECEMASAN PASIEN GAGAL GINJAL KRONIK YANG MENJALANI HEMODIALISIS DI RS PKU MUHAMMADIYAH GAMPING
SUCI APRILIA, Haryani, S.Kp., M.Kes., Ph.D; dr. R. Heru Prasanto, Sp.PD.K-GH
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Kementrian Kesehatan RI. (2013). *Riset Kesehatan Dasar*.

Kidney Disease: Improving Global Outcomes (KDIGO). (2012). *KDGO 2012 Clinical Practice Guideline for the Evaluation and Management of Chronic Kidney Disease*. Kidney Int; 3 (suppl): 1-150.

Kidney Disease: Improving Global Outcomes (KDIGO). (2013). Chapter 1: Definition and classification of CKD. *Kidney International Supplements*, *3*(1), 19–62. https://doi.org/10.1038/kisup.2012.64

Kidney Disease: Improving Global Outcomes (KDIGO). (2018). KDIGO 2018 Clinical Practice Guideline for the Prevention, Diagnosis, Evaluation, and Treatment of hepatitis C in Chronic Kidney Disease. *Official Journal of the International Society of Nephrology*, *8*(3).

Klumpp, H., Fitzgerald, D. A., Angstadt, M., Post, D., & Phan, K. L. (2014). Neural response during attentional control and emotion processing predicts improvement after cognitive behavioral therapy in generalized social anxiety disorder. *Psychological Medicine*, *44*(14), 3109–3121. https://doi.org/10.1017/S0033291714000567

Klumpp, Heide, Keutmann, M. K., Fitzgerald, D. A., Shankman, S. A., & Phan, K. L. (2014). Resting state amygdala-prefrontal connectivity predicts symptom change after cognitive behavioral therapy in generalized social anxiety disorder. *Biology of Mood & Anxiety Disorders*, *4*(1), 14. https://doi.org/10.1186/s13587-014-0014-5

Kumar, V., Khandelia, V., & Garg, A. (2018). Depression and anxiety in patients with chronic kidney disease undergoing hemodialysis. *Annals of Indian Psychiatry*, *2*(2), 115. https://doi.org/10.4103/aip.aip_12_18

Lee, S., Kang, S., Joo, Y. S., Lee, C., Nam, K. H., Yun, H.-R., Park, J. T., Chang, T. I., Yoo, T.-H., Kim, S. W., Oh, K.-H., Kim, Y. H., Park, S. K., Kang, S.-W., Choi, K. H., Ahn, C., & Han, S. H. (2020). Smoking, Smoking Cessation, and Progression of Chronic Kidney Disease: Results From KNOW-CKD Study. *Nicotine & Tobacco Research*, ntaa071. https://doi.org/10.1093/ntr/ntaa071

Lerma, A., Perez-Grovas, H., Bermudez, L., Peralta-Pedrero, M. L., Robles-García, R., & Lerma, C. (2017). Brief cognitive behavioural intervention for depression and anxiety symptoms improves quality of life in chronic haemodialysis patients. *Psychology and Psychotherapy*, *90*(1), 105–123. https://doi.org/10.1111/papt.12098

Lestari, I. G., & Isnaini, N. (2018). Pengaruh Self Management terhadap Tekanan Darah Lansia yang Mengalami Hipertensi. *Indonesian Journal for Health Sciences*, 13.

Levey, A. S., Atkins, R., Coresh, J., Cohen, E. P., Collins, A. J., Eckardt, K.-U., Nahas, M. E., Jaber, B. L., Jadoul, M., Levin, A., Powe, N. R., Rossert, J., Wheeler, D. C., Lameire, N., & Eknoyan, G. (2007). Chronic kidney disease as a global public health problem: Approaches and initiatives – a position statement from Kidney Disease Improving Global Outcomes. *Kidney International*, *72*(3), 247–259. https://doi.org/10.1038/sj.ki.5002343

Lin, M.-Y., Liu, M. F., Hsu, L.-F., & Tsai, P.-S. (2017). Effects of self-management on chronic kidney disease: A meta-analysis. *International*

UNIVERSITAS
GADJAH MADA
PENGARUH COGNITIVE BEHAVIOR THERAPY TERHADAP PENURUNAN TINGKAT KECEMASAN PASIEN GAGAL GINJAL KRONIK YANG MENJALANI HEMODIALISIS DI RS PKU MUHAMMADIYAH GAMPING
SUCI APRILIA, Haryani, S.Kp., M.Kes., Ph.D; dr. R. Heru Prasanto, Sp.PD.K-GH
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Journal of Nursing Studies, *74*, 128–137. https://doi.org/10.1016/j.ijnurstu.2017.06.008

Ma, T. K.-W., & Li, P. K.-T. (2016). Depression in dialysis patients. *Nephrology*, *21*(8), 639–646. https://doi.org/10.1111/nep.12742

Maesaroh, Waluyo, A., & Jumaiyah, W. (2020). Faktor-faktor yang Berhubungan dengan Terjadinya Fatigue pada Pasien Hemodialisis. *Syntax Literate: Jurnal Ilmiah Indonesia*, *5*(4), 110–120.

Maguire, P. N., Clark, G. I., & Wootton, B. M. (2018). The efficacy of cognitive behavior therapy for the treatment of perinatal anxiety symptoms: A preliminary meta-analysis. *Journal of Anxiety Disorders*, *60*, 26–34. https://doi.org/10.1016/j.janxdis.2018.10.002

Maidah, D. (2013). Self Injury pada Mahasiswa (Study Kasus pada Mahasiswa Pelaku Self Injury). *Developmental adn Clinical Psychology*, *2*(1), 6–13.

Mailani, F., & Andriani, R. F. (2017). Hubungan Dukungan Keluarga dengan Kepatuhan Diet pada Pasien Gagal Ginjal Kronik yang Menjalani Hemodialisis. *Jurnal Endurance*, *2*(3), 416. https://doi.org/10.22216/jen.v2i3.2379

Manafe, R. P. (2018). Efektivitas Cognitive Behavioral Therapy Untuk Menurunkan DIstres Akibat Proses Hemodialisis. *Jurnal Ilmiah Mahasiswa Universitas Surabaya*, *7*(1), 2277–2293.

Manthey, L., van Veen, T., Giltay, E. J., Stoop, J. E., Neven, A. K., Penninx, B. W. J. H., & Zitman, F. G. (2011). Correlates of (inappropriate) benzodiazepine use: The Netherlands Study of Depression and Anxiety (NESDA): Correlates of benzodiazepine use. *British Journal of Clinical Pharmacology*, *71*(2), 263–272. https://doi.org/10.1111/j.1365-2125.2010.03818.x

Mardhatillah, Arsin, A., Syafar, M., & Hardianti, A. (2020). Ketahanan Hidup Pasien Penyakit Ginjal Kronik yang Menjalani Hemodialisis di RSUP Dr. Wahidin Sudirohusodo Makassar. *Jurnal Kesehatan Masyarakat Maritim*, *3*(1), 21–33.

Marthoenis, M., Syukri, M., Abdullah, A., Tandi, T. M. R., Putra, N., Laura, H., Setiawan, A., Sofyan, H., & Schouler-Ocak, M. (2020). Quality of life, depression, and anxiety of patients undergoing hemodialysis: Significant role of acceptance of the illness. *The International Journal of Psychiatry in Medicine*, 009121742091338. https://doi.org/10.1177/0091217420913382

Mitema, D., & Jaar, B. G. (2016). How Can We Improve the Quality of Life of Dialysis Patients? *Seminars in Dialysis*, *29*(2), 93–102. https://doi.org/10.1111/sdi.12467

Moledina, D. G., & Wilson, F. P. (2015). Pharmacologic Treatment of Common Symptoms in Dialysis Patients: A Narrative Review. *Seminars in Dialysis*, *28*(4), 377–383. https://doi.org/10.1111/sdi.12378

Mosleh, H., Alenezi, M., Al johani, S., Alsani, A., Fairaq, G., & Bedaiwi, R. (2020). Prevalence and Factors of Anxiety and Depression in Chronic Kidney Disease Patients Undergoing Hemodialysis: A Cross-sectional Single-Center Study in Saudi Arabia. *Cureus*, *12*(1). https://doi.org/10.7759/cureus.6668

UNIVERSITAS
GADJAH MADA
PENGARUH COGNITIVE BEHAVIOR THERAPY TERHADAP PENURUNAN TINGKAT KECEMASAN PASIEN GAGAL GINJAL KRONIK YANG MENJALANI HEMODIALISIS DI RS PKU MUHAMMADIYAH GAMPING
SUCI APRILIA, Haryani, S.Kp., M.Kes., Ph.D; dr. R. Heru Prasanto, Sp.PD.K-GH
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Ng, C. Z., Tang, S. C., Chan, M., Tran, B. X., Ho, C. S., Tam, W. W., & Ho, R. C. (2019). A systematic review and meta-analysis of randomized controlled trials of cognitive behavioral therapy for hemodialysis patients with depression. *Journal of Psychosomatic Research*, *126*, 109834. https://doi.org/10.1016/j.jpsychores.2019.109834

Ng, H. J., Tan, W. J., Mooppil, N., Newman, S., & Griva, K. (2015). Prevalence and patterns of depression and anxiety in hemodialysis patients: A 12-month prospective study on incident and prevalent populations. *British Journal of Health Psychology*, *20*(2), 374–395. https://doi.org/10.1111/bjhp.12106

NICE. (2011). *Generalised Anxiety Disorder and Panic Disorder in Adults: Management*. National Institute for Health and Care Excellence Clinical Gudieline. https://www.nice.org.uk/guidance/cg113

Nie, J., Zhu, S., Cui, W., Wu, H., Cai, Y., Wen, X., & Li, Q. (2020). *Psychological status and intervention strategy of maintenance hemodialysis patients in COVID-19 epidemic* [Preprint]. In Review. https://doi.org/10.21203/rs.3.rs-38725/v1

Nugraha, A., Rahmah, G. U., & Budhiaji, P. (2020). Effect of Family Support Towards Elderly Hemodialysis Patients' Anxiety Level. *Basic and Applied Nursing Research Journal*, *1*(1), 5. https://doi.org/x.doi.org/10.11594/banrj.01.01.0 5

Nunnaly, J. C., & Bernstein, I. H. (1994). *Psychometric Theory* (3rd ed). New York: McGraw-Hill.

Nurjanah, D. E., & Elly, N. (2014). Pengaruh Terapi Kognitif Terhadap Tingkat Kecemasan pada Pasien Gagal Ginjal Kronik yang Menjalani Hemodialisa. *Jurnal Media Kesehatan*, 7.

Oesmarjoedi, A. K. (2003). *Pendekatan Cognitive Behavior Dalam Psikoterapi*.

Orgeta, V., Qazi, A., Spector, A., & Orrell, M. (2015). Psychological treatments for depression and anxiety in dementia and mild cognitive impairment: Systematic review and meta-analysis. *British Journal of Psychiatry*, *207*(4), 293–298. https://doi.org/10.1192/bjp.bp.114.148130

Pascoe, M. C., Thompson, D. R., Castle, D. J., McEvedy, S. M., & Ski, C. F. (2017). Psychosocial Interventions for Depressive and Anxiety Symptoms in Individuals with Chronic Kidney Disease: Systematic Review and Meta-Analysis. *Frontiers in Psychology*, *8*, 992. https://doi.org/10.3389/fpsyg.2017.00992

Paulus, E. S. (2015). "Irrational Beliefs" dalam Konteks Kehidupan Seminari. *Jurnal Teologi*, *4*(1), 25–40. https://doi.org/10.24071/jt.v4i1.468

PERNEFRI. (2015). *8th report of Indonesian Renal Registry* (p. 45).

Phelps, E. A., & LeDoux, J. E. (2005). Contributions of the Amygdala to Emotion Processing: From Animal Models to Human Behavior. *Neuron*, *48*(2), 175–187. https://doi.org/10.1016/j.neuron.2005.09.025

Pranandari, R., & Supadmi, W. (2015). Faktor Risiko Gagal Ginjal Kronik di Unit Hemodialisis RSUD Wates Kulon Progo. *Majalah Farmaseutik*, *11*(2), 316–320.

Prater, K. E., Hosanagar, A., Klumpp, H., Angstadt, M., & Phan, K. L. (2013). Aberrant Amygdala–Frontal Cortex Connectivity During Perception of

UNIVERSITAS
GADJAH MADA
PENGARUH COGNITIVE BEHAVIOR THERAPY TERHADAP PENURUNAN TINGKAT KECEMASAN PASIEN GAGAL GINJAL KRONIK YANG MENJALANI HEMODIALISIS DI RS PKU MUHAMMADIYAH GAMPING
SUCI APRILIA, Haryani, S.Kp., M.Kes., Ph.D; dr. R. Heru Prasanto, Sp.PD.K-GH
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Fearful Faces and at Rest in Generalized Social Anxiety Disorder. *Depression and Anxiety*, *30*(3), 234–241. https://doi.org/10.1002/da.22014

Preljevic, V. T., Østhus, T. B. H., Sandvik, L., Opjordsmoen, S., Nordhus, I. H., Os, I., & Dammen, T. (2012). Screening for anxiety and depression in dialysis patients: Comparison of the Hospital Anxiety and Depression Scale and the Beck Depression Inventory. *Journal of Psychosomatic Research*, *73*(2), 139–144. https://doi.org/10.1016/j.jpsychores.2012.04.015

Price, S. A., & Wilson, L. M. (2006). *Pathofisiologi Konsep Klinik Proses-Proses Penyakit*. Jakarta: EGC.

Puspitosari, W. A. (2009). Terapi Kognitif dan Perilaku pada Gangguan Obsesif Kompulsif. *Mutiara Medika*, *9*(2), 7.

Ramadhan, H. F., Hermansyah, Y., Wisudanti, D. D., & Suryono, S. (2018). Hemodialysis Effect on Systolic Left Ventricular Function in Stage V Chronic Kidney Disease Patients. *Journal of Agromedicine and Medical Sciences*, *4*(3), 128. https://doi.org/10.19184/ams.v4i3.6543

Rector, N., A. (2010). *Cognitive-Behavioural Therapy An Information Guide*. Centre for Addiction and Mental Health.

Reza, I. F. (2016). Implementasi Coping Religious dalam Mengatasi Gangguan Fisik-Psikis-Sosial-Spiritual pada Pasien Gagal Ginjal Kronik. *Intizar*, *22*(2), 243. https://doi.org/10.19109/intizar.v22i2.940

Ruiz de Alegría Fernández de Retana, B., Ruiz de Alegría-Fernández de Retana, B., Basabe Barañano, N., Basabe-Barañano, N., Saracho Rotaeche, R., & Saracho-Rotaeche, R. (2013). Coping mechanisms as a predictor for quality of life in patients on dialysis: A longitudinal and multi-centre study. *Nefrología (English Edition)*, *33*(3), 342–354. https://doi.org/10.3265/Nefrologia.pre2013.Feb.11771

Sarah, & Hasanat, N., UI. (2010). Kajian Teoritis Pengaruh ARt Therapy dalam Mengurangi Kecemasan pada Penderita Kanker. *Buletin Psikologi*, *18*(1), 29–35.

Schena, F. P. (2011). Management of patients with chronic kidney disease. *Internal and Emergency Medicine*, *6 Suppl 1*, 77–83. https://doi.org/10.1007/s11739-011-0688-2

Semaan, V., Noureddine, S., & Farhood, L. (2018). Prevalence of depression and anxiety in end-stage renal disease: A survey of patients undergoing hemodialysis. *Applied Nursing Research*, *43*, 80–85. https://doi.org/10.1016/j.apnr.2018.07.009

Setyaningsih, T., Mustikasari, M., & Nuraini, T. (2011). Peningkatkan Harga Diri Pada Klien Gagal Ginjal Kronik Melalui Cognitive Behavior Therapy (CBT). *Jurnal Keperawatan Indonesia*, *14*(3), 165–170. https://doi.org/10.7454/jki.v14i3.63

Sohn, B. K., Oh, Y. K., Choi, J.-S., Song, J., Lim, A., Lee, J. P., An, J. N., Choi, H.-J., Hwang, J. Y., Jung, H.-Y., Lee, J.-Y., & Lim, C. S. (2018). Effectiveness of group cognitive behavioral therapy with mindfulness in end-stage renal disease hemodialysis patients. *Kidney Research and Clinical Practice*, *37*(1), 77–84. https://doi.org/10.23876/j.krcp.2018.37.1.77

UNIVERSITAS GADJAH MADA
PENGARUH COGNITIVE BEHAVIOR THERAPY TERHADAP PENURUNAN TINGKAT KECEMASAN PASIEN GAGAL GINJAL KRONIK YANG MENJALANI HEMODIALISIS DI RS PKU MUHAMMADIYAH GAMPING
SUCI APRILIA, Haryani, S.Kp., M.Kes., Ph.D; dr. R. Heru Prasanto, Sp.PD.K-GH
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Sompie, E. M., Kaunang, T. M. D., & Munayang, H. (2015). Hubungan antara Lama Menjalani Hemodialisis dengan Depresi pada Pasien dengan Penyakit Ginjal Kronik di RSUP. Prof. Dr. R. D. Kandou Manado. *Jurnal E-Clinic (ECL)*, *3*(1). https://doi.org/10.35790/ecl.3.1.2015.6834

Sopha, R. F., Wardhani, I. Y., & Fakultas Ilmu Keperawatan Universitas Indonesia, Depok - Indonesia. (2016). Stres dan Tingkat Kecemasan saat Ditetapkan Perlu Hemodialisis Berhubungan dengan Karakteristik Pasien. *Jurnal Keperawatan Indonesia*, *19*(1), 55–61. https://doi.org/10.7454/jki.v19i1.431

Stallard, P. (2002). *Think good—Feel good: A cognitive behavior therapy workbook for children and young people*. Chicester: John Wiley & Sons.

Stuart, G. W. (2006). *Buku Saku Keperawatan Jiwa*. Alih Bahasa: Ramona P. Kapoh & Egi Komara Yudha. Jakarta: EGC.

Sudoyo, A. W., Sutiyohadi, B., Alwi, I., Simadibrata, M., & Setiati, S. (2007). *Buku ajar Ilmu Penyakit Dalam* (IV). Jakarta: Pusat Penerbitan Ilmu Penyakit Dalam Fakultas Kedokteran Universitas Indonesia.

Sulistini, R., Damanik, H. DL., & Azinora, D. V. (2018). Kualitas Hidup Pasien yang Menjalani Hemodialisis. *Proceeding Seminar Nasional Keperawatan "tren Perawatan Paliatif sebagai Peluang Praktik Keperawatan Mandiri*. http://www.conference.unsri.ac.id/index.php/SNK/article/view/1212/609

Sumah, D. F. (2020). Kecerdasan Spiritual Berkorelasi dengan Tingkat Kecemasan Pasien Gagal Ginjal Kronik yang Menjalani Hemodialisa di Ruang Hemodialisa RSUD dr. M. Haulussy Ambon. *Jurnal Biosainstek*, *2*(1), 87–92.

Suseł, J., Batycka-Baran, A., Reich, A., & Szepietowski, J. (2014). Uraemic Pruritus Markedly Affects the Quality of Life and Depressive Symptoms in Haemodialysis Patients with End-stage Renal Disease. *Acta Dermato Venereologica*, *94*(3), 276–281. https://doi.org/10.2340/00015555-1749

Syed-Ahmed, M., & Narayanan, M. (2019). Immune Dysfunction and Risk of Infection in Chronic Kidney Disease. *Advances in Chronic Kidney Disease*, *26*(1), 8–15. https://doi.org/10.1053/j.ackd.2019.01.004

Terkawi, A. S., Tsang, S., AlKahtani, G. J., Al-Mousa, S. H., Al Musaed, S., AlZoraigi, U. S., Alasfar, E. M., Doais, K. S., Abdulrahman, A., & Altirkawi, K. A. (2017). Development and validation of Arabic version of the Hospital Anxiety and Depression Scale. *Saudi Journal of Anaesthesia*, *11*(Suppl 1), S11–S18. https://doi.org/10.4103/sja.SJA_43_17

Theofilou, P. (2011). Depression and Anxiety in Patients with Chronic Renal Failure: The Effect of Sociodemographic Characteristics. *International Journal of Nephrology*, *2011*. https://doi.org/10.4061/2011/514070

Tolin, D. F. (2010). Is cognitive–behavioral therapy more effective than other therapies?A meta-analytic review. *Clinical Psychology Review*, *30*(6), 710–720. https://doi.org/10.1016/j.cpr.2010.05.003

Turkistani, I., Nuqali, A., Badawi, M., Taibah, O., Alserihy, O., Morad, M., & Kalantan, E. (2014). The prevalence of anxiety and depression among end-stage renal disease patients on hemodialysis in Saudi Arabia. *Renal Failure*, *36*(10), 1510–1515. https://doi.org/10.3109/0886022X.2014.949761

UNIVERSITAS
GADJAH MADA
PENGARUH COGNITIVE BEHAVIOR THERAPY TERHADAP PENURUNAN TINGKAT KECEMASAN PASIEN GAGAL GINJAL KRONIK YANG MENJALANI HEMODIALISIS DI RS PKU MUHAMMADIYAH GAMPING
SUCI APRILIA, Haryani, S.Kp., M.Kes., Ph.D; dr. R. Heru Prasanto, Sp.PD.K-GH
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

USRDS. (2015). *USRDS Annual Data Report Volume 2: Epidemiology of Kidney Disease in the United States*. United States Renal Data System 2.

Valsaraj, B. P. (2016). Cognitive Behaviour Therapy for Anxiety and Depression among People Undergoing Haemodialysis: A Randomized Control Trial. *Journal of Clinical and Diagnostic Research*. https://doi.org/10.7860/JCDR/2016/18959.8383

Vasilopoulou, C., Bourtsi, E., Giaple, S., Koutelekos, I., Theofilou, P., & Polikandrioti, M. (2015). The Impact of Anxiety and Depression on the Quality of Life of Hemodialysis Patients. *Global Journal of Health Science*, *8*(1), 45. https://doi.org/10.5539/gjhs.v8n1p45

Wahyuni, A., Kartika, I. R., & Asrul, I. F. (2019). Korelasi Lama Hemodialisa dengan Fungsi Kognitif. *Real in Nursing Journal*, *2*(1), 1. https://doi.org/10.32883/rnj.v2i1.328

Wang, R., Liao, C., He, H., Hu, C., Wei, Z., Hong, Z., Zhang, C., Liao, M., & Shui, H. (2020). COVID-19 in Hemodialysis Patients: A Report of 5 Cases. *American Journal of Kidney Diseases*, *76*(1), 141–143. https://doi.org/10.1053/j.ajkd.2020.03.009

Wibisono, D. (2014). *Deteksi Dini Menjaga Kualitas dan Fungsi Ginjal* (11th ed.). Majalah Rumah Sakit Mitra Keluarga.

Wright, J., H., Brown, G., K., Thase, M., E., & Basco, M., Ramirez. (2017). *Learning Cognitive-Behavior Therapy An Illustrated Guide* (Second). American Psychiatric Association.

Wurara, Y. G. V., Kanine, E., & Wowiling, F. (2013). Mekanisme Koping pada Pasien Penyakit Ginjal Kronik yang Menjalani Terapi Hemodialisis di Rumah Sakit Prof. Dr.R.D Kandou Manado. *E Journal Keperawatan (e-Kp)*, *1*(1), 7.

Yang, Y., Ding, R., Hu, D., Zhang, F., & Sheng, L. (2014). Reliability and validity of a Chinese version of the HADS for screening depression and anxiety in psycho-cardiological outpatients. *Comprehensive Psychiatry*, *55*(1), 215–220. https://doi.org/10.1016/j.comppsych.2013.08.012

Yanti, E. K. Y., & Miswadi. (2018). Faktor-faktor yang Berhubungan dengan Kecemasan pada Pasien Gagal Ginjal Kronik yang Akan Menjalani Terapi Hemodialisis di Ruangan Hemodialisis RSUD Bengkalis Tahun 2016. *Jurnal Ners Universitas Pahlawan*, *2*(1), 28–40.

Zhang, M., Kim, J. C., Li, Y., Shapiro, B. B., Porszasz, J., Bross, R., Feroze, U., Upreti, R., Martin, D., Kalantar-Zadeh, K., & Kopple, J. D. (2014). Relation Between Anxiety, Depression, and Physical Activity and Performance in Maintenance Hemodialysis Patients. *Journal of Renal Nutrition*, *24*(4), 252–260. https://doi.org/10.1053/j.jrn.2014.03.002

Zhu, N., Zhang, D., Wang, W., Li, X., Yang, B., Song, J., Zhao, X., Huang, B., Shi, W., Lu, R., Niu, P., Zhan, F., Ma, X., Wang, D., Xu, W., Wu, G., Gao, G. F., & Tan, W. (2020). A Novel Coronavirus from Patients with Pneumonia in China, 2019. *New England Journal of Medicine*, *382*(8), 727–733. https://doi.org/10.1056/NEJMoa2001017

Zigmond, A. S., & Snaith, R. P. (1983). The Hospital Anxiety and Depression Scale. *Acta Psychiatrica Scandinavica*, *67*(6), 361–370. https://doi.org/10.1111/j.1600-0447.1983.tb09716.x

UNIVERSITAS
GADJAH MADA
PENGARUH COGNITIVE BEHAVIOR THERAPY TERHADAP PENURUNAN TINGKAT KECEMASAN PASIEN GAGAL GINJAL KRONIK YANG MENJALANI HEMODIALISIS DI RS PKU MUHAMMADIYAH GAMPING
SUCI APRILIA, Haryani, S.Kp., M.Kes., Ph.D; dr. R. Heru Prasanto, Sp.PD.K-GH
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Zurmeli, Bayhakki, & Utami, G. T. (2015). Hubungan Dukungan Keluarga dengan Kualitas Hidup Pasien Gagal Ginjal Kronik yang Menjalani Terapi Hemodialisis di RSUD Arifin Achmad Pekanbaru. *Jurnal Online Mahasiswa*, *2*(1), 670–681.