

## DAFTAR PUSTAKA

- Abdel-Kerim, A., Shehata, M., El Sabaa, B., Fadel, S., Heikal, A. and Mazloum, Y., 2018. Differentiation between benign and atypical cranial Meningiomas. Can ADC measurement help? MRI findings with histopathological correlation. *The Egyptian Journal of Radiology and Nuclear Medicine*, 49(1), pp.172-175. doi:10.1016/j.ejrm.2017.10.004
- Al-Hadidy, A.M., Maani, W.S., Mahafza, W.S., Al-Najar, M.S., Al-Nadai, M.M., 2007. Intracranial meningioma. *Jordan Medical Journal* 41: 37–51.
- Al-Mefty, O., Abdulrauf, S.I., Haddad, G.F., 2011. *Youmans' Neurological Surgery*, Elsevier Health Sciences. Philadelphia,.
- Allemani, C., Matsuda, T., Di Carlo, V., Harewood, R., Matz, M., Nikšić, M., Bonaventure, A., Valkov, M., Johnson, C.J., Estève, J. and Ogunbiyi, O.J., 2018. Global surveillance of trends in cancer survival: analysis of individual records for 37,513,025 patients diagnosed with one of 18 cancers during 2000–2014 from 322 population-based registries in 71 countries (CONCORD-3). *Lancet (London, England)*, 391(10125), p.1023.
- Alyamany, M., Alshardan, M.M., Jamea, A.A., ElBakry, N., Soualmi, L. and Orz, Y., 2018. Meningioma consistency: Correlation between magnetic resonance imaging characteristics, operative findings, and histopathological features. *Asian journal of neurosurgery*, 13(2), p.324. doi:10.4103/1793-5482.228515
- Baldi, I., Engelhardt, J., Bonnet, C., Bauchet, L., Berteaud, E., Grüber, A., Loiseau, H., 2018. Epidemiology of meningiomas. *Neurochirurgie* 64: 5–14. doi:10.1016/j.neuchi.2014.05.006
- Bhat, A.R., Wani, M.A., Kirmani, A.R. and Ramzan, A.U., 2014. Histological-subtypes and anatomical location correlated in meningeal brain tumors (meningiomas). *Journal of neurosciences in rural practice*, 5(3), p.244.
- Bi, W.L., Zhang, M., Wu, W.W., Mei, Y. and Dunn, I.F., 2016. Meningioma genomics: diagnostic, prognostic, and therapeutic applications. *Frontiers in surgery*, 3, p.40.
- Bray, F., Ferlay, J., Soerjomataram, I., Siegel, R.L., Torre, L.A. and Jemal, A., 2018. Global cancer statistics 2018: GLOBOCAN estimates of incidence and mortality worldwide for 36 cancers in 185 countries. *CA: a cancer journal for clinicians*, 68(6), pp.394-424.
- Bushberg, J.T., Seibert, J.A., Leidholdt, J., Edwin, M. and Boone, J.M., 2012. *The essential physics of medical imaging*, 3<sup>rd</sup> Ed, Philadelphia, USA.
- Cea-Soriano, L., Wallander, M.A., Garcia Rodriguez, L.A., 2012. Epidemiology of meningioma in the United Kingdom. *Neuroepidemiology* 39: 27–34. doi:10.1159/000338081
- Choy, W., Kim, W., Nagasawa, D., Stramotas, S., Yew, A., Gopen, Q., Parsa, A.T. and Yang, I., 2011. The molecular genetics and tumor pathogenesis of meningiomas and the future directions of meningioma treatments. *Neurosurgical focus*, 30(5), p.E6.
- Cossu, G., Messere, M., Parker, F., Levivier, M. and Daniel, R.T., 2016.

- Meningiomas' Management: An Update of the Literature. *Neurooncology Newer Dev*, 15, pp.361-79. doi:<http://dx.doi.org/10.5772/62929>
- Dahlan, M.S., 2009. Besar sampel dan cara pengambilan sampel dalam penelitian kedokteran dan kesehatan. *Jakarta: Salemba Medika*, 34.
- Dahlan, S., 2015. Statistik untuk Kedokteran dan Kesehatan: Deskriptif, Bivariat, dan Multivariat (Statistic for Medicine and Health Science: Descriptive, Bivariate, and Multivariate).
- Das, A., Tang, W.Y. and Smith, D.R., 2000. Meningiomas in Singapore: demographic and biological characteristics. *Journal of Neuro-oncology*, 47(2), pp.153-160. doi:10.1023/A:1006484829159
- Dolecek, T.A., Dressler, E.V.M., Thakkar, J.P., Liu, M., Al-Qaisi, A. and Villano, J.L., 2015. Epidemiology of meningiomas post-Public Law 107-206: The Benign Brain Tumor Cancer Registries Amendment Act. *Cancer*, 121(14), pp.2400-2410. doi:10.1002/cncr.29379
- Elsayed, A., Coenen, F., García-Fiñana, M. and Sluming, V., 2012. Region of interest based image classification: a study in MRI brain scan categorization. *Data Mining Applications in Engineering and Medicine*, pp.225-248.
- Ferlay, J., Colombet, M., Soerjomataram, I., Mathers, C., Parkin, D.M., Piñeros, M., Znaor, A. and Bray, F., 2019. Estimating the global cancer incidence and mortality in 2018: GLOBOCAN sources and methods. *International journal of cancer*, 144(8), pp.1941-1953. doi:10.1002/ijc.31937
- Gangadhar, K., Santhosh, D. and Fatterpekar, G.M., 2013. Imaging features of intracranial meningiomas with histopathological correlation: A relook into old disease. *Nepalese Journal of Radiology*, 3(1), pp.14-32. doi:10.3126/njr.v3i1.8713
- Goldbrunner, R., Minniti, G., Preusser, M., Jenkinson, M.D., Sallabanda, K., Houdart, E., von Deimling, A., Stavrinou, P., Lefranc, F., Lund-Johansen, M., Moyal, E.C.J., Brandsma, D., Henriksson, R., Soffietti, R., Weller, M., 2016. EANO guidelines for the diagnosis and treatment of meningiomas. *The Lancet Oncology*, 17(9), pp.e383-e391. doi:10.1016/S1470-2045(16)30321-7
- Gunadi, S. V, Suryanti, S., Yohana, R., 2013. Frequency of Meningioma in Anatomical Pathology Department Dr . Hasan Sadikin General Hospital Bandung Period 2010 - 2013 Frekuensi Meningioma di Departemen Patologi Anatomi RSHS Bandung Periode 2010 - 2013.
- Hadidy, A.M., Nadi, M.M., Ahmad, T.M., Al-Hussaini, M.A., Al-Abaddi, A.A., Musharbash, A.F. and Maani, W.S., 2010. Descriptive epidemiological analysis, MRI signals intensity and histopathological correlations of meningiomas. *Neurosciences (Riyadh)*, 15(1), pp.11-4.
- Hall, W.A., 1998. The safety and efficacy of stereotactic biopsy for intracranial lesions. *Cancer: Interdisciplinary International Journal of the American Cancer Society*, 82(9), pp.1749-1755. doi:10.1002/(SICI)1097-0142(19980501)82:9<1756::AID-CNCR23>3.0.CO;2-2
- Hashiba, T., Hashimoto, N., Maruno, M., Izumoto, S., Suzuki, T., Kagawa, N. and Yoshimine, T., 2006. Scoring radiologic characteristics to predict proliferative potential in meningiomas. *Brain tumor pathology*, 23(1), pp.49-54.

- Hawasli, A.H., Buckley, R.T., Gao, F., Limbrick, D.D., Smyth, M.D., Leonard, J.R., Santiago, P., Stewart, T.J., Park, T.S., Grubb, R.L. and Dowling, J.L., 2013. Biopsy of the superficial cortex: predictors of effectiveness and outcomes. *Neurosurgery*, 73(2), pp.224-232.. doi:10.1227/01.neu.0000430310.63702.3e.Biopsy
- Huang, H.K., 2010. *PACS and imaging informatics: basic principles and applications*. John Wiley & Sons, New Jersey.
- Hwang, W., Marciscano, A.E., Kim, D., Stemmer-Rachamimov, A.O., Curry, W.T., Barker, F.G., Larvie, M. and Shih, H.A., 2015. Correlation of Imaging Characteristics With Histopathological WHO Grade in Meningiomas. *International Journal of Radiation Oncology• Biology• Physics*, 93(3), p.E86. doi:10.1016/j.ijrobp.2015.07.765
- Japardi, I., 2003. Anatomi Tulang Kepala. *Seminar* 1–7.
- Lee, J., 2008. Meningiomas: diagnosis, treatment, and outcome. Springer Science & Business Media, USA. doi:10.1007/978-1-84628-784-8
- Leece, R., Xu, J., Ostrom, Q.T., Chen, Y., Kruchko, C., Barnholtz-Sloan, J.S., 2017. Global incidence of malignant brain and other central nervous system tumors by histology, 2003-2007. *Neuro. Oncol.* 19: 1553–1564. doi:10.1093/neuonc/nox091
- Lin, B.J., Chou, K.N., Kao, H.W., Lin, C., Tsai, W.C., Feng, S.W., Lee, M.S. and Hueng, D.Y., 2014. Correlation between magnetic resonance imaging grading and pathological grading in meningioma. *Journal of neurosurgery*, 121(5), pp.1201-1208. doi:10.3171/2014.7.JNS132359
- Lin, M.C., Li, C.Z., Hsieh, C.C., Hong, K.T., Lin, B.J., Lin, C., Tsai, W.C., Lee, C.H., Lee, M.G., Chung, T.T. and Tang, C.T., 2018. Preoperative grading of intracranial meningioma by magnetic resonance spectroscopy (1H-MRS). *PloS one*, 13(11). doi:10.1371/journal.pone.0207612
- Liu, Y., Chotai, S., Chen, M., Jin, S., Qi, S.T. and Pan, J., 2015. Preoperative radiologic classification of convexity meningioma to predict the survival and aggressive meningioma behavior. *PloS one*, 10(3). doi:10.1371/journal.pone.0118908
- Louis, D.N., Ohgaki, H., Wiestler, O.D., Cavenee, W.K., 2016. World Health Organization Classification of Tumours of the Central Nervous System (Revised 4th edition). International Agency for Research on Cancer (IARC). 131(6), pp. 231-245.
- Modha, A., Gutin, P.H., 2005. Diagnosis and treatment of atypical and anaplastic meningiomas: A review. *Neurosurgery* 57: 538–549. doi:10.1227/01.NEU.0000170980.47582.A5
- Mohammed, W.H., Obaid, A.R., Al-Shalaji, A.K., Hoz, S.S., Shakir, B.K. and Moscote-Salazar, L.R., 2018. The safety and efficacy of frame-based stereotactic biopsy of brain lesion. *MAMC Journal of Medical Sciences*, 4(3), p.121. doi:10.4103/mamcjms.mamcjms\_3\_18
- Nanda, A., Bir, S.C., Maiti, T.K., Konar, S.K., Missios, S. and Guthikonda, B., 2017. Relevance of Simpson grading system and recurrence-free survival after surgery for World Health Organization Grade I meningioma. *Journal of neurosurgery*, 126(1), pp.201-211. doi:10.3171/2016.1.JNS151842

- Newton, H.B. ed., 2016. *Handbook of neuro-oncology neuroimaging*. Academic Press, Columbus, USA
- Oh, J., Cha, S., Aiken, A.H., Han, E.T., Crane, J.C., Stainsby, J.A., Wright, G.A., Dillon, W.P. and Nelson, S.J., 2005. Quantitative apparent diffusion coefficients and T2 relaxation times in characterizing contrast enhancing brain tumors and regions of peritumoral edema. *Journal of Magnetic Resonance Imaging: An Official Journal of the International Society for Magnetic Resonance in Medicine*, 21(6), pp.701-708. doi:10.1002/jmri.20335
- Osborn, A., Hedlund, G., Salzman, K., 2017. Osborn's brain: imaging, pathology, and anatomy, Second. ed, Elsevier. Salt Lake City, UT : Elsevier, Inc., Utah.
- Ostrom, Q.T., Cioffi, G., Gittleman, H., Patil, N., Waite, K., Kruchko, C. and Barnholtz-Sloan, J.S., 2019. CBTRUS statistical report: primary brain and other central nervous system tumors diagnosed in the United States in 2012–2016. *Neuro-oncology*, 21(Supplement\_5), pp.v1-v100. doi:10.1093/neuonc/noz150
- Patel, A.P., Fisher, J.L., Nichols, E., Abd-Allah, F., Abdela, J., Abdelalim, A., Abraha, H.N., Agius, D., Alahdab, F., Alam, T. and Allen, C.A., 2019. Global, regional, and national burden of brain and other CNS cancer, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. *The Lancet Neurology*, 18(4), pp.376-393. doi:10.1016/S1474-4422(18)30468-X
- Pereira, L.P., Clarencon, F., Leclercq, D., Jean, B., Drier, A., Galanaud, D., Dormont, D., Chiras, J., 2012. Beyond the Skull : CT and MRI Findings in Lesions of the Scalp in Adults - A Pictorial Review. European Congress of Radiology 2012. doi:10.1594/ecr2012/C-2579
- Porter, K.R., McCarthy, B.J., Freels, S., Kim, Y. and Davis, F.G., 2010. Prevalence estimates for primary brain tumors in the United States by age, gender, behavior, and histology. *Neuro-oncology*, 12(6), pp.520-527. doi:10.1093/neuonc/nop066
- Rad, H.S., Safari, M., Kazerooni, A.F., Moharamzad, Y., Taheri, M.S., 2019. Apparent diffusion coefficient (ADC) and first-order histogram statistics in differentiating malignant versus benign meningioma in adults. *Iran Journal Radiology*. 16: 1–9. doi:10.5812/iranjradiol.74324
- Rivers, C.S., Wardlaw, J.M., Armitage, P.A., Bastin, M.E., Carpenter, T.K., Cvorov, V., Hand, P.J. and Dennis, M.S., 2006. Persistent infarct hyperintensity on diffusion-weighted imaging late after stroke indicates heterogeneous, delayed, infarct evolution. *Stroke*, 37(6), pp.1418-1423. doi:10.1161/01.STR.0000221294.90068.c4
- Salah, F., Tabbarah, A., Asmar, K., Tamim, H., Makki, M., Sibahi, A. and Hourani, R., 2019. Can CT and MRI features differentiate benign from malignant meningiomas?. *Clinical radiology*, 74(11), pp.898-e15. doi:10.1016/j.crad.2019.07.020
- Saloner, D., Uzelac, A., Hetts, S., Martin, A. and Dillon, W., 2010. Modern meningioma imaging techniques. *Journal of neuro-oncology*, 99(3), pp.333-340. doi:10.1007/s11060-010-0367-6
- Schob, S., Frydrychowicz, C., Gawlitza, M., Bure, L., Preuß, M., Hoffmann, K.T. and Surov, A., 2016. Signal intensities in preoperative MRI do not reflect

- proliferative activity in meningioma. *Translational oncology*, 9(4), pp.274-279. doi:10.1016/j.tranon.2016.05.003
- Shiroishi, M.S., Cen, S.Y., Tamrazi, B., D'Amore, F., Lerner, A., King, K.S., Kim, P.E., Law, M., Hwang, D.H., Boyko, O.B. and Liu, C.S.J., 2016. Predicting meningioma consistency on preoperative neuroimaging studies. *Neurosurgery Clinics*, 27(2), pp.145-154. doi:10.1016/j.nec.2015.11.007
- Sitthinamsuwan, B., Khampalikit, I., Nunta-aree, S., Srirabheebhat, P., Witthiwej, T. and Nitising, A., 2012. Predictors of meningioma consistency: A study in 243 consecutive cases. *Acta neurochirurgica*, 154(8), pp.1383-1389.
- Smith, K.A., Leever, J.D. and Chamoun, R.B., 2015. Predicting consistency of meningioma by magnetic resonance imaging. *Journal of Neurological Surgery Part B: Skull Base*, 76(03), pp.225-229. doi:10.1055/s-0034-1543965
- Sobotta, J., 2010. Atlas of Human Anatomy: Head, Neck and Neuroanatomy. 15th Ed. 3: 137-155.
- Sun, S.Q., Hawasli, A.H., Huang, J., Chicoine, M.R. and Kim, A.H., 2015. An evidence-based treatment algorithm for the management of WHO Grade II and III meningiomas. *Neurosurgical focus*, 38(3), p.E3. doi:10.3171/2015.1.FOCUS14757.Disclosure
- Surov, A., Gottschling, S., Mawrin, C., Prell, J., Spielmann, R.P., Wienke, A., Fiedler, E., 2015. Diffusion-weighted imaging in meningioma: Prediction of tumor grade and association with histopathological parameters. *Translational Oncology*. 8: 517-523. doi:10.1016/j.tranon.2015.11.012
- Talacchi, A., Corsini, F. and Gerosa, M., 2011. Hyperostosing meningiomas of the cranial vault with and without tumor mass. *Acta neurochirurgica*, 153(1), pp.53-61. doi:10.1007/s00701-010-0838-8
- Watanabe, K., Kakeda, S., Yamamoto, J., Ide, S., Ohnari, N., Nishizawa, S. and Korogi, Y., 2016. Prediction of hard meningiomas: quantitative evaluation based on the magnetic resonance signal intensity. *Acta Radiologica*, 57(3), pp.333-340. doi:10.1177/0284185115578323
- Watts, J., Box, G., Galvin, A., Brotchie, P., Trost, N. and Sutherland, T., 2014. Magnetic resonance imaging of meningiomas: a pictorial review. *Insights into imaging*, 5(1), pp.113-122.
- Westbrook, C., 2014. *Handbook of MRI technique*, 4<sup>th</sup> Ed. John Wiley & Sons. Cambridge, UK
- Westbrook, C., Roth, C.K. and Talbot, J., 2011. MRI safety. *MRI in Practice*. 4th ed. Oxford, England: Wiley-Blackwell.
- Wiemels, J., Wrensch, M. and Claus, E.B., 2010. Epidemiology and etiology of meningioma. *Journal of neuro-oncology*, 99(3), pp.307-314. doi:10.1007/s11060-010-0386-3
- Yao, A., Pain, M., Balchandani, P. and Shrivastava, R.K., 2018. Can MRI predict meningioma consistency?: a correlation with tumor pathology and systematic review. *Neurosurgical review*, 41(3), pp.745-753. doi:10.1007/s10143-016-0801-0
- Yogi, A., Koga, T., Azama, K., Higa, D., Ogawa, K., Watanabe, T., Ishiuchi, S. and Murayama, S., 2014. Usefulness of the apparent diffusion coefficient (ADC) for predicting the consistency of intracranial meningiomas. *Clinical*

*imaging*, 38(6), pp.802-807. doi:10.1016/j.clinimag.2014.06.016

Zimny, A., Neska-Matuszewska, M., Bladowska, J. and Sasiadek, M.J., 2015.  
Intracranial lesions with low signal intensity on T2-weighted MR images—  
review of pathologies. *Polish journal of radiology*, 80, p.40.