



## DAFTAR PUSTAKA

- Abdel-aty, M. dan Haleem, K., 2011, Analyzing Angle Crashes at Unsignalized Intersections Using Machine Learning Techniques. *Accident Analysis and Prevention*, 43(1), 461–470. Available at: <http://dx.doi.org/10.1016/j.aap.2010.10.002>.
- Adebisi, O., dan Sama, G. N., 1989, Influence of Stopped Delay on Driver Gap Acceptance Behavior. *Journal of Transportation Engineering*, 115(3), 305-315.
- Aggarwal, P., 2011, Passenger Car Unit Value for Trucks Using Fuzzy Model. In *Proceedings of The World Congress on Engineering*, 2, 6-8.
- Ahmad, A., dan Rastogi, R., 2017, Regression Model for Entry Capacity of a Roundabout Under Mixed Traffic Condition–An Indian Case Study. *Transportation Letters*, 9(5), 243-257.
- Ahmed, A., Sadullah, A. F. M., dan Shukri Yahya, A., 2014, Accident Analysis Using Count Data for Unsignalized Intersections In Malaysia. *Procedia Engineering*, 77, 45-52.
- Akcelik, R., 1980. Time Dependent Expression for Delay, Stop Rate and Queue Length at Traffic Signals. Internal report AIR 367-1. Australian Road Research Board. Vermont South, Australia.
- Ale, G. B., Varma, A., dan Gage, B., 2014, Safety Impacts of Right-Turn Lanes at Unsignalized Intersections And Driveways on Two-Lane Roadways: Crash Analysis. *Journal of Transportation Engineering*, 140(2), 0401-3001.
- Amin, H.J. dan Maurya, K.A., 2016, Modelling the Gap Acceptance Behavior of Drivers of Two-Wheelers at Unsignalized Intersection in Case of Heterogeneous Traffic Using ANFIS. *Proceedings of 3rd International Conference on Advanced Computing, Networking and Informatics*.
- Arkatkar, S. S., dan Arasan, V. T., 2010, Effect of Gradient and Its Length on Performance of Vehicles Under Heterogeneous Traffic Conditions. *Journal of Transportation Engineering*, 136(12), 1120-1136.
- Aryal, R., dan Tanaboriboon, Y., 1989, Determination of Basic Capacity of an Uninterrupted Flow Highway in Thailand. *Australian Road Research*, 19(1), 47-50.
- Ashton, W. D., 1971, Gap-Acceptance Problems at a Traffic Intersection. *Journal of the Royal Statistical Society: Series C (Applied Statistics)*, 20(2), 130-138.
- Badan Pusat Statistik Jakarta Pusat, 2019. *Statistik Indonesia Tahun 2019*. Jakarta Pusat: Badan Pusat Statistik.
- Badan Pusat Statistik, 2019. *Statistik Jumlah Penduduk D.I Yogyakarta Indonesia Tahun 2019*.
- Bang, K. L., dan Carlsson, A. 1995, Development of Speed-Flow Relationships for Indonesian Rural Roads Using Empirical Data and Simulation. *Transportation Research Record*, 1484.
- Beanland, V., Lenné, M. G., Candappa, N., dan Corben, B., 2013, Gap Acceptance at Stop-Controlled T-Intersections In A Simulated Rural Environment. *Transportation Research Part F: Traffic Psychology And Behaviour*, 20, 80-89.
- Bergh, T., dan Dardak, H., 1994, Capacity of Unsignalised Intersections and Weaving



- Areas in Indonesia. In International Symposium on Highway Capacity, 2nd, 1994, Sydney, New South Wales, Australia (Vol. 1).
- Binkot, 1993, Indonesian Highway Capacity Manual Project Phase 1. PT Bina Karya (Persero). Jakarta. Indonesia.
- Biswas, S., Ghosh, I., Chandra, S., dan Singh, J., 2015, Comparison of Passenger Car Unit Values for Urban Mixed Traffic at Signalized Intersections. 3rd Conference of Transportation Research Group of India (3rd CTRG).
- Björklund, G. M., dan Åberg, L., 2005, Driver Behaviour In Intersections: Formal and Informal Traffic Rules. Transportation Research Part F: Traffic Psychology and Behaviour, 8(3), 239-253.
- Brilon, W., 2007, Time Dependent Delay at Unsignalized Intersection. Proceedings of the 17th International Symposium on Transportation and Traffic Theory (ISTTT17), London, Elsevier, 547.
- Brilon, W., Koenig, R., dan Troutbeck, R.J., 1999, Useful Estimation Procedures for Critical Gaps. Transp. Res., Part A, 33 (3-4), 161 – 186.
- Caliendo, C., 2014, Delay Time Model at Unsignalized Intersections. Journal of Transportation Engineering, 140(9), 04014042.
- Carter, D., Hummer, J., Foyle, R., dan Phillips, S., 2005, Operational And Safety Effects of U-Turns at Signalized Intersections. TRR 1920. Journal of Transportation Research Board of the National Academies, Washington D.C., 11-18.
- Chandra, S., dan Kumar, U., 2003, Effect of Lane Width on Capacity Under Mixed Traffic Conditions in India. Journal of Transportation Engineering, 129(2), 155-160.
- Chandra, S., Kumar, V., & Sikdar, P. K., 1995, Dynamic PCU and Estimation of Capacity of Urban Roads. Indian Highways, 23(4).
- Chevallier, E., dan Leclercq, L., 2007, A Macroscopic Theory for Unsignalized Intersections. Transportation Research Part B: Methodological, 41(10), 1139-1150.
- Chiguma, M.L.M., 2007, Analysis of Side Friction Impacts on Urban Road Link- Case Study, Dar-Es-Salaam. Doctoral Thesis in Traffic and Transport Planning, (Unpublished), Infrastructure and Planning Royal Institute of Technology Stockholm, Sweden.
- Chodur, J., 2005, Capacity Models And Parameters for Unsignalized Urban Intersections In Poland. Journal of Transportation Engineering, 131(12), 924-930.
- Craus, J., Polus, A., dan Grinberg, I., 1980, A Revised Method for The Determination of Passenger Car Equivalencies. Transportation Research Part A: General, 14(4), 241-246.
- Devarasetty, P. C., Zhang, Y., dan Fitzpatrick, K., 2012, Differentiating Between Left-Turn Gap and Lag Acceptance at Unsignalized Intersections as a Function of The Site Characteristics. Journal of Transportation Engineering, 138(5), 580-588.
- Departemen Permukiman dan Prasarana Wilayah, 2002, Pedoman Konstruksi dan Bangunan “Tata cara Perencanaan Geometrik Persimpangan Sebidang” (Pt T-02-2002-B), Jakarta, Indonesia.
- Dewanti., 1992, Crossing Behaviour and Gap Acceptance at an Unsignalized Intersection in Bandung. Thesis. ITB Bandung.



- Dhamaniya, A., dan Chandra, S. J., 2013, Concept of Stream Equivalency Factor for Heterogeneous Traffic on Urban Arterial Roads, *Journal of Transportation Engineering*, Vol. 139(11), 1117-1123.
- Elefteriadou, L., 2014, *An Introduction To Traffic Flow Theory* (Vol. 84). New York: Springer.
- Flaherty'O A., 1997, *Transport Palnning and Traffic Engineering*.Tottenham Court Road. London.
- Gard, J. T., 2001, Young Consultant's Award Paper: Estimation of maximum queue lengths at unsignalized intersections. Institute of Transportation Engineers. ITE Journal, 71(11), 26.
- Gattis, J. L., dan Low, S. T., 1999, Gap Acceptance at Atypical Stop-Controlled Intersections. *Journal of Transportation Engineering*, 125(3), 201-207.
- Gerlough, D. L & Huber, M. J., 1975, *Traffic Flow Theory*. TRB. Washington DC.
- Gorwadkar S., Gurav P., Shah C., Ranka V., dan Khan A., 2016, Estimation of PCU Values for Midblock Section And Roundabout. *International Journal on Recent and Innovation Trends in Computing and Communication*, 4 (4), 197–203.
- Greenshields B, D., Schapiro D., dan Ericksen E, L.,1947, *Traffic Performance at Urban Intersections*. Technical Rep. No. 1. New Haven, CT: Yale Univ.
- Guler, S. I., dan Menendez, M., 2017, Methodology for Estimating Capacity and Vehicle Delays at Unsignalized Multimodal Intersections. *International journal of transportation science and technology*, 5(4), 257-267.
- Guo, R. J., dan Lin, B. L., 2011, Gap Acceptance at Priority-Controlled Intersections. *Journal of Transportation Engineering*, 137(4), 269-276.
- Haider, F., Rehman, Z. U., Sheikh, M. U., dan Malik, B. Z., 2018, Alleviating Transportation System Problems by Providing Public Transit Integration in High-Density Metropolitan Cities. *Pakistan Journal of Engineering and Applied Sciences*, (1).
- Haiyuan, L., Zong, T., dan Wei, D., 2011, Capacity of TWSC Intersection with Multilane Approach, *Procedia Social and Behavioural Sciences*, (16), 664-675.
- Haleem, K. & Abdel-aty, M., 2010. Examining Traffic Crash Injury Severity at Unsignalized Intersections. *Journal of Safety Research*, 41(4), 347–357. Available at: <http://dx.doi.org/10.1016/j.jsr.2010.04.006>.
- Hamed, M. M., Easa, S. M., dan Batayneh, R. R, 1997, Disaggregate Gap-Acceptance Model for Unsignalized T-Intersections. *Journal of Transportation Engineering*, 123(1), 36-42.
- Harnen, S., Wong, S. V., Umar, R. R., dan Hashim, W. W., 2003, Motorcycle Crash Prediction Model for Non-Signalized Intersections. *IATSS Research*, 27(2), 58-65.
- Hatfield, J., dan Murphy, S., 2007, The Effects of Mobile Phone Use on Pedestrian Crossing Behaviour at Signalised And Unsignalised Intersections. *Accident Analysis & Prevention*, 39(1), 197-205.
- Holík, J., Dorda, M., Teichmann, D., dan Graf, V., 2016, Universal Simulation Model for Unsignalized Intersection Capacity Analysis. In 2016 17th International Carpathian Control Conference (ICCC) 236-241, IEEE.



- Huber, M. J, 1982, Estimation of Passenger-Car Equivalents of Trucks in Traffic Stream (Discussion And Closure) (No. 869).
- Hummer, J.E., 1994, Manual of Transportation Engineering Studies, Institute of Transportation Engineering, by Prentice-Hall, Inc, Englewood Cliffs, New Jersey.
- Högberg, P. (1976). Estimation of Parameters In Models for Traffic Prediction: a Non-Linear Regression Approach. *Transportation Research*, 10(4), 263-265.
- Irawan, M. Z., Sumi, T., dan Munawar, A., 2010, Implementation of the 1997 Indonesian Highway Capacity Manual (MKJI) Volume Delay Function. *Journal of the Eastern Asia Society for Transportation Studies*, 8, 350-360.
- Indriastuti, A. K., dan Yulipriyono, E, 2018, Indonesian Highway Capacity Guidance (IHCG) Correction Factor for Signalized Intersection. In *MATEC Web of Conferences* (Vol. 159, p. 01024). EDP Sciences.
- Joewono, T. B., Vandebona, U., dan Susilo, Y. O, 2015, Behavioural Causes and Categories of Traffic Violations By Motorcyclists in Indonesian Urban Roads. *Journal of Transportation Safety & Security*, 7(2), 174-197.
- Kaysi, I. & Alam, G., 2000, Driver Behaviour and Traffic Stream Intersection at Unsignalized Intersection. *Journal of transportation Engineering*, 2(December), 498–505.
- Kaysi, I. A., dan Abbany, A. S., 2007, Modeling Aggressive Driver Behavior at Unsignalized Intersections. *Accident Analysis & Prevention*, 39(4), 671-678.
- Khisty, C.J & Lall, B.K., B.K., 2005, *Dasar-Dasar Rekayasa Transportasi Jilid 1*, Erlangga, Jakarta.
- Kimber, R.M & Hollis, E. M., 1979, Traffic Queues and Delays at Road Junctions. TRL Report LR 909.
- Korpslantas., 2019, Mewujudkan Keselamatan Jalan Oleh Pengendara Sepeda Motor Melalui Peningkatan di Sektor Hilir. Polri, Jakarta.
- Kumar, P., Arkatkar, S., dan Joshi, G., 2018, New Approach for Estimating Passenger Car Units on Multilane Urban Roads with Heterogeneous Traffic Conditions, *Journal of Transportation Engineering*., Part A: Systems, 144(3).
- Lawalata, G. M., Agah, H.R., 2011, Traffic Conflict Analysis as a Road Safety Diagnostic Tool for 415 Urban Road Facilities. *International Journal of Technology*, 2 , 112-121.
- Lee, C., 2015, Developing Passenger-Car Equivalents for Heavy Vehicles in Entry Flow at Roundabouts. *Journal of Transportation Engineering*, 141(8), 04015013.
- Li, H., Tian, Z. dan Deng, W., 2011, Capacity of TWSC Intersection with Multilane Approaches. *Procedia - Social and Behavioral Sciences*, 16, 664–675. Available at: <http://dx.doi.org/10.1016/j.sbspro.2011.04.486>.
- Liu, M., Chen, Y., Lu, G., dan Wang, Y., 2017, Modeling Crossing Behavior of Drivers at Unsignalized Intersections With Consideration of Risk Perception. *Transportation Research Part F: Traffic Psychology and Behaviour*, 45, 14-26.
- Liu, M., Lu, G., Wang, Y., dan Zhang, Z., 2014, Analyzing Drivers' Crossing Decisions at Unsignalized Intersections in China. *Transportation Research Part F: Traffic Psychology and Behaviour*, 24, 244-255.



- Liu, P., Lu, J., dan Cao, B., 2009, Capacity of U-Turns at Median Openings on Six-Lane Streets. *Transportation Research, Record* 2130. Washington, DC.
- Liu, P., Lu, J., Hu, F., dan Sokolow, G., 2008, Capacity of U-Turn Movement at Median Opening on Multilane Highway. *Journal of Transportation Engineering*, 134(4), 147-154.
- Liu, P., Lu, J., Fan, J., Pernia, J., dan Sokolow, G., 2005, Effect of U-Turns on The Capacity of Signalized Intersections. *TRR* 1920. *Journal of Transportation Research Board of the National Academies*, Washington D.C., 74-80.
- Magfirona, N.A., Hidayati., Setiyaningsih., I., dan G. Slamet., 2015, The Delays for Signalized Intersection Using ATCS Data and Field Survey Method at Kerten-Intersection of Surakarta, *Procedia Engineering*, 125, 526 – 533.
- Mamun, A. A., Mahmud, H. M. I., Afroz, M., Hossain, Q. S., dan Kaiser, S. M. S. U., 2012, Estimation of Passenger Car Equivalent (PCE) of Right-Turning Vehicles at Signalized Intersection in Dhaka Metropolitan City, Bangladesh. *Advances in transportation studies*, (26).
- Manan, M. M. A., dan Varhelyi, A., 2015, Motorcyclists' Road Safety Related Behavior at Access Points On Primary Roads In Malaysia—A Case Study. *Safety Science*, 77, 80-94.
- Manual Kapasitas Jalan Indonesia (MKJI), 1997, Direktorat Jenderal Bina Marga. Jakarta. Indonesia
- Manual, H. C., 1965, Highway Capacity Manual. Washington, DC.
- Manual, H. C., 2000, Highway Capacity Manual. Washington, DC, 2.
- Marcus, A., 2013, Unsignalized Intersections, National Cooperate Highway Research Program.
- Maurya, A. K., Amin, H. J., dan Kumar, A., 2016, Estimation of Critical Gap for Through Movement at Four Leg Uncontrolled Intersection. *Transportation Research Procedia*, 17, 203-212.
- Mehar, A., Chandra, S., dan Velmurugan, S., 2014, Passenger Car Units at Different Levels of Service for Capacity Analysis of Multilane Interurban Highways in India. *Journal of transportation engineering*, 140(1), 81-88.
- Metkari, M., Budhkar, A. K., dan Maurya, A. K., 2012, Review of Passenger Car Equivalence Studies in Indian Context. *International Journal of Computer Applications*, 19-23.
- Mohan, M., dan Chandra, S., 2017, Queue Clearance Rate Method for Estimating Passenger Car Equivalents at Signalized Intersections. *Journal of Traffic and Transportation Engineering (English Edition)*, 4(5), 487-495.
- Mohan, M., dan Chandra, S., 2018, Three Methods of PCU Estimation at Unsignalized Intersections. *Transportation letters*, 10(2), 68-74.
- Morlok EK, 1984, Pengantar Teknik dan Perencanaan Transportasi, Ahli Bahasa Oleh Johan K. Hainim, Erlangga, Jakarta.
- Munawar, A., 2006, Queue and Delay at Signalized Intersection, Indonesian Experience. In *Proceeding of the Symposium on Highway Capacity Manual and Quality of Service*, Yokohama, Vol. 3, No. 5.





- Munawar, A., 2011, Speed and Capacity for Urban Roads, Indonesian Experience. *Procedia Social and Behavioral Sciences*, (16), 382-387.
- NAASRA, 1988, Guide to Traffic Engineering Practice, National Association of Australian State Road Authorities, Sydney.
- Nakatsuji, T., Hai, N. G., Taweelap, S., dan Tanaboriboon, Y., 2001, Effects of Motorcycle on Capacity of Signalized Intersections. *Infrastructure Planning Review*, 18, 935-942.
- Nicholas, J.G., 2002, Traffic and Highway Engineering. Toronto: University of Virginia.
- Nokandeh, M.M., Gosh, I., dan Chandra, S., 2016, Determination of Passenger-Car Units on Two-Lane Intercity Highways under Heterogeneous Traffic Conditions, *Journal of Transportation Engineering*, 142(2).
- Ogallio, H. O., dan Jha, M. K., 2014, Methodology for Critical-Gap Analysis at Intersections with Unprotected Opposing Left-Turn Movements. *Journal of Transportation Engineering*, 140(9), 04014045.
- Ott, S.E, Halley R, Hammer J, dan Foyle RS., 2012, Safety Effects of Unsignalized Superstreets in North Carolina Side street Arterial Side street Arterial. *Accident Analysis and Prevention*, 45, 572–579. Available at: <http://dx.doi.org/10.1016/j.aap.2011.09.010>.
- Paul, P. K., dan Sarkar, P. K., 2013, Determination of Dynamic PCUs of Different Types of Passenger Vehicles on Urban Roads: A Case Study, Delhi Urban Area. *Indian Highways*, 41(4).
- Pedoman Kapasitas Jalan Indonesia (PKJI), 2014, Kementerian Pekerjaan Umum. Jakarta. Indonesia
- Peraturan Pemerintah Republik Indonesia Nomor 43 Tahun 1993 Tentang Prasarana Data Lalu Lintas Jalan. Jakarta, Republik Indonesia.
- Pirdavani, A, Brijs, A., Bellemans. T., dan Wets. G., 2010, Evaluation of Traffic Safety at Un-Signalized Intersections Using Microsimulation: A Utilization of Proximal Safety Indicators. *Advances in Transportation Studies an international Journal Section A*, 22, 43–51.
- Prasetijo, J., 2007, Capacity and Traffic Performance of Unsignalized Intersections Under Mixed Traffic Conditions (Doctoral dissertation, Ph. D Thesis, Ruhr-University Bochum).
- Prasetijo, J., dan Ahmad, H., 2012, Capacity Analysis Of Unsignalized Intersection Under Mixed Traffic Conditions. *Procedia-Social and Behavioral Sciences*, 43, 135-147.
- Prasetijo, J., Pour, M. H., dan Ghadiri, S. M. R., 2011, Capacity of Unsignalized Intersections Under Mixed Traffic Conditions. *Procedia-Social and Behavioral Sciences*, 16, 676-685.
- Prasetijo, J., Wu, N., Ambak, K., Md Rohani, M., Omar, N., dan Sanik, M. E., 2014, Capacity Analysis of Different Geometric Design of Unsignalized Intersections Based on Occupation Time.
- Praveen, P.S., dan Arasan, V.T, 2013, Influence of Traffic Mix on PCU Value of Vehicles Under Heterogeneous Traffic Conditions. *International Journal for Traffic and Transport Engineering*, 3(3), 302 – 330.



- Pribadi, O.S, 2017, Pengkinian Manual Kapasitas Jalan Perkotaan dengan Traffic Microsimulation. Disertasi, Yogyakarta, Indonesia.
- Puan, O. C., Nor, N. S. M., dan Bujang, Z., 2014, Speed–Flow–Geometry Relationships and Capacity for Two–Lane Single Carriageway Roads. *Jurnal Teknologi*, 70(4).
- Putranto, L. S., dan Setyarini, N. L. P. S. E, 2011, Vehicle Composition and Lane Distribution in Multilane Highways In Indonesian Cities. *Procedia-Social and Behavioral Sciences*, 16, 374-381.
- Quiroga, C. A., dan Bullock, D.,1999, Measuring Control Delay at Signalized Intersections. *Journal of Transportation Engineering*, 125(4), 271-280.
- Raff, M. S., 1950, A Volume Warrant for Urban Stop Sign. *Traffic Engineering and Control*, 5/1983, 255-258.
- Ramlan, R., Irawan, M.Z., Munawar, A., 2020, The Impact of The Existence of The Volunteer on Handling The Waiting Time at Unsignalized Intersection in Yogyakarta, Indonesia, IATSS Research, <https://doi.org/10.1016/j.iatssr.2020.04.001>.
- Ruehr, E.O., 1988, Advantages of The Planning Method of Capacity Analysis for Signalized Intersections. *ITE Journal*, 34-19.
- Ruskin, H. J., dan Wang, R., 2002, Modeling Traffic Flow at an Urban Unsignalized Intersection. In *International Conference on Computational Science* (pp. 381-390). Springer, Berlin, Heidelberg.
- Salini, S., Sherin, G., dan Ashalatha, R., 2016, Effect of Side Frictions on Traffic Characteristics of Urban Arterials, *Transportation Research Procedia*, 17, 636 – 643.
- Salman, K. dan Al-maita, K.J., 1992, Safety Evaluation at Three-Leg , Unsignalized Intersections by Traffic Conflict Technique. *Transportation Research, Record* 1485, 177–185.
- Saw, K., Das, A.K., Katti, B.K., dan Josh, G.J., 2019, Travel Time Estimation Modelling under Heterogeneous Traffic: A Case Study of Urban Traffic Corridor in Surat, India. *Periodica Polytechnica Transportation Engineering*, 47(4), 302-308.
- Saxena, C. S., 1989, A Course in Traffic Planning and Design. Dhanpat Rai & Sons. Nai sarak, Delhi.
- Schepers, J. P., Kroeze, P. A., Sweers, W., and Wüst, J. C., 2011, Road factors and bicycle–motor vehicle crashes at unsignalized priority intersections. *Accident Analysis and Prevention*, 43(3), 853–861. doi.org/10.1016/j.aap.2010.11.005
- Salter. R. J., 1976, Highway Traffic Analysis and Design, University of Bradford. Sonu, M., Dhamaniya, A., Arkatkar, S. S., dan Joshi, G., 2017, Roundabout Capacity in Heterogeneous Traffic Condition: Modification of HCM Equation and Calibration. *Transportation research procedia*, 27, 985-992.
- Sonu, M., Dhamaniya, A., Arkatkar, S., dan Joshi, G., 2016, Time Occupancy as Measure of PCU at Four Legged Roundabouts. *Transportation Letters*, 1-12.
- Surisetty, R., dan Prasad, S. S. G., 2014, Estimation of Capacity at Un-Signalized Intersections under Mixed Traffic Flow Conditions. *American Journal of Engineering Research*, 3, 213-221.
- Susilo, Y. O., Joewono, T. B., dan Vandebona, U., 2015, Reasons Underlying Behaviour



- of Motorcyclists Disregarding Traffic Regulations in Urban Areas of Indonesia. Accident Analysis & Prevention, 75, 272-284.
- Tamin, O. Z., 2000, Perencanaan dan Pemodelan Transportasi. Penerbit ITB.
- Tamin, O. Z., 2003. Perencanaan & Permodelan Transportasi: Contoh Soal dan Aplikasi Ed.1. ITB Bandung, Indonesia.
- Tan, D. T., Tu, T. V., dan Sano, K., 2018, Estimation of Motorcycle Equivalent Units on Urban Streets. Asian Transport Studies, 5(2), 243-255.
- Tanner, J. C., 1951, The Delay To Pedestrians Crossing a Road. Biometrika, 38(3/4), 383-392.
- Tiwari, G. E. E. T. A. M., Fazio, J., & Pavitras, S., 2000, Passenger Car Units for Heterogeneous Traffic Using A Modified Density Method. In Proceedings of fourth International Symposium on Highway Capacity, 246-257.
- Tolazzi, T., 2004, The Contribution to The Procedure of Capacity Determination at Unsignalized Priority-Controlled Intersections. Promet-Traffic-Traffico, 16(1), 31–36.
- Troutbeck, R. J., dan Kako, S., 1999, Limited Priority Merge at Unsignalized Intersections. Transportation Research Part A: Policy and Practice, 33(3-4), 291-304.
- Troutbeck, R.J, 1991, “Implementation of The Australian Roundabout Analysis Method in SIDRA.” Proc., Int. Symp. on Highway Capacity, Balkema, Rotterdam, The Netherlands, 17–34.
- Troutbeck, R.J. & Brilon,. 1990, Limited Priority Merge at Unsignalized Intersections. Journal of Transportation Research, 33.
- Turner, T & Harahap, G., 1993, Simplified Saturation Flow Data Collection Methods. Journal, Oversead Centre Transport Research Laboratory, Crowthorne, UK.
- Van Aerde, M., dan Yagar, S., 1984, Capacity, Speed and Platooning Vehicle Equivalents for Two-Lane Rural Highways. TRB.
- Weinert, A. (2000, June). Estimation of Critical Gaps and Follow-Up Times at Rural Unsignalized Intersections in Germany. In Fourth International Symposium on Highway Capacity, 409-421.
- Wu, N., 1999, Capacity of Shared-Short Lanes at Unsignalized Intersections. Transportation Research Part A: Policy and Practice, 33(3-4), 255-274.
- Yun, M., dan Ji, J., 2013, Delay Analysis of Stop Sign Intersection and Yield Sign Intersection Based on VISSIM. Procedia-Social and Behavioral Sciences, 96, 2024-2031.
- Zhou, B., Bliemer, M., Yang, H., dan He, J., 2015, A Trial-and-Error Congestion Pricing Scheme for Networks With Elastic Demand and Link Capacity Constraints. Transportation Research Part B: Methodological, 72, 77-92.