

## DAFTAR PUSTAKA

- Acaster, S., Dickerhoof, R., Debusk, K., Bernard, K., Strauss, W., & Allen, L. F. (2015). Qualitative and quantitative validation of the FACIT-fatigue scale in iron deficiency anemia. *BioMed Central*, 13(60), 1–10. <https://doi.org/10.1186/s12955-015-0257-x>
- Akin, S., Mendi, B., Ozturk, B., Cinper, C., & Durna, Z. (2014). Assessment of relationship between self-care and fatigue and loneliness in haemodialysis patients. *Journal of Clinical Nursing*, 23(5–6), 856–864. <https://doi.org/10.1111/jocn.12248>
- Ali, H. H., & Taha, N. M. (2017). Fatigue , Depression and Sleep Disturbance among Hemodialysis Patients. *IOSR Journal of Nursing and Health Science*, 6(3), 61–69. <https://doi.org/10.9790/1959-0603016169>
- Ann, B., Wellard, S., & Caltabiano, M. (2008). Levels of fatigue in people with ESRD living in far North Queensland. *Journal of Clinical Nursing*, 17(1), 90–98. <https://doi.org/10.1111/j.1365-2702.2007.02042.x>
- Ariyani, Y. (2017). *Materi Ajar Pijat Refleksi Mengacu Kurikulum Berbasis Kompetensi Jenjang 2, 3, 4 KKNl*.
- Artom, M., Moss-morris, R., Caskey, F., & Chilcot, J. (2014). Fatigue in advanced kidney disease. *Kidney International*, 86, 497–505. <https://doi.org/10.1038/ki.2014.86>
- Barbara, & Kunz, K. (2007). *Complete Reflexology for Life*. Dorling Kindersley.
- Biniaz, V., Tayybi, A., Nemati, E., Sadeghi Shermeh, M., & Ebadi, A. (2013). Different aspects of fatigue experienced by patients receiving maintenance dialysis in hemodialysis units. *Nephro-Urology Monthly*, 5(4), 897–900. <https://doi.org/10.5812/numonthly.11667>
- Black, J. M., & Hawks, J. H. (2014). *Keperawatan Medikal Bedah Manajemen Klinis untuk Hasil yang Diharapkan* (Edisi 8). Elseiver.
- Bonner, A., Wellard, S., & Caltabiano, M. (2010). The impact of fatigue on daily activity in people with chronic kidney disease. *Journal of Clinical Nursing*, 19(21–22), 3006–3015. <https://doi.org/10.1111/j.1365-2702.2010.03381.x>
- Borjigin, J., Zhang, L. S., & Calinescu, A.-A. (2012). Circadian Regulation of Pineal Gland Rhythmicity. *Mol Cell Endocrinol*, 349(1), 13–19. <https://doi.org/10.1016/j.mce.2011.07.009>
- Bossola, M., Luciani, G., & Tazza, L. (2009). Fatigue and its correlates in chronic hemodialysis patients. *Blood Purification*, 28(3), 245–252. <https://doi.org/10.1159/000231985>

- Bossola, M., Vulpio, C., & Tazza, L. (2011). Fatigue in Chronic Dialysis Patients. *Seminar In Dialysis*, 24(5), 550–555. <https://doi.org/10.1111/j.1525-139X.2011.00956.x>
- Bulechek, G. M., Butcher, H. K., Dochterman, J. M., & Wagner, C. M. (2016). *Nursing Intervention Classification (NIC)* (I. Nurjanah & R. D. Tumanggor (eds.); Edisi 6). Elseiver.
- Caplin, B., Kumar, S., & Davenport, A. (2011). Patients ' perspective of haemodialysis-associated symptoms. *Nephrol Dial Transplant*, 26, 2656–2663. <https://doi.org/10.1093/ndt/gfq763>
- Cella, D. F., Tulsky, D. S., Gray, G., Sarafian, B., Linn, E., Bonomi, A., Silberman, M., Yellen, S. B., Winicour, P., Brannon, J., Eckberg, K., Lloyd, S., Purl, S., Blendowski, C., Goodman, M., Barnicle, M., Stewart, I., McHale, M., Bonomi, P., ... Harris, J. (1993). The functional assessment of cancer therapy scale: Development and validation of the general measure. *Journal of Clinical Oncology*, 11(3), 570–579. <https://doi.org/10.1200/JCO.1993.11.3.570>
- Chao, C., Huang, J., & Chiang, C. (2016). Functional assessment of chronic illness therapy — the fatigue scale exhibits stronger associations with clinical parameters in chronic dialysis patients compared to other fatigue-assessing instruments. *Peer J*, 1–16. <https://doi.org/10.7717/peerj.1818>
- Corwin, E. J. (2009). *Buku Saku Patofisiologi* (Edisi 3). EGC.
- Dahlan, M. S. (2012). *Statistik untuk kedokteran dan kesehatan* (5th ed.). Epidemiologi Indonesia.
- Dahlan, M. S. (2016). *Besar Sampel Dalam Penelitian Kedokteran dan Kesehatan* (4th ed.). Epidemiologi Indonesia.
- Daugirdas, J. T., Depner, T. A., Inrig, J., Mehrotra, R., Rocco, M. V, Suri, R. S., & Weiner, D. E. (2015). KDOQI Clinical Practice Guideline for Hemodialysis Adequacy: 2015 Update. *Am J Kidney Dis*, 66(5), 884–930. <https://doi.org/10.1053/j.ajkd.2015.07.015>
- David, A., Pelosi, A., Mcdonald, E., Stephens, D., Ledger, D., Rathbone, R., Mann, A., & David, A. (1990). Tired, weak, or in need of rest: fatigue among general practice attenders. *BMJ*, 301, 1199–1202.
- DeWit, S. C., Stromberg, H. K., & Dallre, C. V. (2017). *Medical-Surgical Nursing Concepts and Practice* (Third Edit). Elseiver.
- Dharma, K. K. (2011). *Metodologi Penelitian Keperawatan, Panduan Melaksanaan dan Menerapkan Hasil Penelitian* (Revisi). Trans Info Media.
- Farrell, M., & Dempsey, J. (2014). *Smeltzer & Bare's Textbook of Medical-Surgical*

- Nursing* (3rd ed.). Lippincott Williams & Wilkins.
- Flocco, B. (2014). *Reflexology*. Penguin Group.
- Fresenius Medical Care. (2017). *Creating Added Value*. Fresenius Medical Care.
- Ganz, T., & Nemeth, E. (2011). Hepcidin and disorders of iron metabolism. *Annual Review of Medicine*, 62, 347–360. <https://doi.org/10.1146/annurev-med-050109-142444>
- Georgios, T., Victoria, A., Evangelos, F., Savvas, P., & Sofia, Z. (2015). Assessment of Quality of Life and Fatigue among Haemodialysis Patients. *American Journal of Nursing Science*, 4(2–1), 66–77. <https://doi.org/10.11648/j.ajns.s.2015040201.22>
- Global Burden of Disease. (2017). *Global, regional, and national life expectancy, all-cause mortality, and cause-specific mortality for 249 causes of death, 1980 – 2015: a systematic analysis for the Global Burden of Disease Study 2015*. 388, 1459–1544.
- Habibzadeh, H., Dalavan, O. W., Alilu, L., Wardle, J., Khalkhali, H., & Nozad, A. (2020). Effects of Foot Massage on Severity of Fatigue and Quality of Life in Hemodialysis Patients : *International Journal of Community Based Nursing & Midwifery*, 8(2), 92–102. <https://doi.org/10.30476/IJCBNM.2020.81662.0>
- Hanief, Y. N., & Himawanto, W. (2017). *Statistik Pendidikan* (1st ed.). Deepublish.
- Hardy, S. E., & Studenski, S. A. (2011). Qualities of Fatigue and Associated Chronic Conditions Among Older Adults. *J Pain Symptom Manage*, 39(6), 1033–1042. <https://doi.org/10.1016/j.jpainsymman.2009.09.026>.Qualities
- Hesami, M., Kalhor, M., Roshani, D., & Fathi, M. (2019). The Effect of Reflexology on Fatigue in Cancer Patients Receiving Chemotherapy: A Randomized Controlled Trial. *Crescent Journal of Medical and Biological Sciences*, 6(2), 151–157.
- Horigan, A. E. (2012). Fatigue in Hemodialysis Patients : A Review of Current Knowledge. *Journal of Pain and Symptom Management*, 44(5), 715–724. <https://doi.org/10.1016/j.jpainsymman.2011.10.015>
- James, A. (2007). *Hands on Reflexology: A Complete Guide*. Hodder & Stoughton.
- Jeongsoon, L., Misook, H., Younghae, C., Jinsun, K., & Jungsook, C. (2011). Effects of Foot Reflexology on Fatigue , Sleep and Pain : A Systematic Review and Meta-analysis. *J Korean Acad Nurs*, 41(6), 821–833.
- Jhamb, M., Weisbord, S. D., Steel, J. L., & Unruh, M. (2009). Fatigue in Patients Receiving Maintenance Dialysis: A Review of Definitions, Measures, and

- Contributing Factors. *Am J Kidney Dis*, 52(2), 353–365.  
<https://doi.org/10.1053/j.ajkd.2008.05.005.Fatigue>
- Jumadi, A., Suprapti, F., & Supardi, S. (2019). Effect of Feet Reflexology on Fatigue of End-Stage Renal Disease Patients with Hemodialysis Treatment. *International Journal of Health, Nursing & Medicine*, 3(2), 90–99.
- Karadag, E., Kilic, S. P., & Metin, O. (2013). Relationship between fatigue and social support in hemodialysis patients. *Nursing and Health Sciences*, 15(2), 164–171.  
<https://doi.org/10.1111/nhs.12008>
- Kementerian Kesehatan RI. (2018). Riset Kesehatan Dasar. *Kementerian Kesehatan Republik Indonesia*, 1–200.
- Kementerian Pendidikan dan Kebudayaan. (2015). *Ilmu Pijat Pengobatan Refleksi Relaksasi*. Direktorat Pembinaan Kursus dan Pelatihan Direktorat Jenderal Pendidikan Anak Usia Dini dan Pendidikan Masyarakat Kementerian Pendidikan dan Kebudayaan.
- Kheyri, A., Bastani, F., & Haghani, H. (2016). Effects of Reflexology on Sleep Quality of Elderly Women Undergoing Abdominal Surgery. *Client-Centered Nursing Care*, 2(1), 11–18. <https://doi.org/10.32598/jccnc.2.1.11>
- Krohn, M., Listing, M., Tjahjono, G., Reissauer, A., Peters, E., Klapp, B. F., & Rauchfuss, M. (2011). Depression, mood, stress, and Th1/Th2 immune balance in primary breast cancer patients undergoing classical massage therapy. *Supportive Care in Cancer*, 19(9), 1303–1311. <https://doi.org/10.1007/s00520-010-0946-2>
- Lan, S.-C., Lin, Y.-E., Chen, S., Lin, Y.-F., & Wang, Y.-J. (2015). *Effects of Acupressure on Fatigue and Depression in Hepatocellular Carcinoma Patients Treated with Transcatheter Arterial Chemoembolization : A Quasi-Experimental Study*. 1–10. <https://doi.org/10.1155/2015/496485>
- Lemeshow, S., Hosmer Jr, D. W., Klar, J., & Lwanga, S. K. (1990). *Adequacy of Sample Size in Health Studies*. World Health Organization.
- Letchmi, S., Das, S., Halim, H., Zakariah, F. A., Hassan, H., Mat, S., & Packiavathy, R. (2011). Fatigue experienced by patients receiving maintenance dialysis in hemodialysis units. *Nursing and Health Sciences*, 13(1), 60–64.  
<https://doi.org/10.1111/j.1442-2018.2011.00579.x>
- Liu, H. E. (2006). Fatigue and Associated Factors in Hemodialysis Patients in Taiwan. *Research in Nursing & Health*, 29, 40–50. <https://doi.org/10.1002/nur>
- Louise, K. (2008). *The Reflexology Bibel*. Octopus Publishing Group.
- Marcora, S. M., Staiano, W., & Manning, V. (2009). Mental fatigue impairs physical performance in humans. *J Appl Physiol*, 106, 857–864.

<https://doi.org/10.1152/japplphysiol.91324.2008>.

- Maung, S. C., El Sara, A., Chapman, C., Cohen, D., & Cukor, D. (2016). Sleep disorders in chronic kidney disease. *World Journal of Nephrology*, 5(3), 224–232. <https://doi.org/10.5527/wjn.v5.i3.224>
- McGowan, S. K., Espejo, E. P., Balliett, N., & Werdowatz, E. A. (2016). The Effects of Transdiagnostic Group CBT for Anxiety on Insomnia Symptoms. *Cognitive Behaviour Therapy*, 45(2), 163–175. <https://doi.org/10.1080/16506073.2015.1134639>
- Mollaoglu, M. (2009). Fatigue in people undergoing hemodialysis. *Dialysis and Transplantation*, 38(6), 216–220. <https://doi.org/10.1002/dat.20330>
- Morton, P. G., Fontaine, D., Hudak, C. M., & Gallo, B. M. (2014). *Keperawatan Kritis Pendekatan Asuhan Holistik* (Edisi 8). EGC.
- Mulawarman, Nugraheni, E. P., Putri, A., & Febrianti, T. (2019). *Psikologi konseling: sebuah pengantar bagi konselor pendidikan*. Kencana.
- Muttaqin, A., & Sari, K. (2011). *Asuhan Keperawatan Gangguan Sistem Perkemihan*. Salemba Medika.
- Nasouti, M. A., Halili, S. A., Mousavi, Z. B., Nasouti, A., & Tamadon, M. R. (2017). Anemia among hemodialysis patients; an updated. *Annals of Research in Dialysis*, 2(1), 17–20.
- Nourmohammadi, H., Motaghi, M., Borji, M., Tarjoman, A., & Soltany, B. (2018). The Effects of Reflexology on Fatigue Severity of Patients with Cancer. *Asian Pacific Journal of Cancer Prevention*, 20, 391–394. <https://doi.org/10.31557/APJCP.2019.20.2.391>
- Ozdemir, G., Ovayolu, N., & Ovayolu, O. (2013). The effect of reflexology applied on haemodialysis patients with fatigue, pain and cramps. *International Journal of Nursing Practice*, 19, 265–273. <https://doi.org/10.1111/ijn.12066>
- Pawlikowska, T., Chalder, T., Hirsch, S. R., Wallace, P., Wright, D. J. M., & Wessely, S. C. (1994). Population based study of fatigue and psychological distress. *BMJ*, 308, 763–766.
- PERNEFRI. (2017). *10 th Report Of Indonesian Renal Registry*.
- Piper, B. F., Dibble, S. L., Dodd, M. J., Welss, M. C., Slaughter, R. E., & Paul, S. M. (1998). *The Revised Piper Fatigue Scale: Paychometric evaluation in women with breast cancer*. 25(4), 677–684.
- Piroddi, M., Depunzio, I., Calabrese, V., Mancuso, C., Aisa, C. M., Binaglia, L., Minelli, A., Butterfield, A. D., & Galli, F. (2007). Oxidatively-modified and

glycated proteins as candidate pro-inflammatory toxins in uremia and dialysis patients. *Amino Acids*, 32(4), 573–592. <https://doi.org/10.1007/s00726-006-0433-8>

Pupim, L. B., Cuppari, L., & Ikizler, T. A. (2006). Nutrition and metabolism in kidney disease. *Seminars in Nephrology*, 26(2), 134–157. <https://doi.org/10.1016/j.semnephrol.2005.09.010>

Puspitasari, C. E. (2016). Penilaian Kelelahan dan Kualitas Hidup Pasien Hemodialisis Rutin dengan Anemia Menggunakan FACIT-Fatigue Scale dan KDQoL-SF36 di Rumah Sakit UGM dan RSUP Dr. Sardjito Yogyakarta. In *Tesis*. Universitas Gadjah Mada.

Rao, M., Wong, C., Kanetsky, P., Girndt, M., Stenvinkel, P., Reilly, M., & Raj, D. (2007). Cytokine gene polymorphism and progression of renal and cardiovascular diseases. *Kidney International*, 72(5), 549–556. <https://doi.org/10.1038/sj.ki.5002391>

Roshanravan, M., Jouybari, L., Taghanaki, H. B., Vakili, M., Sanagoo, A., & Amini, Z. (2016). Effect of Foot Reflexology on Fatigue in Patients Undergoing Hemodialysis : A Sham-Controlled Randomized Trial. *Journal of Mazandaran University of Medical Sciences*, 26(137), 32–41.

Sabouhi, F., Kalani, L., Valiani, M., Mortazavi, M., & Bemanian, M. (2013). Effect of acupressure on fatigue in patients on hemodialysis. *Iranian Journal of Nursing and Midwifery Research*, 18(6), 429–434.

Sanyaolu, A., Okorie, C., Annan, R., Akhtar, N., Gray, F., Hamdy, K., Isina, A., Maharjan, G., Maghroudi, W., & Nwaduwa, I. C. (2018). Epidemiology and management of chronic renal failure : a global public health problem. *Biostatistics and Epidemiology International Journal*, 1(1), 11–16. <https://doi.org/10.30881/beij.00005>

Shady, R. H. A., & Ali, H. M. A. (2019). Effect of Reflexology Foot Massage on Fatigue level for Patients Undergoing Hemodialysis. *International Journal of Nursing*, 6(1), 151–170. <https://doi.org/10.15640/ijn.v6n1a17>

Sharifi, S., Navidian, A., Jahantigh, M., & Lori, A. S. (2018). Investigating the Impact of Foot Reflexology on Severity of Fatigue in Patients Undergoing Hemodialysis : A Clinical Trial Study. *Medical Surgical Nursing Journal*, 7(1), 1–6. <https://doi.org/10.5812/msnj.81634.Research>

Sihombing, J. P., Hakim, L., Andayani, T. M., & Irijanto, F. (2016). Validasi Kuesioner Skala Kelelahan FACIT pada Pasien Penyakit Ginjal Kronis yang Menjalani Hemodialisis Rutin. *Jurnal Farmasi Klinik Indonesia*, 5(4), 231–237. <https://doi.org/10.15416/ijcp.2016.5.4.231>



- Smeltzer, S. C., & Bare, B. G. (2002). *Buku Ajar Keperawatan Medikal Bedah Brunner & Sudarth* (Edisi 8). EGC.
- Sugiyono. (2017). *Statistik untuk Penelitian*. Alfabeta.
- Suhardjono. (2014). *Buku Ajar Ilmu Penyakit Dalam* (S. Setiati, I. Alwi, A. W. Sudoyo, K. M. Simadibrata, B. Setiyohadi, & A. F. Syam (eds.); VI). Interna Publising.
- Sulistini, R., Yetti, K., & Hariyati, R. T. S. (2012). Faktor Faktor yang Mempengaruhi Fatigue Pada Pasien yang Menjalani Hemodialisis. *Jurnal Keperawatan Indonesia*, 15(2), 75–82. <https://doi.org/10.7454/jki.v15i2.30>
- Suwitra, K. (2014). *Buku Ajar Ilmu Penyakit Dalam* (S. Setiati, I. Alwi, A. W. Sudoyo, K. M. Simadibrata, B. Setiyohadi, & A. F. Syam (eds.); VI). Interna Publising.
- Unal, K. S., & Balci Akpinar, R. (2016). The effect of foot reflexology and back massage on hemodialysis patients' fatigue and sleep quality. *Complementary Therapies in Clinical Practice*, 24, 139–144. <https://doi.org/10.1016/j.ctcp.2016.06.004>
- Van, K. N., Duangpaeng, S., Deenan, A., & Bonner, A. (2012). Examining the health-related quality of life of people with end-stage kidney disease living in Hanoi, Vietnam. *Renal Society of Australasia Journal*, 8(3), 140–145.
- Wang, S., Zang, X., Liu, J., Gao, M., Cheng, M., & Zhao, Y. (2015). Psychometric Properties of the Functional Assessment of Chronic Illness Therapy-Fatigue (FACIT-Fatigue) in Chinese Patients Receiving Maintenance Dialysis. *Journal of Pain and Symptom Management*, 49(1), 135–143. <https://doi.org/10.1016/j.jpainsymman.2014.04.011>
- Webster, K., Cella, D., & Yost, K. (2003). The Functional Assessment of Chronic Illness Therapy ( FACIT ) Measurement System : properties , applications , and interpretation. *BioMed Central*, 1(79), 1–7.
- Zadrazil, J., & Horak, P. (2015). Pathophysiology of anemia in chronic kidney diseases: A review. *Biomedical Papers*, 159(2), 197–202. <https://doi.org/10.5507/bp.2013.093>
- Zyga, S., Alikari, V., Sachlas, A., Fradelos, E. C., Stathoulis, J., Panoutsopoulos, G., Georgopoulou, M., Theophilou, P., & Lavdaniti, M. (2015). *Assessment of Fatigue in End Stage Renal Disease Patients Undergoing Hemodialysis: Prevalence and Associated Factors*. 69(6), 376–380. <https://doi.org/10.5455/medarh.2015.69.376-380>