

DAFTAR PUSTAKA

- Abdel-Latif, M. E., Bajuk, B., Oei, J., Vincent, T., Sutton, L. & Lui, K. (2006) Does rural or urban residence make a difference to neonatal outcome in premature birth? A regional study in Australia. *Archives of Disease in Childhood - Fetal and Neonatal Edition*, 91(4): F251-F256.
- Abir, T., Ogbo, F. A., Stevens, G. J., Page, A. N., Milton, A. H. & Agho, K. E. (2017) The impact of antenatal care, iron-folic acid supplementation and tetanus toxoid vaccination during pregnancy on child mortality in Bangladesh. *PLoS ONE* 12(11): 1-14.
- Ajaari, J., Masanja, H., Weiner, R., Abokyi, S. A. & Owusu-Agyei, S. (2012) Impact of Place of Delivery on Neonatal Mortality in Rural Tanzania. *International journal of MCH and AIDS*, 1(1): 49-59.
- Akter, T., Dawson, A. & Sibbritt, D. (2017) What impact does antenatal and postnatal care have on neonatal deaths in low- and lower-middle-income countries? Evidence from Bangladesh. *Health Care for Women International*, 38(8): 848-860.
- Alonso, V., Fuster, V. & Luna, F. (2005) Causes Of Neonatal Mortality In Spain (1975–98): Influence Of Sex, Rural–Urban Residence And Age At Death. *Journal of Biosocial Science*, 38(4): 537-51.
- Andriano, L. & Monden, C. W. S. (2019) The Causal Effect of Maternal Education on Child Mortality: Evidence From a Quasi-Experiment in Malawi and Uganda. *Demography*, 56(5): 1765-90.
- Arunda, M., Emmelin, A. & Asamoah, B. O. (2017) Effectiveness of antenatal care services in reducing neonatal mortality in Kenya: analysis of national survey data. *Global Health Action*, 10(1): 1328796.
- Azizah, I. & Handayani, O. K. (2017) Kematian Neonatal Di Kabupaten Grobogan. *Higeia Journal Of Public Health Research And Development*, 1(4): 72-85.
- Badriah, F., Abe, T., Baequni & Hagihara, A. (2014) Skilled Versus Unskilled Assistance in Home Delivery: Maternal Complications, Stillbirth and Neonatal Death in Indonesia. *Nursing and Care*, 3(5).
- Baqui, A. H., Ahmed, S., Arifeen, S. E., Darmstadt, G. L., Rosecrans, A. M., Mannan, I., Rahman, S. M., Begum, N., Mahmud, A. B. A., Seraji, H. R., Williams, E. K., Winch, P. J., Santosham, M. & Black, R. E. (2009) Effect of timing of first postnatal care home visit on neonatal mortality in Bangladesh: a observational cohort study. *BMJ*, 339b2826.
- Baqui, A. H., Dipak K Mitra, N. B., Lisa Hurt, Seyi Soremekun, Karen Edmond, Betty Kirkwood, Nita Bhandari, Sunita Taneja, Sarmila Mazumder, Muhammad Imran Nisar, Fyezah Jehan, Muhammad Ilyas, Murtaza Ali, Imran Ahmed, Shabina Ariff, Sajid B Soofi, Sunil Sazawal & Usha Dhingra, A. D., Said M Ali, Shaali M Ame, Katherine Semrau, Fern M Hamomba,

Caroline Grogan, Davidson H Hamer, Rajiv Bahl, Sachiyo Yoshida & Alexander Manu (2016) Neonatal mortality within 24 hours of birth in six low- and lower-middle-income countries. *Bulletin of World Health Organization*, 94752-58B.

Baqui, A. H., El-Arifeen, S., Darmstadt, G. L., Ahmed, S., Williams, E. K., Seraji, H. R., Mannan, I., Rahman, S. M., Shah, R., Saha, S. K., Syed, U., Winch, P. J., Lefevre, A., Santosham, M. & Black, R. E. (2008) Effect of community-based newborn-care intervention package implemented through two service-delivery strategies in Sylhet district, Bangladesh: a cluster-randomised controlled trial. *The Lancet*, 371(9628): 1936-44.

Baxter, J.-A. B., Wasan, Y., Soofi, S. B., Suhag, Z. & Bhutta, Z. A. (2018) Effect of life skills building education and micronutrient supplements provided from preconception versus the standard of care on low birth weight births among adolescent and young Pakistani women (15–24 years): a prospective, population-based cluster-randomized trial. *Reproductive Health*, 15(1): 104.

Bellizzi, S., Sobel, H., Mathai, M. & Temmerman, M. (2017) Does place and attendance at birth improve early neonatal mortality? Secondary analysis of nine Demographic and Health Surveys. *BJOG: An International Journal of Obstetrics & Gynaecology*, 124(10): 1558-65.

Berkat, S. & Sutan, R. (2014) The Effect of Early Initiation of Breastfeeding on Neonatal Mortality among Low Birth Weight in Aceh Province, Indonesia: An Unmatched Case Control Study. *Advances in Epidemiology*, 20147.

Betran, A., Torloni, M., Zhang, J., Gülmezoglu, A. & Section, t. W. W. G. o. C. (2016) WHO Statement on Caesarean Section Rates. *BJOG: An International Journal of Obstetrics & Gynaecology*, 123(5): 667-70.

Bhutta, Z. A., Soofi, S., Cousens, S., Mohammad, S., Memon, Z. A., Ali, I., Feroze, A., Raza, F., Khan, A., Wall, S. & Martines, J. (2011) Improvement of perinatal and newborn care in rural Pakistan through community-based strategies: a cluster-randomised effectiveness trial. *The Lancet*, 377(9763): 40312.

BKKBN, BPS, Kemenkes & USAID (2018) Survei Demografi dan Kesehatan Indonesia 2017. Jakarta.

Blencowe, H., Cousens, S., Mullany, L. C., Lee, A. C. C., Kerber, K., Wall, S., Darmstadt, G. L. & Lawn, J. E. (2011) Clean birth and postnatal care practices to reduce neonatal deaths from sepsis and tetanus: a systematic review and Delphi estimation of mortality effect. *BMC Public Health*, 11(3): S11.

Branco da Fonseca, C. R., Strufaldi, M. W. L., de Carvalho, L. R. & Puccini, R. F. (2014) Adequacy of antenatal care and its relationship with low birth weight in Botucatu, São Paulo, Brazil: a case-control study. *BMC Pregnancy and Childbirth*, 14(1): 255.

- Caldwell, J. C. (1979) Education as a Factor in Mortality Decline An Examination of Nigerian Data. *Population Studies*, 33(3): 395-413.
- Carlo, W. A. (2020) Perinatal and Neonatal Care in Developing Countries. *Fanaroff and Martin's Neonatal-Perinatal Medicine*. Elsevier.
- Cavallaro, F. L., Cresswell, J. A. & Ronsmans, C. (2016) Obstetricians' Opinions of the Optimal Caesarean Rate: A Global Survey. *PloS ONE*, 11(13).
- Chowdhury, H. R., Thompson, S. C., Ali, M., Alam, N., Yunus, M. & Streatfield, P. K. (2011) Care seeking for fatal illness episodes in Neonates: a population-based study in rural Bangladesh. *BMC Pediatrics*, 11(1): 88.
- Chowdhury, Q. H., Islam, R. & Hossain, K. (2010) Socio-economic determinants of neonatal, post neonatal, infant and child mortality. *International Journal of Sociology and Anthropology*, 2(6): 118-25.
- Coulibaly, A., Baguiya, A., Millogo, T., Meda, I. B., Koueta, F. & Kouanda, S. (2016) Predictors of mortality of low birth weight newborns during the neonatal period: A cohort study in two health districts of Burkina Faso. *International Journal of Gynecology & Obstetrics*, 135(S1): S89-S92.
- Croft, T. N., Aileen M. J. Marshall & Allen, C. K. (2018) Guide to DHS Statistics. *DHS-7 The Demographic and Health Surveys Program*. Rockville, Maryland, USA: ICF.
- Cummings, P. (2009) Methods for Estimating Adjusted Risk Ratios. *The Stata Journal*, 9(2): 175-96.
- D'Sa, S., Pinto, D., A, A. & Baliga, B. S. (2016) Effect of low birth weight on neonatal mortality in preterm and small for gestational age babies in a tertiary neonatal intensive care unit in India. *2016*, 3(3): 4.
- Demirci, O., Yılmaz, E., Tosun, Ö., Kumru, P., Arinkan, A., Mahmutoğlu, D., Selçuk, S., Dolgun, Z. N., Arısoy, R., Erdoğan, E. & Tarhan, N. (2016) Effect of Young Maternal Age on Obstetric and Perinatal Outcomes: Results from the Tertiary Center in Turkey. *Balkan medical journal*, 33(3): 344-49.
- Dewi, S. (2014) Catatan Akhir Tahun Sektor Kesehatan. *Jurnal Kebijakan Kesehatan Indonesia*, 3(4): 173-74.
- Doku, D. T. & Neupane, S. (2017) Survival analysis of the association between antenatal care attendance and neonatal mortality in 57 low- and middle-income countries. *International Journal of Epidemiology*, 46(5): 1668-77.
- Dummer, T. J. B. & Parker, L. (2005) Changing socioeconomic inequality in infant mortality in Cumbria. *Archives of Disease in Childhood*, 90(2): 157-62.
- Ezeh, O. K. (2017) Trends and population-attributable risk estimates for predictors of early neonatal mortality in Nigeria, 2003–2013: a cross-sectional analysis. *BMJ Open*, 7(5): e013350.

- Ezeh, O. K., Agho, K. E., Dibley, M. J., Hall, J. & Page, A. N. (2014) Determinants of neonatal mortality in Nigeria: evidence from the 2008 demographic and health survey. *BMC Public Health*, 14(1): 521.
- Fuchs, F., Monet, B., Ducruet, T., Chaillet, N. & Audibert, F. (2018) Effect of maternal age on the risk of preterm birth: A large cohort study. *PloS one*, 13(1): e0191002-e0191002.
- Hermawan, A. (2019) Analisis Distribusi Tenaga Kesehatan (Dokter Perawat Dan Bidan) Di Indonesia Pada 2013 Dengan Menggunakan Gini Index. *Buletin Penelitian Sistem Kesehatan* 22(3): 167-75.
- IDAI (2010) *Pedoman Pelayanan Medis. Pedoman Pelayanan Medis*. Ikatan Dokter Anak Indonesia. Jakarta.
- Jehan, I., Harris, H., Salat, S., Zeb, A., Mobeen, N., Pasha, O., McClure, E. M., Moore, J., Wright, L. L. & Goldenberg, R. L. (2009) Neonatal mortality, risk factors and causes: a prospective population-based cohort study in urban Pakistan. *Bulletin of the World Health Organization*, 87130-38.
- Jourabchi, Z., Sharif, S., Lye, M. S., Saeed, A., Khor, G. L. & Tajuddin, S. H. S. (2019) Association Between Preconception Care and Birth Outcomes. *American Journal of Health Promotion*, 33(3): 363-71.
- Kananura, R. M., Tetui, M., Mutebi, A., Bua, J. N., Waiswa, P., Kiwanuka, S. N., Ekirapa-Kiracho, E. & Makumbi, F. (2016) The neonatal mortality and its determinants in rural communities of Eastern Uganda. *Reproductive Health*, 13(1): 13.
- Kemenkes (2010) *Pedoman Pemantauan Wilayah Setempat Kesehatan Ibu dan Anak (PWS-KIA)*, Jakarta: Kementerian Kesehatan Republik Indonesia.
- Kemenkes (2012) *Buku Saku Pelayanan Kesehatan Neonatal Esensial*, Jakarta: Kementerian Kesehatan Republik Indonesia.
- Kemenkes (2013) *Pelayanan Kesehatan Ibu di Fasilitas Kesehatan Dasar dan Rujukan*, Jakarta: Kementerian Kesehatan Republik Indonesia.
- Kemenkes (2015) *Peraturan Menteri Kesehatan Republik Indonesia Nomor 99 Tahun 2015 Tentang Pelayanan Kesehatan Pada Jaminan Kesehatan Nasional*, Jakarta: Kementerian Kesehatan Republik Indonesia.
- Kemenkes (2016) *Buku Kesehatan Ibu dan Anak*, Jakarta: Kementerian Kesehatan Republik Indonesia dan Japan International Cooperation Agency.
- Kiross, G. T., Chojenta, C., Barker, D., Tiruye, T. Y. & Loxton, D. (2019) The effect of maternal education on infant mortality in Ethiopia: A systematic review and meta-analysis. *PloS one*, 14(7): e0220076-e0220076.
- Kumar, V., Mohanty, S., Kumar, A., Misra, R. P., Santosham, M., Awasthi, S., Baqui, A. H., Singh, P., Singh, V., Ahuja, R. C., Singh, J. V., Malik, G. K., Ahmed, S., Black, R. E., Bhandari, M. & Darmstadt, G. L. (2008) Effect of community-based behaviour change management on neonatal mortality in

Shivgarh, Uttar Pradesh, India: a cluster-randomised controlled trial. *The Lancet*, 372(9644): 1151-62.

Lamichhane, R., Zhao, Y., Paudel, S. & Adewuyi, E. O. (2017) Factors associated with infant mortality in Nepal: a comparative analysis of Nepal demographic and health surveys (NDHS) 2006 and 2011. *BMC Public Health*, 17(1): 53.

Lawn, J. E., Cousens, S. & Zupan, J. (2005) 4 million neonatal deaths: When? Where? Why? *The Lancet*, 365(9462): 891-900.

Lawn, J. E., Kerber, K., Enweronu-Laryea, C. & Cousens, S. (2010) 3.6 Million Neonatal Deaths—What Is Progressing and What Is Not? *Seminars in Perinatology*, 34(6): 371-86.

Lean, S. C., Derricott, H., Jones, R. L. & Heazell, A. E. P. (2017) Advanced maternal age and adverse pregnancy outcomes: A systematic review and meta-analysis. *PloS ONE*, 12(10): 1-15.

Lehtonen, L., Gimeno, A., Parra-Llorca, A. & Vento, M. (2017) Early neonatal death: A challenge worldwide. *Seminars in Fetal and Neonatal Medicine*, 22(3): 153-60.

Lemeshow, S., Jr, D. W. H., Klar, J. & Lwanga, S. K. (1990) Sample size determination for cohort studies. *Adequacy of Sample Size in Health Studies*. England: John Wiley & Sons Ltd.

Lisonkova, S., Janssen, P. A., Sheps, S. B., Lee, S. K. & Dahlgren, L. (2010) The Effect of Maternal Age on Adverse Birth Outcomes: Does Parity Matter? *Journal of Obstetrics and Gynaecology Canada*, 32(6): 541-48.

Makate, M. & Makate, C. (2016) The causal effect of increased primary schooling on child mortality in Malawi: Universal primary education as a natural experiment. *Social Science & Medicine*, 16872-83.

Mallick, L., Yourkavitch, J. & Allen, C. (2019) Trends, determinants, and newborn mortality related to thermal care and umbilical cord care practices in South Asia. *BMC Pediatrics*, 19(1): 248.

Markides, K. S. & McFarland, C. (1982) A Note on Recent Trends in the Infant Mortality-Socioeconomic Status Relationship. *Social Forces*, 61(1): 268-76.

McKinnon, B., Harper, S. & Kaufman, J. S. (2016) Do Socioeconomic Inequalities in Neonatal Mortality Reflect Inequalities in Coverage of Maternal Health Services? Evidence from 48 Low- and Middle-Income Countries. *Maternal and Child Health Journal*, 20(2): 434-46.

McKinnon, B., Harper, S., Kaufman, J. S. & Bergevin, Y. (2014) Socioeconomic inequality in neonatal mortality in countries of low and middle income: a multicountry analysis. *The Lancet Global Health*, 2(3): e165-e173.

- McNutt, L.-A., Wu, C., Xue, X. & Hafner, J. P. (2003) Estimating the Relative Risk in Cohort Studies and Clinical Trials of Common Outcomes. *American Journal of Epidemiology*, 157(10): 940-43.
- Mekonnen, Y., Tensou, B., Telake, D. S., Degeffie, T. & Bekele, A. (2013) Neonatal mortality in Ethiopia: trends and determinants. *BMC Public Health*, 13(1): 483.
- Mondal, M. N. I., Hossain, M. K. & Ali, M. K. (2009) Factors Influencing Infant and Child Mortality: A Case Study of Rajshahi District, Bangladesh. *Journal of Human Ecology*, 26(1): 31-9.
- Mosley, W. H. & Chen, L. C. (2003) An analytical framework for the study of child survival in developing countries : public health classics / W. Henry Mosley and Lincoln C. Chen. *Bulletin of the World Health Organization : the International Journal of Public Health 2003 ; 81(2) : 140-45.*
- Nisar, Y. B. & Dibley, M. J. (2014) Determinants of neonatal mortality in Pakistan: secondary analysis of Pakistan Demographic and Health Survey 2006–07. *BMC Public Health*, 14(1): 663.
- O'Leary, M., Edmond, K., Floyd, S., Newton, S., Thomas, G. & Thomas, S. L. (2017) A cohort study of low birth weight and health outcomes in the first year of life, Ghana. *Bulletin of the World Health Organization*, 95(8): 574-83.
- Ogawa, K., Urayama, K. Y., Tanigaki, S., Sago, H., Sato, S., Saito, S. & Morisaki, N. (2017) Association between very advanced maternal age and adverse pregnancy outcomes: a cross sectional Japanese study. *BMC Pregnancy and Childbirth*, 17(1): 349.
- Oza, S., Joy E Lawn, Daniel R Hogan, Colin Mathers & Cousens, S. N. (2015) Neonatal cause-of-death estimates for the early and late neonatal periods for 194 countries: 2000–2013. *Bulletin of the World Health Organization [online]*, 9319-28.
- Patel, A., Khatib, M. N., Kurhe, K., Bhargava, S. & Bang, A. (2017) Impact of neonatal resuscitation trainings on neonatal and perinatal mortality: a systematic review and meta-analysis. *BMJ paediatrics open*, 1(1): e000183-e000183.
- Paudel, D., Thapa, A., Shedain, P. R. & Paudel, B. (2013) Trends and Determinants of Neonatal Mortality in Nepal. Further Analysis of the Nepal Demographic and Health Surveys, 2001-2011. Calverton, Maryland, USA: Nepal Ministry of Health and Population, New ERA, ICF International.
- Prameswari, M. F. (2007) Kematian Perinatal di Indonesia dan Faktor yang Berhubungan, Tahun 1997-2003. *Jurnal Kesehatan Masyarakat Nasional*, 1(4):154-60..
- Raihana, S., Dibley, M. J., Rahman, M. M., Tahsina, T., Siddique, M. A. B., Rahman, Q. S., Islam, S., Alam, A., Kelly, P. J., Arifeen, S. E. & Huda, T. M. (2019) Early initiation of breastfeeding and severe illness in the early

newborn period: An observational study in rural Bangladesh. *PLoS medicine*, 16(8): e1002904-e1002904.

- Risonar, M. G. D., Tengco, L. W., Rayco-Solon, P. & Solon, F. S. (2008) The effect of a school-based weekly iron supplementation delivery system among anemic schoolchildren in the Philippines. *European Journal of Clinical Nutrition*, 62(8): 991-96.
- Roche, M. L., Bury, L., Yusadiredja, I. N., Asri, E. K., Purwanti, T. S., Kusyuniati, S., Bhardwaj, A. & Izwardy, D. (2018) Adolescent girls' nutrition and prevention of anaemia: a school based multisectoral collaboration in Indonesia. *BMJ*, 363k4541.
- Sankar, M. J., Natarajan, C. K., Das, R. R., Agarwal, R., Chandrasekaran, A. & Paul, V. K. (2016) When do newborns die? A systematic review of timing of overall and cause-specific neonatal deaths in developing countries. *Journal Of Perinatology*, 36S1.
- Selemani, M., Mwanyangala, M. A., Mrema, S., Shamte, A., Kajungu, D., Mkopi, A., Mahande, M. J. & Nathan, R. (2014) The effect of mother's age and other related factors on neonatal survival associated with first and second birth in rural, Tanzania: evidence from Ifakara health and demographic surveillance system in rural Tanzania. *BMC Pregnancy and Childbirth*, 14(1): 240.
- Seward, N., Osrin, D., Li, L., Costello, A., Pulkki-Brännström, A.-M., Houweling, T. A. J., Morrison, J., Nair, N., Tripathy, P., Azad, K., Manandhar, D. & Prost, A. (2012) Association between clean delivery kit use, clean delivery practices, and neonatal survival: pooled analysis of data from three sites in South Asia. *PLoS medicine*, 9(2): e1001180-e1001180.
- Shah, N. M., Shah, M. A., Khalaf, A. A., Mustafa, M. M. & Al-Sayed, A. (2000) Searching for socioeconomic risk factors in perinatal mortality in Kuwait: a case control study. *Social Science & Medicine*, 51(4): 539-50.
- Shah, P. S., Balkhair, T., Ohlsson, A., Beyene, J., Scott, F. & Frick, C. (2011) Intention to Become Pregnant and Low Birth Weight and Preterm Birth: A Systematic Review. *Maternal and Child Health Journal*, 15(2): 205-16.
- Simbolon, D. (2012) Berat Lahir dan Kelangsungan Hidup Neonatal di Indonesia. *Jurnal Kesehatan Masyarakat Indonesia*, 7(1):8-15.
- Singh, K., Brodish, P. & Suchindran, C. (2014) A Regional Multilevel Analysis: Can Skilled Birth Attendants Uniformly Decrease Neonatal Mortality? *Maternal and Child Health Journal*, 18(1): 242-49.
- Sobhy, S., Arroyo-Manzano, D., Murugesu, N., Karthikeyan, G., Kumar, V., Kaur, I., Fernandez, E., Gundabattula, S. R., Betran, A. P., Khan, K., Zamora, J. & Thangaratinam, S. (2019) Maternal and perinatal mortality and complications associated with caesarean section in low-income and middle-income countries: a systematic review and meta-analysis. *The Lancet*, 393(10184): 1973-82.

- Sukamti, S. & Riono, P. (2015) Pelayanan Kesehatan Neonatal Berpengaruh Terhadap Kematian Neonatal di Indonesia (Analisis Data Riskesdas 2010). *Jurnal Ilmu dan Teknologi Kesehatan*, 2(2): 11-9.
- Suraya, I. (2017) Kelangsungan Hidup Bayi dengan Berat Lahir Rendah (BBLR) Neonatal Berdasarkan Aspek Pelayanan Kesehatan. *Media Litbangkes*, 27(4): 217-22.
- Sutan, R. & Berkat, S. (2014) Does cultural practice affects neonatal survival- a case control study among low birth weight babies in Aceh Province, Indonesia. *BMC Pregnancy and Childbirth*, 14(1): 342.
- Titaley, C. R. & Dibley, M. J. (2012) Antenatal iron/folic acid supplements, but not postnatal care, prevents neonatal deaths in Indonesia: analysis of Indonesia Demographic and Health Surveys 2002/2003–2007 (a retrospective cohort study). *BMJ Open*, 2(6): e001399.
- Titaley, C. R., Dibley, M. J., Agho, K., Roberts, C. L. & Hall, J. (2008) Determinants of neonatal mortality in Indonesia. *BMC Public Health*, 8(1): 232.
- Titaley, C. R., Dibley, M. J. & Roberts, C. L. (2011) Type of delivery attendant, place of delivery and risk of early neonatal mortality: analyses of the 1994–2007 Indonesia Demographic and Health Surveys. *Health Policy and Planning*, 27(5): 405-16.
- Titaley, C. R., Dibley, M. J., Roberts, C. L., Hall, J. & Agho, K. (2010a) Iron and Folic Acid Supplements and Reduced Early Neonatal Deaths in Indonesia. *Bulletin of the World Health Organization*, 88500-508.
- Titaley, C. R., Hunter, C. L., Dibley, M. J. & Heywood, P. (2010b) Why do some women still prefer traditional birth attendants and home delivery?: a qualitative study on delivery care services in West Java Province, Indonesia. *BMC Pregnancy and Childbirth*, 10(1): 43.
- Tran, H., Doyle, L., Lee, K. & Graham, S. (2012) A systematic review of the burden of neonatal mortality and morbidity in the ASEAN Region. *WHO South-East Asia Journal of Public Health*, 1(3): 239-48.
- Tura, G., Fantahun, M. & Worku, A. (2013) The effect of health facility delivery on neonatal mortality: systematic review and meta-analysis. *BMC Pregnancy and Childbirth*, 13(1): 18.
- Wahab, A., Winkvist, A., Stenlund, H. & Wilopo, S. A. (2001) Infant mortality among Indonesian boys and girls: effect of sibling status. *Annals of Tropical Paediatrics*, 21(1): 66-71.
- WHO (2006) Neonatal and perinatal mortality : country, region and global estimates. Geneva: World Health Organization.
- WHO (2014a) Global Nutrition Targets 2025. *Low Birth Weight Policy Brief*. Geneva, Switzerland: Department of Nutrition for Health and Development. World Health Organization.

- WHO (2014b) *WHO recommendations on Postnatal care of the mother and newborn*: World Health Organization.
- WHO (2015) Caesarean sections should only be performed when medically necessary says WHO. *WHO publishes statement on the rates of caesarean section, and proposes use of Robson classification system*. World Health Organization.
- WHO (2016) *WHO recommendations on antenatal care for a positive pregnancy experience*, Luxembourg: World Health Organization.
- WHO (2019a) Newborns: reducing mortality. *Fact Sheets*. World Health Organization.
- WHO (2019b) Postnatal Care. *Maternal, newborn, child and adolescent health*. World Health Organization.
- WHO (2019c) What is Quality of Care and why is it important? *Maternal, newborn, child and adolescent health*. World Health Organization.
- WHO (2020) Skilled attendants at birth. *Global Health Observatory (GHO) data*. World Health Organization.
- WHO & UNICEF (2004) Low Birthweight : Country, Regional and Global Estimate. New York: UNICEF.
- WHO, USAID, MCHIP & MCSP (2015) Postnatal Care for Mothers and Newborns. Highlights from the World Health Organization 2013 Guidelines. World Health Organization and Jhpiego.
- Yani, D. F. & Duarsa, A. B. S. (2013) Pelayanan Kesehatan Ibu dan Kematian Neonatal. *Jurnal Kesehatan Masyarakat Indonesia*, 7(8):373-77.
- Yaya, Y., Eide, K. T., Norheim, F. O. & Lindtjorn, B. (2014) Maternal and Neonatal Mortality in South-West Ethiopia: Estimates and Socio-Economic Inequality. *Plos one*, 9(4): 1-12.
- Ye, J., Zhang, J., Mikolajczyk, R., Torloni, M., Gülmezoglu, A. & Betran, A. (2016) Association between rates of caesarean section and maternal and neonatal mortality in the 21st century: a worldwide population-based ecological study with longitudinal data. *BJOG: An International Journal of Obstetrics & Gynaecology*, 123(5): 745-53.
- Yi, B., Wu, L., Liu, H., Fang, W., Hu, Y. & Wang, Y. (2011) Rural-urban differences of neonatal mortality in a poorly developed province of China. *BMC Public Health*, 11(1): 477.
- Zaw, K. K., Mon, M. M. & MacQuarrie, K. L. D. (2019) Use of Maternal and Neonatal Health Services Associated with Neonatal Death in Myanmar. Further Analysis of the Myanmar Demographic and Health Survey 2015-16. *DHS Further Analysis Reports No.125*. Rockville, Maryland, USA: ICF.
- Zeitlin, J., Manktelow, B. N., Piedvache, A., Cuttini, M., Boyle, E., van Heijst, A., Gadzinowski, J., Van Reempts, P., Huusom, L., Weber, T., Schmidt, S.,

Barros, H., Dillalo, D., Toome, L., Norman, M., Blondel, B., Bonet, M., Draper, E. S. & Maier, R. F. (2016) Use of evidence based practices to improve survival without severe morbidity for very preterm infants: results from the EPICE population based cohort. *BMJ*, 354i2976.

Zhao, D., Zou, L., Lei, X. & Zhang, Y. (2017) Gender Differences in Infant Mortality and Neonatal Morbidity in Mixed-Gender Twins. *Scientific Reports*, 7(1): 8736.

Zwane, E. & Masango, S. (2012) Factors influencing neonatal mortality: an analysis using the Swaziland Demographic Health Survey 2007. *Journal of Public Health in Africa*, 3(e18): 73-9.