



UNIVERSITAS
GADJAH MADA

Evaluasi Keragaman Genetik dan Keterkaitan Karakter Polong terhadap Serat Pangan dan Protein

Kacang

Panjang (*Vigna unguiculata* (L.) Walp. ssp. *sesquipedalis* (L.) Verdc.)

AULIA HASANAH, Rani Agustina Wulandari, S.P., M.P., Ph.D; Muhammad Habib Widyawan, S. P., M. Si.

Universitas Gadjah Mada, 2020 | Diunduh dari <http://etd.repository.ugm.ac.id/>

DAFTAR PUSTAKA

Acquaah, G. 2007. Principles of Plant Genetics and Breeding. Blackwell Publishing Ltd. Oxford.

Agustina, N. I. & Waluoy, B. 2017. Keragaman karakter morfo-agronomi dan keanekaragaman galurgalur cabai besar (*Capsicum annum* L.). Jurnal Agro 4(2): 120-130.

Ahmed, R. N., Md. A. Haque, K. S. Ahmed, M. M. Uddin, M. A. M. Khan. 2018. Screening of yard long bean genotypes for resistance to legume pod borer, *Maruca vitrata* F. J Bangladesh Agril Univ 16(3): 424–428.

Anderson, J. W. & Bridges, S. R. 1988. Dietary fiber content of selected food. American JournalClinical Nutrition 47: 440-447.

Asripah. 2007. Budidaya Kacang Panjang. Azka Press. Jakarta.

Ayer, D.K., A. Sharma, B.R. Ojha, A. Paudel, K. Dhakal. 2017. Correlation and path coefficient analysis in advanced wheat genotypes. SAARC J. Agri 15(1): 1-12.

Badan Pusat Statistik. 2019. Statistik Tanaman Sayuran dan Buah-buahan Semusim Indonesia 2018. BPS RI. Jakarta.

Bhagavati, P. P., T.S.K.K. K. Patro, N. V. Prasad, M. L. N. Reddy, N. Emmanuel, D.R. S. Suneetha. 2019. Correlation for growth, quality, yield and yield components in yardlong bean (*Vigna unguiculata* (L.) walp. ssp. *Sesquipedalis* verd.). Int.J.Curr.Microbiol.App.Sci 8(1): 410-414.

Cai, T., X. Meng, X. Liu, T. Liu, H. Wang, Z. Jia, D. Yang, X. Re. 2018. Exogenous hormonal application regulates the occurrence of wheat tillers by changing endogenous hormones. Original Research 9: 1-17.

Ezward, C., I. Suliansyah, N. Rozen, I. Dwipa. 2020. Identifikasi karakter vegetatif beberapa genotipe padi lokal Kabupaten Kuantan Singingi. Menara Ilmu 14(2): 12-22.

Ferdiawan, N., Nurwantoro, B. Dwiloka. 2019. Pengaruh lama waktu germinasi terhadap sifat fisik dan sifat kimia tepung kacang tolo (*Vigna unguiculata* L.). Jurnal Teknologi Pangan 3(2): 349–354.

Fernandez, N. F, G. W. Gundersen, A. Rahman, M. L. Grimes, K. Rikova, P. Hornbeck, A. Ma'ayan. 2017. Clustergrammer, a web-based heatmap visualization and analysis tool for high-dimensional biological data. Scientific Data 4: 1-12.

Firly, C. D. & Soegianto, A. 2018. Parameter gentik F4 buncis (*Phaseolus vulgaris* L.) polong kuning dan berdaya hasil tinggi. Jurnal Produksi Tanaman 6(10): 2539-2545.

Garcia, O. E., B. Infante, C. J. Rivera. 2010. Comparison of dietary fiber values between two varieties of cowpea (*Vigna unguiculata* WALP) Of Venezuela using chemical and enzymatic gravimetric methods. Rev Chil Nutr 37(4): 455-459.



Gardjito, M., A. Murdiati, Z. Nahdlah, Griyaningsih, F. C. Amalia, W. Handayani, D. R. A. Muhammad, N. N. Diska. 2010. Panduan Pangan Sehat untuk Semua. PSPG UGM dan DIKPORA Garcia Daerah Istimewa Yogyakarta. Yogyakarta.

George, M. E. dan Sarada, S. 2019. Genetic analysis of yard long bean (*Vigna unguiculata* subsp. *sesquipedalis* (L.) Verdcourt) for vegetative and yield characters. Journal of Tropical Agriculture 57(1): 86-91.

Habibah. 2014. Perbandingan nilai tengah nomor somaklon jahe (*Zingiber officinale* Rosc.) dengan menggunakan uji lanjut *Scott-Knott*. Fakultas Matematika dan Ilmu Pengetahuan Alam. Institut Pertanian Bogor. Skripsi.

Haralayya, B., P.M. Salimath, T.S. Aghora, N. Adivappar, G. Prasad S. 2017. Genetic Diversity analysis by D2 clustering of yield and yield attributing traits in French bean (*Phaseolus vulgaris* L.). Journal of Pharmacognosy and Phytochemistry 6(6): 1331-1335.

Hossain, M. K., N. Alam, J. A. T. D. Silva, B. K. Biswas, G. M. Mohsin. 2013. Genetic relationship and diversity based on agro-morphogenic characters in yard long bean (*Vigna sesquipedalis* L. Fruw) germplasm. International Journal of Plant Breeding 7 (2): 129-135.

Hutchinson, M. J., F.K. Muniu, J. Ambuko, M. Mwakangalu, A.W. Mwang'ombe, J.J. Okello, F. Olubayo and J. Kirimi. 2017. Morphological and agronomic characterization of local vegetable cowpea accessions in Coastal Kenya. Africa Journal Horticulture Science 11:47-58.

Huque, A. K., M. Hossain, N. Alam, M. Hasanuzzaman, B. Biswas. 2012. Genetic divergence in yardlong bean (*Vigna unguiculata* (L.) Walp. ssp. *sesquipedalis* verdc.). Bangladesh Journal Botany 41(1): 61-69.

Jelihovschi, E.G. dan Faria J.C. 2014. ScottKnott: a package for performing the scottknott clustering algorithm in R. The R Journal 10: 1-6.

Khan, A. R., S. Alam, S. Ali, S. Bibi. 2007. Dietary fiber profile of food legumes. Sarhad J. Agric 23(3): 763-766.

Kashif, M., M. I. Khan, M. Arif, M. Ahmad, K. Mahmood. 2011. Experience in use alpha lattice design in Pakistan. International Journal of Intelligent technologies and applied statistics 4(1): 133-146.

Kashifa, M., M. I. Khanb, M. Arifb, M. Anwerc, M. Ijazc. 2011. Efficiency of alpha lattice design in rice field trials in Pakistan. Journal Science Research 3(1): 91-95.

Kongjaimun,A. A. Kaga, N. Tomooka, P. Somta, D. A. Vaughan, P. Srinive. 2012. The genetics of domestication of yardlong bean, *Vigna unguiculata* (L.) Walp. ssp. *unguiculata* cv.-gr. *Sesquipedalis*. Annals of Botany 109: 1185–1200.



Kouam, E. B., T. N.-Deffo, M. Anoumaa, R. S. Pasquet. 2018. Preliminary study on character associations, phenotypic and genotypic divergence for yield and related quantitative traits among cowpea landraces (*Vigna unguiculata*) from the Western Highland Region of Cameroon. Open Agriculture 3: 84–97.

Kumar, A., B. Bharti, J. Kumar, D. Bhatia, G. P. Singh, J. P. Jaiswal, R. Prasad. 2020. Improving the efficiency of wheat breeding experiments using alpha design over randomised complete block design. Cereal Research Communication 48: 95-101.

Lal, H., N. Rai, V. Nath. 2017. Biometrical approaches for selection of parents in vegetable cowpea (*Vigna unguiculata*) breeding programme. Indian Journal of Agricultural Sciences 87(8): 61-66.

Mafaza, V. N., Handoko, A. L. Adiredjo. 2018. Keragaman genetik karakter morfologi beberapa genotip padi merah (*Oryza sativa* L.) pada fase vegetatif dan generatif. Jurnal Produksi Tanaman 6(12): 3048 – 3055.

Manggoel, W., M. I. Uguru, O. N. Ndam, M. A. Dasbak. 2012. Genetic variability, correlation and path coefficient analysis of some yield components of ten cowpea [*Vigna unguiculata* (L.) Walp] accessions. Journal of Plant Breeding and Crop Science 4(5): 80-86.

Martono, G.H., T. B. Adjie, N.A. Setiawan. 2012. Penggunaan metodologi analisa komponen utama (PCA) untuk mereduksi faktor-faktor yang mempengaruhi penyakit jantung koroner. Seminar Nasional “*Science, Engineering and Technology*”.

Mohsen, A. A. A. E. dan Hegazy, S. R. A. 2013. Jarak merupakan nilai yang menunjukkan keragaman genetik antar individu. World Essays Journal 1(3): 101-109.

Morsy, A. R. dan Faers, W. M. 2016. Utilization of alpha lattice design and trend analysis for controlling the experimental error in soybean variety trials. Journal Agriculture Science 61(4): 399-407.

Pitojo, S. 2006. Benih Kacang Panjang. Kanisius. Yogyakarta.

Prabowo, H., D.W. Djoar, Pardjanto. 2014. Korelasi sifat-sifat agronomi dengan hasil dan kandungan antosianin padi beras merah. Agrosains 16(2):49-54.

Rachmatin, D. dan Sawitri, K. 2019. Perbandingan antara metode agglomeratif, metode divisif, dan metode k-means dalam analisis klaster. Itenas Repository.

Rachmayani, S. A., M. Kuswari1, V. Melani. 2018. Hubungan asupan zat gizi dan status gizi remaja putri di SMK Ciawi Bogor. Indonesian Journal of Nutrition 5(2): 125-130.

Rambabu, E., K. R. Reddy, V. Kamala, P. Saidaiah, S.R. Pandravada. 2016. Genetic divergence for quality, yield and yield components in Yardlong bean [*Vigna unguiculata* (L.) Walp. ssp.*sesquipedalis* Verdc.]. Legume Research, 39 (6) 2016 : 900-904.



Rohaeni, W.R., U. Susanto, N. Yunani, N. Usyati, Satoto. 2016. Kekerabatan beberapa aksesi padi lokal tahan hama penyakit berdasarkan analisis polimorfisme marka SSR. Jurnal AgroBiogen 12(2):81-90.

Saba, I., P. A. Sofi, N.A. Zeerak, R.R. Mir, M. Gull. 2017. Using augmented design for evaluation of common bean (*Phaseolus vulgaris* L.) germplasm. International Journal of Current Microbiology and Applied Sciences 6(7): 246-254.

Samadi, B. 2003. Usaha Tani Kacang Panjang. Kanisius. Yogyakarta.

Santoso, A. 2011. Serat pangan (*dietary fiber*) dan manfaatnya bagi kesehatan. Magistra 23(75): 35-40.

Shanko, D., M. Andargie, H. Zelleke. 2014. Interrelationship and path coefficient analysis of some growth and yield characteristics in cowpea (*Vigna unguiculata* L. Walp) genotypes. Journal of Plant Sciences 2(2): 97-101.

Silva, F. D. A. S. E. dan Azevedo, C. A. V D. 2016. Comparison of means agricultural experimentation data through different test using the software Assistat. African Journal of Agricultural Research 11(37): 3527-3531.

Silvi, R. 2018. Analisis cluster dengan data outlier menggunakan centroid linkage dan k-means clustering untuk pengelompokan indikator HIV/AIDS di Indonesia. Jurnal Matematika 4(1): 22-31.

Singh, C. M., S. B. Mishra, A. Pandey. 2014. Pattern of agro-morphological trait relationship and genetic divergence in greengram [*Vigna radiata* (L.) Wilczek]. Electronic Journal of Plant Breeding, 5(1): 97-106.

Siro I., Kapolna E., Kapolna B., Lugasi A. 2008. Functional food. Product development, marketing and consumer acceptance-a review. Appetite 51: 456-467. Sumarno, S. Noegrohati, Narsito, I. I. Falah. 2002. Estimasi kadar protein dalam bahan pangan melalui analisis nitrogen total dan analisis asam amino. Majalah Farmasi Indonesia 13(1): 34-43.

Suryadi, Luthfy, Y. Kusandriani, Gunawan. 2003. Karakterisasi dan deskripsi plasma nutfah kacang panjang. Buletin Plasma Nutfah 9(1): 7-11.

Tiessen, A., E. A. Cubedo-Ruiz, R. Winkler. 2017. Improved representation of biological information by using correlation as distance function for *heatmap* cluster analysis. American Journal of Plant Sciences 8: 502-516.

Tomooka, N., K. Naito, A. Kaga, H. Sakai, T. Isemura, E. Ogiso-Tanaka, K. Iseki, Y. Takahashi. 2014. Evolution, domestication and neo-domestication of the genus *Vigna*. Plant Genetic Resources: Characterization and Utilization 12(1): 168–171.

Trustinah, R. Iswanto, R. T. Hapsari. 2017. Seleksi galur kacang hijau berbiji kecil. Buletin Palawija 15(1): 24-30.



Ullah, M. Z., M. J. Hasan, A. H. M. A. Rahman, A. I. Saki. 2011. Genetic variability, character association and path analysis in yard long bean. SAARC Journal Agriculture 9(2): 9-16.

United States Department of Agriculture. 2019. Plant Database. <<https://plants.usda.gov/java/ClassificationServlet?source=display&classid=VIUNS2>>. Diakses 24 Maret 2020.

Verma, P., S. K. Maurya, H. Yadav, A. Panchbhaiya. 2017. Determination of genetic divergence in pointed gourd by principal component and non-hierarchical euclidean analisis kluster. Journal of Applied and Natural Science 9 (4): 2421 –2426.

Walle, T., F. Mekbib, B. Amsalu, M. Gedil. 2019. Genetic diversity of ethiopian cowpea [*Vigna unguiculata* (L) Walp] genotypes using multivariate analyses. Ethiopia Journal Agriculture Science 29(3): 89-104.

Widowati, H., W. S. Sulistiani, A. Sutanto. 2017. Pengaruh proses pengolahan terhadap kadar logam berat dan kadar gizi pada kacang panjang. Bioedukasi 8(2): 171-175.

Yoshida, A. K. and Tomooka, N. 2018. Fine mapping of quantitative trait loci for seed-related traits in yardlong bean. International Journal of Agricultural Technology 14(7): 2261-2270.

Zhao, A., Y. Guo, Q. Sheng, Y. Shyr. 2014. Advanced heat map and clustering analysis using *heatmap3*. Hindawi Publishing Corporation Bio Med Research International: 1-6.