

DAFTAR PUSTAKA

- Afrida, M. (2017) 'Pengaruh Pemberian Self Care Education Program pada Pasien Hemodialisa di Rumah', *Tesis Program Magister Keperawatan Program Pascasarjana Universitas Muhammadiyah Yogyakarta*.
- Aleman, G. M. *et al.* (2016) 'The effects of resistance exercise and oral nutritional supplementation during hemodialysis on indicators of nutritional status and quality of life', *Nephrology Dialysis Transplantation*, 31(10), pp. 1712–1720. doi: 10.1093/ndt/gfw297.
- Almatsier, S. 2009. *Prinsip Dasar Ilmu Gizi*. PT Gramedia Pustaka Utama. Jakarta.
- Australia and New Zealand Renal Guidelines Taskforce (ANZRG). 2005. "Evidence Based Practice Guidelines for Nutritional Management of Chronic Kidney Disease".
- Bellizzi, V. *et al.* (2003) 'Daily nutrient intake represents a modifiable determinant of nutritional status in chronic haemodialysis patients', *Nephrology Dialysis Transplantation*, 18(9), pp. 1874–1881. doi: 10.1093/ndt/gfg239.
- Black, J.M., Hawks, J.H. (2005) *Medical Surgical Nursing Clinical Management for Positive Outcome 7th edition*, Philadelphia, W.B Saunders Company.
- Bossola, M. *et al.* (2005) 'Malnutrition in hemodialysis patients: What therapy?', *American Journal of Kidney Diseases*, 46(3), pp. 371–386. doi: 10.1053/j.ajkd.2005.05.031.
- Brogdon, et.al. (2013) 'A Self Care Educational Intervention to Improve Knowledge of Dietary Phosphorus Control in Patient Requiring Hemodialysis'. *Universal Journal of Engineering Science* 1 (2):40-44.
- Brown, Collin B. (1991) *Manual Ilmu Penyakit Ginjal*, Binarupa Aksara, Grogol.
- Burrowes, J. D. (2004) 'Incorporating Ethnic and Cultural Food Preferences in the Renal Diet', *Advances in Renal Replacement Therapy*, 11(1), pp. 97–104. doi: 10.1053/j.arrt.2003.10.014.
- Cano, N. (2003) 'Malnutrition and Hemodialysis', *ESPEN Congress Cannes 2003*, pp. 1–12.
- Cano, N. and Francia, M. (2001) 'Hemodialysis, Inflammation and malnutrition', *Nefrologia*, 21(5), pp. 437–442. doi: 10.1097/TIN.0b013e318209e38b.

- Carrero, J. J. *et al.* (2013) 'Etiology of the Protein-Energy Wasting Syndrome in Chronic Kidney Disease: A Consensus Statement From the International Society of Renal Nutrition and Metabolism (ISRNM)', *Journal of Renal Nutrition*, 23(2), pp. 77–90. doi: 10.1053/j.jrn.2013.01.001.
- Chakraborty, R., Bose, K. and Bisai, S. (2009) 'Mid-upper arm circumference as a measure of nutritional status among adult Bengalee male slum dwellers of Kolkata, India: Relationship with self reported morbidity', *Anthropologischer Anzeiger*, 67(2), pp. 129–137. doi: 10.1127/0003-5548/2009/0017.
- Chandrasoma, Parakrama dan Taylor, Clive R. (2005) *Ringkasan Patologi Anatomi Edisi 2*, EGC, Jakarta.
- Chen, J. *et al.* (2013) 'Combination with anthropometric measurements and MQSGA to assess nutritional status in Chinese he-modialysis population', *International Journal of Medical Sciences*, 10(8), pp. 974–980. doi: 10.7150/ijms.5811.
- Chung, S. *et al.* (2012) 'Malnutrition in patients with chronic kidney disease', *Open Journal of Internal Medicine*, 02(02), pp. 89–99. doi: 10.4236/ojim.2012.22018.
- Corwin, EJ. (2009) *Buku Saku Patofisiologi*, EGC, Jakarta.
- Djarwoto, B. dan Sja'bani, M. (2000) 'Nutrisi PadaGagal Ginjal, In: Asdie, A.H. ed. *Naskah Lengkap Pertemuan Ilmiah Tahunan 2000*', Ilmu Penyakit Dalam FK UGM, Medika FK UGM.
- Ekramzadeh, M. *et al.* (2014) 'Major barriers responsible for malnutrition in hemodialysis patients: Challenges to optimal nutrition', *Nephro-Urology Monthly*, 6(6). doi: 10.5812/numonthly.23158.
- Evans, C. (2005) 'Malnutrition in the Elderly: A Multifactorial Failure to Thrive', *The Permanente Journal*, 9(3), pp. 38–41. doi: 10.7812/tpp/05-056.
- Fouque, D. *et al.* (2008) 'Use of a renal-specific oral supplement by haemodialysis patients with low protein intake does not increase the need for phosphate binders and may prevent a decline in nutritional status and quality of life', *Nephrology Dialysis Transplantation*, 23(9), pp. 2902–2910. doi: 10.1093/ndt/gfn131.
- Gallagher, D. *et al.* (2000) 'Healthy percentage body fat ranges: An approach for developing guidelines based on body mass index', *American Journal of Clinical Nutrition*, 72(3), pp. 694–701. doi: 10.1093/ajcn/72.3.694.
- Garibotto, G. *et al.* (2007) 'Kidney and splanchnic handling of Interleukin-6 in humans', *Cytokine*, 37, pp. 51–54. doi: 10.1016/j.cyto.2007.02.015.

- Hakim, R. M. and Levin, N. (1993) 'Malnutrition in Hemodialysis Patients', *American Journal of Kidney Diseases*. National Kidney Foundation, 21(2), pp. 125–137. doi: 10.1016/S0272-6386(12)81083-3.
- Harvinder, G. S. *et al.* (2016) 'Dialysis malnutrition and malnutrition inflammation scores: Screening tools for prediction of dialysis - related protein-energy wasting in Malaysia', *Asia Pacific Journal of Clinical Nutrition*, 25(1), pp. 26–33. doi: 10.6133/apjcn.2016.25.1.01.
- Indonesian Renal Registry (2017) '10 th Report Of Indonesian Renal Registry 2017', Perkumpulan Nefrologi Indonesia, Departemen Kesehatan, Departemen Kesehatan, Jaminan Kesehatan Nasional, pp. 1–46.
- Indra, M. Rasjad. (2006) *Fisiologi Ginjal*, FK UNIBRAW, Malang.
- Kaysen, G. A. *et al.* (2012) 'The effect of frequent hemodialysis on nutrition and body composition: Frequent Hemodialysis Network Trial', *Kidney International*. Nature Publishing Group, 82(1), pp. 90–99. doi: 10.1038/ki.2012.75.
- Kemenkes. (2018) *Hasil Utama RISKESDAS 2018*, Kementerian Kesehatan Badan Penelitian dan Pengembangan Kesehatan.
- Kistler, B. M. *et al.* (2018) 'Eating During Hemodialysis Treatment: A Consensus Statement From the International Society of Renal Nutrition and Metabolism', *Journal of Renal Nutrition*. Elsevier Inc., 28(1), pp. 4–12. doi: 10.1053/j.jrn.2017.10.003.
- Kopple, J. D. *et al.* (2000) 'Relationship between nutritional status and the glomerular filtration rate: Results from the MDRD study', *Kidney International*, 57(4), pp. 1688–1703. doi: 10.1046/j.1523-1755.2000.00014.x.
- Kovacica, V., Roguljicb, L. and Kovacicc, V. (2003) 'Metabolic Acidosis of Chronically Hemodialyzed Patients', *American Journal of Nephrology*, (23), pp. 158–164. doi: 10.1159/000070205.
- Laville, M. and Fouque, D. (2000) 'Nutritional aspects in hemodialysis', *Kidney International, Supplement*, 58(76), pp. 133–139.
- Leal, V. O. *et al.* (2012) 'Is a body mass index of 23 kg/m² a reliable marker of protein-energy wasting in hemodialysis patients?', *Nutrition*. Elsevier Inc., 28(10), pp. 973–977. doi: 10.1016/j.nut.2011.12.004.
- Lemeshow, S. *et al.* (1990) 'Adequacy of Sample Size in Health Studies', *World Health Organization*.

- Levey, A. S. *et al.* (2011) 'The definition, classification, and prognosis of chronic kidney disease: A KDIGO Controversies Conference report', *Kidney International*. Elsevier Masson SAS, 80(1), pp. 17–28. doi: 10.1038/ki.2010.483.
- Maduro, I. P. D. N. N. *et al.* (2013) 'Red meat snacks for chronic hemodialysis patients: Effect on inflammatory activity (A Pilot Study)', *Renal Failure*, 35(6), pp. 830–834. doi: 10.3109/0886022X.2013.794659.
- Marmi. (2013) *Gizi Dalam Kesehatan Reproduksi*, Pustaka Pelajar, Yogyakarta.
- Moeis, S., Rotty, L. and Kapparang, J. (2013) 'Nilai Trombosit pada Pasien Penyakit Ginjal Kronik yang Menjalani Hemodialisis di Unit Hemodialisis Bagian/Smf Ilmu Penyakit Dalam FK UNSTRAT BLU RSUP Prof. Dr. R. D. Kandoumanado', *Jurnal E-Biomedik*, 1, pp. 95–100.
- Nnakwe, Nweze Eunice. (2013) *Community Nutrition: Planning Health Promotion and Disease Prevention 2nd* ed. Jones & Bartlett Learning, USA.
- NKF-KDIGO (2013) 'KDIGO 2012 Clinical Practice Guideline for the Evaluation and Management of Chronic Kidney Disease', *Journal Of the international Society Of nephrology*, 3(1), pp. 4477–4483.
- Nunes, F. T. *et al.* (2008) 'Dialysis adequacy and nutritional status of hemodialysis patients', *Hemodialysis International*, (12), pp. 45–51.
- Oktiadewi, A. A. A. P. (2012) 'Hubungan Kadar Hb Dan Status Gizi Dengan Kualitas Hidup Pasien Penyakit Ginjal Kronik Stadium 5 Yang Menjalani Hemodialisis', *Jurnal Media Medika Muda*, 1(1).
- PERNEFRI. (2012) *Naskah Lengkap Simposium Nasional Peningkatan Pelayanan Penyakit Ginjal Kronik Masa Kini dan Indonesia Renal Registry Joglosemar 2012*, PERNEFRI Wilayah Yogyakarta, Yogyakarta.
- Prodjosudjadi, W. and Suhardjono, A. (2009) 'In Indonesia: Treatment Development', *Ethnicity & Disease*, 19, pp. 33–36.
- Rachmawati, N., Wahyuni, D. and Idriansari, A. (2019) 'Hubungan dukungan keluarga terhadap kepatuhan diet asupan cairan pada pasien gagal ginjal kronik yang menjalani hemodialisis', *Jurnal Keperawatan Sriwijaya*, 6(1), pp. 50–58.
- Rani, N. V. *et al.* (2015) 'Assessment of nutritional status and its impact on quality of life of patients on maintenance', *International Journal of Medical and Health Sciences*, 4(2), pp. 156–164.
- Relawati, A., Hakimi, M. and Huriah, T. (2015) 'Pengaruh Self Help Group terhadap Kualitas Hidup Pasien Hemodialisa di Rumah Sakit Pusat Kesehatan Umum Muhammadiyah Yogyakarta', *Jurnal Ilmiah Kesehatan Keperawatan*, 11(3), pp. 122–135.

- Rocco, M. V. *et al.* (2002) 'Nutritional status in the HEMO study cohort at baseline', *American Journal of Kidney Diseases*, 39(2), pp. 245–256. doi: 10.1053/ajkd.2002.30543.
- Ruwiandari, E., Parjanto, E. and Susetyowati (2004) 'Pengaruh Diet Modifikasi terhadap Asupan Makanan dan Status Gizi Penderita Tuberkulosis Paru Anak', *Sains Kesehatan*, 17, pp. 375–382.
- Saladino, C. F. (2014) 'The efficacy of Bioelectrical Impedance Analysis (BIA) in monitoring body composition changes during treatment of restrictive eating disorder patients', *Journal of Eating Disorders*, 2(1), pp. 1–6. doi: 10.1186/s40337-014-0034-y.
- Sharif, S. selvia (2012) 'Asupan protein, status gizi pada pasien gagal ginjal tahap akhir yang menjalani hemodialisis reguler', *Jurnal Gizi Fakultas Kedokteran Universitas Hasanudin Makasar*, p. 4. Available at: <http://pasca.unhas.ac.id/jurnal/files/13f19d78b015cbae1c2f98bc89a66c7a.pdf>.
- Sharma, M. *et al.* (2002) 'A controlled trial of intermittent enteral nutrient supplementation in maintenance hemodialysis patients', *Journal of Renal Nutrition*, 12(4), pp. 229–237. doi: 10.1053/jren.2002.35300.
- Siagian, Y. (2018) 'Status Nutrisi Pasien Hemodialisa di Rumah Sakit Umum Daerah', *Jurnal Keperawatan Silampari (JKS)*, 2(1), pp. 300–314. doi: 10.1017/CBO9781107415324.004.
- Stenvinkel, P. *et al.* (2000) 'Are there two types of malnutrition in chronic renal failure? Evidence for relationships between malnutrition, inflammation and atherosclerosis (MIA syndrome)', *Nephrol Dial Transplant*, 15, pp. 953–960.
- Struijk-wielinga, G. I. *et al.* (2016) 'Providing In-Between Meals During Dialysis Treatment Contributes to an Adequate Protein And Energy Intake in Hemodialysis Patients : A Non-Randomized Intervention Study', 1, pp. 1–8.
- Su, C. T. *et al.* (2013) 'Changes in anthropometry and mortality in maintenance hemodialysis patients in the HEMO study', *American Journal of Kidney Diseases*. Elsevier, 62(6), pp. 1141–1150. doi: 10.1053/j.ajkd.2013.05.015.
- Sulistiyowati, E. *et al.* (2008) 'Pemberian diet ekstra formula komersial dan diet ekstra filtrat ikan gabus intradialisis serta pengaruhnya terhadap kadar serum albumin dan kreatinin pasien dengan hemodialisis di RSU Dr. Saiful Anwar Malang', *Jurnal Gizi Klinik Indonesia*, 5(2), p. 49. doi: 10.22146/ijcn.17550.
- Supariasa, I Dewa Nyoman. (2001) *Penilaian Status Gizi*, EGC, Jakarta.
- Supariasa, I Dewa Nyoman. (2012) *Pendidikan & Konsultasi Gizi*, EGC, Jakarta.

- Susetyowati. (2017) *Gizi pada Penyakit Ginjal Kronis*, Gadjah Mada University Press, Yogyakarta.
- Turner, J. M. *et al.* (2012) 'Treatment of chronic kidney disease', *Kidney International*. Nature Publishing Group, 81(4), pp. 351–362. doi: 10.1038/ki.2011.380.
- Veeneman, J. M. *et al.* (2003) 'Protein intake during hemodialysis maintains a positive whole body protein balance in chronic hemodialysis patients', *American Journal of Physiology - Endocrinology and Metabolism*, 284(5 47-5), pp. 954–965. doi: 10.1152/ajpendo.00264.2002.
- Vinknes, K. J. *et al.* (2011) 'Dietary intake of protein is positively associated with percent body fat in middle-aged and older adults', *The Journal of Nutrition* *Nutritional Epidemiology*, 141(3), pp. 440–446. doi: 10.3945/jn.110.133710.
- Widiany, F. L. and Afriani, Y. (2017) 'Pemberian Sms Reminder Efektif Memperbaiki Status Gizi Antropometri Pasien Hemodialisis', *Ilmu Gizi Indonesia*, 01(01), pp. 2580–491.
- Wilkins K.G. (2004) *Medical Nutrition Therapy for renal Disorders*, In: Mahan & Escott-Stump. eds. Krause's. Food, Nutrition and Diet Therapy, Philadelphia.
- Wilson, B. *et al.* (2001) 'Comparison of the effects of two early intervention strategies on the health outcomes of malnourished hemodialysis patients', *Journal of Renal Nutrition*, 11(3), pp. 166–171. doi: 10.1053/jren.2001.24364.
- Zadeh, K. K. *et al.* (2006) 'Associations of body fat and its changes over time with quality of life and prospective mortality in hemodialysis patients', *American Journal of Clinical Nutrition*, 83(2), pp. 202–210. doi: 10.1093/ajcn/83.2.202.
- Zadeh, K. K. *et al.* (2013) 'Diets and enteral supplements for improving outcomes in chronic kidney disease', *Bone*, 23(1), pp. 1–7. doi: 10.1038/jid.2014.371.