

DAFTAR PUSTAKA

- Agnoletti, D., Mansour, A.S., Zhang, Y., Protogerou, A.D., Ouerdane, S., Blacher, J., Safar, M.E., 2017. Clinical interaction between diabetes duration and aortic stiffness in type 2 diabetes mellitus. *J. Hum. Hypertens.* 31: 189–194. doi:10.1038/jhh.2016.58
- Alvim, R.D.O., Caleb, P., Lima, J., Musso, M.M., Cunha, R.D.S., Krieger, J.E., Mill, J.G., Pereira, A.C., 2013. Impact of diabetes mellitus on arterial stiffness in a representative sample of an urban Brazilian population. *Diabetol. Metab. Syndr.* 5: 1–8. doi:10.1186/1758-5996-5-45
- Ando, A., Miyamoto, M., Kotani, K., Okada, K., Nagasaka, S., Ishibashi, S., 2017. Cardio-Ankle Vascular Index and Indices of Diabetic Polyneuropathy in Patients with Type 2 Diabetes. *J. Diabetes Res.* 2017: 2810914. doi:10.1155/2017/2810914
- Aronson, D., 2003. Cross-linking of glycated collagen in the pathogenesis of arterial and myocardial stiffening of aging and diabetes. *J. Hypertens.* 21: 3–12. doi:10.1097/00004872-200301000-00002
- Asmar, R., 2017. Principles and usefulness of the cardio-ankle vascular index (CAVI): a new global arterial stiffness index. *Eur. Hear. J. Suppl.* 19: B4-10. doi:10.1093/eurheartj/suw058
- Bandeali, S., Farmer, J., 2012. High-Density Lipoprotein and Atherosclerosis : The Role of Antioxidant Activity. *Curr Atheroscler Rep* 14: 101–107. doi:10.1007/s11883-012-0235-2
- Çakar, M., Balta, Ş., Şarlak, H., Akhan, M., Demirkol, S., Karaman, M., Ay, S.A., Kurt, Ö., Çaycı, T., İnal, S., Demirbaş, Ş., 2015. Arterial stiffness and endothelial inflammation in prediabetes and newly diagnosed diabetes patients. *Arch Endocrinol Metab* 59: 407–13. doi:10.1590/2359-3997000000061
- Campagna, D., Alamo, A., Pino, A. Di, Russo, C., Calogero, A.E., Purrello, F., Polosa, R., 2019. Smoking and diabetes: dangerous liaisons and confusing relationships. *Diabetol Metab Syndr* 11: 85. doi:10.1186/s13098-019-0482-2
- Cândido, J.S.A., Camelo, L. V, Mill, J.G., Lotufo, P.A., Ribeiro, A.L.P., Duncan, B.B., Brant, L.C.C., Barreto, S.M., 2019. Greater aortic stiffness is associated with renal dysfunction in participants of the ELSA-Brasil cohort with and without hypertension and diabetes. *PLoS One* 14: e0210522.
- Cannon, C.P., Brindis, R.G., Chaitman, B.R., Cohen, D.J., Cross, J.T., Drozda, J.P., Fesmire, F.M., Fintel, D.J., Fonarow, G.C., Fox, K.A., Gray, D.T., Harrington, R.A., Hicks, K.A., Hollander, J.E., Krumholz, H., Labarthe, D.R., Long, J.B., Mascette, A.M., Meyer, C., Peterson, E.D., Radford, M.J., Roe, M.T., Richmann, J.B., Selker, H.P., Shahian, D.M., Shaw, R.E., Sprenger, S., Swor, R., Underberg, J.A., Van De Werf, F., Weiner, B.H., Weintraub, W.S., 2013. 2013 ACCF/AHA Key data elements and definitions for measuring the clinical management and outcomes of patients with acute coronary syndromes and coronary artery disease: A report of the American college of cardiology foundation/American Heart Association . *Circulation* 127: 1052–1089.

doi:10.1161/CIR.0b013e3182831a11

- Canpolat, U., Çetin, E.H., Cetin, S., Aydin, S., Akboga, M.K., Yayla, C., Turak, O., Aras, D., Aydogdu, S., 2015. Association of Monocyte-to-HDL Cholesterol Ratio with Slow Coronary Flow Association of Monocyte-to-HDL Cholesterol Ratio with Slow Coronary Flow is Linked to Systemic Inflammation. *Clin. Appl. Thromb.* 1–7. doi:10.1177/1076029615594002
- Cavalcante, J.L., Lima, J.A.C., Redheuil, A., Al-Malah, 2011. Aortic Stiffness Current Understanding and Future Directions. *JAC* 57: 1511–1522. doi:10.1016/j.jacc.2010.12.017
- Center for Disease Control and Prevention, 2019. National Health Interview Survey - Adult Tobacco Use [WWW Document]. *Natl. Cent. Heal. Stat.* URL https://www.cdc.gov/nchs/nhis/tobacco/tobacco_glossary.htm (diakses 6.30.20).
- Cetin, M.S., Hande, E., Cetin, O., 2016. Monocyte to HDL Cholesterol Ratio Predicts Coronary Artery Disease Severity and Future Major Cardiovascular Adverse Events in Acute Coronary Syndrome. *Hear. Lung Circ.* 25: 1077–1086. doi:10.1016/j.hlc.2016.02.023
- Chang, S., Kim, J., Sohn, T., Son, H., Lee, J., 2018. Effects of glucose control on arterial stiffness in patients with type 2 diabetes mellitus and hypertension: An observational study. *J. Int. Med. Res.* 46: 284–292. doi:10.1177/0300060517722697
- Chelladurai, P., Seeger, W., Pullamsetti, S.S., 2012. Matrix metalloproteinases and their inhibitors in pulmonary hypertension. *Eur Respir J* 40: 766–782. doi:10.1183/09031936.00209911
- Chen, J.W., Li, C., Liu, Z.H., Shen, Y., Ding, F.H., Shu, X.Y., Zhang, R.Y., Shen, W.F., Lu, L., Wang, X.Q., 2019. The role of monocyte to high-density lipoprotein cholesterol ratio in prediction of carotid intima-media thickness in patients with type 2 diabetes. *Front. Endocrinol. (Lausanne)*. 10: 1–11. doi:10.3389/fendo.2019.00191
- Chiesa, S.T., Charakida, M., 2019. High-Density Lipoprotein Function and Dysfunction in Health and Disease. *Cardiovasc. Drugs Ther.* 33: 207–219. doi:10.1007/s10557-018-06846-w
- Choo, J., Shin, C., Barinas-mitchell, E., Masaki, K., Willcox, B.J., Seto, T.B., Ueshima, H., Lee, S., Miura, K., Venkitachalam, L., Mackey, R.H., Evans, R.W., Kuller, L.H., Sutton-tyrrell, K., Sekikawa, A., 2014. Regional pulse wave velocities and their cardiovascular risk factors among healthy middle-aged men: a cross-sectional population-based study. *BMC Cardiovasc. Disord.* 14: 1–8.
- Chue, C.D., Townend, J.N., Steeds, R.P., Ferro, C.J., 2010. Arterial stiffness in chronic kidney disease: Causes and consequences. *Heart* 96: 817–823. doi:10.1136/hrt.2009.184879
- Cipolletta, C., Ryan, K.E., Hanna, E. V, Trimble, E.R., 2005. Activation of Peripheral Blood CD14+ Monocytes Occurs in Diabetes. *Diabetes* 54: 2779–2786.
- Cocciolone, A.J., Hawes, J.Z., Staiculescu, M.C., Johnson, E.O., Murshed, M., Wagenseil, J.E., 2018. Elastin, arterial mechanics, and cardiovascular disease.

- Am J Physiol Hear. Circ Physiol* 315: H189–H205.
doi:10.1152/ajpheart.00087.2018
- Dahlan, M.S., 2010. Besar Sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan, edisi ke-3. ed. Penerbit Salemba Medika, Jakarta.
- Davies, J.I., Struthers, A.D., 2003. Pulse wave analysis and pulse wave velocity : a critical review of their strengths and weaknesses. *J. Hypertens.* 21: 463–472. doi:10.1097/01.hjh.0000052468.40108.43
- de Oliveira Alvim, R., Santos, P.C.J.L., Musso, M.M., de Sá Cunha, R., Krieger, J.E., Mill, J.G., Pereira, A.C., 2013. Impact of diabetes mellitus on arterial stiffness in a representative sample of an urban Brazilian population. *Diabetol. Metab. Syndr.* 5: 45. doi:10.1186/1758-5996-5-45
- Devaraj, S., Jialal, I., 2000. Low-Density Lipoprotein Postsecretory Modification, Monocyte Function, and Circulating Adhesion Molecules in Type 2 Diabetic Patients With and Without Macrovascular Complications. *Circulation* 102: 191–196. doi:10.1161/01.CIR.102.2.191
- Donath, M.Y., Schumann, D.M., Faulenbach, M., Ellingsgaard, H., Perren, A., Ehses, J.A., 2008. Islet Inflammation in Type 2 Diabetes. *Diabetes Care* 31: S161 LP-S164. doi:10.2337/dc08-s243
- Doonan, R.J., Hausvater, A., Scallan, C., Mikhailidis, D.P., Pilote, L., Daskalopoulou, S.S., 2010. The effect of smoking on arterial stiffness. *Hypertens. Res.* 33: 398–410. doi:10.1038/hr.2010.25
- Efe, T.H., Yayla, K.G., Yayla, C., Ertem, A.G., Cimen, T., Pamukcu, H.E., Bilgin, M., Erat, M., Dogan, M., Yeter, E., 2016. Calcific aortic stenosis and its correlation with a novel inflammatory marker , the lymphocyte/monocyte ratio. *Rev. Port. Cardiol.* 35: 573–578. doi:10.1016/j.repc.2016.06.008
- Femlak, M., Gluba-brzózka, A., Cia, A., Rysz, J., 2017. The role and function of HDL in patients with diabetes mellitus and the related cardiovascular risk. *Lipids Health Dis.* 16: 1–9. doi:10.1186/s12944-017-0594-3
- Fox, C.S., Golden, S.H., Anderson, C., Bray, G.A., Burke, L.E., de Boer, I.H., Deedwania, P., Eckel, R.H., Ershow, A.G., Fradkin, J., Inzucchi, S.E., Kosiborod, M., Nelson, R.G., Patel, M.J., Pignone, M., Quinn, L., Schauer, P.R., Selvin, E., Vafiadis, D.K., 2015. Update on Prevention of Cardiovascular Disease in Adults With Type 2 Diabetes Mellitus in Light of Recent Evidence: A Scientific Statement From the American Heart Association and the American Diabetes Association. *Diabetes Care* 38: 1777–1802. doi:10.2337/dci15-0012
- Furuya, F., Motosugi, A., Haraguchi, K., Hanai, S., Ishii, T., Yamaguchi, Y., Kitamura, K., 2019. Association between the Cardio-Ankle Vascular Index and Diabetes Mellitus-Related Peripheral Arterial Disease in Chronic Hemodialysis Patients. *Blood Purif.* 47: 1–6. doi:10.1159/000496632
- Ganjali, S., Gotto Jr, A.M., Ruscica, M., Atkin, S.L., Butler, A.E., Banach, M., Sahebkar, A., 2018. Monocyte-to-HDL-cholesterol ratio as a prognostic marker in cardiovascular diseases. *J Cell Physiol* 1–10. doi:10.1002/jcp.27028
- Giulietti, A., Etten, E. Van, Overbergh, L., Stoffels, K., Bouillon, R., Mathieu, C., 2007. Monocytes from type 2 diabetic patients have a pro-inflammatory profile 1 , 25-Dihydroxyvitamin D 3 works as anti-inflammatory. *Diabetes*

- Res. Clin. Pract.* 77: 47–57. doi:10.1016/j.diabres.2006.10.007
- Goldin, A., Beckman, J.A., Schmidt, A.M., Creager, M.A., 2006. Advanced Glycation End Products Sparking the Development of Diabetic Vascular Injury. *Circulation* 114: 597–605. doi:10.1161/CIRCULATIONAHA.106.621854
- Gomez-Sanchez, L., García-Ortiz, L., Recio-Rodríguez, J.I., Patino-Alonso, M.C., Agudo-Conde, C., Rigo, F., Ramos, R., Martí, R., Gomez-Marcos, M.A., Group, for the M., 2015. Leukocyte Subtype Counts and Its Association with Vascular Structure and Function in Adults with Intermediate Cardiovascular Risk. MARK Study. *PLoS One* 10: e0119963.
- Gordin, D., Saraheimo, M., Tuomikangas, J., Soro-Paavonen, A., Forsblom, C., Paavonen, K., Steckel-Hamann, B., Harjutsalo, V., Nicolaou, L., Pavo, I., Koivisto, V., Groop, P.-H., 2019. Insulin exposure mitigates the increase of arterial stiffness in patients with type 2 diabetes and albuminuria: an exploratory analysis. *Acta Diabetol.* 56: 1169–1175. doi:10.1007/s00592-019-01351-4
- Gordon, S.M., Davidson, W.S., Urbina, E.M., Dolan, L.M., Heink, A., Zang, H., Lu, L.J., Shah, A.S., 2013. The effects of type 2 diabetes on lipoprotein composition and arterial stiffness in male youth. *Diabetes* 62: 2958–2967. doi:10.2337/db12-1753
- Gow, B.B.S., Taylor, M.G., 1968. Measurement of Viscoelastic Properties of Arteries in the Living Dog. *Circ. Res.* 23: 111–122.
- Greene, S.J., Harinstein, M.E., Vaduganathan, M., Subačius, H., Konstam, M.A., Zannad, F., Maggioni, A.P., Swedberg, K., Butler, J., Gheorghide, M., 2012. Prognostic Value of Monocyte Count in Patients Hospitalized for Heart Failure With Reduced Ejection Fraction (from the EVEREST Trial). *Am J Cardiol* 110: 1657–1662. doi:10.1016/j.amjcard.2012.07.035
- Greenfield, J.C., Griggs, D.M., 1963. Relation between pressure and diameter in main pulmonary artery of man. *J. Appl Physiol* 18: 557–559.
- Gurovich, A.N., Braith, R.W., 2011. Pulse wave analysis and pulse wave velocity techniques: are they ready for the clinic? *Hypertens. Res.* 34: 166–169. doi:10.1038/hr.2010.217
- Hasegawa, M., Arai, C., 1995. Clinical Estimation of Vascular Elastic Function and Practical Application. *Connect. Tissue* 27: 149–157.
- Hayashi, K., Handa, H., Nagasawa, S., Okumura, A., Moritake, K., 1980. Stiffness and Elastic Behavior of Human Intracranial and Extracranial Arteries. *J Biomech.* 13: 175–184.
- Hayashi, K., Yamamoto, T., Takahara, A., Shirai, K., 2015. Clinical assessment of arterial stiffness with cardio-ankle vascular index: theory and applications. *J. Hypertens.* 33: 1742–1757. doi:10.1097/HJH.0000000000000651
- Holzappel, G.A., 2008. Collagen in Arterial Walls: Biomechanical Aspects, in: Fratzl, P. (Ed.), *Collagen*. Springer, Boston, MA, hal. 285–324. doi:https://doi.org/10.1007/978-0-387-73906-9_11
- Hu, J., Xi, D., Zhao, J., Luo, T., Liu, J., Lu, H., Li, M., Xiong, H., Guo, Z., 2016. High-density Lipoprotein and Inflammation and Its Significance to Atherosclerosis. *Am J Med Sci* 352: 408–415.

doi:10.1016/j.amjms.2016.06.014

- Jain, S., Khera, R., Corrales-Medina, V.F., Townsend, R.R., Chirinos, J.A., 2014. Inflammation and arterial stiffness in humans. *Atherosclerosis* 237: 381–390. doi:10.1016/j.atherosclerosis.2014.09.011
- Kabutoya, T., Kario, K., 2018. Comparative Assessment of Cutoffs for the Cardio-Ankle Vascular Index and Brachial-Ankle Pulse Wave Velocity in a Nationwide Registry : A Cardiovascular Prognostic Coupling Study. *Pulse* 6: 131–136. doi:10.1159/000489604
- Karatas, A., Turkmen, E., Erdem, E., Dugeroglu, H., Kaya, Y., 2018. Monocyte to high-density lipoprotein cholesterol ratio in patients with diabetes mellitus and diabetic nephropathy. *Biomark. Med.* 12: 953–959. doi:10.2217/bmm-2018-0048
- Kubota, Y., Maebuchi, D., Takei, M., Inui, Y., Sudo, Y., Ikegami, Y., Fuse, J., Sakamoto, M., Momiyama, Y., 2011. Cardio-Ankle Vascular Index is a predictor of cardiovascular events. *Artery Res.* 5: 91–96. doi:10.1016/j.artres.2011.03.005
- Kubozono, T., Miyata, M., Ueyama, K., Nagaki, A., Hamasaki, S., Kusano, K., Kubozono, O., Tei, C., 2009. Association between arterial stiffness and estimated glomerular filtration rate in the Japanese general population. *J. Atheroscler. Thromb.* 16: 840–845. doi:10.5551/jat.1230
- Lamacchia, O., Rosaria, M., Picca, G., Paradiso, M., Maiellaro, P., Cosmo, S. De, 2019. Cardio-ankle vascular index is associated with diabetic retinopathy in younger than 70 years patients with type 2 diabetes mellitus. *Diabetes Res. Clin. Pract.* 155: 107793. doi:10.1016/j.diabres.2019.107793
- Lee, J., Cho, E., Kim, M., Jo, S., Cho, W.Y., Kim, H.K., 2013. Proinflammatory CD14+ CD16+ monocytes are associated with vascular stiffness in predialysis patients with chronic kidney disease. *Kidney Res. Clin. Pract.* 32: 147–152. doi:10.1016/j.krcp.2013.08.001
- Levey, A.S., Stevens, L.A., Schmid, C.H., Zhang, Y., Castro III, A.F., Feldman, H.I., Kusek, J.W., Eggers, P., Van Lente, F., Greene, T., Coresh, J., 2009. A New Equation to Estimate Glomerular Filtration Rate. *Ann Intern Med* 150: 604–612.
- Liao, S., McLachlan, C.S., 2018. Cholesterol Efflux : Does It Contribute to Aortic Stiffening? *J. Cardiovasc. Dev. Dis.* 5: 1–11. doi:10.3390/jcdd5020023
- Liu, Y., Lai, X., Guo, W., Ma, L., Li, W., Fang, Q., Yang, H., Cai, Y., Liu, M., Zhang, X., Yang, L., 2020. Total White Blood Cell Count Mediated the Association Between Increased Arterial Stiffness and Risk of Type 2 Diabetes Mellitus in Chinese Adults. *Arterioscler. Thromb. Vasc. Biol.* 40: 1009–1015. doi:10.1161/ATVBAHA.119.313880
- Loehr, L.R., Meyer, M.L., Poon, A.K., Selvin, E., Palta, P., Tanaka, H., Pankow, J.S., Wright, J.D., Griswold, M.E., Wagenknecht, L.E., Heiss, G., 2016. Prediabetes and Diabetes Are Associated With Arterial Stiffness in Older Adults: The ARIC Study. *Am. J. Hypertens.* 29: 1038–1045. doi:10.1093/ajh/hpw036
- Mach, F., Baigent, C., Catapano, A.L., Koskinas, K.C., Casula, M., Badimon, L., Chapman, M.J., De Backer, G.G., Delgado, V., Ference, B.A., Graham, I.M.,

- Halliday, A., Landmesser, U., Mihaylova, B., Pedersen, T.R., Riccardi, G., Richter, D.J., Sabatine, M.S., Taskinen, M.R., Tokgozoglul, L., Wiklund, O., 2020. 2019 ESC/EAS Guidelines for the management of dyslipidaemias: lipid modification to reduce cardiovascular risk. *Eur. Heart J.* 41: 111–188. doi:10.1093/eurheartj/ehz455
- Mahmud, A., Feely, J., 2005. Arterial Stiffness Is Related to Systemic Inflammation in Essential Hypertension. *Hypertension* 46: 1118–1122. doi:10.1161/01.HYP.0000185463.27209.b0
- Mahomed FA, 1872. The Physiology and Clinical Use of the Sphygmograph. *Med Times Gazette* 1: 62.
- Mäki-petäjä, K.M., Mceniery, C.M., Franklin, S.S., Wilkinson, I.B., 2014. Arterial Stiffness in Chronic Inflammation Blood pressure, in: Safar, M.E. (Ed.), *Blood Pressure and Arterial Wall Mechanics in Cardiovascular Diseases*. Springer-Verlag, London, hal. 435–444. doi:10.1007/978-1-4471-5198-2
- Marumo, M., Ebara, S., Nishibe, I., Soneda, J., 2018. Relationships of Age and Gender with Ankle-brachial Systolic Pressure Index and Cardio-ankle Vascular Index in Patients with Diabetes Mellitus. *Int. J. Gerontol.* 12: 32–36. doi:10.1016/j.ijge.2017.05.004
- Mattace-Raso, F.U.S., Cammen, T.J.M. van der, Hofman, A., Popele, N.M. Van, Bos, M.L., Schalekamp, M.A.D.H., Asmar, R., Reneman, R.S., Hoeks, A.P.G., Breteler, M.M.B., Witteman, J.C.M., 2006. Arterial Stiffness and Risk of Coronary Heart Disease The Rotterdam Study. *Circulation* 113: 657–663. doi:10.1161/CIRCULATIONAHA.105.555235
- McEniery, C., Cockcroft, J., 2007. Does Arterial Stiffness Predict Atherosclerotic Coronary Events?, in: *Advances in Cardiology*. hal. 160–172. doi:10.1159/000096728
- Min, D., Brooks, B., Wong, J., Salomon, R., Bao, W., Harrisberg, B., Twigg, S.M., Yue, D.K., McLennan, S. V, 2012. Alterations in Monocyte CD16 in Association with Diabetes Complications. *Mediators Inflamm.* 1–10. doi:10.1155/2012/649083
- Miyashita, Y., Endo, K., Saiki, A., Ban, N., Yamaguchi, T., Kawana, H., Nagayama, D., Ohira, M., Oyama, T., Shirai, K., 2009. Effects of Pitavastatin, a 3-Hydroxy-3-Methylglutaryl Coenzyme A Reductase Inhibitor, on Cardio-Ankle Vascular Index in Type 2 Diabetic Patients. *J. Atheroscler. Thromb.* 16: 539–545.
- Miyoshi, T., Ito, H., 2016. Assessment of Arterial Stiffness Using the Cardio-Ankle Vascular Index. *Pulse* 4: 11–23. doi:10.1159/000445214
- Mooradian, A.D., 2009. Dyslipidemia in type 2 diabetes mellitus. *Nat. Clin. Pract. Endocrinol. Metab.* 5: 150–159. doi:10.1038/ncpendmet1066
- Mozos, I., Borzak, G., Caraba, A., Mihaescu, R., 2017a. Arterial stiffness in hematologic malignancies. *Onco Targets Ther.* 10: 1381–1388.
- Mozos, I., Malainer, C., Horban'czuk, J., Gug, C., Stoian, D., Luca, C.T., Atanasov, A.G., 2017b. Inflammatory Markers for Arterial Stiffness in Cardiovascular Diseases. *Front. Immunol.* 8: 1058. doi:10.3389/fimmu.2017.01058
- Muhammad, I.F., Borné, Y., Östling, G., Kennbäck, C., Gottsäter, M., Persson, M., Nilsson, P.M., Engstr, G., 2017. Arterial Stiffness and Incidence of Diabetes:

- A Population-Based Cohort Study. *Diabetes Care* 40: 1739–1745. doi:10.2337/dc17-1071
- Nagayama, D., Watanabe, Y., Saiki, A., Shirai, K., Tatsuno, I., 2018. Lipid Parameters are Independently Associated with Cardio – Ankle Vascular Index (CAVI) in Healthy Japanese Subjects. *J Atheroscler Thromb* 25: 621–633.
- Namba, T., Masaki, N., Takase, B., Adachi, T., 2019. Arterial Stiffness Assessed by Cardio-Ankle Vascular Index. *Int. J. Mol. Sci.* 20: 1–19.
- Namekata, T., Suzuki, K., Ishizuka, N., Shirai, K., 2011. Establishing baseline criteria of cardio-ankle vascular index as a new indicator of arteriosclerosis: a cross-sectional study. *BMC Cardiovasc. Disord.* 11: 51. doi:10.1186/1471-2261-11-51
- Nasir, K., Guallar, E., Navas-acien, A., Criqui, M.H., Lima, A.C., 2005. Relationship of Monocyte Count and Peripheral Survey 1999 – 2002. *Arter. Thromb Vasc Biol* 25: 1966–1971. doi:10.1161/01.ATV.0000175296.02550.e4
- Navab, M., Yu, R., Gharavi, N., Huang, W., Ezra, N., Lotfizadeh, A., Anantharamaiah, Alipour, N., Lenten, B.J. Van, Reddy, S.T., Marelli, D., 2007. High-density Lipoprotein: Antioxidant and Anti-inflammatory Properties. *Curr. Atheroscler. Rep.* 9: 244–248.
- Newman, J.D., Schwartzbard, A.Z., Weintraub, H.S., Goldberg, I.J., Berger, J.S., 2017. Primary Prevention of Cardiovascular Disease in Diabetes Mellitus. *J. Am. Coll. Cardiol.* 70: 883–893. doi:10.1016/j.jacc.2017.07.001
- Nikiforov, N.G., Galstyan, K.O., Nedosugova, L. V, Elizova, N. V, Kolmychkova, K.I., Ivanova, E.A., 2017. Proinflammatory monocyte polarization in type 2 diabetes mellitus and coronary heart disease. *Vessel Plus* 1: 192–195. doi:10.20517/2574-1209.2017.21
- Ohashi, K., Kohka, H., Mori, S., Liu, K., Wake, H., Sadamori, H., Matsuda, H., Yagi, T., Yoshino, T., Nishibori, M., Tanaka, N., 2010. Advanced glycation end products enhance monocyte activation during human mixed lymphocyte reaction. *Clin. Immunol.* 134: 345–353. doi:10.1016/j.clim.2009.10.008
- Palombo, C., Kozakova, M., 2016. Arterial stiffness , atherosclerosis and cardiovascular risk : Pathophysiologic mechanisms and emerging clinical indications. *Vascul. Pharmacol.* 77: 1–7. doi:10.1016/j.vph.2015.11.083
- Papaioannou, T.G., Kimon, S., Stamatelopoulos, Gialafos, E., Vlachopoulos, C., Karatzis, E., Nanas, J., Lekakis, J., 2004. Monitoring of Arterial Stiffness Indices by Applanation Tonometry and Pulse Wave Analysis : Reproducibility at Low Blood Pressures. *J Clin Monit* 18: 137–144.
- Park, S., Lakatta, E.G., 2012. Role of Inflammation in the Pathogenesis of Arterial Stiffness. *Yonsei Med J* 53: 258–261.
- Poleszczuk, J., Debowska, M., Dabrowski, W., Wojcik-Zaluska, A., Zaluska, W., Waniewski, J., 2018. Patient-specific pulse wave propagation model identifies cardiovascular risk characteristics in hemodialysis patients. *PLoS Comput Biol* 14: e1006417. doi:10.18150/repod.0424301
- Prenner, S.B., Chirinos, J.A., 2015. Arterial stiffness in diabetes mellitus. *Atherosclerosis* 238: 370–379. doi:10.1016/j.atherosclerosis.2014.12.023
- Protogerou, A.D., Lekakis, J., Ikonomidis, I., Stamatelopoulos, K., Aznaouridis, K.,

- Karatzis, E.N., Papamichael, C., Markomihelakis, N., Kaklamanis, P., Mavrikakis, M., 2006. Pressure Wave Reflections, Central Blood Pressure, and Aortic Stiffness in Patients With Adamantiades-Behcet's Disease A Cross-Sectional Case-Control Study Underlining the Role of Chronic Corticosteroid Treatment. *Am. J. Hypertens.* 19: 660–666. doi:10.1016/j.amjhyper.2005.06.028
- Rekhter, M., 1999. Collagen synthesis in atherosclerosis: too much and not enough. *Cardiovasc. Res.* 41: 376–384. doi:10.1016/S0008-6363(98)00321-6
- Rubin, J., Nambi, V., Chambless, L.E., Steffes, M.W., Juraschek, S.P., Coresh, J., Sharrett, A.R., Selvin, E., 2012. Hyperglycemia and arterial stiffness: The Atherosclerosis Risk in the Communities study. *Atherosclerosis* 225: 246–251. doi:10.1016/j.atherosclerosis.2012.09.003
- Schram, M., Henry, R.M., A.J.M, R. van D., Piet, J., K., Dekker, J.M., Giel, N., J., H.R., M., B.L., Nico, W., D.A., S., 2004. Increased Central Artery Stiffness in Impaired Glucose Metabolism and Type 2 Diabetes. *Hypertension* 43: 176–181. doi:10.1161/01.HYP.0000111829.46090.92
- Shen, W., Lu, F., Yang, Y., Wu, J., Chang, Y., Huang, Y., Chang, C., 2017. The Relationship between High-density Lipoprotein Cholesterol Levels and Arterial Stiffness in a Taiwanese Population. *Nutr. Metab. Cardiovasc. Dis.* 27: 1136–1142. doi:10.1016/j.numecd.2017.10.003
- Shirai, K., Song, M., Suzuki, J., Kurosu, T., Oyama, T., Nagayama, D., Miyashita, Y., Yamamura, S., Takahashi, M., 2011. Contradictory Effects of 1- and 1-Adrenergic Receptor Blockers on Cardio-Ankle Vascular Stiffness Index (CAVI) CAVI is Independent of Blood Pressure. *J. Atheroscler. Thromb.* 18: 49–55.
- Shirai, K., Utino, J., Otsuka, K., Takata, M., 2006. A Novel Blood Pressure-independent Arterial Wall Stiffness Parameter; Cardio-Ankle Vascular Index (CAVI). *J. Atheroscler. Thromb.* 13: 101–107.
- Shirwany, N.A., Zou, M.-H., 2010. Arterial stiffness: a brief review. *Acta Pharmacol. Sin.* 31: 1267–1276. doi:10.1038/aps.2010.123
- Soelistijo, S.A., Lindarto, D., Decroli, E., Permana, H., Sucipto, K.W., Kusnadi, Y., Budiman, Ikhsan, R., Sasiarini, L., Sanusi, H., 2019. Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Dewasa di Indonesia. PB Perkeni.
- Soltész, P., Dér, H., Kerekes, G., Szodoray, P., Szücs, G., Dankó, K., Shoenfeld, Y., Szegedi, G., Szekanecz, Z., 2009. A comparative study of arterial stiffness, flow-mediated vasodilation of the brachial artery, and the thickness of the carotid artery intima-media in patients with systemic autoimmune diseases. *Clin Rheumatol* 28: 655–662. doi:10.1007/s10067-009-1118-y
- Takahashi, K., Yamamoto, T., Tsuda, S., Okabe, F., Shimose, T., Tsuji, Y., Suzuki, K., Otsuka, K., Takata, M., Shimizu, K., Uchino, J., Shirai, K., 2019. Coefficients in the CAVI Equation and the Comparison Between CAVI With and Without the Coefficients Using Clinical Data. *J Atheroscler Thromb* 26: 465–475.
- Takaki, A., Ogawa, H., Wakeyama, T., Iwami, T., Kimura, M., Hadano, Y., Matsuda, S., Miyazaki, Y., Hiratsuka, A., Matsuzaki, M., 2008. Cardio-Ankle Vascular Index Is Superior to Brachial-Ankle Pulse Wave Velocity as an Index

- of Arterial Stiffness. *Hypertens Res* 31: 1347–1355.
- Takaki, A., Ogawa, H., Wakeyama, T., Iwami, T., Kimura, M., Hadano, Y., Matsuda, S., Miyazaki, Y., Matsuda, T., Hiratsuka, A., Matsuzaki, M., 2007. Cardio-Ankle Vascular Index is a New Noninvasive Parameter of Arterial Stiffness. *Circ J* 71: 1710–1714.
- Tani, S., Matsumoto, M., Anazawa, T., Kawamata, H., Furuya, S., Takahashi, H., Iida, K., Washio, T., Kumabe, N., Kobori, M., Nagao, K., Hirayama, A., 2012. Development of a model for prediction of coronary atherosclerotic regression : evaluation of high-density lipoprotein cholesterol level and peripheral blood monocyte count. *Hear. Vessel.* 27: 143–150. doi:10.1007/s00380-011-0130-8
- Tomochika, Y., Okuda, F., Tanaka, N., Wasaki, Y., Tokisawa, I., Aoyagi, S., Morikuni, C., Ono, S., Okada, K., Matsuzaki, M., 1996. Improvement of Atherosclerosis and Stiffness of the Thoracic Descending Aorta With Cholesterol-Lowering Therapies in Familial Hypercholesterolemia. *Arter. Thromb Vasc Biol* 16: 955–962.
- Trieb, M., Horvath, A., Birner-gruenberger, R., Spindelboeck, W., Stadlbauer, V., Taschler, U., Curcic, S., Stauber, R.E., Holzer, M., Pasterk, L., Heinemann, A., Marsche, G., 2016. Liver disease alters high-density lipoprotein composition, metabolism and function. *Biochim Biophys Acta* 1861: 630–638. doi:10.1016/j.bbali.2016.04.013.Liver
- Tsalamandris, S., Antonopoulos, A.S., Oikonomou, E., Papamikroulis, G., Vogiatzi, G., Papaioannou, S., Deftereos, S., Tousoulis, D., 2019. The Role of Inflammation in Diabetes : Current Concepts and Future Perspectives. *Eur. Cardiol. Rev.* 14: 50–59.
- Uslu, A.U., Sekin, Y., Tarhan, G., Canakcı, N., Gunduz, M., Karagulle, M., 2018. Evaluation of Monocyte to High-Density Lipoprotein Cholesterol Ratio in the Presence and Severity of Metabolic Syndrome. *Clin. Appl. Thromb.* 24: 828–833. doi:10.1177/1076029617741362
- Villanueva, D.L.E., Tiongson, M.D., Ramos, J.D., Llanes, E.J., 2020. Monocyte to High-Density Lipoprotein Ratio (MHR) as a predictor of mortality and Major Adverse Cardiovascular Events (MACE) among ST Elevation Myocardial Infarction (STEMI) patients undergoing primary percutaneous coronary intervention: a meta-analysis. *Lipids Health Dis.* 19: 55. doi:10.1186/s12944-020-01242-6
- Villela-nogueira, C.A., Leite, N.C., Cardoso, C.R.L., Salles, G.F., 2016. NAFLD and Increased Aortic Stiffness : Parallel or Common Physiopathological Mechanisms ? *Int. J. Med. Sci.* 17: 1–13. doi:10.3390/ijms17040460
- Wang, H., Liu, J., Zhao, H., Fu, X., Shang, G., Zhou, Y., Yu, X., Zhao, X., Wang, G., Shi, H., 2013. Arterial stiffness evaluation by cardio-ankle vascular index in hypertension and diabetes mellitus subjects. *J. Am. Soc. Hypertens.* 7: 426–431. doi:10.1016/j.jash.2013.06.003
- Wang, H., Liu, J., Zhao, H., Zhao, X., Li, L., Shi, H., Zhan, S., Liu, J., 2015. Relationship between cardio-ankle vascular index and plasma lipids in hypertension subjects. *J. Hum. Hypertens.* 29: 105–108. doi:10.1038/jhh.2014.37
- Wang, H., Shi, W., Yi, X., Zhou, Y., Wang, Z., Sun, Y., 2019. Assessing the

- performance of monocyte to high-density lipoprotein ratio for predicting ischemic stroke : insights from a population- based Chinese cohort 1–11.
- Wang, J., Zhou, Z., Hu, D., 2012. Prevalence of arterial stiffness in North China, and associations with risk factors of cardiovascular disease: a community-based study. *BMC Cardiovasc. Disord.* 12: 1–8.
- Wiklund, O., Borén, J., 2017. Pathogenesis of atherosclerosis: Lipid Metabolism, in: Krams, R., Bäck, M. (Ed.), *The ESC Textbook of Vascular Biology*. Oxford University Press, Oxford, hal. 149–161.
- Wilkinson, I.B., McEniery, C.M., Cockcroft, J.R., 2009. Arteriosclerosis and atherosclerosis: Guilty by association. *Hypertension* 54: 1213–1215. doi:10.1161/HYPERTENSIONAHA.109.142612
- Wohlfahrt, P., Krajčoviechová, A., Seidlerová, J., Galovcová, M., Bruthans, J., Filipovský, J., Laurent, S., Cífková, R., 2013. Lower-extremity arterial stiffness vs. aortic stiffness in the general population. *Hypertens. Res.* 36: 718–724. doi:10.1038/hr.2013.21
- Wong, M., Jiang, B.Y., McNeill, K., Farish, S., Kirkham, B., Chowienczyk, P., 2007. Effects of selective and non-selective cyclo-oxygenase inhibition on endothelial function in patients with rheumatoid arthritis. *Scand J Rheumatol* 36: 265–269. doi:10.1080/03009740701286771
- Yasmin, M. McEniery, C., Wallace, S., S. Mackenzie, I., R. Cockcroft, J., B. Wilkinson, I., 2004. C-Reactive Protein Is Associated With Arterial Stiffness in Apparently Healthy Individuals. *Arterioscler. Thromb. Vasc. Biol.* 24: 969–974. doi:10.1161/01.ATV.zhq0504.0173
- Yayla, K.G., Canpolat, U., Yayla, Ç., Akboga, M.K., Akyel, A., Akdi, A., Çiçek, G., Ozcan, F., Turak, O., Aydogdu, S., 2017. A Novel Marker of Impaired Aortic Elasticity in Never Treated Hypertensive Patients : Monocyte / High-Density Lipoprotein Cholesterol Ratio. *Acta Cardiol Sin* 33: 41–49. doi:10.6515/ACS20160427A
- Yeboah, K., Antwi, D.A., Gyan, B., 2016. Arterial Stiffness in Nonhypertensive Type 2 Diabetes Patients in Ghana. *Int. J. Endocrinol.* 6107572: 1–8.
- Younis, N.N., Durrington, P.N., 2012. HDL functionality in diabetes mellitus : potential importance of glycation. *Clin. Lipidol.* 7: 561–578.
- Zieman, S.J., Melenovsky, V., Kass, D.A., 2005. Mechanisms, Pathophysiology, and Therapy of Arterial Stiffness. *Arter. Thromb Vasc Biol* 25: 932–943. doi:10.1161/01.ATV.0000160548.78317.29