

## DAFTAR PUSTAKA

- Akre, M., Finkelstein, M., Erickson, M., Liu, M., Vanderbilt, L., & Billman, G. (2010). Sensitivity of the pediatric *Early Warning Score* to identify patient deterioration. *Pediatrics*, 125(4), e763–e769.
- Alam, N., Hobbelink, E. L., van Tienhoven, A. J., van de Ven, P. M., Jansma, E. P., & Nanayakkara, P. W. B. (2014). The impact of the use of the *Early Warning Score* (EWS) on patient outcomes: A systematic review. In *Resuscitation* (Vol. 85, Issue 5, pp. 587–594). European Resuscitation Council, American Heart Association, Inc., and International Liaison Committee on Resuscitation.~Published by Elsevier Ireland Ltd. <https://doi.org/10.1016/j.resuscitation.2014.01.013>
- Atmaca, Ö., Turan, C., Güven, P., Arikan, H., Eryüksel, S. E., & Karakurt Eryüksel, S. (2018). Usage of news for prediction of mortality and in-hospital cardiac arrest rates in a Turkish university hospital. *Turkish Journal of Medical Sciences*, 48(6), 1087–1091. <https://doi.org/10.3906/sag-1706-67>
- Bidang Pelayanan dan Pendidikan RS Dr.Soetarto Yogyakarta. (2019). *Standar Prosedur Operasional (SPO) Early Warning Score System RS Dr. Soetarto Yogyakarta*.
- Bunkenborg, G., Samuelson, K., Poulsen, I., Loveland, S. & Kason, J. (2014) Lower incidence of unexpected in-hospital death after interprofessional implementation of a bedside track-and-trigger system. *Resuscitation* **85**, 424-430. doi:10.1016/j.resuscitation.2013.11.023
- Bunkenborg, G., Poulsen, I., Samuelson, K., Ladelund, S., & Åkeson, J. (2016). Mandatory early warning scoring—implementation evaluated with a mixed-methods approach. *Applied Nursing Research*, 29, 168–176.
- Callaway, C. W., Donnino, M. W., Fink, E. L., Geocadin, R. G., Golan, E., Kern, K. B., Leary, M., Meurer, W. J., Peberdy, M. A., Thompson, T. M., & Zimmerman, J. L. (2015). Part 8: Post-cardiac arrest care: 2015 American Heart Association guidelines update for cardiopulmonary resuscitation and emergency cardiovascular care. *Circulation*, 132(18), S465–S482. <https://doi.org/10.1161/CIR.0000000000000262>
- Creswell, J. W. (2016). Research design: pendekatan metode kualitatif, kuantitatif, dan campuran. *Yogyakarta: Pustaka Pelajar*.
- Connell, C. J., Endacott, R., Jackman, J. A., Kiprillis, N. R., Sparkes, L. M., & Cooper, S. J. (2016) The effectiveness of education in the recognition and management of deteriorating patients: A systematic review. *Nurse Education Today*, **44**, 133-145. doi:10.1016/j.nedt.2016.06.001
- Cooper, S., Cant, R., Porter, J., Missen, K., Sparkes, L., McConnell-Henry, T., & Endacott, R. (2013) Managing patient deterioration: assessing teamwork and individual performance. *Emergency Medicine Journal: EMJ*, **30** (5), 377-381. doi:10.1136/emmermed-2012-201312
- Downey, C. L., Tahir, W., Randell, R., Brown, J. M., & Jayne, D. G. (2017). Strengths and limitations of *Early Warning Scores*: a systematic review and narrative

- synthesis. *International Journal of Nursing Studies*, 76, 106–119.
- Endacott, R., Bogossian, F. E., Cooper, S. J., Forbes, H., Kain, V. J., Young, S. C., & Porter, J. E. (2015) Leadership and teamwork in medical emergencies: performance of nursing students and registered nurses in simulated patient scenarios. *Journal Of Clinical Nursing*, 24 (1/2), 90-100. doi:10.1111/jocn.12611
- Fox, A. & Elliott, N. (2015) Early Warning Scores: A Sign of Deterioration in Patients and Systems. *Nursing Management – UK* 22, 26-31. doi: 10.7748/nm.22.1.26.e1337
- Hart, P. L., Spiva, L., Dolly, L., Lang-Coleman, K., & Prince-Williams, N. (2016) Medical-surgical nurses' experiences as first responders during deterioration events: a qualitative study. *Journal Of Clinical Nursing*, 25 (21-22), 3241-3251. doi:10.1111/jocn.13357
- Health Research & Educational Trust. (2011). *Health Care Leaders Action Guide: Hospital Strategies for Reducing Preventable Mortality*. Health Research & Educational Trust.
- Hogan, H., Healey, F., Neale, G., Thomson, R., Vincent, C., & Black, N. (2012). *Preventable deaths due to problems in care in English acute hospitals: a retrospective case record review study*. BMJ Publishing Group Ltd.
- Huffman, E. K. (1999). *Health Information Management Physicians Record Company Burwyn*. Inois.
- Jarvis, S., Kovacs, C., Briggs, J., Meredith, P., Schmidt, P. E., Featherstone, P. I., Prytherch, D. R., & Smith, G. B. (2015). Aggregate National Early Warning Score (NEWS) values are more important than high scores for a single vital signs parameter for discriminating the risk of adverse outcomes. *Resuscitation*, 87, 75–80. <https://doi.org/10.1016/j.resuscitation.2014.11.014>
- Jensen, J. K., Skår, R., & Tveit, B. (2019). Introducing the National Early Warning Score—A qualitative study of hospital nurses' perceptions and reactions. *Nursing Open*.
- Komisi Akreditasi Rumah Sakit. (2017). Standar nasional akreditasi rumah sakit edisi 1. Jakarta: Komisi Akreditasi Rumah Sakit.
- Lee, Y. S., Choi, J. W., Park, Y. H., Chung, C., Park, D. Il, Lee, J. E., Lee, H. S., & Moon, J. Y. (2018). Evaluation of the efficacy of the National Early Warning Score in predicting in-hospital mortality via the risk stratification. *Journal of Critical Care*, 47, 222–226.
- Liaw S.Y., Wong, L.F., Lim, E.Y.P., Ang, S.B.L, Mujumdar, S., Ho, J.T.Y., Mordiffi, S.Z., Ang, E.N.K. (2016) Effectiveness of a Web-Based Simulation in Improving Nurses' Workplace Practice With Deteriorating Ward Patients: A Pre and Postintervention Study. *Journal of Medical Internet Research*, 18(2), e37. doi :10.2196/jmir.5294
- Lilford, R., & Pronovost, P. (2010). Using hospital mortality rates to judge hospital performance: a bad idea that just won't go away. *BMJ*, 340.
- Luís, L., & Nunes, C. (2018). Short National Early Warning Score — Developing a Modified Early Warning Score. *Australian Critical Care*, 31(6), 376–381.

<https://doi.org/10.1016/j.aucc.2017.11.004>

- Ludikhuize, J., de Jonge, E., & Goossens, A. (2011) 'Measuring adherence among nurses one year after training in applying the Modified Early Warning Score and Situation-Background-Assessment-Recommendation instruments'. *Resuscitation* **82** (11), 1428-1433. doi: 10.1016/j.resuscitation.2011.05.026
- Manaseki-Holland, S., Lilford, R. J., Te, A. P., Chen, Y.-F., Gupta, K. K., Chilton, P. J., & Hofer, T. P. (2019). Ranking Hospitals Based on PrevenTabel Hospital Death Rates: A Systematic Review With Implications for Both Direct Measurement and Indirect Measurement Through Standardized Mortality Rates. *The Milbank Quarterly*, 97(1), 228–284.
- Massey, D., Chaboyer, W., & Anderson, V. (2017). What factors influence ward nurses' recognition of and response to patient deterioration? An integrative review of the literature. *Nursing Open*, 4(1), 6–23.
- McDonnell, A., Tod, A., Bray, K., Bainbridge, D., Adsetts, D. & Walters, S. (2013) A before and after study assessing the impact of a new model for recognizing and responding to early signs of deterioration in an acute hospital. *Journal of Advanced Nursing* **69**, 41-52. doi:10.1111/j.1365-2648.2012.05986.x
- Moon, A., Cosgrove, J., Lea, D., Fairs, A., & Cressey, D. (2011) An eight year audit before and after the introduction of modified early warning score (MEWS) charts, of patients admitted to a tertiary referral intensive care unit after CPR. *Resuscitation* **82** (2), 150-154. doi:10.1016/j.resuscitation.2010.09.480
- McGaughey, J., O'Halloran, P., Porter, S., Trinder, J., & Blackwood, B. (2017) Early warning systems and rapid response to the deteriorating patient in hospital: A realist evaluation. *Journal Of Advanced Nursing* **73** (12), 3119-3132. doi: 10.1111/jan.13367
- Nannan Panday, R. S., Minderhoud, T. C., Alam, N., & Nanayakkara, P. W. B. (2017). Prognostic value of *Early Warning Scores* in the emergency department (ED) and acute medical unit (AMU): A narrative review. In *European Journal of Internal Medicine* (Vol. 45, pp. 20–31). European Federation of Internal Medicine. <https://doi.org/10.1016/j.ejim.2017.09.027>
- Odell, M. (2015). Detection and management of the deteriorating ward patient: an evaluation of nursing practice. *Journal of Clinical Nursing*, 24(1–2), 173–182.
- Phipps, O. (2016). *Do nurses' attitudes and perceptions of the early warning scoring system influence the score, outcome and patient management?* <https://doi.org/10.13140/RG.2.1.3886.8248>
- Ramadhan, M. D., Setiyarini, S., Aulawi, K., Pangastuti, H. S., & Noviana, U. (2019). *Hubungan Penerapan Early Warning Score (EWS) dengan Clinical Outcomes Pasien Di Instalasi Rawat Inap Dewasa RSUP Dr. Sardjito Yogyakarta*. Universitas Gadjah Mada.
- Royal College of Physicians. (2017). National *Early Warning Score* (NEWS) 2. Standardising the assessment of acute-illness severity in the NHS. Updated report of a working party. *RCP London*.
- Smith, D. J., & Aitken, L. M. (2016). Use of a single parameter track and trigger chart

- and the perceived barriers and facilitators to escalation of a deteriorating ward patient: a mixed methods study. *Journal of Clinical Nursing*, 25(1–2), 175–185.
- Smith, G. B., Prytherch, D. R., Meredith, P., Schmidt, P. E., & Featherstone, P. I. (2013). The ability of the National *Early Warning Score* (NEWS) to discriminate patients at risk of early cardiac arrest, unanticipated intensive care unit admission, and death. *Resuscitation*, 84(4), 465–470.
- Akre, M., Finkelstein, M., Erickson, M., Liu, M., Vanderbilt, L., & Billman, G. (2010). Sensitivity of the pediatric *Early Warning Score* to identify patient deterioration. *Pediatrics*, 125(4), e763–e769.
- Alam, N., Hobbelink, E. L., van Tienhoven, A. J., van de Ven, P. M., Jansma, E. P., & Nanayakkara, P. W. B. (2014). The impact of the use of the *Early Warning Score* (EWS) on patient outcomes: A systematic review. In *Resuscitation* (Vol. 85, Issue 5, pp. 587–594). European Resuscitation Council, American Heart Association, Inc., and International Liaison Committee on Resuscitation.~Published by Elsevier Ireland Ltd. <https://doi.org/10.1016/j.resuscitation.2014.01.013>
- Atmaca, Ö., Turan, C., Güven, P., Arikan, H., Eryüksel, S. E., & Karakurt Eryüksel, S. (2018). Usage of news for prediction of mortality and in-hospital cardiac arrest rates in a Turkish university hospital. *Turkish Journal of Medical Sciences*, 48(6), 1087–1091. <https://doi.org/10.3906/sag-1706-67>
- Bidang Pelayanan dan Pendidikan RS Dr.Soetarto Yogyakarta. (2019). *Standar Prosedur Operasional (SPO) Early Warning Score System RS Dr. Soetarto Yogyakarta*.
- Bunkenborg, G., Poulsen, I., Samuelson, K., Ladelund, S., & Åkeson, J. (2016). Mandatory early warning scoring—implementation evaluated with a mixed-methods approach. *Applied Nursing Research*, 29, 168–176.
- Callaway, C. W., Donnino, M. W., Fink, E. L., Geocadin, R. G., Golan, E., Kern, K. B., Leary, M., Meurer, W. J., Peberdy, M. A., Thompson, T. M., & Zimmerman, J. L. (2015). Part 8: Post-cardiac arrest care: 2015 American Heart Association guidelines update for cardiopulmonary resuscitation and emergency cardiovascular care. *Circulation*, 132(18), S465–S482. <https://doi.org/10.1161/CIR.0000000000000262>
- Creswell, J. W. (2016). Research design: pendekatan metode kualitatif, kuantitatif, dan campuran. *Yogyakarta: Pustaka Pelajar*.
- Downey, C. L., Tahir, W., Randell, R., Brown, J. M., & Jayne, D. G. (2017). Strengths and limitations of *Early Warning Scores*: a systematic review and narrative synthesis. *International Journal of Nursing Studies*, 76, 106–119.
- Health Research & Educational Trust. (2011). *Health Care Leaders Action Guide: Hospital Strategies for Reducing Preventable Mortality*. Health Research & Educational Trust.
- Hogan, H., Healey, F., Neale, G., Thomson, R., Vincent, C., & Black, N. (2012). *Preventable deaths due to problems in care in English acute hospitals: a retrospective case record review study*. BMJ Publishing Group Ltd.
- Huffman, E. K. (1999). *Health Information Management Physicians Record Company*

*Burwyn. Inois.*

- Jarvis, S., Kovacs, C., Briggs, J., Meredith, P., Schmidt, P. E., Featherstone, P. I., Prytherch, D. R., & Smith, G. B. (2015). Aggregate National *Early Warning Score* (NEWS) values are more important than high scores for a single vital signs parameter for discriminating the risk of adverse outcomes. *Resuscitation*, 87, 75–80. <https://doi.org/10.1016/j.resuscitation.2014.11.014>
- Jensen, J. K., Skår, R., & Tveit, B. (2019). Introducing the National *Early Warning Score*—A qualitative study of hospital nurses' perceptions and reactions. *Nursing Open*.
- Komisi Akreditasi Rumah Sakit. (2017). Standar nasional akreditasi rumah sakit edisi 1. *Jakarta: Komisi Akreditasi Rumah Sakit*.
- Lee, Y. S., Choi, J. W., Park, Y. H., Chung, C., Park, D. Il, Lee, J. E., Lee, H. S., & Moon, J. Y. (2018). Evaluation of the efficacy of the National *Early Warning Score* in predicting in-hospital mortality via the risk stratification. *Journal of Critical Care*, 47, 222–226.
- Lilford, R., & Pronovost, P. (2010). Using hospital mortality rates to judge hospital performance: a bad idea that just won't go away. *BMJ*, 340.
- Luís, L., & Nunes, C. (2018). Short National *Early Warning Score* — Developing a Modified *Early Warning Score*. *Australian Critical Care*, 31(6), 376–381. <https://doi.org/10.1016/j.aucc.2017.11.004>
- Manaseki-Holland, S., Lilford, R. J., Te, A. P., Chen, Y.-F., Gupta, K. K., Chilton, P. J., & Hofer, T. P. (2019). Ranking Hospitals Based on PrevenTabel Hospital Death Rates: A Systematic Review With Implications for Both Direct Measurement and Indirect Measurement Through Standardized Mortality Rates. *The Milbank Quarterly*, 97(1), 228–284.
- Massey, D., Chaboyer, W., & Anderson, V. (2017). What factors influence ward nurses' recognition of and response to patient deterioration? An integrative review of the literature. *Nursing Open*, 4(1), 6–23.
- Nannan Panday, R. S., Minderhoud, T. C., Alam, N., & Nanayakkara, P. W. B. (2017). Prognostic value of *Early Warning Scores* in the emergency department (ED) and acute medical unit (AMU): A narrative review. In *European Journal of Internal Medicine* (Vol. 45, pp. 20–31). European Federation of Internal Medicine. <https://doi.org/10.1016/j.ejim.2017.09.027>
- Odell, M. (2015). Detection and management of the deteriorating ward patient: an evaluation of nursing practice. *Journal of Clinical Nursing*, 24(1–2), 173–182.
- Phipps, O. (2016). *Do nurses' attitudes and perceptions of the early warning scoring system influence the score, outcome and patient management?* <https://doi.org/10.13140/RG.2.1.3886.8248>
- Ramadhan, M. D., Setiyarini, S., Aulawi, K., Pangastuti, H. S., & Noviana, U. (2019). *Hubungan Penerapan Early Warning Score (EWS) dengan Clinical Outcomes Pasien Di Instalasi Rawat Inap Dewasa RSUP Dr. Sardjito Yogyakarta*. Universitas Gadjah Mada.
- Royal College of Physicians. (2017). National *Early Warning Score* (NEWS) 2.



Standardising the assessment of acute-illness severity in the NHS. Updated report of a working party. *RCP London*.

Smith, D. J., & Aitken, L. M. (2016). Use of a single parameter track and trigger chart and the perceived barriers and facilitators to escalation of a deteriorating ward patient: a mixed methods study. *Journal of Clinical Nursing*, 25(1–2), 175–185.

Smith, G. B., Prytherch, D. R., Meredith, P., Schmidt, P. E., & Featherstone, P. I. (2013). The ability of the National *Early Warning Score* (NEWS) to discriminate patients at risk of early cardiac arrest, unanticipated intensive care unit admission, and death. *Resuscitation*, 84(4), 465–470.