

## DAFTAR PUSTAKA

- ADA, 2017. 2. Classification and Diagnosis of Diabetes. *Diabetes Care* 40: 11–24.  
doi:10.2337/dc17-S005
- Adachi, K., Sugiyama, T., Yamaguchi, Y., Tamura, Y., Izawa, S., Hijikata, Y., Ebi, M., Funaki, Y., Ogasawara, N., Goto, C., Sasaki, M., 2019. Gut Microbiota Disorders Cause Type 2 Diabetes Mellitus and Homeostatic Disturbances in Gut Related Metabolism in Japanese Subjects. *J. Clin. Biochem. Nutr.* 64: 231–238. doi:10.3164/jcbrn.18
- Akbar, H., Supriyanto, A., Haryani, K., 2013. Karakterisasi Tepung Konjak dari Tanaman Iles-Iles (*Amorphophallus Oncophyllus*) di Daerah Gunung Kreo Semarang Jawa Tengah. *J. Teknol. Kim. dan Ind.* 2: 41–47.
- Allen, R.W., Schwartzman, E., Coleman, C.I., Phung, O.J., 2013. Cinnamon Use in Type 2 Diabetes: An Updated Systematic Review and Meta-Analysis. *Ann. Fam. Med.* 11: 452–459. doi:10.1370/afm.1517.
- Annisa, D.R., 2015. Hubungan Konsumsi Bahan Makanan yang Mengandung Indeks Glikemik dengan Kadar Gula Darah Sewaktu pada Pasien Diabetes Melitus tipe 2 di Ruang Rawat Jalan Puskesmas Kemiling Tahun 2015. Lampung.
- Appel, L.J., Sacks, F.M., Carey, V.J., Obarzanek, E., Iii, E.R.M., Conlin, P.R., Erlinger, T.P., Rosner, B.A., Laranjo, N.M., Charleston, J., Mccarron, P., Bishop, L.M., 2005. Effects of Protein , Monounsaturated Fat, and Carbohydrate Intake on Blood Pressure and Serum Lipid. Result of The OmniHeart Randomized Trial. *JAMA* 294: 2455–2464.
- Ashwar, B.A., Gani, A., Shah, A., Wani, I.A., Masoodi, F.A., 2016. Preparation, Health Benefits and Applications of Resistant Starch - a Review. *Starch* 68: 287–301. doi:10.1002/star.201500064
- Aune, D., Norat, T., Romundstad, P., Vatten, L.J., 2013. Whole Grain and Refined Grain Consumption and The Risk of Type 2 Diabetes : a Systematic Review and Dose – Response Meta-Analysis of Cohort Studies. *Eur. J. Epidemiol.* 28: 845–858. doi:10.1007/s10654-013-9852-5

- Barreira, E., Novo, A., Vaz, J.A., Pereira, A.M.G., 2018. Dietary Program and Physical Activity Impact on Biochemical Markers in Patients with Type 2 Diabetes : A Systematic Review. *Aten. Primaria* 50: 590–610.
- Basaranoglu, M., Basaranoglu, G., Bugianesi, E., 2015. Carbohydrate Intake and Nonalcoholic Fatty Liver Disease : Fructose as a Weapon of Mass Destruction. *Hepatobiliary Surg. Nutr.* 4: 109–116. doi:10.3978/j.issn.2304-3881.2014.11.05
- Bays, H., 2014. Central Obesity as a Clinical Marker of Adiposopathy; Increased Visceral Adiposity as a Surrogate Marker for Global Fat Dysfunction. *Curr. Opin. Endocrinol. Diabetes. Obes.* 21: 345. doi:10.1097/MED.0000000000000093
- Bhupathiraju, S.N., Hu, F.B., 2016. Epidemiology of Obesity and Diabetes and Their Cardiovascular Complications. *Circ. Res.* 118: 1723–1735. doi:10.1161/CIRCRESAHA.115.306825
- Brahm, A., Hegele, R.A., 2013. Hypertriglyceridemia. *Nutrients* 5: 981–1001. doi:10.3390/nu5030981
- Burgeiro, A., Cerqueira, M.G., Varela-rodr, M., Nunes, S., 2017. Glucose and Lipid Dysmetabolism in a Rat Model of Prediabetes Induced by a High-Sucrose Diet. *Nutrients* 9: 1–17. doi:10.3390/nu9060638
- Burton-Freeman, B., Liyanage, D., Rahman, S., Edirisinghe, I., 2017. Ratios of Soluble and Insoluble Dietary Fibers on Satiety and Energy Intake in Overweight Pre- and Postmenopausal Women. *Nutr. Heal. Aging* 4: 157–168. doi:10.3233/NHA-160018
- Canfora, E.E., Jocken, J.W., Blaak, E.E., 2015. Short-Chain Fatty Acids in Control of Body Weight and Insulin Sensitivity. *Nat. Rev. Endocrinol.* 11: 577. doi:10.1038/nrendo.2015.128
- Depkes, 2005. Pharmaceutical Care untuk Penyakit Diabetes Mellitus. Departemen Kesehatan RI.
- Duvivier, B.M.F.M., Schaper, N.C., Bremers, M.A., Crombrugge, G. Van, Menheere, P.P.C.A., Kars, M., Savelberg, H.H.C.M., 2013. Minimal Intensity Physical Activity (Standing and Walking ) of Longer Duration Improves

Insulin Action and Plasma Lipids More than Shorter Periods of Moderate to Vigorous Exercise (Cycling) in Sedentary Subjects When Energy Expenditure is Comparable. *PLoS One* 8. doi:10.1371/journal.pone.0055542

El-Desoky, G.E., Aboul-Soud, M.A.M., Al-Numair, K.S., 2012. Antidiabetic and Hypolipidemic Effects of Ceylon Cinnamon (*Cinnamomum Verum*) in Alloxan-Diabetic Rats. *J. Med. Plants Res.* 6: 1685–1691. doi:10.5897/JMPR11.1472

Elkins, C., Friedrich, D., 2018. Hypertriglyceridemia : A Review of The Evidence. *Nurse Pract.* 43.

Fadlilah, S.H., 2016. Pengaruh Makanan Ringan Kaya Pati Resisten Terhadap Metilasi Promoter Gen MCP-1 dan Kadar Trigliserida Pasien Diabetes Melitus Tipe 2. Universitas Gadjah Mada Yogyakarta.

Faridah, D.N., Fardiaz, D., Andarwulan, N., Sunarti, T.C., 2014. Karakteristik Sifat Fisikokimia Pati Garut (*Maranta Arundinaceae*). *Agritech* 34: 14–21.

Febrianto, A., 2011. Studi Kelayakan Pendirian Unit Pengolahan Gula Semut dengan Pengolahan Sistem Reprosesing pada Skala Industri Menengah di Kabupaten Blitar, in: Lokakarya Nasional Pemberdayaan Potensi Keluarga Tani Untuk Pengentasan Kemiskinan.

Forde, C., 2018. Scoring the International Physical Activity Questionnaire (IPAQ). University of Dublin.

Foster-powell, K., Holt, S.H.A., Brand-miller, J.C., 2002. International Table of Glycemic Index and Glycemic Load Values: 2002. *Am. J. Clin. Nutr.* 76: 5–56.

Franco, B.M., Latre, M.L., Esteban, E.M.A., Ordovas, J.M., Casasnovas, J.A., Penalvo, J.L., 2014. Soluble and Insoluble Dietary Fibre Intake and Risk Factors for Metabolic Syndrome and Cardiovascular Disease in Middle-Aged Adults : The AWHs Cohort. *Nutr. Hosp.* 30: 1279–1288.

Gabriela, C., Guerrero, P., Jesús, S. De, Cota, A., Sánchez, H.C., Jesús, M. De, Jiménez, V., Rafael, E., Burgueño, R., Ignacio, J., Sánchez, S., Picos, L.A., Martínez, U.O., Sánchez, H.C., Jesús, M. De, Jiménez, V., Rafael, E., Burgueño, R., Sánchez, I.S., Antonio, L., Corrales, P., Martínez, U.O., 2019.

- Evaluation of Sucrose-Enriched Diet Consumption in The Development of Risk Factors Associated to Type 2 Diabetes, Atherosclerosis and Non-Alcoholic Fatty Liver Disease in a Murine Model. *Int. J. Environ. Health Res.* 1–19. doi:10.1080/09603123.2019.1680817
- Galisteo, M., Duarte, J., Zarzuelo, A., 2008. Effects of Dietary Fibers on Disturbances Clustered in The Metabolic Syndrome. *J. Nutr. Biochem.* 19: 71–84. doi:10.1016/j.jnutbio.2007.02.009
- Giacco, R., Costabile, G., Pepa, G. Della, Anniballi, G., Griffio, E., Mangione, A., Cipriano, P., Viscovo, D., Clemente, G., Landberg, R., Pacini, G., Rivellesse, A., Riccardi, G., 2014. A whole-Grain Cereal-Based Diet Lowers Postprandial Plasma Insulin and Triglyceride Levels in Individuals with Metabolic Syndrome. *Nutr. Metab. Cardiovasc. Dis.* 24: 837–844. doi:10.1016/j.numecd.2014.01.007
- Guistar, H., 2009. Sifat Fisiko-Kimia dan Indeks Glikemik Produk Cookies Berbahan Baku Pati Garut (*Maranta Arundinacea L.*) Termodifikasi. Institut Pertanian Bogor.
- Gutierrez, E.D., Bravo, G.H., O.Talavera, J., Castanon, S., Carrillo, K.G., Flores, Y., Salmeron, J., 2010. Dietary Glycemic Index, Dietary Glycemic Load, Blood Lipids, and Coronary Heart Disease. *J. Nutr. Metab.* 12–14. doi:10.1155/2010/170680
- Hannon, B.A., Thompson, S. V, Edwards, C.G., Skinner, S.K., Niemi, G.M., Burd, N.A., Holscher, H.D., Teran-garcia, M., Khan, N.A., 2019. Dietary Fiber Is Independently Related to Blood Triglycerides Among Adults with Overweight and Obesity. *Curr. Dev. Nutr.* 3: 1–7. doi:10.1093/cdn/nzy094
- Harmayani, E., Aprilia, V., Marsono, Y., 2014. Characterization of Glucomannan From *Amorphophallus Oncophyllus* and its Prebiotic Activity in Vivo. *Carbohydr. Polym.* 112: 475–479. doi:10.1016/j.carbpol.2014.06.019
- Harmayani, E., Kumalasari, I.D., Marsono, Y., 2011. Effect of Arrowroot (*Maranta Arundinacea L.*) Diet on The Selected Bacterial Population and Chemical Properties of Caecal Digesta of Sprague Dawley Rats. *Int. Res. J. Microbiol.* 2: 278–284.

- Hatmi, R.U., Djaafar, T.F., 2014. Keberagaman Umbi-Umbian Sebagai Pangan Fungsional, in: Prosiding Seminar Hasil Penelitian Tanaman Aneka Kacang Dan Umbi. pp. 950–960.
- Hiyoshi, T., Fujiwara, M., Yao, Z., 2019. Postprandial Hyperglycemia and Postprandial Hypertriglyceridemia in Type 2 Diabetes. *J. Biomed. Res.* 33: 1–16.
- Howlett, J., 2008. Functional Foods: From Science to Health and Claims. ILSI Europe.
- IDF, 2017. IDF Diabetes Atlas, Eight Edit. ed. International Diabetes Federation.
- Idris, H., Hasyim, H., Utama, F., 2017. Analysis of Diabetes Mellitus Determinants in Indonesia : A Study from the Indonesian Basic Health Research 2013. *Acta Med Indones* 49: 291–298.
- Ilmanafian, A.G., Lestari, E., Halimah, 2018. Pemanfaatan Tepung Garut Sebagai Substitusi Tepung Terigu Dalam Pembuatan Kue Bingka. *J. Teknol. Agro-Industri* 5: 141–151.
- Isken, F., Klaus, S., Osterhoff, M., Pfeiffer, A.F.H., Weickert, M.O., 2010. Effects of Long-Term Soluble vs . Insoluble Dietary Fiber Intake on High-Fat Diet-Induced Obesity in C57BL / 6J Mice. *JThe ournal Nutr. Biochem.* 21: 278–284. doi:10.1016/j.jnutbio.2008.12.012
- Ismail, M., Yang, H., Min, C., 2016. Dietary Fiber Role in Type 2 Diabetes Prevention. *Br. Food J.* 118: 961–975.
- Jalilian, H., Zakarya, M., Janati, A., Naja, F., Imani, A., Arab, M., Khodayari, R., 2019. Readiness for Diet Change and Its Association with Diet Knowledge and Skills, Diet Decision Making and Diet Barriers in Type 2 Diabetic Patients. *Diabetes Metab. Syndr. Clin. Res. Rev.* 13: 2933–2938. doi:10.1016/j.dsx.2019.07.065
- Julian, H., Anoop, M., 2015. Type 2 Diabetes Mellitus, Metabolic Syndrome, and Mixed Dyslipidemia: How Similar, How Different, and How to Treat? *Metab. Syndr. Relat. Disord.* 14: 1–21. doi:10.1089/met.2014.0049
- Kanazawa, M., Xue, C.Y., Kageyama, H., Osaka, T., Kimura, S., Inoue, S., 2003. Effects of a High-sucrose Diet on Body Weight , Plasma Triglycerides , and

- Stress Tolerance. *Nutr. Rev.* 61: 27–33. doi:10.131/nr.2003.may.S27
- Kautzky-Willer, A., Harreiter, J., Pacini, G., 2016. Sex and Gender Differences in Risk, Pathophysiology and Complications of Type 2 Diabetes Mellitus. *Endocr. Rev.* 37: 278–316. doi:10.1210/er.2015-1137
- Kaviani, S., Taylor, C.M., Stevenson, J.L., Cooper, J.A., Paton, C.M., 2019. A 7-Day High-PUFA Diet Reduces Angiopoietin-Like Protein 3 and 8 Responses and Postprandial Triglyceride Levels in Healthy Females but not Males : A Randomized Control Trial. *BMC Nutr.* 5: 1–11.
- Kim, Y.J., Hwang, J.-Y., Kim, H., Park, S., Kwon, O., 2019. Diet Quality, Physical Activity, and Their Association with Metabolic Syndrome in Korean Adults. *Nutrition* 59: 138–144. doi:10.1016/j.nut.2018.08.009
- Kumalasari, I.D., Harmayani, E., Lestari, L.A., Raharjo, S., Asmara, W., Nishi, K., Sugahara, T., 2012. Evaluation of Immunostimulatory Effect of The Arrowroot (*Maranta Arundinacea . L*) in Vitro and in Vivo. *Cytotechnology* 64: 131–137. doi:10.1007/s10616-011-9403-4
- Lairon, D., Play, B., Jourdheuil-rahmani, D., 2007. Digestible and Indigestible Carbohydrates: Interactions with Postprandial Lipid Metabolism. *J. Nutr. Biochem.* 18: 217–227. doi:10.1016/j.jnutbio.2006.08.001
- Lakshmi, B.S., Sujatha, S., Anand, S., Sangeetha, N., Narayanan, R.B., Katiyar, C., Kanaujia, A., Duggar, R., Singh, Y., Srinivas, K., Bansal, V., Sarin, S., Tandon, R., Sharma, S., Singh, S., 2009. Cinnamic Acid , from The Bark of *Cinnamomum Cassia*, Regulates Glucose Transport via Activation of GLUT4 on L6 Myotubes in a Phosphatidylinositol 3-Kinase-Independent Manner. *J. Diabetes* 1: 99–106. doi:10.1111/j.1753-0407.2009.00022.x
- Lemaitre, R.N., Fretts, A.M., Sitlani, C.M., Biggs, M.L., Mukamal, K., King, I.B., Song, X., Djouss, L., Siscovick, D.S., Mcknight, B., Sotoodehnia, N., Kizer, J.R., Mozaffarian, D., 2015. Plasma Phospholipid Very-Long-Chain Saturated Fatty Acids and Incident Diabetes in Older Adults : The Cardiovascular Health Study. *Am. J. Clin. Nutr.* 101: 1047–1054. doi:10.3945/ajcn.114.101857
- Lestari, L.A., Gama, D., Huriyati, E., Prameswari, A.A., Harmayani, E., 2020. Glycemic Index and Glycemic Load of Arrowroot (*Maranta Arundinaceae*)

- Cookies with The Addition of Cinnamon (*Cinnamomum Verum*) and Porang (*Amorphophallus oncophyllus*) Glucomannan. *Food Res.* 4: 866–872.
- Lestari, L.A., Huriyati, E., Marsono, Y., 2017. The Development of Low Glycemic Index Cookie Bars from Foxtail Millet (*Setaria Italica*), Arrowroot (*Maranta Arundinacea*) Flour, and Kidney Beans (*Phaseolus Vulgaris*). *J. Food Sci. Technol.* 54: 1406–1413. doi:10.1007/s13197-017-2552-5
- Ley, S.H., Hamdy, O., Mohan, V., Hu, F.B., 2014. Diabetes 1 Prevention and Management of Type 2 Diabetes : Dietary Components and Nutritional Strategies. *Lancet* 383: 1999–2007. doi:10.1016/S0140-6736(14)60613-9
- Li, L., Pan, M., Pan, S., Li, W., Zhong, Y., Hu, J., Nie, S., 2020. Effects of Insoluble and Soluble fibers Isolated from Barley on Blood Glucose, Serum Lipids, Liver Function and Caecal Short-Chain Fatty Acids in Type 2 Diabetic and Normal Rats. *Food Chem. Toxicol.* 135: 1–8. doi:10.1016/j.fct.2019.110937
- Liu, T.W., Heden, T.D., Morris, E.M., Fritsche, K.L., Vieira, V.J., John, P., Morris, E.M., 2015. High - Fat Diet Alters Serum Fatty Acid Profiles in Obesity Prone Rats : Implications for In Vitro Studies. *Lipids* 50: 997–1008. doi:10.1007/s11745-015-4061-5
- Marinangeli, C.P.F., Jones, P.J.H., 2010. Plant Sterols , Marine-Derived Omega-3 Fatty Acids and Other Functional Ingredients : A New Frontier for Treating Hyperlipidemia. *Nutr. Metab. (Lond)*. 7: 1–7.
- Market Research, R., 2018. Diabetic Food Market Analysis By Application (Confectionery, Ice Creams And Jellies, Dietary Beverages, Baked Products, And Dairy Products), By Regions (North America, Asia Pacific, Europe, Central & South America, MEA), And Segment Forecasts, 2018 - 2025 [WWW Document]. URL <https://www.grandviewresearch.com/industry-analysis/diabetic-food-market>
- Marsono, Y., 2008. Prospek Pengembangan Makanan Fungsional. *J. Teknol. Pangan dan Gizi* 7: 19–27.
- Marsono, Y., 2002. Indeks Glikemik Umbi-Umbian. *Agritech* 22: 13–16.
- McCarty, M.F., 2002. Glucomannan Minimizes The Postprandial Insulin surge : A Potential Adjuvant for Hepatothermic Therapy. *Med. Hypotheses* 58: 487–

490. doi:10.1054/mehy.2001.1457

- Mensink, R.P., WHO, 2016. Effects of Saturated Fatty Acids on Serum Lipids and Lipoproteins: a Systematic Review and Regression Analysis.
- Muchtadi, D., 2004. Komponen Bioaktif dalam Pangan Fungsional. *Maj. GizMI* Indo 3.
- Murray, R.K., Bender, D.A., Botham, K.M., Kennelly, P.J., Rodwell, V.W., Weil, P.A., 2009. Harper's Illustrated Biochemistry, 28th ed. Mc Graw Hill Companies, Inc.
- N, Y., QS, A., S, M., R, A., S, N., TB, H., M, A., SZ, H., F, R., K, D., 2018. Serum Triglycerides and Total Cholesterol Levels and Its Relation With Type 2 Diabetes Mellitus. *J. Dhaka Med. Coll.* 27: 148–154.
- Nugraheni, M., Sutopo, Purwanti, S., Handayani, T.H.W., 2017. Development of Gluten-free Cookies Rich in Resistant Starch Type 3 from *Marantha arundinacea*. *Pakistan J. Nutr.* 16: 659–665. doi:10.3923/pjn.2017.659.665
- Nusa, C.P., 2017. Indeks Glikemik Gula Kelapa Cetak, Kristal, dan Cair. Institut Pertanian Bogor.
- Ooi, E.M.M., Watts, G.F., Ng, T.W.K., Barrett, P.H.R., 2015. Effect of Dietary Fatty Acids on Human Lipoprotein Metabolism: A Comprehensive Update. *Nutrients* 7: 4416–4425. doi:10.3390/nu7064416
- Palazhy, S., Viswanathan, V., 2017. Lipid Abnormalities in Type 2 Diabetes Mellitus Patients with Overt Nephropathy. *Diabetes Metab. J.* 41: 128–134.
- Pamungkas, R.A., Hadijah, S., Mayasari, A., 2020. Factors Associated with Poor Glycemic Control Among Type 2 Diabetes Mellitus In Indonesia. *Belitung Nurs. J.* 3: 272–280.
- Perkeni, 2015. Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia 2015. PB.PERKENI.
- Perki, 2017. Panduan Tata Laksana Dislipidemia. Perhimpunan Dokter Spesialis Kardiovaskular Indonesia.
- Prameswari, A.A., 2020. Pengaruh Konsumsi Cookies Garut dengan Glukomanan Porang Sebagai Makanan Selingan Terhadap Kadar Glukosa Darah Puasa Penyandang Diabetes Mellitus Tipe 2. Universitas Gadjah Mada.

- Riccardi, G., Vitale, M., Giacco, R., 2018. Treatment of Diabetes with Lifestyle Changes : Diet, in: Diabetes. Epidemiology, Genetics, Pathogenesis, Diagnosis, Prevention, and Treatment. Springer International Publishing, Cham, pp. 1–16.
- Riskesdas, 2018. Laporan Nasional Riskesdas 2018. Badan Penelitian dan Pengembangan Kesehatan, Kementerian Kesehatan RI.
- Sacks, F.M., Carey, V.J., Anderson, C.A.M., Iii, E.R.M., Copeland, T., Charleston, J., Harshfield, B.J., Laranjo, N., Mccarron, P., Swain, J., White, K., Yee, K., Appel, L.J., 2014. Effects of High vs Low Glycemic Index of Dietary Carbohydrate on Cardiovascular Disease Risk Factors and Insulin Sensitivity. The OmniCarb Randomized Clinical Trial. *Jama* 312: 2531–2541. doi:10.1001/jama.2014.16658
- Sarwono, J., 2006. Metode Penelitian Kuantitatif dan Kualitatif. Graha Ilmu, Yogyakarta.
- Shah, B.R., Li, B., Wang, L., Liu, S., Li, Y., Wei, X., Weiping, Ji., Zhenshun, L., 2015. Health Benefits of Konjac Glucomannan with Special Focus on Diabetes. *Bioact. Carbohydrates Diet. Fibre* 5: 179–187. doi:10.1016/j.bcdf.2015.03.007
- Shen, Y., Jia, L., Honma, N., Hosono, T., Ariga, T., 2011. Beneficial Effects of Cinnamon on the Metabolic Syndrome, Inflammation, and Pain, and Mechanisms Underlying These Effects – A Review. *J. Tradit. Complement. Med.* 2: 27–32. doi:10.1016/S2225-4110(16)30067-0
- Shi, W., Neubeck, L., Gallagher, R., 2016. Measurement Matters: a Systematic Review of Waist Measurement Sites for Determining Central Adiposity. *Collegian*. doi:10.1016/j.colegn.2016.08.009
- Soltanian, N., Janghorbani, M., Adibi, P., 2018. Effects of Psyllium vs. Placebo on Constipation, Weight, Glycemia, and Lipids : A Randomized Trial in Patients with Type 2 Diabetes and Chronic Constipation. *Complement. Ther. Med.* 40: 1–7. doi:10.1016/j.ctim.2018.07.004
- Srikaeo, K., Thongta, R., 2015. Effects of Sugarcane, Palm Sugar, Coconut Sugar and Sorbitol on Starch Digestibility and Physicochemical Properties of Wheat

- Based Foods. *Int. Food Res. J.* 22: 923–929.
- Sugiyama, N., Santosa, E., 2008. Edible *Amorphophallus* in Indonesia. Gadjah Mada University Press, Yogyakarta.
- Sumarwoto, 2004. Beberapa Aspek Agronomi Iles-iles (*Amorphophallus Muelleri* Blume). Institut Pertanian Bogor.
- Sunarti, 2017. Serat Pangan dalam Penanganan Sindrom Metabolik. Gadjah Mada University Press, Yogyakarta.
- Sunarti, Kusuma, R.J., Rubi, D.S., Sinorita, H., 2014. Effect of Crispy Arrowroot Flake on Waist Circumference , Fasting Glucose and Free Fatty Acid in Type 2 Diabetes Patients. *Pakistan J. Nutr.* 13: 415–421.
- Surampudi, P., Enkhmaa, B., Anuurad, E., Berglund, L., 2016. Lipid Lowering with Soluble Dietary Fiber. *Curr. Atheroscler. Rep.* 18. doi:10.1007/s11883-016-0624-z
- Susanti, N., 2014. Suplementasi Tepung Porang (*Amorphophallus Muelleri* Blume) Sebagai Nutraceutical Dalam Manajemen Diabetes Mellitus Tipe 2. *El-Hayah* 5: 9–16.
- Taskinen, M., Boren, J., 2015. New Insights Into The Pathophysiology of Dyslipidemia in Type 2 Diabetes. *Atherosclerosis* 239: 483–495. doi:10.1016/j.atherosclerosis.2015.01.039
- Thathola, A., Srivastava, S., Singh, G., 2010. Effect of Foxtail Millet (*Setaria Italica*) Supplementation on Serum Glucose, Serum Lipids and Glycosylated Hemoglobin in Type 2 Diabetics. *Diabetol. Croat.* 40: 23–28.
- Tjokroprawiro, A., 2012. Garis Besar Pola Makan dan Pola Hidup sebagai Pendukung Terapi Diabetes Mellitus, in: Kongres Nasional III Asosiasi Dietisien Indonesia (AsDI). Surabaya, pp. 11–13.
- Velázquez-lópez, L., Muñoz-torres, A.V., García-peña, C., López-alarcón, M., Islas-andrade, S., Peña, J.E., 2016. Fiber in Diet Is Associated with Improvement of Glycated Hemoglobin and Lipid Profile in Mexican Patients with Type 2 Diabetes. *J. Diabetes Res.*
- Verspohl, E.J., Bauer, K., Neddermann, E., 2005. Antidiabetic Effect of *Cinnamomum cassia* and *Cinnamomum zeylanicum* In vivo and In vitro.

*Phyther. Res.* 19: 203–206.

- Vitale, M., Masulli, M., Rivellese, A.A., Babini, A.C., Boemi, M., Bonora, E., Buzzetti, R., Ciano, O., Cignarelli, M., Cigolini, M., Clemente, G., Citro, G., Corsi, L., 2016. Influence of Dietary Fat and Carbohydrates Proportions on Plasma Lipids, Glucose Control and Low-Grade Inflammation in Patients With Type 2 Diabetes - The TOSCA . IT Study. *Eur. J. Nutr.* 55: 1645–1651. doi:10.1007/s00394-015-0983-1
- Wahyuningsih, R., 2013. Penatalaksanaan Diet pada Pasien. Graha Ilmu, Yogyakarta.
- Wang, Z., Hoy, W.E., 2004. Waist Circumference, Body Mass Index, Hip Circumference and Waist-to-hip Ratio as Predictors of Cardiovascular Disease in Aboriginal People. *Eur. J. Clin. Nutr.* 58: 888–893. doi:10.1038/sj.ejcn.1601891
- Whisner, C.M., Angadi, S.S., Weltman, N.Y., Weltman, A., Rodriguez, J., Patrie, J.T., Gaesser, G.A., 2019. Effects of Low-Fat and High-Fat Meals, with and without Dietary Fiber, on Postprandial Endothelial Function, Triglyceridemia, and Glycemia in Adolescent. *Nutrients* 11: 1–19.
- WHO, 2017. Global Strategy on Diet, Physicalactivity and Health [WWW Document]. URL <http://www.who.int/dietphysicalactivity/pa/en/>
- WHO, 2000. The Asia-Pacific Perspective: Redefining Obesity and its Treatment.
- Yuan, G., Al-shali, K.Z., Hegele, R.A., 2007. Hypertriglyceridemia: its Etiology, Effects, and Treatment. *Cmaj* 176: 1113–1120.
- Yuan, Y., Hong, X., Mu, R., Gong, J., Wang, L., Huang, R., Wu, J., Ni, Y., Wu, X., Pang, J., 2017. Structure and Properties of Konjac Glucomannan / Galactoglucomannan Nanofiber Membrane. *Macromol. Res.* 25: 963–970. doi:10.1007/s13233-017-5125-6
- Zare, R., Najarzadeh, A., Zarshenas, M.M., Shams, M., Heydari, M., 2018. Efficacy of Cinnamon in Patients with Type II Diabetes Mellitus: A Randomized Controlled Clinical Trial. *Clin. Nutr.* doi:10.1016/j.clnu.2018.03.003