

DAFTAR PUSTAKA

- Adler, A., 2014. Prediction of feeding difficulties in post-operative neonates. *Yale Med. Thesis Digit. Libr.* Yale University School of Medicine.
- Amin, S.C., Livshin, S., Maheshwari, A., 2015. Short Bowel Syndrome in Neonatal Intensive Care Unit and Enteral Feeding, in: Rajendram, R., Preedy, V.R., Patel, V.B. (Ed.), *Diet and Nutrition in Critical Care*. Springer Science, London, hal. 1513–28. doi:10.1007/978-1-4614-7836-2
- Arrozi, H., 2019. Faktor prediktor waktu pencapaian full enteral feeding pada bayi berat lahir dangat rendah dan kurang bulan dengan inisiasi trophic feeding dalam 24 jam pertama kehidupan. *Perpust. FK-KMK UGM*. Universitas Gadjah Mada.
- Bielawska, B., Allard, J.P., 2017. Parenteral nutrition and intestinal failure. *Nutrients* 9: 1–14. doi:10.3390/nu9050466
- Bozzetti, V., Paterlini, G., DeLorenzo, P., Meroni, V., Gazzolo, D., Van Bel, F., Visser, G.H.A., Valsecchi, M.G., Tagliabue, P.E., 2013. Feeding tolerance of preterm infants appropriate for gestational age (AGA) as compared to those small for gestational age (SGA). *J. Matern. neonatal Med.* 26: 1610–15. doi:10.3109/14767058.2012.746303
- Corvaglia, L., Fantini, M.P., Aceti, A., Gibertoni, D., Rucci, P., Baronciani, D., Faldella, G., 2014. Predictors of full enteral feeding achievement in very low birth weight infants. *PLoS One* 9: 1–8. doi:10.1371/journal.pone.0092235
- DiBaise, J., 2019. Pathophysiology of Short Bowel Syndrome. *UpToDate*. doi:10.1177/0148607113520005
- Domini, R., Domini, M., 2012. Gastrointestinal malformations, in: Buonocore, G., Bracci, R., Weindling, M. (Ed.), *Neonatology A Practical Approach to Neonatal Diseases*. Springer Verlag, Italy, hal. 682–98. doi:10.1007/978-88-470-1405-3
- Dutta, S., Singh, B., Chessell, L., Wilson, J., Janes, M., McDonald, K., Shahid, S., Gardner, V.A., Hjartarson, A., Purcha, M., Watson, J., De Boer, C., Gaal, B., Fusch, C., 2015. Guidelines for feeding very low birthweight infants. *Nutrients* 7: 423–442. doi:10.3390/nu7010423
- Eckhauser, F., Azoury, S., Farrow, N., Hu, Q., Soares, K., Hicks, C., Azar, F., Rodriguez-Unda, N., Poruk, K., Cornell, P., Burce, K., Cooney, C., Nguyen, H., 2015. Postoperative abdominal wound infection - epidemiology, risk factors, identification, and management. *Chronic Wound Care Manag. Res.* 137. doi:10.2147/cwcmr.s62514
- Ekingen, G., Ceran, C., Guvenc, B.H., Tuzlaci, A., Kahraman, H., 2005. Early enteral feeding in newborn surgical patients. *Nutrition* 21: 142–146. doi:10.1016/j.nut.2004.10.003
- Flidel-Rimon, O., Friedman, S., Lev, E., Juster-Reicher, A., Amitay, M., Shinwell, E.S., 2004. Early enteral feeding and nosocomial sepsis in very low birthweight infants. *Arch. Dis. Child. Fetal Neonatal Ed.* 89: 289–292. doi:10.1136/adc.2002.021923

- Garzi, A., Messina, M., 2012. Esophageal atresia, in: Buonocore, G., Bracci, R., Weindling, M. (Ed.), *Neonatology A Practical Approach to Neonatal Diseases*. Springer Verlag, Italy, 675–81. doi:10.1007/978-88-470-1405-3
- Greer, D., Karunaratne, Y.G., Karpelowsky, J., Adams, S., 2019. Early enteral feeding after pediatric abdominal Surgery: A systematic review of the literature. *J. Pediatr. Surg.* doi:10.1016/j.jpedsurg.2019.08.055
- Hair, A.B., 2019. Approach to enteral nutrition in the premature infant, in: Abrams, S.A., Hoppin, A.G. (Ed.), *UpToDate*. UpToDate, Waltham, MA, hal. 1–36.
- Haksari, E.L., 2019. Low Birthweight and Preterm Infants in Indonesia. *Neoreviews, J. Am. Acad. Pediatr.* 20: 548–560. doi:10.1201/b14012
- Jadcherla, S.R., Wang, M., Vijayapal, A.S., Leuthner, S.R., 2010. Impact of prematurity and co-morbidities on feeding milestones in neonates: A retrospective study. *J. Perinatol.* 30: 201–208. doi:10.1038/jp.2009.149
- Jiang, W., Lv, X., Xu, X., Geng, Q., Zhang, J., Tang, W., 2015. Early enteral nutrition for upper digestive tract malformation in neonates. *Asia Pac. J. Clin. Nutr.* 24: 38–43. doi:10.6133/apjcn.2015.24.1.08
- Kim, M.J., 2016. Enteral nutrition for optimal growth in preterm infants. *Korean J. Pediatr.* 59: 466–470. doi:10.3345/kjp.2016.59.12.466
- Kohler, J.A., Perkins, A.M., Bass, W.T., 2013. Human milk versus formula after gastroschisis repair: Effects on time to full feeds and time to discharge. *J. Perinatol.* 33: 627–630. doi:10.1038/jp.2013.27
- Lakshmi, G., Ravimohan, T.R., 2018. Post Laparotomy Abdominal Wound Dehiscence – A Study in Tertiary Care Hospital Section : Surgery. *Int. J. Contemp. Med. Res.* 5: 1–5.
- Mamatha B, Alladi, A., 2015. Early Oral Feeding in Pediatric Intestinal Anastomosis. *Indian J. Surg.* 77: 670–672. doi:10.1007/s12262-013-0971-8
- Meurling, S., 2000. The perioperative nutritional care of neonates and infants. *Scand. J. Nutr.* 44: 8–11. doi:10.3402/fnr.v44i0.1774
- Nangia, S., Bishnoi, A., Goel, A., Manda, P., Tiwari, S., Saili, A., 2018. Early total enteral feeding in stable very low birth weight infants: A before and after study. *J. Trop. Pediatr.* 64: 24–30. doi:10.1093/tropej/fmx023
- Neu, J., Walker, A., 2011. Necrotizing enterocolitis. *N Engl J Med* 255–64. doi:10.4324/9781315113968
- O’Keefe, S.J.D., Buchman, A.L., Fishbein, T.M., Jeejeebhoy, K.N., Jeppesen, P.B., Shaffer, J., 2006. Short bowel syndrome and intestinal failure: Consensus definitions and overview. *Clin. Gastroenterol. Hepatol.* 4: 6–10. doi:10.1016/j.cgh.2005.10.002
- Oddie, S.J., Young, L., Mcguire, W., 2017. Slow advancement of enteral feed volumes to prevent necrotising enterocolitis in very low birth weight infants. *Cochrane Database Syst. Rev.* 2017: 1–43. doi:10.1002/14651858.CD001241.pub7
- Ogotu, O.C., 2012. Randomised control study on early enteral feeding after small gut anastomosis. University of Nairobi.
- Olivier, G., Olieman, J., Ksiazyc, J., Spolidoro, J., Kohler, H., Yagei, R., et al., 2013.

- Neonatal short bowel syndrome as a model of intestinal failure: Physiological background for enteral feeding. *Clin Nutr* 32: 162–71. doi:doi:10.1016/j.clnu.2012.09.007.
- Penman, G., Tavener, K., Hickey, A., 2017. Neonatal feeding: care and outcomes following gastrointestinal surgery. *Infant* 13: 61–64.
- Poenaru, D., 2012. Abdominal Wall Problems, in: Gleason, C.A., Devaskar, S.U. (Ed.), *Avery's Disease of The Newborn*. Elsevier Saunders, Philadelphia, hal. 1007–15. doi:10.1017/CBO9781107415324.004
- Prasad, G.R., Subba Rao, J. V., Aziz, A., Rashmi, T.M., Ahmed, S., 2018. Early enteral nutrition in neonates following abdominal surgery. *J. Neonatal Surg.* 7: 21. doi:10.21699/jns.v7i2.740
- Pratomo, F.C.A., 2016. Perbandingan luaran pemberian early enteral feeding dengan delayed enteral feeding pada pasien pasca operasi elektif reseksi anastomose gastrointestinal dan pintasan biliodigesti di RSUP Dr. Sardjito. Universitas Gadjah Mada.
- Premji, S.S., Chessell, L., 2011. Continuous nasogastric milk feeding versus intermittent bolus milk feeding for premature infants less than 1500 grams. *Cochrane Database Syst. Rev.* 1–43. doi:10.1002/14651858.CD001819.pub2.www.cochranelibrary.com
- Savoie, K.B., Bachier-Rodriguez, M., Jones, T.L., Jeffreys, K., Papraniku, D., Sevilla, W.M.A., *et al.*, 2016. Standardization of feeding advancement after neonatal gastrointestinal surgery: Does it improve outcomes? *Nutr. Clin. Pract.* 31: 810–818. doi:10.1177/0884533616658766
- Sharon, G.-W., 2000. *Nutritional care for high-risk newborns*, Rev 3rd. ed. Precept Press, Chicago.
- Smeets, B.J.J., Peters, E.G., Horsten, E.C.J., Weijs, T.J., Rutten, H.J.T., Buurman, W.A., *et al.*, 2018. Effect of early vs late start of oral intake on anastomotic leakage following elective lower intestinal surgery: A systematic review. *Nutr. Clin. Pract.* 33: 803–812. doi:10.1177/0884533617711128
- Song, C., Upperman, J.S., Niklas, V., 2012. Structural Anomalies of The Gastrointestinal Tract, in: Gleason, C.A., Devaskar, S.U. (Ed.), *Avery's Disease of The Newborn*. Elsevier Saunders, Philadelphia, hal. 979–93. doi:10.1017/CBO9781107415324.004
- Struijs, M.C., Diamond, I.R., de Silva, N., Wales, P.W., 2009. Establishing norms for intestinal length in children. *J. Pediatr. Surg.* 44: 933–938. doi:10.1016/j.jpedsurg.2009.01.031
- Sulistijono, E., Alasiry, E., Irawan, G., Utomo, M.T., Iskandar, R.A.T.P., Etika, R., *et al.*, 2016. *Konsensus asuhan nutrisi pada bayi prematur*, 1 ed, Kumpulan Makalah Pertemuan Ilmiah Tahunan Ilmu Kesehatan Anak VIII. Ikatan Dokter Anak Indonesia, Jakarta.
- Tavares, P.N., Flor-De-Lima, F., Soares, H., Guimarães, H., 2013. Early nCPAP versus intubation in very low birth weight infants . *J. Pediatr. Neonatal Individ. Med.* 2: 2281–692. doi:10.7363/020201

- Thiesen, A., Drozdowski, L., Iordache, C., Neo, C.C., Woudstra, T.D., Xenodemetropoulos, T., *et al.*, 2003. Adaptation following intestinal resection: Mechanisms and signals. *Bailliere's Best Pract. Res. Clin. Gastroenterol.* 17: 981–995. doi:10.1016/S1521-6918(03)00097-0
- Thompson, J.S., Rochling, F.A., Weseman, R.A., Mercer, D.F., 2012. Current Management of Short Bowel Syndrome. *Curr. Probl. Surg.* 49: 52–115. doi:10.1067/j.cpsurg.2011.10.002
- Walter-Nicolet, E., Rousseau, V., Kieffee, F., Fusaro, F., Bourdaud, N., Oucherif, S., *et al.*, 2009. Neonatal outcome of gastroschisis is mainly influenced by nutritional management. *J. Pediatr. Gastroenterol. Nutr.* 48: 612–617.
- Weimann, A., Braga, M., Harsanyi, L., Laviano, A., Ljungqvist, O., Soeters, P., *et al.*, 2006. ESPEN guidelines on enteral nutrition: Surgery including organ transplantation. *Clin. Nutr.* 25: 224–244. doi:10.1016/j.clnu.2006.01.015
- Yang, H., Feng, Y., Sun, X., Teitelbaum, D.H., 2009. Enteral versus parenteral nutrition: Effect on intestinal barrier function. *Ann. N. Y. Acad. Sci.* 1165: 338–346. doi:10.1111/j.1749-6632.2009.04026.x
- Zozaya, C., Triana, M., Madero, R., Abrams, S., Martinez, L., Amesty, M.V., *et al.*, 2017. Predicting Full Enteral Feeding in the Postoperative Period in Infants with Congenital Diaphragmatic Hernia. *Eur. J. Pediatr. Surg.* 27: 431–436. doi:10.1055/s-0036-1597655