

DAFTAR PUSTAKA

- Alamy, M. & Bengelloun, W. A. 2012. Malnutrition and brain development: An analysis of the effects of inadequate diet during different stages of life in rat. *Neuroscience and Biobehavioral Reviews*, 36, 1463-1480.
- Al-Qazzaz, N.K., Ali, S.H., Ahmad, S.A., Islam, S. & Mohamad, K. 2014. Cognitive impairment and memory dysfunction after a stroke diagnosis: A post-stroke memory assessment. *Neuropsychiatric Disease and Treatment*, 10, pp.1677–1691.
- Ali, I., Abuissa, M., Alawneh, A., Subeh, O., Abu Sneineh, A., Mousa, S., Deeb, I. & Rayyan, H. 2019. The Prevalence of Dyslipidemia and Hyperglycemia among Stroke Patients: Preliminary Findings. *Stroke Research and Treatment*, 2019.
- Alia, C., Spalletti, C., Lai, S., Panarese, A., Lamola, Gi., Bertolucci, F., Vallone, F., Garbo, A., Micera, S. & Caleo, M. 2017. Neuroplastic Changes Following Brain Ischemia and their Contribution to Stroke Recovery: Novel Approaches in Neurorehabilitation. , 11(March), pp.1–22.
- Allan, L.M., Rowan, E.N., Firbank, M.J., Thomas, A.J., Parry, S.W., Polvikoski, T.M., O'Brien, J.T. and Kalaria, R.N. 2011. Long term incidence of dementia, predictors of mortality and pathological diagnosis in older stroke survivors. *Brain*, 134(12), pp.3713–3724.
- Andersen, K.K. and Olsen, T.S. 2018. Married, unmarried, divorced, and widowed and the risk of stroke. *Acta Neurologica Scandinavica*, 138(1), pp.41–46.
- Anstey, K.J., Cherbuin, N., Budge, M. and Young, J. 2011. Body mass index in midlife and late-life as a risk factor for dementia: A meta-analysis of prospective studies. *Obesity Reviews*, 12(5), pp.426–437.
- Anstey, K.J., Von Sanden, C., Salim, A. and O'Kearney, R. 2007. Smoking as a risk factor for dementia and cognitive decline: A meta-analysis of prospective studies. *American Journal of Epidemiology*, 166(4), pp.367–378.
- Astuti, 2020. Kadar *Vascular Endothelial Growth Factor (VEGF)* dan *Brain Derived Neurotropic Factor* yang Tinggi Sebagai Faktor Protektif dari kejadian *Vascular Cognitive Impairment Non Dementia* pada Pasien Stroke Iskemik. *Disertasion*. Universitas Gajah Mada, Indonesia.
- Babu, M.S., Kaul, S., Dadheech, S., Rajeshwar, K., Jyothy, A. & Munshi, A. 2013. Serum albumin levels in ischemic stroke and its subtypes: Correlation with clinical outcome. *Nutrition*, 29(6), pp.872–875. Terdapat di: <http://dx.doi.org/10.1016/j.nut.2012.12.015>.
- Barker-Collo, S.L., Feigin, V.L., Lawes, C.M.M., Parag, V., Senior, H. & Rodgers, A. 2009. Reducing attention deficits after stroke using attention process training: A randomized controlled trial. *Stroke*, 40(10), pp.3293–3298.
- Bektas, H., Gumusyayla, S., Vural, G., Bolayir, A. & Deniz, O. 2016. The Total Health Risks in Vascular Events (THRIVE) Score Predicts Ischemic Stroke Outcomes. *British Journal of Medicine and Medical Research*, 13(11), pp.1–7.

- Bielewicz, J., Kurzepa, J., Czekajska-Chehab, E., Kamieniak, P., Daniluk, B., Bartosik-Psujek, H. & Rejdak, K. 2016. Worse Neurological State During Acute Ischemic Stroke is Associated with a Decrease in Serum Albumin Levels. *Journal of Molecular Neuroscience*, 58(4), pp.493–496.
- Butt, A., Ali, M.R. & Zameer, H. 2016. Frequency of hypoalbuminemia and mortality in acute ischemic stroke. *Pakistan Journal of Medical and Health Sciences*, 10(1), pp.224–226.
- Chander, R.J., Lim, L., Handa, S., Hiu, S., Choong, A., Lin, X., Singh, R., Oh, D. & Kandiah, N., 2017. Atrial Fibrillation is Independently Associated with Cognitive Impairment after Ischemic Stroke. *Journal of Alzheimer's Disease*, 60(3), pp.867–875.
- Chen, W., Chen, W., Liu, G., Fang, J., Wang, Y., Song, Y., Pan, Y., Li, H., Liu, L., Wang, C., Wang, D. Z., Zhao, X., & Wang, Y. 2016. External Validation of the Total Health Risks in Vascular Events Score to Predict Functional Outcome and Mortality in Patients Entered into the China National Stroke Registry. *Journal of Stroke and Cerebrovascular Diseases*, 25(10), pp.2331–2337.
- Claesson, L., Lindén, T., Skoog, I. and Blomstrand, C. 2005. Cognitive impairment after stroke - Impact on activities of daily living and costs of care for elderly people: The Göteborg 70+ stroke study. *Cerebrovascular Diseases*, 19(2), pp.102–109.
- Colbourne, F. & Auer, R. N. 2010. Transient global cerebral ischemia produces morphologically necrotic, not apoptotic neurons. In D. Fujikawa (Ed.), *Acute neuronal injury* (pp. 121-130). New York, USA: Springer.
- Cramer, S. C. 2004. Functional imaging in stroke recovery. *Stroke*. 35(11 SUPPL. 1), pp. 2695–2698.
- Cumming TB, Marshall RS, & Lazar RM. 2013. Stroke, cognitive deficits, and rehabilitation: still an incomplete picture. *Int J Stroke*, 8(1):38–45
- Dahlan, M. S. 2014. *Besar Sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan*. 3rd ed., Salemba Medika, Jakarta.
- Dananjoyo, K., Dahlan, P., & Setyopranoto, I. 2010. Korelasi antara Kadar Albumin Serum dengan Skala Stroke Gajah Mada (SSGM) pada Penderita Stroke Iskemik Akut. *Thesis*. Universitas Gajah Mada, Indonesia.
- Danovska, M. & Peychinska, D. 2012. Post-Stroke Cognitive Impairment – Phenomenology and Prognostic Factors. *Journal of IMAB - Annual Proceeding (Scientific Papers)*, 18, 3(2012), pp.290–297.
- Davis, J.P., Wong, A.A., Schluter, P.J., Henderson, R.D., O'Sullivan, J.D. & Read, S.J. 2004. Impact of premorbid undernutrition on outcome in stroke patients. *Stroke*, 35(8), pp.1930–1934.
- Demir, E.Y. & Özcan, T. 2015. Evaluating the relationship between education level and cognitive impairment with the Montreal Cognitive Assessment Test. *Psychogeriatrics*, 15(3), pp.186–190.
- Desmond, D. W., Moroney, J. T., Paik, M. C., Sano, M., Mohr, J. P., Aboumatar, S., Tseng, C. L., Chan, S., Williams, J. B., Remien, R. H., Hauser, W. A., & Stern, Y. 2000. Frequency and clinical determinants of dementia after ischemic stroke. *Neurology*, 54(5), 1124-1131.

- Dichgans, M. & Leys, D. 2017. Vascular Cognitive Impairment. *Circulation Research*, 120(3), pp.573–591.
- Dichgans, M. & Zietemann, V. 2012. Prevention of vascular cognitive impairment. *Stroke*, 43(11), pp.3137–3146.
- Don, B.R. & Kaysen, G. 2004. Serum albumin: Relationship to inflammation and nutrition. *Seminars in Dialysis*, 17(6), pp.432–437.
- Dong, Y., Slavin, M.J., Chan, B.P.L., Venketasubramanian, N., Sharma, V.K., Collinson, S.L., Sachdev, P.S. & Chen, C.L.H. 2014. Improving screening for vascular cognitive impairment at three to six months after mild ischemic stroke and transient ischemic attack. *International Psychogeriatrics*, 26(5), pp.787–793.
- Douiri, A., Rudd, A.G. & Wolfe, C.D.A. 2013. Prevalence of poststroke cognitive impairment: South London stroke register 1995-2010. *Stroke*, 44(1), pp.138–145.
- Dziedzic, T., Pera, J., Slowik, A., Gryz-Kurek, E.A. & Szczudlik, A. 2007. Hypoalbuminemia in acute ischemic stroke patients: Frequency and correlates. *European Journal of Clinical Nutrition*, 61(11), pp.1318–1322.
- Ekdahl, C.T., Kokaia, Z. & Lindvall, O. 2009. Brain inflammation and adult neurogenesis: The dual role of microglia. *Neuroscience*, 158(3), pp.1021–1029. Terdapat di: <http://dx.doi.org/10.1016/j.neuroscience.2008.06.052>.
- Elbaih, A., Elshaboury, I., Ahmed, R. & Allah, M. 2018. Validity and prognostic value of serum albumin level in emergency acute ischemic stroke egyptian patients. *Medicine Science | International Medical Journal*, 7(0), p.736.
- Elbaz, A., Vicente-Vytopilova, P., Tavernier, B., Sabia, S., Dumurgier, J., Mazoyer, B., Singh-Manoux, A. & Tzourio, C. 2013. Motor function in the elderly: Evidence for the reserve hypothesis. *Neurology*, 81(5), pp.417–426.
- Eshak, E.S., Honjo, K., Iso, H., Ikeda, A., Inoue, M., Sawada, N. & Tsugane, S. 2017. Changes in the Employment Status and Risk of Stroke and Stroke Types. *Stroke*, 48(5), pp.1176–1182.
- Feinkohl, I., Janke, J., Hadzidiakos, D., Slooter, A., Winterer, G., Spies, C. & Pischon, T. 2019. Associations of the metabolic syndrome and its components with cognitive impairment in older adults. *BMC Geriatrics*, 19(1), pp.1–11.
- Feng, L., Ng, X.-T., Yap, P., Li, J., Lee, T.-S., Hakansson, K., Kua, E.-H. & Ng, T.-P. 2014. Marital Status and Cognitive Impairment among Community-Dwelling Chinese Older Adults: The Role of Gender and Social Engagement. *Dementia and Geriatric Cognitive Disorders Extra*, 4(3), pp.375–384.
- Garibotto, V., Borroni, B., Kalbe, E., Herholz, K., Salmon, E., Holtoff, V., Sorbi, S., Cappa, S. F., Padovani, A., Fazio, F. & Perani, D. 2008. Education and occupation as proxies for reserve in aMCI converters and AD: FDG-PET evidence. *Neurology*, 71(17), pp.1342–1349.
- Gabay, C. & Health, C. 1993. Acute-phase Proteins, pp. 1–6.
- Gitlin, J.D. & Colten, H.R. 1987. Molecular Biology of the Acute Phase Plasma Proteins, Academic Press, Inc.
- Gofir, A. 2011. Manajemen Stroke; Evidence Base Medicine. 2nd ed., Pustaka Cendikia Press, Yogyakarta.

- Gorelick, P.B., Scuteri, A., Black, S. E., Decarli, C., Greenberg, Steven M. I, Costantino L., Lenore J. L., Stéphane L., Oscar L. N., David P., Ronald C. S., Julie A. T., Christophe A., Donna K. B., David A. C., Helena C. H., Randall T., Lindquist, R. N., Peter M. R., Gustavo C. S., Frank W. S. & Sudha. 2011. Vascular contributions to cognitive impairment and dementia: A statement for healthcare professionals from the American Heart Association/American Stroke Association. *Stroke*, 42(9), pp.2672–2713.
- Haast, R.A.M., Gustafson, D.R. & Kiliaan, A.J. 2012. Sex differences in stroke. *Journal of Cerebral Blood Flow and Metabolism*, 32(12), pp.2100–2107.
- Han, E.Y., Han, J., Ahn, J., Chang, W.H. and Kim, Y. 2019. Effect of Cognitive Reserve on Risk of Cognitive. , pp.1–9.
- Huang, Y., Xu, S., Hua, J., Zhu, D., Liu, C., Hu, Y., Liu, T. and Xu, D. 2015. Association between job strain and risk of incident stroke: A meta-analysis. *Neurology*, 85(19), pp.1648–1654.
- Hurford, R., Charidimou, A., Fox, Z. & Cipolotti, L. 2013. Domain specific trends in cognitive impairment after acute ischemic stroke, *Journal of Neurology*, 260, pp 237-241
- Iadecola, C., Costantino Y., Kristine B., José B., Lisa C. F., Frank M. G., Philip B. G., Martha K., Hooman K., David S. L., Lenore J. S., Jane S. S., Sudha A. H. & Adina Z. 2016. Impact of Hypertension on Cognitive Function: A Scientific Statement from the American Heart Association. *Hypertension*, 68(6), pp.e67–e94.
- Jacquin, A., Aboa-eboule, C. & Rouaud, O. 2012. Prior Transient Ischemic Attack and Dementia After Subsequent Ischemic Stroke, 26(4), pp. 307– 313.
- Javid, R.A., Bhatti, A. & Azhar, M.A. 2016. Frequency of Hypoalbuminemia in patients with ischemic stroke. *Pakistan Journal of Medical and Health Sciences*, 10(2), pp.571–573.
- Jellinger, K.A. 2014. Pathogenesis and treatment of vascular cognitive impairment. *Neurodegenerative disease management*, 4(6), pp.471–490.
- Jellinger, K.A. 2013. Pathology and pathogenesis of vascular cognitive impairment-a critical update. *Frontiers in Aging Neuroscience*, 5(APR), pp.1–19.
- Joshi, P., Wahul, A., Kumar, A. & Chakravarty, S. 2018. Association of Diagnostic Stroke Biomarkers with Post-Stroke Cognitive Impairment. *Journal of Neurological Disorders & Stroke*, 6, pp.1–6.
- Kalaria, R.N. 2012. Cerebrovascular disease and mechanisms of cognitive impairment: Evidence from clinicopathological studies in humans. *Stroke*, 43(9), pp.2526–2534.
- Kalaria, R.N., Akinyemi, R. & Ihara, M. 2016. Stroke injury, cognitive impairment and vascular dementia. *Biochimica et Biophysica Acta - Molecular Basis of Disease*, 1862(5), pp.915–925.
- Kapur, M., Krizanac-Bengez, L., Barnett, G., Perl, J., Masaryk, T., Apollo, D., Rasmussen, P., Mayberg, M.R. & Janigro, D. 2002. Serum S-100 β as a possible marker of blood-brain barrier disruption. *Brain Research*, 940(1–2), pp.102–104.
- Kimura, Y., Yamada, M., Kakehi, T., Itagaki, A., Tanaka, N. & Muroh, Y. 2017.

- Combination of Low Body Mass Index and Low Serum Albumin Level Leads to Poor Functional Recovery in Stroke Patients. *Journal of Stroke and Cerebrovascular Diseases*, 26(2), pp.448–453.
- Kolegium Neurologi Indonesia. 2008. Modul Neurobehaviour I: Pemeriksaan Klinik Neurobehaviour. Kolegium Neurologi Indonesia, Indonesia.
- Laks, J. C., Evandro S. F. J., Washington S., Heitor M., Raphael B., Elienai M. R. C., Ana L. B. B., Maria L. S., Geir E., Knut E. & Eliaz E. 2010. Education does not equally influence all the mini mental state examination subscales and items: Inferences from a Brazilian community sample. *Revista Brasileira de Psiquiatria*, 32(3), pp.223–230.
- Levine, D.A., Virginia G. L., Kenneth M. U., Frederick W. K., Mohammed U. G., Bruno H., George H., Virginia J. C., Mary J., Suzanne E. G. & Andrzej T. 2018. Risk factors for poststroke cognitive decline: The REGARDS study (reasons for geographic and racial differences in stroke). *Stroke*, 49(4), pp.987–994.
- Levine, D.A. & Langa, K.M. 2011. Vascular Cognitive Impairment: Disease Mechanisms and Therapeutic Implications. *Neurotherapeutics*, 8(3), pp.361–373.
- Leys, D. & Pasquier, F. 2012. Poststroke dementia. *Stroke Syndromes: Third Edition*, pp.245–254.
- Liu, H., Zhang, Y., Burgard, S.A. & Needham, B.L. 2019. Marital status and cognitive impairment in the United States: evidence from the National Health and Aging Trends Study. *Annals of Epidemiology*, 38, pp.28-34.e2.
- Llewellyn, D.J., 2009. Serum Albumin Concentration and Cognitive Impairment. *Current Alzheimer Research*, 999(999), pp.1–6.
- Mahajan, R. Mahajan, R., Lew, L., Koh, Y., Kohkar, K., Elliott, A., Gallagher, C., Hendriks, J., Middeldorp, M., Munawar, D., Thiyagarajah, A., Lau, D. & Sanders, P. 2017. Predictive Role of Atrial Fibrillation in Cognitive Decline: A Meta-Analysis. *Heart, Lung and Circulation*, 26, p.S188.
- Makris, K., Koniari, K., Spanou, L., Gialouri, E., Evodia, E. & Lelekis, M. 2016. Prognostic significance of serum albumin level changes in acute ischemic stroke: The role of biological and analytical variation. *Clinical Chemistry and Laboratory Medicine*, 54(1), pp.143–150.
- Martin, R.H., Yeatts, S.D., Hill, M.D., Moy, C.S., Ginsberg, M.D. & Palesch, Y.Y. 2016. ALIAS (Albumin in Acute Ischemic Stroke) Trials: Analysis of the Combined Data from Parts 1 and 2. *Stroke*, 47(9), pp.2355–2359.
- Matthews, F., Marioni, R. & Brayne, C. 2012. Examining the influence of gender, education, social class and birth cohort on MMSE tracking over time: A population-based prospective cohort study. *BMC Geriatrics*, 12.
- Mazer, B.L., Sofer, S., Korner-Bitensky, N., Gelinis, I., Hanley, J. & Wood-Dauphinee, S. 2003. Effectiveness of a visual attention retraining program on the driving performance of clients with stroke. *Archives of Physical Medicine and Rehabilitation*, 84(4), pp.541–550.
- Misbach, J. 2009. Stroke di Indonesia : a first large prospective hospital based study of acute stroke in 28 hospitals in Indonesia. *Journal of clinical neuroscience*, 8(3), pp.245–249.

- Mizrahi, E.H., Blumstein, T., Arad, M. & Adunsky, A. 2008. Serum albumin levels predict cognitive impairment in elderly hip fracture patients. *American Journal of Alzheimer's Disease and other Dementias*, 23(1), pp.85–90.
- Mohd Zulkifly, M. F., Ghazali, S. E., Che Din, N., Singh, D. K. A. & Subramaniam, P. 2016. A Review of Risk Factors for Cognitive Impairment in Stroke Survivors, *Scientific World Journal*, 2016.
- Moulin S & Leys D. 2016. Stroke Occurring in Patients with Cognitive Impairment or Dementia. *Arq Neuropsiquiatr*; 75(2): 117-121.
- Nair, R., Radhakrishnan, K., Chatterjee, A., Gorthi, S.P. & Prabhu, V.A. 2018. Serum Albumin as a Predictor of Functional Outcomes Following Acute Ischemic Stroke. *Journal of vascular and interventional neurology*, 10(2), pp.65–68.
- Ng, T.P., Feng, L., Niti, M. & Yap, K.B. 2008. Albumin, haemoglobin, BMI and cognitive performance in older adults. *Age and Ageing*, 37(4), pp.423–429.
- Ng, T.P., Niti, M., Feng, L., Kua, E.H. & Yap, K.B. 2009. Albumin, Apolipoprotein e-ε4 and cognitive decline in community-dwelling chinese older adults. *Journal of the American Geriatrics Society*, 57(1), pp.101–106.
- Nicholson, J.P., Wolmarans, M.R. & Park, G.R. 2000. The role of albumin in critical illness. *British Journal of Anaesthesia*, 85(4), pp.599–610.
- Obara, H., Tomite, Y. & Doi, M. 2010. Improvement in the nutritional status of very elderly stroke patients who received long-term complete tube feeding. *e-SPEN*, 5(6), pp.e272–e276. T
- Oberlin, L.E., Waiwood, A.M., Cumming, T.B., Marsland, A.L., Bernhardt, J. & Erickson, K.I. 2017. Effects of physical activity on poststroke cognitive function a meta-analysis of randomized controlled trials. *Stroke*, 48(11), pp.3093–3100.
- O'Brien, J. T., Erkinjuntti, T., Reisberg, B., Roman, G., Sawada, T., Pantoni, L., Bowler, J. V., Ballard, C., DeCarli, C., Gorelick, P. B., Rockwood, K., Burns, A., Gauthier, S. & DeKosky, S. T. 2003. Vascular cognitive impairment. *Lancet Neurol.*, 2(2), 89-98.
- Onem, Y. Terekeci, H., Kucukardali, Y., Sahan, B., Solmazgöl, E., Şenol, M. G., Nalbant, S., Sayan, O., Top, Ci. & Oktenli, C. 2010. Albumin, hemoglobin, body mass index, cognitive and functional performance in elderly persons living in nursing homes. *Archives of Gerontology and Geriatrics*, 50(1), pp.56–59.
- Park, H., Hong, M., Jhon, G.J., Lee, Y. & Suh, M. 2017. Repeated oral administration of human serum albumin protects from the cerebral ischemia in rat brain following MCAO. *Experimental Neurobiology*, 26(3), pp.151–157.
- PB Perkeni. 2019. Pedoman Pengelolaan Dislipidemia di Indonesia. PB Perkeni, Jakarta.
- Pendlebury, S.T. & Rothwell, P.M. 2009. Prevalence, incidence, and factors associated with pre-stroke and post-stroke dementia: a systematic review and meta-analysis. *The Lancet Neurology*, 8(11), pp.1006–1018.
- Phrommintikul, A., Sa-nguanmoo, P. & Sripecthwandee, J. 2018. Factors associated with cognitive impairment in elderly versus nonelderly patients

- with metabolic syndrome : the different roles of. *Scientific Reports*, (April 2017), pp.1–9.
- Prabowo, P. Sutarni, S. & Astuti, A. 2017. Korelasi Kadar High Sensitivity C-Reactive Protein dengan Gangguan Kognitif pada Pasien Stroke Iskemik Akut. *Thesis*. Universitas Gajah Mada, Indonesia
- Putri, M. N., Mutiawati, E. & Mahdani, W. 2017. Hubungan Derajat Stroke Terhadap Status Kognitif Pada Pasien Stroke Iskemik Di Poliklinik Saraf Rumah Sakit Umum Daerah dr. Zainoel Abidin Banda Aceh. *Jurnal Ilmiah Mahasiswa Medisia*, 2(1), pp. 61-67.
- Puy, L. Barbay, M., Roussel, M., Canaple, S., Lamu, C., Arnoux, A., Leclercq, C., Mas, J. L., Tasseel-Ponche, S., Constans, J. M., & Godefroy, O. 2018. Neuroimaging Determinants of Poststroke Cognitive Performance. *AHA Journals*. pp.2666–2673.
- Ramos-Estebanez, C., Moral-Arce, I., Rojo, F., Gonzalez-Macias, J. & Hernandez, J.L. 2012. Vascular cognitive impairment and dementia expenditures: 7-year inpatient cost description in community dwellers. *Postgraduate Medicine*, 124(5), pp.91–100.
- Rastas, S., Verkkoniemi, A., Polvikoski, T., Juva, K., Niinistö, L., Mattila, K., Länsimies, E., Pirttilä, T. & Sulkava, R. 2007. Atrial fibrillation, stroke, and cognition: A longitudinal population-based study of people aged 85 and older. *Stroke*, 38(5), pp.1454–1460.
- Reddy, P.H., Campus, S.W. and Sciences, H. 2018. HHS Public Access. , 57(4), pp.969–974.
- Reitz, C., Luchsinger, J., Tang, M.X., Manly, J. & Mayeux, R. 2005. Impact of plasma lipids and time on memory performance in healthy elderly without dementia. *Neurology*, 64(8), pp.1378–1383.
- Renjen, P. N., Gauba, C. & Chaudhari, D. 2015. Cognitive impairment after stroke. *Current Opinion in Neurology*, 15(1), pp.79–84.
- Rocca, W. A. & Petersen, R. C. 2008. Duration and Severity of Diabetes Are Associated with Mild Cognitive Impairment. *Arch Neurology*, 65(8), pp.1066–1073.
- Rockwood, K., Brown, M., Merry, H., Sketris, I. & Fisk, J. 2002. Societal costs of vascular cognitive impairment in older adults. *Stroke*, 33(6), pp.1605–1609.
- Rosenich, E., Hordacre, B., Paquet, C., Koblar, S.A. & Hillier, S.L. 2020. Cognitive Reserve as an Emerging Concept in Stroke Recovery.
- Saczynski, J. S., Sigurdsson, S., Jonsdottir, M. K., Eiriksdottir, G., Jonsson, P. V., Garcia, M. E., Kjartansson, O., Lopez, O., Van Buchem, M. A., Gudnason, V., & Launer, L. J. 2009. Cerebral infarcts and cognitive performance importance of location and number of infarcts. *Stroke*, 40(3), pp.677–682.
- Sato, M., Ido, Y., Yoshimura, Y. & Mutai, H. 2019. Relationship of Malnutrition During Hospitalization With Functional Recovery and Postdischarge Destination in Elderly Stroke Patients. *Journal of Stroke and Cerebrovascular Diseases*, 28(7), pp.1866–1872.
- Schneider, S., Regard, M., Landis, T. 1994. Anterograde and Retrograde Amnesia Following Bitemporal Infarction. *Behav. Neuronal*, 7, pp.87-92.
- Setyopranoto, I., Bayuangga, H. F., Panggabean, A. S., Alifaningdyah, S.,

- Lazuardi, L., Dewi, F. S. T. & Malueka, R.G. 2019. Prevalence of stroke and associated risk factors in sleman district of Yogyakarta Special Region, Indonesia. *Stroke Research and Treatment*, 2019.
- Sharp, S. I., Aarsland, D., Day, S., Sønnesyn, H. & Ballard, C. 2011. Hypertension is a potential risk factor for vascular dementia: Systematic review. *International Journal of Geriatric Psychiatry*, 26(7), pp.661–669.
- Shimoyama, T., Kimura, K., Uemura, J., Saji, N. & Shibazaki, K. 2014. Elevated glucose level adversely affects infarct volume growth and neurological deterioration in non-diabetic stroke patients, but not diabetic stroke patients. *European Journal of Neurology*, 21(3), pp.402–410.
- Simpson, J. R. 2014. DSM-5 and Neurocognitive Disorders. 42(2), pp.159–164.
- Smith, S. E., 2013. Effects of Protein energy Malnutrition on the Inflammatory response to Global. *Thesis*. University of Saskatchewan, Saskatoon.
- Sommerlad, A., Sabia, S., Singh-Manoux, A., Lewis, G. & Livingston, G. 2019. Association of social contact with dementia and cognition: 28-year follow-up of the Whitehall II cohort study. *PLoS Medicine*, 16(8), pp.1–18.
- Sun, J. H., Tan, L. & Yu, J. T. 2014. Post-stroke cognitive impairment: Epidemiology, mechanisms and management. *Annals of Translational Medicine*, 2(8).
- Susianti, N. A., Astuti, A., Asmedi, A., Gofir, A., Djarwato, B. 2015. Profil Fungsi Kognitif Pasien Gagal Ginjal Kronik yang Menjalani Hemodialisis.
- Tang, E. Y. H., Amiesimaka, O., Harrison, S. L., Green, E., Price, C., Robinson, L., Siervo, M. & Stephan, B. C. M. 2018. Longitudinal effect of stroke on cognition: A systematic review. *Journal of the American Heart Association*, 7(2).
- Teasell, R., Salter, K., Faltynek, P., Cotoi, A. & Eskes, G. 2018. Post-Stroke Cognitive Disorders. *Evidence-Based Review of Stroke Rehabilitation*, p.86.
- Tiozzo, E., Youbi, M., Dave, K., Perez-Pinzon, M., Rundek, T., Sacco, R. L., Loewenstein, D., Lewis, J. E. & Wright, C. B. 2015. Aerobic, Resistance, and Cognitive Exercise Training Poststroke. *Stroke*, 46(7), pp.2012–2016.
- Tothova, C., Nagy, O. and Kovac, G., 2014. Acute phase proteins and their use in the diagnosis of diseases in ruminants: A review. *Veterinarni Medicina*, 59(4), pp.163–180.
- Ulfah R. 2017. Uji Validitas, Uji Reliabilitas dan Uji Diagnostik Informant Questionnaire on Cognitive Decline in The Elderly Short Version (IQCODE-S) Versi Bahasa Indonesia sebagai Skrining Gangguan Kognitif Ringan pada Lanjut Usia. Universitas Indonesia, Indonesia.
- Venkat, P., Chopp, M. a& Chen, J. 2017. Blood-brain barrier disruption, vascular impairment, and ischemia/ reperfusion damage in diabetic stroke. *Journal of the American Heart Association*, 6(6), pp.1–11.
- Wang, L., Wang, F., Liu, J., Zhang, Q. & Lei, P. 2018. Inverse relationship between baseline serum albumin levels and risk of mild cognitive impairment in elderly: A seven-year retrospective cohort study. *Tohoku Journal of Experimental Medicine*, 246(1), pp.51–57.
- Wang, S., Shen, B., Wu, M., Chen, C. & Wang, J. 2019. Effects of socioeconomic status on risk of ischemic stroke: A case-control study in the Guangzhou

- population. *BMC Public Health*, 19(1), pp.1–7.
- Wee, L.E. et al., 2012. Individual and Area Level Socioeconomic Status and Its Association with Cognitive Function and Cognitive Impairment (Low MMSE) among Community-Dwelling Elderly in Singapore. *Dementia and Geriatric Cognitive Disorders Extra*, 2(1), pp.529–542.
- Whelton, P. K., Carey, R. M., Aronow, W. S., Casey, D. E., Collins, K. J., Himmelfarb, Ch. D., Depalma, S. M., Gidding, S., Jamerson, K. A., Jones, D.W., Maclaughlin, E. J., Muntner, P., Ovbigele, B., Smith, S. C., Spencer, C.C., Stafford, R.S., Taler, S.J., Thomas, R.J., Williams, K. A., Williamson, J. D., Wright, J. T, Halperin, J.L, Past, I., Al-khatib, S. M, Beckman, J. A, Birtcher, K. K, Bozkurt, B., Deswal, A., Fleisher, L.A. & Gentile, F. 2018 Clinical Practice Guideline : Executive Summary 2017 ACC / AHA / AAPA / ABC / ACPM / AGS / APhA / ASH / ASPC / NMA / PCNA Guideline for the Prevention , Detection , Evaluation , and Management of High Blood Pressure in Adults : Executive Summary A Report of the American College of Cardiology / American Heart Association Task Force on Clinical Practice Guidelines. doi: 10.1161/HYP.0000000000000066
- Widiarti, L., & Krisnawati. 2012. Home Care Holistic terhadap Perubahan Kecemasan dan Depresi pada Oasien Stroke Iskemik. *Jurnal Ners*, 7(2), pp. 107-115
- Wu, F., Guo, Y., Zheng, Y., Ma, W., Kowal, P., Chatterji, S.& Wang, L. 2016. Social-economic status and cognitive performance among Chinese aged 50 years and older. *PLoS ONE*, 11(11), pp.1–9.
- Wu, Y., Fan, Z., Chen, Y., Ni, J., Liu, J., Han, J., Ren, L., Tu, J., Ning, X. & Wang, Ji. 2019. Determinants of developing stroke among low-income, rural residents: A 27-year population-based, prospective cohort study in Northern China. *Frontiers in Neurology*, 10(FEB), pp.1–8.
- Yang, J. Yang, J., Wong, A., Wang, Z., Liu, We., Au, L., Xiong, Y., Chu, W.W.C., Leung, E.Y.L., Chen, S., Lau, C., Chan, A.Y.Y., Lau, A.Y.L., Fan, F., Ip, V., Soo, Y., Leung, T., Ho, C. L., Wong, L.K.S. & Mok, V. C.T. 2015. Risk factors for incident dementia after stroke and transient ischemic attack. *Alzheimer's and Dementia*, 11(1), pp.16–23.
- Yang, L., Martikainen, P., Silventoinen, K. & Kontinen, H. 2016. Association of socioeconomic status and cognitive functioning change among elderly Chinese people. *Age and Ageing*, 45(5), pp.673–679.
- Yousufuddin, M. & Young, N. 2019. Aging and ischemic stroke. *Aging*, 11(9), pp.2542–2544.
- Zhang, Q., Lei, Y.X., Wang, Q., Jin, Y.P., Fu, R.L., Geng, H.H., Huang, L.L., Wang, X.X. & Wang, P.X. 2016. Serum albumin level is associated with the recurrence of acute ischemic stroke. *American Journal of Emergency Medicine*, 34(9), pp.1812–1816.
- Zhang, Y., Zhang, Z., Yang, B., Li, Y., Zhang, Q., Qu, Q., Wang, Y., Zhang, S., Yue, W., Tan, Y., Zhang, B., & Xu, T. 2012. Incidence and risk factors of cognitive impairment 3 months after first-ever stroke: a cross-sectional study of 5 geographic areas of China. *Journal of Huazhong University of Science and Technology. Medical sciences = Hua zhong ke ji da xue xue bao. Yi xue*

Ying De wen ban = Huazhong keji daxue xuebao. Yixue Yingdewen ban, 32(6), pp.906–911.

Zhao, L., Biesbroek, J. M., Shi, L., Liu, W., Kuijf, H. J., Chu, W.W.C., Abrigo, J. M., Lee, R. K. L., Leung, T W.H., Lau, A. Y. L., Biessels, G. J., Mok, V. & Wong, A. 2018. Strategic infarct location for post-stroke cognitive impairment: A multivariate lesion-symptom mapping study. *Journal of Cerebral Blood Flow and Metabolism*, 38(8), pp.1299–1311.

Zhou, D.H.D., Wang, J.Y.J., Li, J., Deng, J., Gao, C. & Chen, M., 2005. Frequency and risk factors of vascular cognitive impairment three months after ischemic stroke in China: The chongqing stroke study. *Neuroepidemiology*, 24(1–2), pp.87–95.