

DAFTAR PUSTAKA

- Anonim, 2019, *Statistik kelapa Sawit Indonesia 2018*, BPS-Statistics Indonesia, Jakarta.
- Adel, A. M., Abd El-Wahab, Z. H., Ibrahim, A. A. and Al-Shemy, M. T., 2011, Characterization of Microcrystalline Cellulose Prepared from Lignocellulosic Materials. Part II: Physicochemical properties, *Carbohydr. Polym.*, 83(2), 676– 687.
- Ahmaruzzaman, M., 2008, Adsorption of Phenolic Compounds on Low-cost Adsorbents: A review, *Adv. Colloid Interface Sci.*, 143(1–2), 48–67.
- Aiken, G. R., McKnight, D. M., Wershaw, R.L. and MacCarthy, P., 1985, *Humic Substance in Soil, Sedimen and Water: Geochemistry, Isolation and Characterization*, John Wiley & Sons, New York.
- Amani Machiani, M., Rezaei-Chiyaneh, E., Javanmard, A., Maggi, F. and Morshedloo, M. R., 2019, Evaluation of Common Bean (*Phaseolus vulgaris* L.) Seed Yield and Quali-quantitative Production of The Essential Oils from Fennel (*Foeniculum vulgare* Mill.) and Dragonhead (*Dracocephalum moldavica* L.) in Intercropping System under Humic Acid Application, *J. Clean. Prod.*, 235, 112–122.
- Astuti, W., Chafidz, A., Wahyuni, E. T., Prasetya, A., Bendiyasa, I. M. and Abasaeed, A. E., 2019, Methyl Violet Dye Removal Using Coal Fly Ash (CFA) as a Dual Sites Adsorbent, *J. Environ. Chem. Eng.*, 7(5), 1–10.
- Azizian, S., Haerifar, M., and Bashiri, H., 2009, Adsorption of Methyl Violet Onto Granular Activated Carbon: Equilibrium, Kinetics and Modeling, *Chem. Eng. J.*, 146(1), 36–41.
- Belouadah, Z., Ati, A. and Rokbi, M., 2015, Characterization of New Natural Cellulosic Fiber from *Lygeum Spartum* L., *Carbohydr. Polym.*, 1344, 29–37.
- Basu, H., Saha, S., Mahadevan, I. A., Pimple, M. V., and Singhal, R. K., 2019, Humic Acid Coated Cellulose Derived from Rice Husk: A Novel Biosorbent for the Removal of Ni and Cr, *J. Water Process Eng.*, 32, 100892.
- Burlakovs, J., Kļaviņš, M., Osinska, L. and Purmalis, O., 2013, The Impact of Humic Substances as Remediation Agents to the Speciation Forms of Metals in Soil, *APCBEE Procedia*, 5, 192–196.
- Canellas, L. P., Olivares, F. L., Aguiar, N. O., Jones, D. L., Nebbioso, A., Mazzei, P. and Piccolo, A., 2015, Humic and Fulvic Acids as Biostimulants in Horticulture, *Sci. Hortic. (Amsterdam)*, 19615–27.

- Chen, J. H., Liu, Q. L., Hu, S. R., Ni, J. C., and He, Y. S., 2011, Adsorption Mechanism of Cu(II) Ions from Aqueous Solution by Glutaraldehyde Crosslinked Humic Acid-Immobilized Sodium Alginate Porous Membrane Adsorbent, *Chem. Eng. J.*, 173(2), 511–519.
- Chen, R., Zhang, Y., Shen, L., Wang, X., Chen, J., Ma, A. and Jiang, W., 2015, Lead(II) and Methylene Blue Removal Using a Fully Biodegradable Hydrogel Based on Starch Immobilized Humic Acid, *Chem. Eng. J.*, 268, 348–355.
- Cihlář, Z., Vojtová, L., Michlovská, L. and Kučerík, J., 2016, Preparation and Hydration Characteristics of Carbodiimide Crosslinked Lignite Humic Acids, *Geoderma*, 274, 10–17.
- Coffey, D. G., Bell, D. A. and Anderson, A., 1995, *Cellulose and Cellulose derivatives*. In : Stephen, A.M, (editor) Food Polysaccharides and Their Application, marcel Dekker, New York.
- Daud, W. M. A. W. dan Ali, W. S. W., 2004, Comparison on Pore Development of Activated Carbon Produced from Palm Shell and Coconut Shell, *Bioresour. Technol.*, 93(1), 63–69.
- Dias, D., Lapa, N., Bernardo, M., Ribeiro, W., Matos, I., Fonseca, I. and Pinto, F., 2018, Cr(III) Removal from Synthetic and Industrial Wastewaters by Using Co-Gasification Chars of Rice Waste Streams, *Bioresour. Technol.*, 266, 139–150.
- Dewanti, D. P., 2018, Potensi Selulosa dari Limbah Tandan Kosong Kelapa Sawit untuk Bahan Baku Bioplastik Ramah Lingkungan, *J. Teknol. Lingkung.*, 19(1), 81.
- Ding, H., Tang, L., Nie, Y. and Ji, H., 2019, Characteristics and Interactions of Heavy Metals with Humic Acid in Gold Mining Area Soil at a Upstream of a Metropolitan Drinking Water Source, *J. Geochemical Explor.*, 200(30), 266–275.
- Dos Santos, V. C. G., Salvado, A. D. P. A., Dragunski, D. C., Peraro, D. N. C., Tarley, C. R. T. and Caetano, J., 2012, Highly Improved Chromium (III) Uptake Capacity in Modified Sugarcane Bagasse Using Different Chemical Treatments, *Quim. Nova*, 35(8), 1606–1611.
- Fiore, V., Scalici, T., and Valenza, A., 2014, Characterization of a New Natural Fiber from Arundo Donax L. as Potential Reinforcement of Polymer Composites, *Carbohydr. Polym.*, 106(1), 77–83.
- Foo, K. Y. and Hameed, B. H., 2010, Insights Into The Modeling of Adsorption Isotherm Systems, *Chem. Eng. J.*, 156(1), 2–10.

- Gaffney, J. S., Marley, N. A. and Clack, S. B, 1996, *Humic and Fulvic Acid: Isolation, Structure and Environmental Role*, American Chemical Society, Washington DC.
- Godwelska, K., Marycz, K. and Michalak, I, 2018, Freshwater Green Macroalgae as a Biosorbent of Cr(III) Ions, *Open Chem.*, 16, 689-701
- Gorny, J, Billon, G, Noiriél, C, Dumoulin, D, Lesven, L, dan Madé, B., 2016, Chromium behavior in aquatic environments: A review, *Environ. Rev.*, 24(4), 503–16.
- Guo, M. and Bi, J., 2015, Pyrolysis Characteristics of Corn Stalk with Solid Heat Carrier, *BioResources*, 10(3), 3839–3851.
- Hubbe, M. A., Hasan, S. H. and Ducoste, J. J., 2011, Cellulosic Substrates for Removal of Pollutants, *BioResources*, 6(1998), 2161–2287.
- Irawati, H., Aprilita, N. H. dan Sugiharto, E., 2018, Adsorpsi Zat Warna Kristal Violet Menggunakan Limbah Kulit Singkong (*Manihot esculenta*), *Bimipa*, 25(1), 17–31.
- Jin, W., Du, H., Zheng, S. and Zhang, Y., 2016, Electrochemical Processes for the Environmental Remediation of Toxic Cr(VI): A Review, *Electrochim. Acta*, 191, 1044–1055.
- Kathirselvam, M., Kumaravel, A., Arthanarieswaran, V. P. and Saravanakumar, S. S., 2019, Isolation and Characterization of Cellulose Fibers from *Thespesia populnea* Barks: A study on Physicochemical and Structural Properties, *Int. J. Biol. Macromol.*, 129, 396–406.
- Klemm, D., Philipp, B., Heinze, T., Heinze, U. and Wagenknecht, W., 1998, *Comprehensive cellulose chemistry: Fundamentals and analytical methods*, Wiley-VCH, Weinheim.
- Limousin, G, Gaudet, J P, Charlet, L, Szenknect, S, Barthès, V, dan Krimissa, M., 2007, Sorption Isotherms: A review on Physical Bases, Modeling and Measurement, *Appl. Geochemistry*, 22(2), 249–75.
- Lu, S., Liu, W., Wang, Y., Zhang, Y., Li, P., Jiang, D., Fang, C. and Li, Y., 2019, An Adsorbent Based on Humic Acid and Carboxymethyl Cellulose for Efficient Dye Removal from Aqueous Solution, *Int. J. Biol. Macromol.*, 135, 790–797.
- Mane, S., Ponrathnam, S., and Chavan, N., 2016, Effect of Chemical Crosslinking on Properties of Polymer Microbeads: A Review, *Can. Chem. Trans.*, 3(4), 473–485.
- Markiewicz, B., Komorowicz, I., Sajnog, A., Belter, M. and Baralkiewicz, D.,

- 2015, Chromium and Its Speciation in Water Samples by HPLC/ICP-MS - Technique Establishing Metrological Traceability: A review Since 2000, *Talanta*, 132, 814–828.
- Martinez, L., Agnely, F., Leclerc, B., Siepmann, J., Cotte, M., Geiger, S. and Couarraze, G., 2007, Cross-linking of Chitosan and Chitosan/poly(ethylene oxide) Beads: A theoretical Treatment, *Eur. J. Pharm. Biopharm.*, 67(2), 339–348.
- Miretzky, P. and Cirelli, A. F., 2009, Hg(II) Removal from Water by Chitosan and Chitosan Derivatives: A review, *J. Hazard. Mater.*, 167(1–3), 10–23.
- Mittal, H., Babu, R. and Alhassan, S. M., 2020, Utilization of Gum Xanthan Based Superporous Hydrogels for the Effective Removal of Methyl Violet from Aqueous Solution, *Int. J. Biol. Macromol.*, 143, 413–423.
- Momina, Mohammad, S. and Suzylawati, I., 2020, Study of the Adsorption/desorption of MB Dye Solution Using Bentonite Adsorbent Coating, *J. Water Process Eng.*, 34.
- Morales, J., Manso, J. A., Cid, A. and Mejuto, J. C., 2012, Degradation of Carbofuran and Carbofuran-Derivatives in Presence of Humic Substances under Basic Conditions, *Chemosphere*, 89(11), 1267–1271.
- Naeem, H., Bhatti, H. N., Sadaf, S. and Iqbal, M., 2017, Uranium Remediation Using Modified Vigna Radiata Waste Biomass, *Appl. Radiat. Isot.*, 123, 94–101.
- Nhung, H L dan Thanh, N D., 2019, Cellulose Modified with Citric Acid and Its Absorption of Cd²⁺ Ions, 231.
- Nuringtyas, T. R., 2010, *Karbohidrat*, Gadjah Mada University Press, Yogyakarta
- O’Connell, D. W., Birkinshaw, C., and O’Dwyer, T. F., 2008, Heavy Metal Adsorbents Prepared from The Modification of Cellulose: A review, *Bioresour. Technol.*, 99(15), 6709–6724.
- Oscik, J, 1982, *Adsorption*, Ellis Horwood Limited, England.
- Pan, Y., Shi, X., Cai, P., Guo, T., Tong, Z., and Xiao, H., 2018, Dye Removal From Single and Binary Systems Using Gel-like Bioadsorbent Based on Functional-modified Cellulose, *Cellulose*, 25(4), 59–75.
- Peng, X., Yan, Z., Hu, L., Zhang, R., Liu, S., Wang, A., Yu, X., and Chen, L., 2019, Adsorption Behavior of Hexavalent Chromium in Aqueous Solution by Polyvinylimidazole Modified Cellulose, *Int. J. Biol. Macromol.*
- Rachmawati, A., 2011, Pengaruh Derajat Keasaman terhadap Adsorpsi Logam

Kadmium(II) dan Timbal(II) pada Asam Humat, *J. Penelitian Sains dan Teknologi*, 12(1), 1-14

Rahchamani, J., Mousavi, H. Z. and Behzad, M., 2011, Adsorption of Methyl Violet from Aqueous Solution by Polyacrylamide as an Adsorbent: Isoterm and Kinetic Studies, *Desalination*, 267(2–3), 256–260.

Santosa, S. J., Siswanta, D. dan Sudiono, S., 2014, *Dekontaminasi Ion Logam dengan Biosorben Berbasis Asam Humat, Kitin dan Kitosan*, Gadjah Mada University Press, Yogyakarta.

Senesi, N. 1992, *Metal-Humic Substances Complex in Environmenent. Molecular and Mechanistic Aspects by Multiple Spestroscopic Approach*, In *Biogeochemistry of Trace Metal* (Ed. D.C. Ardiano).

Sreenivasan, V. S., Somasundaram, S., Ravindran, D., Manikandan, V. and Narayanasamy, R., 2011, Microstructural, Physico-chemical and Mechanical Characterisation of Sansevieria cylindrica fibres - An exploratory investigation, *Mater. Des.*, 32(1), 453–461.

Stevenson, F. J., 1994, *Humus Chemistry: Genesis, Composition, Reaction*, John Wiley & Sons, New York.

Suhas, Gupta, V. K., Carrott, P. J. M., Singh, R., Chaudhary, M. and Kushwaha, S., 2016, Cellulose: A Review as Natural, Modified and Activated Carbon Adsorbent, *Bioresour. Technol.*, 216, 1066–1076.

Sutirman, Z. A., Sanagi, M. M., Abd Karim, K. J., Naim, A. A. and Wan Ibrahim, W. A., 2018, Chitosan-Based Adsorbents for the Removal of Metal Ions from Aqueous Solutions, *Malaysian J. Anal. Sci.*, 22(5), 839–850.

Tan, K. H., 1991, *Dasar - Dasar Kimia Tanah*, Terjemahan D.H. Goenadi dan B. Radjaguguk, Gadjah Mada University Press, Yogyakarta.

Udoetok, I. A., Dimmick, R. M., Wilson, L. D. and Headley, J. V., 2016, Adsorption Properties of Cross-linked Cellulose-epichlorohydrin Polymers in Aqueous Solution, *Carbohydr. Polym.*, 136, 329–340.

Vakili, M., Deng, S., Cagnetta, G., Wang, W., Meng, P., Liu, D. and Yu, G., 2019, Regeneration of Chitosan-based Adsorbents Used in Heavy Metal Adsorption: A review, *Sep. Purif. Technol.*, 224, 373–387.

Wang, J dan Guo, X., 2020, Adsorption kinetic models: Physical meanings, applications, and solving methods, *J. Hazard. Mater.*, 390, 122156.

Wang, X., Jiang, C., Hou, B., Wang, Y., Hao, C. and Wu, J., 2018, Carbon Composite Lignin-Based Adsorbents for The Adsorption of Dyes, *Chemosphere*, 206, 587–596.



- Wu, H., Xiao, Y., Guo, Y., Miao., S., Chen, Q. and Chen, Z., 2020, Functionalization of SBA-15 Mesoporous Materials with 2-Acetylthiophene for Adsorption of Cr(III) Ions, *Microporous Mesoporous Mater.*, 292, 109754.
- Yang, T. and Hodson, M. E., 2018, Investigating the Potential of Synthetic Humic-like Acid to Remove Metal Ions from Contaminated Water, *Sci. Total Environ.*, 635, 1036–1046.
- Yang, X. and Cranston, E. D., 2014, Chemically Cross-Linked Cellulose Nanocrystal Aerogels with Shape Recovery and Superabsorbent Properties, *Chem. Mater.*, 26(20), 6016–6025.