

## DAFTAR PUSTAKA

- Abegaz, M., Mekonnen, G.A., Gebreyohannes, E.A. and Gelaye, A., 2018. Treatment Outcome of Diabetic Ketoacidosis Among Patients Attending General Hospital in North-West Ethiopia : Hospital Based Study .
- Aditioningsih, D., Djaja, A.S. and George, Y.W.H., 2017. The effect of balanced electrolyte solution versus normal saline in the prevention of hyperchloremic metabolic acidosis in diabetic ketoacidosis patients: a randomized controlled trial. *Medical Journal of Indonesia*, 26(2), pp.134–141.
- Ahuja, W., Kumar, N., Kumar, S. and Rizwan, A., 2019. Precipitating Risk Factors, Clinical Presentation, and Outcome of Diabetic Ketoacidosis in Patients with Type 1 Diabetes. *Cureus*, 11(5), pp.1–9.
- Azoulay, E., Chevret, S., Didier, J., Barboteu, M., Bornstain, C., Gall, J. Le and Vexiau, P., 2001. Infection as a Trigger of Diabetic Ketoacidosis in Intensive Care – Unit Patients. , 32.
- Balmier, A. et al., 2019. Initial management of diabetic ketoacidosis and prognosis according to diabetes type: a French multicentre observational retrospective study. *Annals of Intensive Care*, 9(1). Terdapat di: <https://doi.org/10.1186/s13613-019-0567-y>.
- Burcul, Arambasic, Polic, Kovacevic, Bartulovic, Ardalic and Markic, 2019. Characteristics of Children with Diabetic Ketoacidosis Treated in Pediatric Intensive Care Unit: Two-Center Cross-Sectional Study in Croatia. *Medicina*, 55(7), p.362.
- Cashen, K. and Petersen, T., 2019. Diabetic ketoacidosis. *Peds in Review*, 40(8), pp.412–419.
- Cohen, M., Shilo, S., Zuckerman-Levin, N. and Shehadeh, N., 2015. Diabetic Ketoacidosis in the Pediatric Population with Type 1 Diabetes. *Intech*, pp.95–117. Terdapat di: <https://www.intechopen.com/books/advanced-biometric-technologies/liveness-detection-in-biometrics>.
- Federation, I.D., 2019. *IDF Diabetes Atlas - 2019* 9th editio. B. Malanda, S. Karuranga, P. Saeedi, & P. Salpea, eds., International Diabetes Federation.
- George, J.T., Mishra, A.K. and Iyadurai, R., 2018. Correlation between of the outcomes and severity of diabetic ketoacidosis : A retrospective pilot study. *Journal of Family Medicine and Primary Care*, 7(4), pp.787–790. Terdapat di: <http://www.jfmpc.com/article.asp?issn=2249-4863;year=2017;volume=6;issue=1;spage=169;epage=170;aulast=Faizi>.
- Goad, N.T., Bakhru, R.N., Pirkle, J.L. and Kenes, M.T., 2019. Association of Hyperchloremia With Unfavorable Clinical Outcomes in Adults With Diabetic Ketoacidosis. *Journal of Intensive Care Medicine*.
- Gosmanov, A., Gosmanova, E. and Kitabchi, A., 2018. Hyperglycemic Crises: Diabetic Ketoacidosis and Hyperglycemic Hyperosmolar State. *Endocrinology: Adult and Pediatric*, pp.1–15.

- Himawan, I.W., Pulungan, A.B., Tridjaja, B. and Batubara, J.R.L., 2016. Komplikasi Jangka Pendek dan Jangka Panjang Diabetes Mellitus Tipe 1. *Sari Pediatri*.
- Hong, J.Y.H. et al., 2016. Diabetic ketoacidosis at diagnosis of type 1 diabetes mellitus in Malaysian children and adolescents. *Malaysian Family Physician*, 10(3), pp.11–18.
- Jayashree, M. and Singhi, S., 2004. Diabetic ketoacidosis: Predictors of outcome in a pediatric intensive care unit of a developing country. *Pediatric Critical Care Medicine*, 5(5), pp.427–433.
- Jayashree, M., Williams, V. and Iyer, R., 2019. Fluid therapy for pediatric patients with diabetic ketoacidosis: Current perspectives. *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*, 12, pp.2355–2361.
- Kimura, D., Raszynski, A. and Totapally, B.R., 2012. Admission and treatment factors associated with the duration of acidosis in children with diabetic ketoacidosis. *Pediatric Emergency Care*, 28(12), pp.1302–1306.
- Kurdi, H., Pinto, L.P. and Smeeton, F.J., 2017. A re-audit of the management of diabetic ketoacidosis after the introduction of a local protocol based on the JBDS guidelines: Then and now. *British Journal of Diabetes and Vascular Disease*, 17(2), pp.52–57.
- Lee, M.H., Calder, G.L., Santamaria, J.D. and MacIsaac, R.J., 2018. Diabetic ketoacidosis in adult patients: an audit of factors influencing time to normalisation of metabolic parameters. *Internal Medicine Journal*, 48(5), pp.529–534.
- Listianingrum, Patria, S.Y. and Wibowo, T., 2019. *Paediatrica Indonesiana. Predictive factors of ketoacidosis in type 1 diabetes mellitus*, 59(4), pp.169–174.
- Listianingrum, Patria, S.Y. and Wibowo, T., 2019. Predictive factors of ketoacidosis in type 1 diabetes mellitus. *Paediatrica Indonesiana*, 59(4), pp.169–174.
- Lone, S.W., Siddiqui, E.U., Muhammed, F., Atta, I., Ibrahim, M.N. and Raza, J., 2010. Frequency, clinical characteristics and outcome of diabetic ketoacidosis in children with type-1 diabetes at a tertiary care hospital. *Journal of the Pakistan Medical Association*, 60(9), pp.725–729.
- Mahler, S.A., Conrad, S.A., Wang, H. and Arnold, T.C., 2011. Resuscitation with balanced electrolyte solution prevents hyperchloremic metabolic acidosis in patients with diabetic ketoacidosis. *American Journal of Emergency Medicine*, 29(6), pp.670–674. Terdapat di: <http://dx.doi.org/10.1016/j.ajem.2010.02.004>.
- Mrozik, L.T. and Yung, M., 2009. Hyperchloraemic metabolic acidosis slows recovery in children with diabetic ketoacidosis: A retrospective audit. *Australian Critical Care*, 22(4), pp.172–177.
- Mullath, H., Naaraayan, S.A. and Naaraayan, S.A., 2019. Serum sodium and potassium levels as prognostic indicators in pediatric diabetic ketoacidosis

Correspondence Address : , pp.1–8.

- Ongun, E.A. and Çelik, N., 2019. Risk factors associated with resolution of diabetic ketoacidosis in pediatric critical care units. *Cumhuriyet Medical Journal*, 3(March), pp.42–50.
- Onyiriuka, A.N. and Ifebi, E., 2013. Ketoacidosis at diagnosis of type 1 diabetes in children and adolescents: Frequency and clinical characteristics. *Journal of Diabetes and Metabolic Disorders*, 12(1), pp.1–5.
- Phillips, C. and Sinha, A., 2018. Successful management of diabetic ketoacidosis: an innovative protocol. *Practical Diabetes*, 35(2), pp.51–54.
- Del Pozo, P., Aránguiz, D., Córdova, G., Scheu, C., Valle, P., Cerda, J., García, H., Hodgson, M.I. and Castillo Moya, A., 2018. Clinical profile of children with diabetic ketoacidosis in a critical care unit. *Revista Chilena de Pediatría*, 89(4), pp.491–498.
- Pruitt, L.G., Jones, G., Musso, M., Volz, E. and Zitek, T., 2019. Intravenous fluid bolus rates and pediatric diabetic ketoacidosis resolution. *American Journal of Emergency Medicine*, (xxxx), pp.10–12. Terdapat di: <https://doi.org/10.1016/j.ajem.2019.03.039>.
- Pulungan, A.B., Annisa, D. and Imada, S., 2019a. Diabetes Melitus Tipe-1 pada Anak: Situasi di Indonesia dan Tata Laksana. *Sari Pediatri*, 20(6), p.392.
- Pulungan, A.B., Batubara, J.R.L., Tridjaja, B., Soesanti, F., Fadiana, G., Annisa, D. and Mada, S.I., 2019b. Profile of Diabetic Ketoacidosis in Children with Diabetes Mellitus in a Tertiary Care Hospital in Jakarta : A Retrospective Study. *Acta Scientifica Paediatrics*, 2(2), pp.24–29.
- Pulungan, A.B., Juwita, E., Pudjiadi, A.H., Rahmayanti, S. and Tsaniya, I., 2018. Diabetic Ketoacidosis in Adolescents and Children: A Prospective Study of Blood versus Urine Ketones in Monitoring Therapeutic Response. *Acta medica Indonesiana*, 50(1), pp.46–52.
- Razavi, Z. and Hamidi, F., 2017. Diabetic ketoacidosis: Demographic data, clinical profile and outcome in a tertiary care hospital. *Iranian Journal of Pediatrics*, 27(3), pp.0–5.
- Rochmah, N., Faizi, M. and Harjantien, N., 2015. Diabetic ketoacidosis in children: an 11-year retrospective in Surabaya, Indonesia. *Paediatrica Indonesiana*, 55(1), p.40.
- Rustana, D.S., Yati, N.P., Andriana, N. and Pulungan, A.B., 2018. *Buku Ajar Endokrinologi Anak* 2nd ed. J. R. Batubara, B. T. AAP, & A. B. Pulungan, eds., Jakarta: Badan Penerbit Ikatan Dokter Anak Indonesia.
- Shaltout, A.A. et al., 2016. Ketoacidosis at first presentation of type 1 diabetes mellitus among children: A study from Kuwait. *Scientific Reports*, 6, pp.1–9. Terdapat di: <http://dx.doi.org/10.1038/srep27519>.
- Sheikh, G., Tsui, J., Bernardo, R.J., Bhutta, U.Z. and Brown, B.R., 2019. Relationship Between Sodium Chloride Use, Hyperchloremia, and Time to Resolution of Diabetic Ketoacidosis. , pp.A1676–A1676.
- Shenoy, S. and Upadhyay, N., 2017. The factors affecting resolution of acidosis in

- children with diabetic ketoacidosis - A retrospective study from a tertiary care center in India. *Indian J Child Health*, 4(3), pp.294–297.
- Syed, M., Khawaja, F.B., Saleem, T., Khalid, U., Rashid, A. and Humayun, K.N., 2011. Clinical profile and outcomes of paediatric patients with diabetic ketoacidosis at a tertiary care hospital in Pakistan. *Journal of the Pakistan Medical Association*, 61(11), pp.1082–1087.
- Taylor, D., Durward, A., Tibby, S.M., Thorburn, K., Holton, F., Johnstone, I.C. and Murdoch, I.A., 2006. The influence of hyperchloraemia on acid base interpretation in diabetic ketoacidosis. *Intensive Care Medicine*, 32(2), pp.295–301.
- Thomas, S., Mohamed, N.A. and Bhana, S., 2019. Audit of diabetic ketoacidosis management at a tertiary hospital in Johannesburg, South Africa. *South African Medical Journal*, 109(6), pp.407–411.
- Toledo, I., Wainsztein, R., Mannucci, C., Ferraro, M., Ferreira, J. and Balestracci, A., 2018. Impact of the hyperchloremic component of metabolic acidosis on the patient's hydration status and the treatment of diabetic ketoacidosis. *Archivos Argentinos de Pediatría*, 116(3), pp.e365–e370.
- Unit Kerja Koordinasi Endokrinologi Anak dan Remaja, 2017. *Ketoasidosis Diabetik dan Edema Serebri pada Diabetes Melitus tipe 1* N. P. Yati, F. Soesanti, & B. T. AAP, eds., Ikatan Dokter Anak Indonesia.
- Varadarajan, P., 2014. Risk factors for mortality in children with diabetic keto acidosis from developing countries. *World Journal of Diabetes*, 5(6), p.932.
- Varadarajan, P. and Suresh, S., 2014. Role of infections in children with diabetic ketoacidosis- a study from India. *Int J Diabetes Clin Res*, 1(009), pp.1–5.
- Vellanki, P. and Umpierrez, G.E., 2018. Increasing hospitalizations for DKA: A need for prevention programs. *Diabetes Care*, 41(9), pp.1839–1841.
- Williams, V., Jayashree, M., Nallasamy, K., Dayal, D. and Rawat, A., 2020. 0.9% saline versus Plasma-Lyte as initial fluid in children with diabetic ketoacidosis (SPinK trial): A double-blind randomized controlled trial. *Critical Care*, 24(1), pp.1–10.
- Wolfsdorf, J.I., Glaser, N., Agus, M., Fritsch, M., Hanas, R., Rewers, A., Sperling, M.A. and Codner, E., 2018. ISPAD Clinical Practice Consensus Guidelines 2018: Diabetic ketoacidosis and the hyperglycemic hyperosmolar state. *Pediatric Diabetes*, 19(October), pp.155–177.
- Yung, M., Letton, G. and Keeley, S., 2017. Controlled trial of Hartmann's solution versus 0.9% saline for diabetic ketoacidosis. *Journal of Paediatrics and Child Health*, 53(1), pp.12–17.
- Van Zyl, D.G., Rheeder, P. and Delport, E., 2012. Fluid management in diabetic-acidosis-Ringer's lactate versus normal saline: A randomized controlled trial. *Qjm*, 105(4), pp.337–343.