

DAFTAR PUSTAKA

- Alobaidi, R., Morgan, C., Basu, R.K., Stenson, E., Featherstone, R., Majumdar, S.R., Bagshaw, S.M., 2018. Association between fluid balance and outcomes in critically ill children: A systematic review and meta-analysis. *JAMA Pediatr.* 1–12.
- Arafah, Y.F., Murni, I.K., Rusmawatingtyas, D., 2020. Predictors of prolonged stay in the pediatric intensive care unit. *Pediatr. Indones.* 60: 37–41.
- Arikan, A.A., Zappitelli, M., Goldstein, S.L., Naipaul, A., Jefferson, L.S., Loftis, L.L., 2012. Fluid overload is associated with impaired oxygenation and morbidity in critically ill children. *Pediatr Crit Care Med* 13: 253–258.
- Bhatt, S., Gething, P.W., Brady, O.J., Messina, J.P., Farlow, A.W., Moyes, C.L., et al., 2013. The global distribution and burden of dengue. *Nature* 496: 504–507.
- Granado, R.C.-D., Mehta, R.L., 2016. Fluid overload in the ICU: Evaluation and management. *BMC Nephrol.* 17: 1–9.
- Harapan, H., Michie, A., Mudatsir, M., Sasmono, R.T., Imrie, A., 2019. Epidemiology of dengue hemorrhagic fever in Indonesia: Analysis of five decades data from the National Disease Surveillance. *BMC Res. Notes* 12: 4–9.
- Hediyanto, D., Laksanawati, I.S., Indrawanti, R., Rusmawaningtyas, D., Arguni, E., 2016. Profil hematologi sebagai prediktor sepsis pada sindrom syok dengue. *Sari Pediatr* 18: 260–264.
- Huy, N.T., Van Giang, T., Thuy, D.H.D., Kikuchi, M., Hien, T.T., Zamora, J., et al., 2013. Factors Associated with Dengue Shock Syndrome: A Systematic Review and Meta-Analysis. *PLoS Negl. Trop. Dis.* 7.
- IDAI, 2016. Konsensus Diagnostik dan Tata Laksana Sepsis pada Anak. Badan Penerbit Ikatan Dokter Anak Indonesia.
- IDAI, 2014. Pedoman Diagnosis dan Tata Laksana Infeksi Virus Dengue pada Anak. Badan Penerbit Ikatan Dokter Anak Indonesia.
- Iqtadar, S., Akbar, N., Mehmood, M., Abaidullah, S., 2017. Clinical audit of dengue related deaths in 2011 at Mayo hospital Lahore Pakistan. *Pakistan J. Med. Sci.* 33: 1070–1073.
- Jain, A., Chaturvedi, U.C., 2010. Dengue in infants: An overview. *FEMS Immunol Med Microbiol* 59: 119–130.
- Kalayanarooj, S., Rothman, A.L., Srikiatkhachorn, A., 2017. Case Management of Dengue : Lessons Learned 215: 79–88.
- Khalil, M.A.M., Tan, J., Khalil, M.A.U., Awan, S., Rangasami, M., 2014. Predictors of hospital stay and mortality in dengue virus infection-experience from Aga Khan University Hospital Pakistan. *BMC Res. Notes* 7: 1–7.
- Kim, I.Y., Kim, J.H., Lee, D.W., Lee, S.B., Rhee, H., Seong, Y., et al., 2017. Fluid overload and survival in critically ill patients with acute kidney injury receiving continuous renal replacement therapy. *PLoS One* 12: 1–13.



- Lopes, C.L.S., Eckert, G.U., da Rocha, T.S., Fontela, P.S., Piva, J.P., 2019. Early fluid overload was associated with prolonged mechanical ventilation and more aggressive parameters in critically ill paediatric patients. *Acta Paediatr.* 1–8.
- Mahdalena, M., Widiyati, T., Laksanawati, I.S., Prawirohartono, E.P., 2013. Obesity as a risk factor for dengue shock syndrome in children. *Paediatr Indones* 53: 187–192.
- Mallhi, T.H., Khan, A.H., Sarriff, A., Adnan, A.S., Khan, Y.H., 2017. Determinants of mortality and prolonged hospital stay among dengue patients attending tertiary care hospital: A cross-sectional retrospective analysis. *BMJ Open* 7: 1–12.
- Martina, B.E.E., Koraka, P., Osterhaus, A.D.M.E., 2009. Dengue virus pathogenesis: An integrated view. *Clin. Microbiol. Rev.* 22: 564–581.
- Pangaribuan, A., Prawirohartono, E.P., Laksanawati, I.S., 2014. Faktor Prognosis Kematian Sindrom Syok Dengue. *Sari Pediatr.* 15: 332–340.
- Paramitha, W., Triasih, R., Rusmawatingtyas, D., 2019. Fluid overload and length of mechanical ventilation in pediatric sepsis. *Pediatr. Indones.* 59: 1211–6.
- Paridah, M., Moradbak, A., Mohamed, A., Owolabi, F. abdulwahab taiwo, Asniza, M., Abdul Khalid, S.H., 2018. Indonesia dengue fever: status, vulnerability, and challenges. *IntechOpen* 81–92.
- Polito, A., Combescure, C., Levy-Jamet, Y., Rimensberger, P., 2019. Long-stay patients in pediatric intensive care unit: Diagnostic-specific definition and predictors. *PLoS One* 14: 1–9.
- Puerta-Guardo, H., Glasner, D.R., Espinosa, D.A., Biering, S.B., Patana, M., Ratnasiri, K., et al., 2019. Flavivirus NS1 Triggers Tissue-Specific Vascular Endothelial Dysfunction Reflecting Disease Tropism. *Cell Rep.* 26: 1598–1613.e8.
- Puerta-Guardo, H., Glasner, D.R., Harris, E., 2016. Dengue Virus NS1 Disrupts the Endothelial Glycocalyx, Leading to Hyperpermeability. *PLoS Pathog.* 12: 1–29.
- Pusat Data dan Informasi Kementerian Kesehatan RI, 2018. Situasi Demam Berdarah Dengue.
- Rajapakse, S., Rodrigo, C., Rajapakse, A., 2012. Treatment of dengue fever. *Infect. Drug Resist.* 5: 103–112.
- Rosenberger, K.D., Lum, L., Alexander, N., Junghans, T., Wills, B., 2016. Vascular leakage in dengue – clinical spectrum and influence of parenteral fluid therapy. *Trop. Med. Int. Heal.* 21: 445–453.
- Rusmawatingtyas, D., Wiguna, P.A., Kumara, I.F., Yulianto, S., Arguni, E., Pudjiadi, A., 2019. Initial Hemodynamic Profiles of Children with Dengue Shock Syndrome in Referral Settings. *Am. J. Pediatr.* 5: 260–266.
- Sakr, Y., Alhussami, I., Nanchal, R., Wunderink, R.G., Pellis, T., Wittebole, X., et al., 2015. Being overweight is associated with greater survival in ICU patients: results from the intensive care over nations audit. *Crit Care Med* XX: 1–10.
- Samaddar, S., Sankar, J., Kabra, S.K., Lodha, R., 2018. Association of fluid overload with mortality in critically-ill mechanically ventilated children. *Indian Pediatr.* 55: 957–963.



- Saragih, H.Y., Sutomo, R., Nurnaningsih, 2017. Hubungan terapi cairan ringer laktat dengan hiponatremia pada sindrom syok dengue. Universitas Gadjah Mada.
- Sari, B.P., 2017. Kelainan ginjal sebagai faktor prognostik mortalitas pasien dengue shock syndrome. Universitas Gadjah Mada.
- Sari, E.P., Widjajanto, P.H., Nurnaningsih, 2017. Skor PELOD-1 sebagai prediktor mortalitas pasien dengue shock syndrome anak di RSUP Dr. Sardjito Yogyakarta. Universitas Gadjah Mada.
- Seneviratne, H.M.T.W., Kumara, G.D.I., Ravirajah, K., Somaratne, K.M.K., Mendis, D., 2018. Fluid management in patients with dengue hemorrhagic fever. *Asia Pac J Paediatr Child Heal.* 1: 15–23.
- Slatnick, L.R., Thornhill, D., Deakayne, S.J., Ford, J.B., Scott, H.F., Manco-Johnson, M.J., et al., 2017. Disseminated intravascular coagulation predicts adverse outcomes in children with suspected sepsis in the emergency department. *Blood* 130.
- Teparrukkul, P., Hantrakun, V., Day, N.P.J., West, T.E., Limmathurotsakul, D., 2017. Management and outcomes of severe dengue patients presenting with sepsis in a tropical country. *PLoS One* 12: 1–13.
- WHO, 2019. Update on the dengue situation in the Western Pacific Region, WHO Regional Office for the Western Pacific.
- WHO, 2012a. Global dengue situation and strategy for prevention and control 2012-2020. World Health Organization.
- WHO, 2012b. Handbook for clinical management of dengue. World Health Organization.
- WHO, 2011. Comprehensive guidelines for prevention and control of dengue and dengue haemorrhagic fever, Revised an. ed, WHO Regional Publication SEARO.
- Wills, B.A., Dung, N.M., Loan, H.T., Tam, D.T., Thuy, T.T., Minh, L.T., et al., 2007. Comparison of three fluid solutions for resuscitation in dengue shock syndrome. *N. Engl. J. Med.* 353: 877–89.
- Yulianto, S., Kadafi, K., Anitasari, D., 2018. Restrictive versus Liberal Fluid Resuscitation in Children with Dengue Shock Syndrome: the differences in Clinical Outcomes and Hemodynamic Parameters. *Int. J. Pediatr.* 0: 9215–9224.