

DAFTAR PUSTAKA

- Abid, M.R., Shih, S.C., Out, H.H., (2006), A Novel Class Of Vascular Endothelial Growth Factor-Responsive Genes That Require Forkhead Activity For Expression. *J Biol Chem*;281:35544–53.
- Amlung, S.R., Miller, W.L., Bosley, L.M., 2001. The 1999 National Pressure Ulcer Prevalence Survey: a Benchmarking Approach. *Advances in skin & wound care*;14:297–301.
- Balaka, R.A., 2017. Efektivitas Mukus Siput (*Achatina Fulica*) terhadap Penyembuhan Luka Insisi pada Punggung Mencit. Fakultas Kedokteran Gigi: Universitas Hasanuddin
- Bao, P., Kodra, A., Tomic-canic, M., *et al.*, (2010), The Role of Vascular Endothelial Growth Factor in Wound Healing. *Journal Surgery Research*; 153:347–358.
- Baum, C.L., Arpey, C.J., (2005). Normal Cutaneous Wound Healing: Clinical Correlation with Cellular and Molecular Events. *Dermato Surgical*; 31: 674-86
- Berniyanti, T., Waskito, E.B., Suwarno, (2007), Biochemival Characterization of an Antibacterial Glycoprotein from *A. fulica ferussac* Snail Mucus Local Isolate and Their Implication on Bacterial Dental Infection, *Indonesian Journal of Biotechnology*. 12: 943-951
- Bhusan. (2002), Tumour Necrosis Factor- α -Induced Migration of Human Langerhans Cells: The Influence of Ageing. *British Journal of Dermatology*
- Brem, H., Kodra, A., Golinko, M.S., (2009), Mechanism of Sustained Release of Vascular Endothelial Growth Factor in Accelerating Experimental Diabetic Healing, *Journal of Investigative Dermatology*; 129:2275-2287.
- Brem, H., Kodra, A., Golinko, M.S., *et al.* (2009) Mechanism of sustained release of vascular endothelial growth factor in accelerating experimental diabetic healing. *J Invest Dermatol*; 129: 2275-2287
- Detmar, M., Brown, L.F., Schon, M.P., *et al.*, (1998) Increased microvascular density and enhanced leukocyte rolling and adhesion in the skin of VEGF transgenic mice. *J Invest Dermatol*; 111: 1.
- Diegelmann, R.F., Evans, M.C. (2004), Wound Healing: An overview of Acute Fibrotic and Delayed Healing. *Front Biosci*. 9:283-89
- Dreher, F., Thiele, J., (2010). Antioxidants. dalam: Baran, R., Maibach, H.I.,: *Textbook of Cosmetic Dermatology 4th ed*, pp: 118, London :Informa Healthcare,

Elson, D.A., Ryan, H.E., Snow, J.W.(2000): Coordinate up-regulation of hypoxia inducible factor (HIF)-1alpha and HIF-1 target genes during multi-stage epidermal carcinogenesis and wound healing. *Cancer Res*; 60: 6189.

Eming, S.A., Krieg, T., (2006). Molecular Mechanisms of VEGF-A Action during Tissue Repair. *Journal of Investigative Dermatology Symposium Proceedings*; 11: 79–86.

Enhalm, B., Karpanen, T., Jeltsch, M.,(2001). Adenoviral Expression of Vascular Endothelial Growth Factor- C Induces Lymphangiogenesis in The Skin. *Circulation research*;88:623–9

Falanga, V., (2003), Mechanisms of Cutaneous Wound Repair, Dalam: Freedberg, I.M., Wolff, K., Eisen, A.Z., *et al.*, *Fitzpatrick's Dermatology In General Medicine. Edisi ke-6*. New York: Graw-Hill

Febriyanty, L., (2013). Pengaruh Lendir Bekicot (*Achatina fulica*) terhadap Proses Angiogenesis Penyembuhan Luka Eksisi Kulit Tikus Diabetic. Fakultas kedokteran : universitas Gdjah Mada

Galiano, R.D., Tepper, O.M., Pelo, C.R., *et al.*,(2004) Topical vascular endothelial growth factor accelerates diabetic wound healing through increased angiogenesis and by mobilizing and recruiting bone marrow-derived cells. *Am J Pathol*; 164:1935.

Gao, F., Yang, C.X., Mo, W., Liu, Y.W., He, Y.Q., (2008), Hyaluronan Oligosaccharides are Potential Stimulators to Angiogenesis via RHAMM Mediated Signal Pathway in Wound Healing. *Clinical and Investigative Medicine*; 31:106–116.

Gariboldi, S., Palazzo, M., Zanobbio, L., *et al.*, (2008), Low Molecular Weight Hyaluronic Acid Increase the Self Devence of Skin Epithelium by Induction of β - defensin 2 via TLR2 and TLR4. *The Journal of Immunology*;181;2103- 2110

Giunta, R.E., Holzbach, T., Taskov, C., *et al.* (2005) Ad-VEGF165 gene transfer increases survival in overdimensioned skin flaps. *J Gene Med*; 7: 297.

Gurtner, G.C., (2007), Wound Healing : Normal and Abnormal. Dalam: Thorne C.H., penyunting. *Grabb & Smith's Plastic Surgery*. Edisi ke-6. Philadelphia: Lippincott Williams & Wilkins.

Haragannavar, K.S.N., Augustine, V. C., Sowmya, D., Rao, S. V, Kumari, R. S., Pavithra, V., (2016). Immunohistochemistry : A Brief Review; 12: 25–29.

Harding, K.G., Morris, H.L., Patel, G.K., (2002). Healing Chronic Wounds. *BMJ* ;321:160-3

- Heldayana, C.R., (2013). Pengaruh Lendir Bekicot (*Achatina fulica*) terhadap Pembentukan Jaringan Granulasi pada Proses Penyembuhan Luka Eksisi Kulit Tikus Diabetic. Fakultas Kedokteran Universitas Gadjah mada.
- Hoeben, A.N.N., Landuyt, B., Highley, M.S.M., Wildiers, H., Oosterom, A.T.V.A.N., Bruijn, E.A.D.E., De Bruijn, E.A., (2004). Vascular Endothelial Growth Factor and Angiogenesis, *Pharmacological Reviews*; 56: 549–580.
- Hoffbrand, A.V., Pettit, J.E., Moss, P.A. H., (2005). *Kapita Selektta Hematologi edisi 4*, Jakarta: EGC
- Hu, M., Sabelman, E. E., Cao, Y., Chang, J., Hentz, V.R., (2003), Three-Dimensional Hyaluronic Acid Grafts Promote Healing and Reduce Scar Formation in Skin Incision Wounds, 1, 586–592.
- Hunt, K.T., (2003). Wound Healing, dalam: Doherty MG. *Current Surgical Diagnosis and Treatment 12th Ed*, p75-87, New York.: McGraw-Hill.
- Iqbal, K., Khan, A., Khattak, M.A.K., (2004). Biological Significance of Ascorbic Acid (Vitamin C) in Human health-A Review, *Pakistan Journal of Nutrition* 3:5-13.
- Jazwa, A., Kucharzewska, P., Leja, J., (2010), Combined Vascular Endothelial Growth Factor-A and Fibroblast Growth Factor 4 Gene Transfer Improves Wound Healing in Diabetic Mice, *Genetic Vaccine and therapy*; 8:6.
- Junqueira, L.C., Jose, C., Robert, O.K., (2016). *Histologi Dasar Edisi 8*, Jakarta: EGC
- Kachgal, S., Mace, A.K., Boudreau, J.N. (2012). The dual Roles of Homeobox Genes in Vascularization And Wound Healing. UK: *Landes Bioscience*,
- Kearns, M.T., Dalal, S., Horstmann, S.A., *et al.* (2012) Vascular endothelial growth factor enhances macrophage clearance of apoptotic cells. *Am J Physiol Lung Cell Mol Physiol*; 302: L711.
- Keast, D., Orsted H., 2001. The basic principles of wound healing. [http://www.cawc.net/open/library/clinical /Principles-of-Wound-Healing.pdf](http://www.cawc.net/open/library/clinical/Principles-of-Wound-Healing.pdf)
- Klein, M.B., (2007), Thermal, Chemical, and Electrical Injuries, dalam: Thorne, C.H., Grabb & Smith's *Plastic Surgery Edisi 6*, Philadelphia: Lippincott Williams & Wilkins.
- Kogan, G., Soltes, L., Stern, R., (2007), Hyaluronic Acid: A Natural Biopolymer with a Broad Range of Biomedical and Industrial Applications. *Biotechnol Lett*; 29:17–25

- Kondo, T., Ishida, Y., (2010), Molecular Pathology of Wound Healing. *Forensic Science International*; 203:93–98.
- Ku, D.D., Zaleski, J.K., Liu, S., (2002). Vascular Endothelial Growth Factor Induces EDRF-Dependent Relaxation In Coronary Arteries. *Am J Physiol*; 265:H586–92.
- Kumar, P., Kumar, S., Udupa, E.P., (2015). Role of Angiogenesis and Angiogenic Factors in Acute and Chronic Wound Healing, *Plastic and Aesthetic Research*; 2: 243.
- Lauer, G., Sollberg, S., Cole, M., *et al.*, (2000) Expression and proteolysis of vascular endothelial growth factor is increased in chronic wounds. *J Invest Dermatol*; 115: 12.
- Lin, C., Yin, G., Ou ,M., (2017), The Effect of HIF-1a and VEGF on Wound Healing in Diabetic Mice. *Biomed Res*; 28:18
- Lipman, N.S., Jackson, L.R., Trudel, L.J., (2005) Monoclonal Versus Polyclonal Antibodies: Distinguishing Characteristics, Applications, And Information Resources. *Ilar J.*; 46:258–68.
- Marks, J.R., James, G., (2006). Principle of Dermatology Fourth Ed, Philadelphia: Saunders Elsevier.
- Midwood, K.S., Williams, L.V., Schwarzbauer, J.E., (2004), Tissue Repair and The Dynamics of The Extracellular Matrix. *Int J Biochem Cell Biol*; 36: 1031-1037.
- Molnar, J., (2007), Nutritional Wound Healing, United States of America: CRC Press,
- Nguyen, D.T., Orgill, D.P., Murphy, G.F., (2009), The Pathophysiologic Basis for Wound Healing and Cutaneous Regeneration. *Biomaterials for Treating Skin loss*, Cambridge/Boca Raton: Woodhead publishing & CRC press,
- Nogami, M., Hoshi, T., Kinoshita, M., (2006), Vascular Endhotelial Growth Factor Expression in Rat Skin Incision Wound. *Med Mol Morphol*; 40:82-87
- Park, D., Kim, Y., Kim, H., *et al.*, (2012). Hyaluronic acid promotes angiogenesis by inducing RHAMM-TGF β receptor interaction via CD33-PKC δ . *Mol Cell*. 33(6):563-74
- Pereira, R.F., Barrias, C.C., Granja, P.L., Bartolo, P.J., (2013), Advanced Biofabrication Strategies for Skin Regeneration and Repair. *Nanomedicine*; 8: 603–621

- Petreaca, M.L., Yao, M., Ware, C., *et al.*, (2008): Vascular endothelial growth factor promotes macrophage apoptosis through stimulation of tumor necrosis factor superfamily member 14 (TNFSF14/LIGHT). *Wound Repair Regen*; 16: 602.
- Phillips, R., (2001), Wound Healing. dalam: Sabiston, *Textbook of Surgery. The Biological Basis of Modern Surgical Practice. Ed.16th*. Philadelphia: W.B.Saunders Inc,
- Preedy, K.F., Schofield, P.G., Liu, S., *et al.*, (2010), Modelling Contact Spread of Infection in Host-Parasitoid Systems: Vertical Transmission of Pathogens can cause Chaos. *J Theor Biol*; 262:441–51.
- Prihatman, K., (2000), Budidaya Bekicot. Proyek Pengembangan Ekonomi Pedesaan, Bappenas, Jakarta. Hal. 23-26
- Priyambodo, B., (2010). Efek Asam Hyaluronat pada Penyembuhan Luka Pasca Seksiosesarea di RSUP Dr Sardjito. Fakultas Kedokteran Universitas Gadjah Mada
- Purba T., (2010). Efek Kombinasi Vitamin C dan Lisat Trombosit pada Proliferasi Fibroblast dan Aktivitas Matriks Metalloproteinase pada Proses Penyembuhan Luka. Fakultas Kedokteran Univesitas Gadjah mada.
- Purnasari, P.W., Fatmawati, D., Yusuf, I., (2012), Pengaruh Lendir Bekicot (*Achatina fulica*) terhadap Jumlah Sel Fibroblast pada Penyembuhan Luka Sayat. Fakultas kedokteran:Universitas Sultan Agung Semarang.
- Purwosatrio, (2019). Pengaruh lendir *Achatina fulica* terhadap ekspresi gen bFGF dan VEGF dalam proses penyembuhan luka eksisis kulit tikus diabetic yang diinduksi streptozotocin. Universitas Gadjah Mada.
- Qing, C., (2017), The Molecular Biology in Wound Healing & Non-healing Wound. *Chinese Journal of Traumatology*; 20:189–193.
- Rachmawati, W.M., (2002). Efek Pemberian Obat Antiinflamasi Nonsteroid pada Penyembuhan Luka. *Majalah Cerill XI*; 2: 45-9.
- Rahmawati, F., Mayasari, D.A., Adhitioso, S., (2014). The Utilization of *Achatina fulica* Mucus in Alginate Membrane as Wound Healing Accelerator and Antiinfection Material. *Indonesian Journal of Tropical and infectious Disease*; 5:1
- Ridwan, F.R., (2013). Pengaruh Lendir Bekicot (*Achatina fulica*) terhadap Fase Inflamasi proses Penyembuhan Luka Eksisi Kulit Tikus Diabetic. Fakultas Kedokteran Univesitas Gadjah mada
- Rinastiti, M., (2003). Pengaruh Membran Amnion Terhadap Jumlah Sel Fibroblast pada Proses Penyembuhan Luka, *Jurnal Ked. Gigi Universitas Indonesia*; 10: 639-643.

- Romano, D.S., Mangoni, A., Zambruno, G., *et al.*, (2002) Adenovirus-mediated VEGF(165) gene transfer enhances wound healing by promoting angiogenesis in CD1 diabetic mice. *Gene Ther*; 9: 1271
- Sarpooshi, H.R., Haddadi, M., Siavoshi, M., (2017). Wound Healing with Vitamin C. *iMedPub*, 8:139
- Sen, C.K., Khanna, S., Babior, B.M., Hunt, T.K., *et al.*, (2002): Oxidant-induced vascular endothelial growth factor expression in human keratinocytes and cutaneous wound healing. *J Biol Chem*; 277: 33284.
- Shai, A., Maibach, A.I., (2005). Wound Healing and Ulcer of the Skin. New York: Springer
- Sherwood. L., (2001), Fisiologi Manusia dari Sel ke Sistem Ed 2 .EGC. Jakarta
- Slavkovsky, R., Kohlerova, R., Jiroutova, A.,(2010), Effects of Hyaluronan and Iodine on Wound Contraction and Granulation Tissue Formation in Rat Skin Wounds: Clinical Dermatology, *Clinical and Experimental Dermatology*; 35:373–379.
- Stadelmann, W.K., Digenis, A.G., Tobin, G.R., (1998), Physiology and Healing Dynamics of Chronic Cutaneous Wounds, *American Journal of Surgery*; 26S-38S.
- Stockmann, C., Kirmse, S., Helfrich, I., *et al.*,(2011). A wound size-dependent effect of myeloid cell-derived vascular endothelial growth factor on wound healing. *J Invest Dermatol*; 131: 797
- Suarni, E., Badri, P.R.A., (2016). Uji Efektivitas Lendir Bekicot (*Achatina fulica*) Dibandingkan dengan Povidone Iodine 10% terhadap Penyembuhan Luka Sayat (Vulnus Scissum) pada mencit (*Mus musculus*). Fakultas Kedokteran: Universitas Muhammadiyah Palembang
- Sulistyowati, S.D., Oktariani, M., (2015). Perbandingan Efektivitas Lendir Bekicot (*Achatina fulica*) dengan Kitosan terhadap Penyembuhan Luka. *Jurnal KesMaDaSka*
- Ulker, E., Parker, W.H., Raj, A., (2012). Ascorbic acid prevents VEGF-induced increases in endothelial barrier permeability. *Mol Cell Biochem*. 412(1-2):73-9
- Usman, R.A., Salikunna, N.A. (2015). Pengaruh Lendir Bekicot (*Achatina fulica*) terhadap Waktu Penutupan Luka Sayat (Vulnus Scissum) pada Mencit (*Mus musculus*). *Medika tadulako*; 2:1
- Veikkola, T., Jussila, L., Makinen, T., (2001). Signalling via Vascular Endothelial Growth Factor Receptor-3 is Sufficient for Lymphangiogenesis in Transgenic Mice. *The EMBO journal*; 20:1223–31.
- Vinci, M.C., Visentin, B., Cusinato, F., *et al.*, (2004), Effect Of Vascular Endothelial Growth Factor And Epidermal Growth Factor On Iatrogenic Apoptosis In Human Endothelial Cells. *Biochem Pharmacol*; 67:277–84

- Wells, C., Power, L., (2008), *Skin and Wound Care Manual*. New found land Labrador.
- Willenborg, S., Lucas, T., Van Loo G, et al. (2012). CCR2 recruits an inflammatory macrophage subpopulation critical for angiogenesis in tissue repair. *Blood*; 120: 613.
- Williamson, D., Harding, K.. (2001). Wound healing. *Medicine International*;1: 3-6.
- Wood, (2008), *Scar management 2008: The turning point*, A report from the 2nd SCAR Meeting, Faculty of Medicine, Montpellier, France
- World Health Organization, (1993), *Research guidelines for evaluating the safety and efficacy of herbal medicine*, New York: p40-4.
- Yan, X., Chen B. Lin Y., (2010), Acceleration of Diabetic Wound Healing by Collagen-binding Vascular Endothelial Growth Factor in Diabetic Rat Model. *Diabetes Research and Clinical Practice*; 90:66-72.
- Zaleski, K.J., Kolodka, T., Cywes-Bentley, C.M., (2006). Hyaluronic Acid Binding Peptides Prevent Experimental Staphylococcal Wound Infection, *Antimicrobial Agents and Chemotherapy*, Nov. 2006, p. 3856– 3860