

## DAFTAR PUSTAKA

- Aya, K.L., Stern R., (2014). Hyaluronan in wound healing: Rediscovering a major player. *Wound Repair Regen.* 22(5):579–93.
- Bachsinar, B. (1992). Bedah minor. Universitas Gadjah Mada, Yogyakarta.
- Balaka, R.A., (2017). Efektivitas Mukus Siput (*Achatina fulica*) terhadap Penyembuhan Luka Insisi pada Punggung Mencit. Fakultas Kedokteran Gigi: Universitas Hasanuddin.
- Baumann, L., (2009). *Cosmetic Dermatology* 2nd ed, pp: 58, McGraw-Hill, New York.
- Berg R.A., Prockop, D.J., (1973). The thermal transition of a non- hydroxylated Form of Collagen: Evidence for a role for Hydroxyproline in Stabilizing the triple-helix of Collagen. *BiochemBiophys Res Commun.* 52:115-120.
- Berniyanti, T., Waskito, E.B., Suwarno, (2007). Biochemival Characterization of an Antibacterial Glycoprotein from *Achatina fulica* ferussac Snail Mucus Local Isolate and Their Implication on Bacterial Dental Infection, *Indonesian Journal of Biotechnology.* 12: 943-951
- Bhattacharyya, B., Das, M., Mishra, H., Nath, D.J., (2014). Bioecology and management of giant African snail, *Achatina fulica*. *Int J Plant Prot.* 7(2):476–81.
- Bhusan. (2002). Tumour Necrosis Factor- $\alpha$ -Induced Migration of Human Langerhans Cells: The Influence of Ageing. *British Journal of Dermatology*
- Burke, K.E., (2010). Photodamage: Protection And Reversal With Topical Antioxidants. In: Baran, R., Maibach, H.I.,: *Textbook of Cosmetic Dermatology 4th ed*, pp: 206-207, Informa Healthcare, London.
- Chow, O., Barbul, A.. (2014). Immunonutrition : Role in Wound Healing and Tissue Regeneration.,3(1):46–53.
- Cowie, R. H., (2010). Issg Database: Etiology of *Achatina fulica*. [www.issg.org/database/species/](http://www.issg.org/database/species/), diakses 30 September 2018 pukul 21.30.
- Dreher, F., Thiele, J., (2010). Antioxidants. dalam: Baran, R., Maibach, H.I.,: *Textbook of Cosmetic Dermatology 4th ed*, pp: 118, London :Informa Healthcare,
- Ehara, T. ,Kitajima,S., Kanzawa, N., , (2002). Antimicrobial action of achacin is mediated by L-amino acid oxidase activity. *FEBS Letters.* 531(2) :509-512
- Engmann, F.N., Afoakwah, N.A., Darko, P.O., (2013). Proximate and mineral composition of snail (*Achatina achatina*) meat; Any nutritional justification for acclaimed health benefits? *J Basic Appl Sci Res.* 3(4):8–15.
- Falanga, V., (2003). Mechanisms of Cutaneous Wound Repair, Dalam: Freedberg, I.M., Wolff, K., Eisen, A.Z., *et al.*, *Fitzpatrick's Dermatology In General Medicine*. Edisi ke-6. New York: Graw-Hill



Febrianty, L., (2013). Pengaruh Lendir Bekicot (*Achatina Fulica*) terhadap Proses Angiogenesis Penyembuhan Luka Eksisi Kulit Tikus Diabetic. Fakultas Kedokteran : Universitas Gadjah Mada

Ferguson, M.W.J., Leigh, I.M., (2002), Wound healing, dalam: Champion, R.H., Burton, J.L., Burns, D.A., Breathnach, S.M., *Textbook of Dermatology*, Edisi 6, London: Blackwell Science Ltd;p337-43

Gao, F., Yang, C.X., Mo, W., (2008). Hyaluronan Oligosaccharides are Potential Stimulators to Angiogenesis via RHAMM Mediated Signal Pathway in Wound Healing. *Clinical and Investigative Medicine*. 31:106–116.

Gariboldi, S., Palazzo, M., Zanobbio, L., (2008). Low Molecular Weight Hyaluronic Acid Increase the Self Devence of Skin Epithelium by Induction of  $\beta$ - defensin 2 via TLR2 and TLR4. *The Journal of Immunology*. 181;2103- 2110.

Gaspard, K.J., (2004). Disorder of hemostasis, dalam mattson porth, carol.2004. Pathofisiology of altered health states, seventh edition. Lippincott Williams and wilkins. Philadelphia. United states of America.

Gerber, H.P., Condorelli, F., Park, J.,(1997). Differential Transcriptional Regulation of The Two Vascular Endothelial Growth Factor Receptor Genes. Flt-1, but not Flk-1/KDR, is up-regulated by hypoxia. *J Biol Chem*. 272:23659–67.

Ghosh, A.K., Hirasawa, N., Lee, Y.S., (2002). Inhibition by acharan sulphate of angiogenesis in experimental inflammation models. *British Journal of Pharmacology*. 137(4):441-8.

Gonzalez, A.C de O., Costa, T.F., Andrade, Z de A.,(2016). Wound healing - A literature review. *An Bras Dermatol* . 91(5):614–20.

Gurtner, G.C., (2007). Wound Healing: Normal and Abnormal. Dalam: Thorne C.H., penyunting. Grabb & Smith's Plastic Surgery. Edisi ke-6. Philadelphia: Lippincott Williams & Wilkins

Hachisevki, A., (2009). An Overview of Ascorbic Acid Biochemistry. *J. Fac. Pharm.*, Ankara; 38 (3) 233-255.

Harding, K.G., Morris, H.L., Patel, G.K., 2002. Healing Chronic Wounds. *BMJ*. 321:160-3.

Harper, D., Young, A., McNaught, C., (2014). The physiology of wound healing. *Surgery*. 32 (9): 445-50.

Heldayana, C.R., (2013). Pengaruh Lendir Bekicot (*Achatina Fulica*) terhadap Pembentukan Jaringan Granulasi pada Proses Penyembuhan Luka Eksisi Kulit Tikus Diabetic. Fakultas Kedokteran Univesitas Gadjah Mada.

Hoffbrand, A.V., Pettit, J.E., Moss, P.A. H., (2005). Kapita Seleкта Hematologi edisi 4, Jakarta: EGC.



- Hu, M., Sabelman, E. E., Cao, Y., Chang, J., *et al.*, (2003). Three-Dimensional Hyaluronic Acid Grafts Promote Healing and Reduce Scar Formation in Skin Incision Wounds. 1, 586–592.
- Humbert, P.G., Haftek, M., Creidi, P., *et al.*, (2003). Topical ascorbic acid on photoaged skin. Clinical, topographical and ultrastructural evaluation: double-blind study vs. placebo. *Experimental Dermatology*. 12(3):237–44. 10.1034/j.1600-0625.2003.00008.x
- Hyman, L.H. (1974). *The Invertebrates. Volume VI, Mollusca I.* Mc. Graw-Hill Book Company, New York.
- Iqbal, K., Khan, A., Khattak, M.A.K., (2004). Biological Significance of Ascorbic Acid (Vitamin C) in Human health-A Review, *Pakistan Journal of Nutrition* 3:5-13.
- Joo, E.J., Dam, G.B., Kuppevelt, T.H.V., *et al.*, (2004). Nucleolin: a chondroitin sulfate-binding protein on the surface of cancer cell. *Glycobiology*. 15(1): 1-9.
- Junqueira, L.C., Jose, C., Robert, O.K., (1998). *Histologi Dasar Edisi 8*, Jakarta: EGC.
- Kamer, E., Unalp. H.R., Gundogan, O., (2010). Effect of ascorbic acid on incisional wound healing in streptozotocin-induced diabetic rats. *Wounds*. 22(2): 27-31.
- Kim, Y.S., Jo, Y.Y., Chang, I.M, *et al.*, (1996). A New Glycosaminoglycan from The Giant African Snail *Achatina fulica*. *The Journal of Biological Chemistry*. 271:11750-55.
- Klein, M.B., (2007), *Thermal, Chemical, and Electrical Injuries*, dalam: Thorne, C.H., Grabb & Smith's plastic surgery Edisi 6, Philadelphia: Lippincott Williams & Wilkins.
- Kogan, G., Soltes, L., Stern, R., *et al.*, (2007), Hyaluronic Acid: A Natural Biopolymer with a Broad Range of Biomedical and Industrial Applications. *Biotechnol Lett*; 29:17–25
- Kondo, T., Ishida, Y., (2010), Molecular Pathology of Wound Healing. *Forensic Science International*; 203:93–98.
- Konerding, M.A., Ziebart, T., Wolloscheck, T., *et al.*, (2012). Impact of single dose application of TGF B copper peptide, stanozolol and ascorbic in hydrogel on midline laparotomy wound healing in a diabetic mouse model. *International journal of molecular medicine*. 30: 271-276
- Kumar, P., Kumar, S., Udupa, E.P., Kumar, U., *et al.*, (2015). Role of Angiogenesis and Angiogenic Factors in Acute and Chronic Wound Healing, *Plastic and Aesthetic Research*. 2: 243.
- Lima, C.C., Pereira, A.P.C., Silva, J.R.F., *et al.*, (2009). Ascorbic Acid for the Healing of Skin Wounds in Rats, *Brazilian Journal of Biology* vol.69, no.4, November 2009
- Litwiniuk, M., Krejner, A., Speyrer, M.S., *et al.*, (2016). Hyaluronic Acid in Inflammation and Tissue Regeneration. *Wounds*. 28(3):78-88.



MacKay, D., Miller, A.L, (2003). Nutritional support for wound healing. *Altern Med Rev.* 8(4):359–77.

Mangunsudirdjo, S., Ghozali, A., Harijadi *et al.*, (2001). *Buku Kuliah Patologi Umum*.ed.1. Penerbit Bagian PA FK UGM, Jogjakarta.h.103-9

Marks, J.R., James, G., (2006). *Principle of Dermatology Fourth Ed*, Philadelphia: Saunders Elsevier

Mc Regan & Barbul, A., (2005). *Wound Heling*.  
<http://www.Orthoteers.co.uk/Nurj~ij33lm/orthwound.htm.6/> 22/2005.

Murray, R.K., Granner, D.K., & Rodwell, V.W. 2009. *Biokomia Harper (27ed)*. Jakarta: Buku Kedokteran EGC

Nadji, M.,(1986), *Immunoperoxidase Techniques. I. Facts and Artifacts. Am J Dermatopathol*; 8:32–6

Oroh, C.G., Pangemanan, D.H.C., Mintjelungan, C.N., (2015). Efektivitas lendir bekicot (*Achatina fulica*) terhadap jumlah sel fibroblas pada luka pasca pencabutan gigi tikus wistar. *Jurnal e-GiGi.* 3(2):515-520.

Orsted, H.L., Keast, D., Forest-Lalade, L., *et al.*, (2004). The basic principles of wound care. *Wound Care Canada*; 9 (2): 4-12.

Park, Y., Zhang, Z., Tatiana, N, *et al.*, (2008) Variation of acharan sulfate and monosaccharide composition and analysis of neutral N-glycans in African giant snail (*Achatina fulica*). *National Institute of Health Glycocon Journal* 25(9): 863–877

Pereira, R.F., Barrias, C.C., Granja, P.L.,*et al.*, (2013), *Advanced Biofabrication Strategies for Skin Regeneration and Repair, Nanomedicine*; 8: 603–621

Peterkofsky, B.,(1991), *Ascorbate Requirement for Hydroxylation and Secretion of Procollagen: Relationship to Inhibition of Collagen Synthesis in Scurvy. Am J Clin Nutr.*54:1135

Phillips, R., (2001). *Wound Healing. dalam: Sabiston, Textbook of Surgery. The Biological Basis of Modern Surgical Practice. Ed.16th. Philadelphia: W.B.Saunders Inc,*

Pinnell, S.R., Yang, H., Omar, M., *et al.*, (2001). *Topical L-Ascorbic Acid: Percutaneous Absorption Studies, Dermatol Surg.* 2001 Feb;27(2):137-42.

Prihatman, K., (2000) *Budidaya Bekicot. Proyek Pengembangan Ekonomi Pedesaan, Bappena, Jakarta. Hal. 23-26.*

Priyambodo, B., (2010). *Efek Asam Hialuronat pada Penyembuhan Luka Pasca Seksiosesarea di RSUP Dr Sardjito. Fakultas Kedokteran Universitas Gadjah Mada.*

Puratchikody, A., Nithya, D.C., Nagalakshmi, G. (2006). Wound healing activity of cyperus rotundus linn. *Indian Journal of Pharmaceutical Sciences*. 68(1): 97-101.

Purba, T., (2010). Efek Kombinasi Vitamin C dan Lisat Trombosit pada Proliferasi Fibroblast dan Aktivitas Matriks Metalloproteinase pada Proses Penyembuhan Luka. Fakultas Kedokteran Univesitas Gadjah Mada.

Purnasari, P.W., Fatmawati, D., Yusuf, I., (2012). Pengaruh lendir bekicot (*Achatina fulica*) terhadap jumlah sel fibroblast pada penyembuhan luka sayat. Fakultas Kedokteran: Universitas Sultan Agung Semarang.

Qing, C., (2017), The Molecular Biology in Wound Healing & Non-healing Wound. *Chinese Journal of Traumatology*; 20:189–193.

Radiopoetra. (1983). Zoologi. Cetakan kedua. Penerbit Sapdadi N.V. Erlangga, Surabaya.

Rahmawati, F., Mayasari, D.A., Adhitioso, S., (2014). The Utilization of *Achatina fulica* Mucus in Alginate Membrane as Wound Healing Accelerator and Antiinfection Material. *Indonesian Journal of Tropical and infectious Disease*; 5:1.

Ridwan, F.R., (2013). Pengaruh Lendir Bekicot (*Achatina fulica*) terhadap Fase Inflamasi proses Penyembuhan Luka Eksisi Kulit Tikus Diabetic. Fakultas Kedokteran Univesitas Gadjah Mada.

Sari, W.P., (2013), Pengaruh lendir bekicot (*Achatina fulica*) terhadap fase epithelisasi proses penyembuhan luka eksisi kulit tikus diabetic. Fakultas Kedokteran: Univesitas Gadjah Mada

Sarpooshi, H.R., Haddadi, M., Siavoshi, M., (2017). Wound Healing with Vitamin C. *iMedPub*, 8:139.

Shai, A., Maibach, A.I., (2005). Wound Healing and Ulcer of the Skin. New York: Springer.

Singer, A.J., Clark, R.A.F., (1999). Cutaneous Wound Healing. *NEnglJMed* ;341:738-46.

Slavkovsky, R., Kohlerova, R., Jiroutova, A., *et al.*, (2010) Effects of Hyaluronan and Iodine on Wound Contraction and Granulation Tissue Formation in Rat Skin Wounds: *Clinical Dermatology, Clinical and Experimental Dermatology*. 35:373–379.

Suarni, E., Badri, P.R.A., (2016). Uji Efektivitas Lendir Bekicot (*Achatina Fulica*) Dibandingkan dengan Povidone Iodine 10% terhadap Penyembuhan Luka Sayat (Vulnus Scissum) pada mencit (*Mus Musculus*). Fakultas Kedokteran: Universitas Muhammadiyah Palembang.

Sulistyowati, S.D., Oktariani, M., (2015). Perbandingan Efektivitas Lendir Bekicot (*Achatina fulica*) dengan Kitosan terhadap Penyembuhan Luka. *Jurnal KesMaDaSka* .

Suyatna, F.D, Syamsudin, U., (1995). Serotonin dan Antiserotonin, dalam Sulistia G. Ganiswara. *Farmakologi dan Terapi*. Edisi 4. Bagian Farmakologi, Universitas Indonesia, Jakarta.



UNIVERSITAS  
GADJAH MADA

**Pengaruh Aplikasi Asam Hialuronat, Asam Askorbat, dan Gel Lendir Bekicot Terhadap Ketebalan Epitel**

**pada Proses Penyembuhan Luka Insisi Kulit Tikus Albino Galur Wistar (*Rattus norvegicus*)**

RISKI WIBOWO, Dr. dr. Ishandono Dachlan, MSc, Sp.B, Sp.BP-RE (K); Dra. Dewajani Purnomosari, M.Si, PhD

Universitas Gadjah Mada, 2020 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Thiruvoth F, Mohapatra D, Sivakumar D, *et al.*, (2010) Current concepts in the physiology of adult wound healing. *Plast Aesthetic Res.* 2(5):250.

Torre, J., Sholar, A., (2006). Wound Healing, Chronic Wounds. eMedicine Web MD. <http://www.emedicine/woundhealinwg/chronicwound.html>.

Usman, R.A., Salikunna, N.A. (2015). Pengaruh Lendir Bekicot (*Achatina fulica*) terhadap Waktu Penutupan Luka Sayat (Vulnus Scissum) pada Mencit (*Mus musculus*). *Medika tadulako* 2:1.

Velnar T, Bailey T, Smrkolj V., (2009). The wound healing process: an overview of the cellular and molecular mechanisms. *J Int Med Res.* 37(5):1528–42.

Vieira, T.C.R.G., Filho, A.C., Salgado, N.C., *et al.*, (2004). Acharan sulfate, the new glycosaminoglycan from *Achatina fulica* Bowdich 1822 Structural heterogeneity, metabolic labeling and localization in the body, mucus and the organic shell matrix. *European Journal Biochemistry.* 271(1): 845–854

Wells, C., Power, L., (2008). *Skin and Wound Care Manual*. New found land Labrador.

Werner, S., Grose, R., (2002). Regulation of Wound Healing by Growth Factors and Cytokines. *Physiological Reviews.* 83:835-70.

Williamson, D., Harding, K., (2001). Wound healing. *Medicine International*;1: 3-6.

Wood, (2008), Scar management 2008: The turning point, A report from the 2nd SCAR Meeting, Faculty of Medicine, Montpellier, France.

Yousef, H., Sharma, S., (2017). Anatomy, Skin (Integument), Epidermis. *StatPearls*

Zhong, J., Wang, W., Yang, X., *et al.*, (2013). A novel cysteine-rich antimicrobial peptide from the mucus of the snail of *Achatina fulica*. *Peptides.* 39:1-5..