

## DAFTAR PUSTAKA

- Abe, K., Iwamoto, S., & Yano, H., 2007, Obtaining Cellulose Nanofibers with a Uniform Width of 15 nm from wood, *Biomacromolecules* 2007, 8, 3276-3278.
- Abraham, E., Deepa, B., Pothan., L. A., Jacob, M., Thomas, S., Cvelbar, U., & Anandjiwala, R., 2011, Extraction of nanocellulose fibrils from lignocellulosic fibers: A novel approach, *Carbohydrate Polymers*, Volume 86, pp. 1468-1475
- Abrial, H., Putra, G., Asrofi, M., Park, J., & Kim, H., 2018, Effect of vibration duration of high ultrasound applied to bio-composite while gelatinized on its properties, *Ultrasonics - Sonochemistry* 40 (2018) 697–702.
- Aruchamy, K., Mahto, A., & Nataraj, S. K., 2018, Electrospun nanofibers, nanocomposites and characterization of art: Insight on establishing fibers as product, *Nano-Structures & Nano-Objects*, 16 (2018) 45–58.
- Askeland, D., R., Fulay, P., P., & Wright, W., J., 2010, *The Science and Engineering of Materials*, 6<sup>th</sup> Edition, Cengage Learning Inc., USA.
- Chen, W., Yu, H., Liu, Y., Chen, P., Zhang, M., & Hai, Y., 2011, Individualization of cellulose nanofibers from wood using high-intensity ultrasonication combined with chemical pretreatment, *Carbohydrate Polymers* 83 (2011) 1804-1811.
- Darmanto, S., Rochardjo, H., B., Jamasri & Widyorini, R., 2016, effect of alkali and steaming on mechanical properties of snake fruit (salacca) fiber, *International conference on engineering, science, and nanotechnology*, p. 978
- Ferrer, A., Pal, L., & Hubbe, M., 2017, Nanocellulose in packaging: Advances in barrier layer technologies, *Industrial Crops and Products*, 95 (2017) 574–582.
- Gibson, R., F., 2012, *Principles of Composite Material Mechanics*, 3<sup>rd</sup> Edition, CRC Press, Boca Raton, Florida.
- Goudarzi, E., H., Montazer, M., Latifi, M., & Aghaji, A., G., 2014, Electrospinning of chitosan/sericin/PVA nanofibers incorporated within situ synthesis of nano silver, *Carbohydrate Polymers*, 113 (2014) 231–239.
- Hardjono, S., 2011, *Spektroskopi*, 2<sup>nd</sup> edition, Liberty Yogyakarta.
- Heinze, T., El Seoud, O. A., & Koschella, A., 2018, Production and Characteristics of Cellulose from Different Sources.

- Hulupi, M., & Haryadi, 2018, Synthesis and Characterization of Electrospinning PVA Nanofiber-Crosslinked by Glutaraldehyde, *Materials Today: Proceedings*, 13 (2019) 199–204.
- Ilyas, R. A., Sapuan, S. M., & Ishak, M. R., 2018, Isolation and Characterization of Nanocrystalline Cellulose from Sugar Palm Fibers (*Arenga Pinnata*), *Carbohydrate Polymers*, 181 (June 2017), 1038-1051.
- Jeong, J. S., Moon, J. S., Jeon, S. Y., Park, J. H., Alegaonkar, P. S., & Yoo, J. B., 2007, Mechanical properties of electrospun PVA/MWNTs composite nanofibers, *Thin Solid Films* 515 (2007) 5136–5141.
- Khalil, A., Davoudpour, Y., Islam, M., N., Mustapha, A., Sudesh, K., Dungani, R., & Jawaid, M., 2014, Production and modification of nanofibrillated cellulose using various mechanical process: A review, *Carbohydrate polymers* 99 (2014) 649-665.
- Kim, J. H., Sim, B. S., Kim, H. S., Lee, Y., Min, S. K., Jang, D., Abas, Z., & Kim, J., 2015, Review of Nanocellulose for Sustainable Future Materials, *International Journal of Precision Engineering and Manufacturing-Green Technology*, Vol. 2, No. 2, pp. 197-213.
- Kim, U., Eom, S., & Wada, M., 2010, Thermal decomposition of native cellulose: Influence on crystallite size, *Polymer Degradation and Stability* 95 (2010) 778e781.
- Klemm, D., Kramer, F., Moritz, S., Lindstrom, T., Ankenfors, M., Gray, D., & Dorris, A., 2011, Nanocelluloses: A New Family of Nature-Based Materials, *Reviews nanogreen material*, 50, 5438 – 5466.
- Kumar, A., Negi, Y. S., Bhardwaj, N. K., & Choudry, V., 2014, Characterization of Cellulose Nanocrystals Produced by Acid-Hydrolysis from Sugarcane Bagasse as Agro-Waste, *Journal of Materials Physics and Chemistry*, 2 (1), 1-8.
- Langer, R., & Vacanti, J., P., 1993, Tissue Engineering, *Science*, 1993;260:920–926.
- Listyanda, R., F., Kusmono, Wildan, M., W., & Ilman, M., N., 2020, Extraction and Characterization of Nanocrystalline Cellulose (NCC) from Ramie Fiber by Sulphuric Acid Hydrolisis, *AIP Conference Proceedings* 2217, 030069.
- Lu, Y., Weng, L., & Cao, X., 2006, Morphological, thermal and mechanical properties of ramie crystallites—reinforced plasticized starch biocomposites, *Carbohydrate Polymers* 63 (2006) 198–204.
- Maiti, S., Jayaramudu, Das, K., Reddy, S. M., Sadiku, R., Ray, S. S., & Liu, D., 2013, Preparation and Characterization of Nano-cellulose with New Shape from Different Precursor, *Carbohydrate polymers*, 98 (2013) 562-567.

- Marin, E., Rojas, J., & Ciro, Y., 2014, A Review of Polyvinyl Alcohol Derivatives: Promising Materials for Pharmaceutical and Biomedical Applications, *African Journal of Pharmacy and Pharmacology*, Vol. 8(24), pp. 674-684, ISSN 1996-0816.
- Marret, J., Aning, A., & Foster, J., 2017, The isolation of cellulose nanocrystals from pistachio shells via acid hydrolysis, *Industrial Crops & Products* 109 (2017) 869-874.
- Marsyahyo, E., Soekrisno, R., Rochardjo, H.S.B., & Jamasri, 2009, Primary Investigation on Bulletproof Panels Made from Ramie Fiber Reinforced Composites for NIJ Level II, IIA, and IV, *Journal of Industrial Tech. Vol.39*, No.1. pp. 13-26.
- Mendes, C. A. D. C., Ferreira, N. M. S., Furtado, C. R. G., & De Sousa, A. M. F., 2015, Isolation and Characterization of Nanocrystalline Cellulose from Corn Husk, *Materials Letters*, 148, 26-29.
- Meng Ng, H., Sin, L., T., Tee, T., Bee, S., Hui, D., Low, C., & Rahmat, A., R., 2015, Extraction of cellulose nanocrystals from plant sources for application as reinforcing agent in polymers, *Composites Part B* 75 (2015) 176e200.
- Neto, W. P. F., Ogawa, Y., Pasquini, D., Mariano, M., Putaux, J. L., Otaguro, H., & Dufresne, A., 2016, Comprehensive morphological and structural investigation of cellulose I and II nanocrystals prepared by sulphuric acid hydrolysis. *RSC advances*, 6(79), 76017-76027,
- Ngadiman, N., H., K., Noordin, M., Y., Idris, A., Shakir, A., A., S., & Kurniawan, D., 2015, Influence of polyvinyl alcohol molecular weight on the electrospun nanofiber mechanical properties, *Procedia Manufacturing* 2 (2015) 568 – 572.
- Oliviera, F. B., Bras, J., Pimenta, M. T. B., Curvelo, A. A. S., & Belgacem, M. N., 2016, Production of Cellulose Nanocrystals from Sugarcane Bagasse Fibers and Pith, *Industrial Crops and Product*, 93 (2016) 48-57.
- Pelissari, F. M., Sobral, P. J. A., & Menegalli, F. C., 2014, Isolation and characterization of cellulose nanofibers from banana peels, *Cellulose* (2014) 21:417–432
- Prizlanto, G. & Rochardjo, H., S., B., 2014, Pembuatan Nanofiber Serat Rami (Bohmeria Nivea) Dengan Metode Semimekanis, *Prosiding SNaPP 2014 Sains, Teknologi, dan Kesehatan*, ISSN 2089-3582 | EISSN 2303-2480.
- Predeanu, G., Popescu, G., L., Abagiu, T., A., Panaitescu, C., Valentim, B., & Guedes, A., 2016, Characterization of bottom ash of Pliocene lignite as ceramic composites raw material by petrographic, SEM/EDS and Raman microspectroscopical methods, *International Journal of Coal Geology*, 168 (2016) 131–145.

- Purwati, R. D., 2010, Strategi Pengembangan Rami (*Boehmeria nivea* Gaud.), *Perspektif* Vol. 9 No. 2 / Desember 2010. Hlm 106 – 118, ISSN: 1412-8004
- Rezaei, A., Tavanai, H., & Nasirpour, A., 2016, Fabrication of electrospun almond gum/PVA nanofibers as athermostable delivery system for vanillin, *International Journal of Biological Macromolecules*, 91 (2016) 536–543.
- Sanders, J., E., Han, Y., Rushing, T., S., & Gardner, D., J., 2019, Electrospinning of Cellulose Nanocrystal-Filled Poly (Vinyl Alcohol) Solutions: Material Property Assessment, *Nanomaterials* 2019, 9, 805.
- Schaffer, J., Saxena, A., Antolovich, S., D., Sanders, T., H., & Warner, S., B., 1999, *The Science and Design of Engineering Materials*, 2<sup>nd</sup> Edition, WCB/McGraw-Hill.
- Segal, L., Creely, J. J., Martin, A. E., & Conrad, C. M., 1959, An empirical method for estimating the degree of crystallinity of native cellulose using the X-ray Diffractometer, *Textile Research Journal*, 29 (10), 786-794.
- Shamskar, R. K., Heidari, H., & Rashidi, A., 2016, Preparation and Evaluation of Nanocrystalline Cellulose Aerogels from Raw Cotton and Cotton Stalk, *Industrial Crops and Products*, 93, 203-211.
- Sharma, A., Thakur, M., Bhattacharya, M., Mandal, T., & Goswami, S., 2018, Commercial Application of Cellulose Nano-composites – A review, *Biotechnology Reports*.
- Sheltami, R. M., Abdullah, I., Ahmad, I., Dufresne, A., & Kargarzadeh, H., 2012, Extraction of Cellulose Nanocrystal from Mengkuang Leaves (*Pandanus Tectorius*), *Carbohydrate Polymers*, 88 (2012) 772-779.
- Silverio, H. A., Neto, W. P. F., Dantas, N. O., & Pasquini, D., 2013, Extraction and Characterization of Cellulose Nanocrystal from Corn cob for Application as Reinforcing Agent in Nanocomposites, *Industrial Crops and Products*, 44 (2013) 427-436.
- Sousa, A., M., Souza, H., K., Uknalis, J., Liu, S., Goncalves, M., P., & Liu, L., 2015, Electrospinning of agar/PVA aqueous solutions and its relation with rheological properties, *Carbohydrate Polymers* 115 (2015) 348–355.
- Subair, N., Jinita, V. S., Balan, A. K., T. V., E., P., & M. P. S., 2017, Isolation and Characterization of Cellulose Nanocrystals from Sago Seed Shells. *Carbohydrate Polymers*, 180, 13-20.
- Sukmawan, R., Wildan, M., W., Saputri, L., H., Rochmadi, & Rochardjo, H., S., B., 2019, Microfibrillated Cellulose Extraction from Bagasse Using a Modified Kitchen Blender, *Materials Science Forum*, ISSN: 1662-9752, Vol. 948, pp 186-191.
- Syafri, E., Kasim, A., Abral, H., Sudirman, Sulungbudi, G., Sanjay, M., R., & Sari, N., H., 2018, Synthesis and characterization of cellulose nanofibers (CNF)

- ramie reinforced cassava starch hybrid composites, *International Journal of Biological Macromolecules* 120 (2018) 578–586.
- Tsujiyama, S., Nitta, T., & Maoko, T., 2011, Biodegradation of polyvinyl alcohol by *Flammulina velutipes* in an un submerged culture, *Journal of Bioscience and Bioengineering*, Vol. 112 No. 1, 58-62
- Vendy, Y., 2018, *Fabrikasi film nanokomposit berbasis PVA dan nanoselulosa dari serat pelepah salak*, Universitas Gadjah Mada, Yogyakarta.
- Wulandari, W. T., Rochliadi, A., & Arcana, I. M., 2016, Nanocellulose Prepared by Acid Hydrolysis of isolated cellulose from sugarcane bagasse, *IOP Conference Series: Materials Science and Engineering*, 107(1).
- Xiao, S., Gao, R., Gao, L., & Li, J., 2016, Poly (vynil alcohol) films reinforced with nanofibrillated cellulose (NFC) isolated from corn husk by high intensity ultrasonication, *Carbohydrate Polymers*, 136 (2016) 1027-1034.
- Xie, H., Du, H., Yang, X., & Si, C., 2018, Recent Strategies in Preparation of Cellulose Nanocrystals and Cellulose Nanofibrils Derived from Raw Cellulose Materials, *International Journal of Polymer Science*, Volume 2018, Article ID 7923068, 25 pages.
- Xie, J., Hse, C., Hoop, C., Jinqiu, T., & Shupe, T., 2016, Isolation and characterization of cellulose nanofibers from bamboo using microwave liquefaction combined with chemical treatment and ultrasonication, *Carbohydrate Polymer*, S0144-8617(16)30674-9.
- Yan, S., Li, X., Dai, J., Wang, Y., Wang, B., Lu, Y., Shi, J., Huang, P., Gong, J., & Yao, Y., 2017, Electrospinning of PVA/sericin nanofiber and the effect on epithelial-mesenchymal transition of A549 cells, *Materials Science and Engineering C* 79 (2017) 436–444.
- Yang, D., Li, Y., & Nie, J., 2007, Preparation of gelatin/PVA nanofibers and their potential application in controlled release of drugs, *Carbohydrate Polymers* 69 (2007) 538–543.
- Yudha, V., Rochardjo, H. S. B., Jamasri, Widyorini, R., Yudhanto, F., & Darmanto, S., 2018, Isolation of cellulose from salacca midrib fibers by chemical treatments, *IOP Conf. Series: Materials Science and Engineering* 434 (2018) 012078.
- Yudhanto, F., Jamasri, & Rochardjo, H., S., B., 2018, Physical and Thermal Properties of Cellulose Nanofibers (CNF) Extracted from Agave Cantala Fibers Using Chemical-Ultrasonic Treatment, *International Review of Mechanical Engineering (I.R.E.M.E.)*, Vol. 12, N. 7. ISSN 1970 – 8734.
- Zhang, X., Tang, K., & Zheng, X., 2016, Electrospinning and Crosslinking of COL/PVA Nanofiber-microsphere Containing Salicylic Acid for Drug Delivery, *Journal of Bionic Engineering* 13 (2016) 143–149