

## DAFTAR PUSTAKA

- Aliah, A., Kuswara F, Limoa R, dan Wusang, 2003, *Gangguan Peredaran Darah Otak dalam Kapita selekta neurologi (2nd ed.)*, 79-202, Gajahmada University Press, Yogyakarta.
- Aleksic, D.Z., Jankovic, S.M., Mlosavljevic, M.N., Toncev, G.L., Drakulic, S.D.M., Stefanovic, S.M., 2019. Potential Drug-drug Interactions in Acute Ischemic Stroke Patients at the Neurological Intensive Care Unit. *Open Medicine*. 14: 813-826.
- Anderson, J.L., Halperin, J.L., Albert, N.M., Bozkurt, B., Brindis, R.G., Curtis, L.H., et al., 2013. ACCF / AHA Practice Guideline Management of Patients With Atrial Fibrillation (Compilation of 2006 ACCF / AHA / ESC and 2011 ACCF / AHA / HRS Recommendations) A Report of the American College of Cardiology / American Heart Association Task Force on Practice Guidelines 2011. *Circulation* 127:1916–1926.
- Anonim, 2018, Kebijakan dan Strategi Pencegahan dan Pengendalian Stroke di Indonesia, *Direktorat Jendral Pencegahan dan Pengendalian Penyakit Kementrian Kesehatan RI*, Jakarta.
- Anonim, 2018, Riset Kesehatan Dasar (Riskesdas) 2018, *Badan Penelitian dan Pengembangan Kesehatan Kementrian Kesehatan RI*, Jakarta.
- Camm AJ, Kirchhof P, Lip GYH, Schotten U, Savelieva I, Ernst S, et al. for The Task Force for the Management of Atrial Fibrillation of the European Society of Cardiology 2010. ‘Guidelines for the management of atrial fibrillation. *European Heart Journal* 31:2369-2429.
- Cao, C., Martinelli, A., Spoelhof, B., Llinas, R.H., Marsh, E.B., 2017. In Potential Stroke Patients on Warfarin, the International Normalized Ratio Predicts Ischemia. *Cerebrovasc Dis Extra* 7:111-119.
- Clark M.A, Finkel R., Rey J.A Whalen K, 2012 Lippincott’s illustrated Review Wolters Kluwer Health/Lippincott Williams and Wilkins Baltimore.
- Coban, E., Kirbas, D., Atakli, D., Soysal, A. 2017. Efficacy and Safety of Warfarin Experience in a Stroke Polyclinic in Stroke Patient. *Arch Neuropsychiatry* 2017; 54:318-321
- Damayanti, A., Amalia, L., Sudjud, R.W., 2018. Characteristics of Cardioembolic Stroke Patient in Neurologic Ward Dr . Hasan Sadikin General Hospital Bandung Faculty of Medicine



UNIVERSITAS  
GADJAH MADA

**FREKUENSI PEMERIKSAAN DAN NILAI TERAPETIK INTERNATIONAL NORMALIZED RATIO (INR) TERAPI WARFARIN PERTAHUN SEBAGAI FAKTOR PREDIKTOR KEJADIAN STROKE BERULANG PADA PASIEN STROKE DENGAN FIBRILASI ATRIUM**

LAILLA AFFIANTI F., Prof. Dr. Erna Kristin, M.Sc., Apt.; Dr. dr. Rizaldy Taslim Pinzon, M.Kes., Sp. S  
Padjajaran University-Hasan Sadi 2: 630–636. <http://www.eprints.ugm.ac.id>

- Doan, J., Hubert Z., JulieR., Jacques T., Cara T., 2013. Prevalence and Risk of Potential Cytochrome P450-mediated Drug-Drug Interaction in Older Hospitalized Patients With Polypharmacy. *Ann Phamacother* 47(3):324-32.
- Perhimpunan Dokter Spesialis Kardiovaskular. 2014. Pedoman Tata Laksana Fibrilasi Atrium Edisi Pertama.
- Edward, HD, Webb, R.D., Conway, S.E., 2011. Effect of oral diuretics on chronic warfarin therapy: a restrospective study. *Expert Opin Druf Saf* 11(3):375-80.
- Evans, A., Perez, I., Yu, G., Kalra, L., 2000. Lessons From Clinical Practice 2106–2112.
- Fagan, S.C., and Hess, D.C., 2008, *Pharmacotherapy : A Pathophysiologic Approach*, seventh Edition, Appleton and Lange New York
- Fang, M.C., Go, A.S., Borowsky, L.H., Pomernacki, N.K., 2014. Long-term survival after ischemic stroke in patients with atrial fibrillation. *Neurology* 82:1033–1037.
- Hart, R.G., Pearce, L.A., Aguilar, M.I. 2007. Meta analysis : antithrombotic therapy to prevent stroke in patients who have nonvalvular atrial fibrillation. *Ann Intern Med* 146:857-67.
- Hernandez, I., Zhang, Y., Saba, S., 2017. Comparison of the Effectiveness and Safety of Apixaban, Dabigatran, Rivaroxaban and Warfarin in Newly Diagnosis Atrial Fibrillation. *Am J Cardiol* 120:1813–1819.
- Hirsh J, Fuster V, ansell J, Halperin J.L. 2003. American Heart Association/American Collage of Cardiology Foundation Guide to Warfarin Tehrapy. *Circulation* 1007:1692-1711.
- Ikawati, Z., 2011, *Farmakoterapi Penyakit Sistem Saraf Pusat*, Bursa Ilmu, Yogyakarta, hlm.145-169.
- Intercollegiate, S., Network, G., 2010. Management of patients with stroke: rehabilitation, prevention and management of complications, and discharge planning. (SIGN Guideline No 118).
- January, C.T., Wann, L.S., Alpert, J.S., Calkins, H., Cigarroa, J.E., Cleveland, J.C., Conti, J.B., et al., 2014 AHA/ACC/HRS guideline for the management of patients with atrial fibrillation: A report of the American College of cardiology/American heart association task force on practice guidelines and the heart rhythm society. *Circulation* 129:000–000.



UNIVERSITAS  
GADJAH MADA

**FREKUENSI PEMERIKSAAN DAN NILAI TERAPETIK INTERNATIONAL NORMALIZED RATIO (INR) TERAPI WARFARIN PERTAHUN SEBAGAI FAKTOR PREDIKTOR KEJADIAN STROKE BERULANG PADA PASIEN STROKE DENGAN FIBRILASI ATRIUM**

LAILLA AFFIANTI F, Prof. Dr. Erna Kristin, M.Sc., Apt.; Dr. dr. Rizaldy Taslim Pinzon, M.Kes., Sp. S  
Johnson, J.A., Gaudin, K.F., Goto, I., Stein, G.M., Scott, S.A., Lee, M.T., *et al.*, 2017. Clinical

Pharmacogenetics Implementation Consortium ( CPIC ) Guideline for Pharmacogenetics-Guided Warfarin Dosing : 2017 Update. *Clinical Pharmacology & Therapeutic* 102(3):102: 2–9.

Jung, K., Yu, K., Kim, D., Park, J., Hong, K., Rha, J., 2015. Antithrombotic Management of Patients with Nonvalvular Atrial Fibrillation and Ischemic Stroke or Transient Ischemic Attack : Executive Summary of the Korean Clinical Practice Guidelines for Stroke. *Journal of Stroke* 17: 210–215.

Kamel, H., Johnson, D.R., Hegde, M., Go, A.S., Sidney, S., Sorel, M., Hills, N.K., Johnston, S.C., 2012. Detection of Atrial Fibrillation After Stroke and the Risk of Recurrent Stroke. *J. Stroke Cerebrovasc. Dis* 21: 726–731.

Kanai, Y., Oguro, H., Tahara, N., Matsuda, H., Takayoshi, H., Mitaki, S., Onoda, K., 2018. Analysis of Recurrent Stroke Volume and Prognosis between Warfarin and Four Non Vitamin K Antagonist Oral Anticoagulants ' Administration for Secondary Prevention of Stroke. *J. Stroke Cerebrovasc. Dis* 27: 338–345.

Khairunnisa, D., 2013. Hubungan Dosis dan Durasi Penggunaan Warfarin Terhadap Target INR (International Normalized Ratio) 1,5-2,0 pada pasien Stroke Iskemik dengan Atrial Fibrilasi di RSUP DR. Sardjito Yogyakarta [Tesis]. Universitas Gadjah Mada.

Keputusan Menteri Kesehatan Republik Indonesia nomor 378/Menkes/SK/IV/2008 tentang Pedoman Pelayanan Rehabilitasi Medis Di Rumah Sakit.

Kodani, E., Atarashi, H., Inoue, H., Okumura, K., Yamashita, T., Origasa, H., 2016. Secondary Prevention of Stroke with Warfarin in Patients with Nonvalvular Atrial Fibrillation: Subanalysis of the J-RHYTHM Registry. *J. Stroke Cerebrovasc. Dis* 25: 585–599.

Koga, M., Yoshimura, S., Hasegawa, Y., Shibuya, S., 2016. Higher Risk of Ischemic Events in Secondary Prevention for Patients With Persistent Than Those With Paroxysmal Atrial Fibrillation. *Stroke* 2(47):2582-2588

Lacy, C.F. Armstrong, L., Goldman M.P dan Lance. 2007. Drug complications of anticoagulant treatment. *CHEST Journal* 119:108S-121S.

Lane, D.A., Lip, G.Y.H., 2012. Use of the CHA<sub>2</sub>DS<sub>2</sub>-VASc and HAS-BLED Scores to Aid Decision Making for Thromboprophylaxis in Nonvalvular Atrial Fibrillation. *Circulation* 126:860-865.



UNIVERSITAS  
GADJAH MADA

**FREKUENSI PEMERIKSAAN DAN NILAI TERAPETIK INTERNATIONAL NORMALIZED RATIO (INR) TERAPI WARFARIN PERTAHUN SEBAGAI FAKTOR PREDIKTOR KEJADIAN STROKE BERULANG PADA PASIEN STROKE DENGAN FIBRILASI ATRIAM**

- LAILLA AFFIANTI F., Prof. Dr. Erna Kristin, M.Sc., Apt.; Dr. dr. Rizaldy Taslim Pinzon, M.Kes., Sp. S  
Lu, Y., Shen, D., Pitsch, M., Noga, C., Fedli, Z., Huang, H., Tu., Y., dan Cheng, F. 2015. A novel Algorithm for analyzing drug-drug interactions from MEDLINE literature. *Scientific Reports* 5:17357
- Naderi, S., Wang, Y., Miller, A.L., Rodriguez, F., Chung, M.K., Radford, M., Foody, J.M., 2014. The Impact of Age on the Epidemiology of Atrial Fibrillation Hospitalizations. *Am J Med* 127(2):158.e1-158.e7.
- Nelson, W.W., Desai, S., Damaraju, C. V, Lu, L., Fields, L.E., Wildgoose, P., Schein, J.R., 2015. International Normalized Ratio Stability in Warfarin- Experienced Patients with Nonvalvular Atrial Fibrillation. *Am. J. Cardiovasc. Drugs* 15: 205–211.
- Mansur, A.D.P., Takada, J.Y., Avakian, S.D., Strunz, C.M.C., 2012. Warfarin doses for anticoagulation therapy in elderly patients with chronic atrial fibrillation 67: 543–546.
- Manuscript, A., 2011. NIH Public Access 103: 227–231.
- Mazurek, M., Shantsila, E., Lane, D.A., Wolff, A., Proietti, M., Lip, G.Y.H., 2017. Insights From the Darlington Atrial Fibrillation Registry.
- Mcgrath, E.R., Kapral, M.K., Fang, J., 2014. Antithrombotic Therapy After Acute Ischemic Stroke in Patients With Atrial Fibrillation. *Stroke* 45:3637-3642.
- Ogilvie, I.M., Newton, N., Welner, S.A., Cowell, W., Lip, G.Y.H., 2010. Underuse of Oral Anticoagulants in Atrial Fibrillation : A Systematic Review. *AJM* 123: 638–645.e4.
- Penado, S., Cano, M., Acha, O., Herna, L., Riancho, A., 2003. Atrial Fibrillation as a Risk Factor for Stroke Recurrence. *The American Journal Of Medicine* 114: 9343.
- Regulation, M., 2016. Guidelines for warfarin management in the community.
- Simpson J.R., Zahuranec D.B., Lisabeth L.D. et al., 2010. Mexican Americans with atrial fibrillation have more recurrent strokes than do non-Hispanic White. *Stroke* 41:2132-6.
- Steger, C., Pratter, A., Martinek-bregel, M., Avanzini, M., Sto, C., Valentin, A., 2018. Stroke patients with atrial fibrillation have a worse prognosis than patients without : data from the Austrian Stroke registry. *Eur Heart J* 25:1734–1740.
- Summary, E., Implementation, U.W.H., n.d. Warfarin Management - Adult - Ambulatory Clinical Practice Guideline.
- Tellor, K.B., Nguyen, S.N., Bultas, A.C., Armbruster, A.L., Greedwald, N.A., Yancey, A.M., 2018, Evaluation of The Impact of Body Mass Index on Warfarin Reuquirements in Hospitalized Patient, *Therapeutic Advances Cardiovascular Disease* 12(8):207-216.



UNIVERSITAS  
GADJAH MADA

**FREKUENSI PEMERIKSAAN DAN NILAI TERAPETIK INTERNATIONAL NORMALIZED RATIO (INR) TERAPI WARFARIN PERTAHUN SEBAGAI FAKTOR PREDIKTOR KEJADIAN STROKE BERULANG PADA PASIEN STROKE DENGAN FIBRILASI ATRIAM**

Tran HA, Chundil SD, Herra BI, Tran H, Wood EM, Gallus AS; the Warfarin Reversal

Consensus Group 2013. An update of consensus guidelines for warfarin reversal, *Medical Journal of Australia* 198(4):198-199.

Update, S., 2015. Heart Disease and Stroke Statistics – At-a-Glance Heart Disease , Stroke and other Cardiovascular Diseases Heart Disease, Stroke and Cardiovascular Disease Risk Factors 7–10.

Wibowo S., Ghofir, A. 2001. Farmakoterapi dalam Neurologi, edisi I, Penerbit Salemba Medisa: Jakarta.

www.drugs.com

Xian, Y., Wu, J., Brien, E.C.O., Fonarow, G.C., Olson, D.M., Schwamm, L.H., Bhatt, D.L., *et al.*, 2015. Real World Effectiveness Of Warfarin Among Ischemic Stroke Patients With Atrial Fibrillation : Observational Analysis from Patient-Centered Research into Outcomes Stroke Patients Prefer and Effectiveness Research ( PROSPER ) study. *BMJ* 351: 3786.

Yamaguchi, T., Group, for J.N.A.F.S.P.C.S., 2000. Optimal Intensity of Warfarin Therapy for Secondary Prevention of Stroke in Patients with Nonvalvular Atrial Fibrillation: A Multicenter, Prospective, Randomized Trial. *Stroke* 31: 817–821.

Yao, X., Abraham, N.S., Sangaralingham, L.R., Bellolio, F., McBane, R.D., Shah, N.D., Noseworthy, P.A., 2016. Effectiveness and Safety of Dabigatran, Rivaroxaban, Apixaban Versus Warfarin in Nonvalvular Atrial Fibrillation. *J Am Heart Assoc* 5:e003725.

Yuniadi, Y., Tondas. A.E., Hanafy, D.A., Hermanto, D.Y., Maharani, E., Munawar, M., Raharjo, S.B., 2014. Pedoman Tata Laksana Fibrilasi Atrium. Perhimpunan Dokter Spesialis Kardiovaskuar Indonesia 2014.

Zehnder, JL, 2009. Drug used in disorders of coagulation dalam: Katzung, BG (Ed) Basic and clinical pharmacology 11 th edition. Mcgraw Hill Professional Amerika ha; 257-296.

Zhao, Y., Zou, C., Wang, C., Zhang, Y., Wang, S., 2016. Long-term Outcomes after Stroke in Elderly Patients with Atrial Fibrillation : A Hospital-Based Follow-Up Study in China. *Frontiers in Aging Neuroscience* 8:56.